QIMA

Inspection report

QIMA Inspections

Travel shoulder Bags

PSI

Pre-Shipment Inspection Inspection reference: 618887

Planned date	Inspection date
22-May-2024	22-May-2024

Workmanship

Defective rate: 15.20% (19/125) Fail

CRI 0 MAJ 2 MIN 17

Checkpoints & tests

1 failed checklist, 3 passed checklists, 1 N/A checklist Fail

Product Specifications - SL	Fail
Quantity & Packaging	Pass
Product Test - Travel bag	Pass
Factory Review	Pass
Product Dimensions SL	N/A

Overall result

Fail

Inspector's remark

- Product height was 328-330mm, not the 270mm specified.
- Handle height was 16cm, not the 18cm specified.
- Inside front pocket was 355×268mm, not the 360×270mm specified.
- Inside back pocket was 195×190mm, not the 200×200mm specified.
- Product bottom was slightly wrinkled due to fold packing.
- Side snap button was easy to open, similar to the approval sample.

Product details

Name (Main identifier)
Travel shoulder Bag

Shipment date
22-May-2024

Ordered quantity	Produced quantity	Packed quantity
1,000 pcs	1,000 100.00 %	1,000 100.00 %
	Expected: 1,000 (100.00 %)	Expected: 800 (80.00 %)

Description
Travel bags

Inspection site

Factory ABC

Address
Dongguan City, Guangdong Province, China
Shipaizhen
China

Site representative
Mr. K. Chen

Inspection coordinates

Inspection site address coordinates
23.040326, 113.844206

Start inspection coordinates
23.040319, 113.844203

Inspector

B. John
From: QIMA Inspections

112 pictures

QIMA © 2024

Inspection standards

Workmanship sampling method
Standard level & AQL (ISO 2859-1)

Workmanship sampling level & AQL
General level - III

CRITICAL DEFECTS		MAJOR DEFECTS		MINOR DEFECTS	
AQL	0	AQL	2.5	AQL	4.0
Sample size	125	Sample size	125	Sample size	125
Accept point	0	Accept point	7	Accept point	10

Workflow

QIMA - PSI STANDARD - SL

Tests checklists

Quantity & Packaging
Fully completed

Product Specifications - SL
Fully completed

Product Dimensions SL
Fully completed

Product Test - Travel bag
Fully completed

Factory Review
Fully completed

Defects checklists

Defect - Travel bag

Workmanship

Fail

Sample size	Defective pieces		CRITICAL	MAJOR	MINOR
125	19 (15.20%)	Total defects found	0	2	17
		Total defects allowed	0	7	10

Defects checklist

Defect- Travel bag

	CRITICAL	MAJOR	MINOR
Total defects found	0	2	17
Big oil stain | 1	-	1	-
Poor fabric | 1	-	1	-
Stain / streaks (MIN) | 6	-	-	6
Untrimmed Thread Ends | 11	-	-	11

Checkpoints & tests

Fail

Tests checklist

Quantity & Packaging

Result: Pass

Available Quantity Check — Pass

OK

All was finished and packed

Selected Carton Numbers

Number on the Inspected Cartons
10.51.45.18.01.77.70.85.16.96.71.28.26.117.163.25.66.57.49.33.15.121.43.166.193.

Quantity Finished & Packed (%)

Please input the total quantity finished and packed in pcs and %.
Finished and packed 1000 pcs(100%)

Quantity Finished & Unpacked (%)

Please input the total quantity finished and unpacked in pcs and %.
0

Available Quantity Details

Please fill in the quantity details for item/reference/sku available on-site.

Item/Reference SKU	Quantity Ordered	Quantity Ready & Packed	Cartons Available	Quantity per Carton	Quantity Inspected	Number of Cartons Inspected
Travel Shoulder Bag B/R 001	1000	1000	200	5	125	25

Tests checklist

Product Specifications - SL

Result: Fail

Random carton selection — Pass

Were you able to select the cartons / sampling size fully randomly ? If yes, the result is passed, If not, the result is failed.
PASSED

Cartons before selection | 1

yes

Cartons after selection | 1

yes

Selected cartons 1	yes
Outer packing Pass | 6	OK Confirmed to spec
Shipping Marks: Front & Side N/A | 2	Front mark confirmed to spec. Side mark have no spec to check.
Inner Packing N/A	No inner pack
Unit Packing Fail | 6	1. Availability of Mold Prevention Unit 2. Availability of Vent Hole NOT OK Product bottom was slightly wrinkle compared with approval sample due to fold pack
Carton drop test 3 cartons Pass | 2	Perform a carton drop test on the export cartons. (carried out on 3 cartons according to ISTA 1A procedure) PASSED Conformed
Match packing info 5 products N/A	Verify if the information of the product (PO number/item number/product description) packed inside the packing matches the information on the corresponding packing (gift box/export carton) or not if applicable Not applicable
Shake test info 5 products N/A	Shake test - Only for products with blister package and shake by hand for the product before opening the blister. To see: 1/If the products are coming out of the package or become misaligned. 2/to confirm if the products are securely fastened Not applicable
Outer Packing: Assortment, Dimensions & Weight 5	Check 5 cartons for assortment, dimensions, and weights. Close to spec

Item/Reference/SKU	Carton Number	Quantity / Carton	L x H x W (cm)	Weight (kg)
Travel Shoulder Bag B/R 001	66	5	76×39×25	7.4

Product Style & Construction N/A | 15	Product side snap button closed was easy to open close to approval sample
Product Color Pass	OK Please refer style section color close to approval sample
Product Logo Pass | 9	OK Confirmed to approval sample and spec
Product Labels Pass | 4	OK Confirmed to approval sample and spec
Reference Sample 2	Is a reference sample approved by the client available on-site? Yes Have reference sample onsite
Sample Collection N/A	If Sample Collection is requested, please provide pictures of the samples collected, sealed cartons, tracking number & delivery company used. Not requested for this inspection.

Tests checklist

Product Dimensions SL

Result

N/A

Product Dimensions Result

N/A | 14

Upload all pictures of measurements, measurement charts (excel) and screenshot of the measurement charts. For the screenshot, use the spotlight feature to enlarge the screenshot in the final report.

Product height was 328-330mm, not 270mm as specified.
Handle height was 16cm, not 18 cm as specified.
Inside front pocket was 355×268mm, not 360×270mm as specified.
Inside back pocket size was 195×190mm, not 200×200mm as specified.

Measurements below where pom = Point of Measurement

pom(mm)	spec	Approval sample	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10
Width	520	520	520	521	520	519	520	521	520	519	520	519
height	270	329	328	330	329	330	328	329	330	328	329	330
depth	260	262	262	263	262	262	263	261	262	263	262	263
weight		1.031	1.025	1.028	1.025	1.026	1.025	1.03	1.025	1.027	1.029	1.032
pom(mm)	spec	Approval sample	S11	S12	S13	S14	S15	S16	S17	S18	S19	S20
Width	520	520	519	520	521	520	521	520	520	521	520	519
height	270	329	330	328	329	328	330	329	328	330	329	330
depth	260	262	262	263	261	262	263	262	262	263	262	262
weight		1.031	1.026	1.025	1.03	1.027	1.029	1.032	1.025	1.028	1.025	1.026

Product Dimensions Item Details

Please refer measurement chart for details

Item/Reference/SKU	Total Sample Size	Total NOK Samples	Total # of POM	Total # of POM out of tolerance
Travel bag B/R 001	20	0	60	0

Tests checklist

Product Test - Travel bag

Result

Pass

Fatigue test

5 pcs

Pass | 4

Repeatedly use the product and its adjustable parts to the full extent of their capacity for 20 cycles with the force of 9N, or following the client specifications if there is any.
PASSED

Conformed

Odor check

80 pcs

Pass | 1

1. Smell the product, checking for any odor; 2. Compare to that of the approval sample.
PASSED

Conformed

Rubbing (textile) test

5 pcs

Pass | 4

1. Rub the product or label with a dry white cotton cloth ten times over a 10cm distance with a force of 9N (1kg). 2. Rub the product or a label with a white cotton cloth soaked with water ten times over a 10cm distance with a force of 9N (1kg). 3. Rub the product or a label with white cotton cloth soaked with petroleum spirit ten times over a 10cm distance with a force of 9N (1kg). (follow client specification). 4. Ensure to perform the test on each external color and fabric.
PASSED

Conformed

Seam strength test

80 pcs

Pass | 3

Pull the product by hand at the seam location to test the strength of the seam.
PASSED

Conformed

Fitting check 5 pcs Pass | 2	Check or test that the product and/or part can fit as expected; if there is an approved sample, verify that the inter-compatibility between the approved sample and the tested products. PASSED Conformed
Color shading check 1 pcs Pass | 1	Put the inspected pieces next to each other; Identify any deviation in color from one sample to the other; Check the color shading against the approved sample or production approved sample. PASSED Conformed
Surface feel test 80 pcs Pass | 1	1. Use your hands to feel the surface of the item: rugosity, texture, thickness, etc. 2. Compare with an approved sample, and/or use standard blocks to approximate the rugosity (or use a machine if available). PASSED Conformed
Approval sample comparison 80 pcs Pass | 2	Check the dimensions, shape, style or color of the product against the approval sample. PASSED Conformed
Stitch density check 5 pcs Pass | 1	Count the number of stitches per inch compared to specifications or approval sample. PASSED Have7-8 stitches per inch close to approval sample
Label check 80 pcs Pass | 2	1. Check that the specified labels are found attached to the product. 2. Check that the information of the label is correct to specifications. PASSED Conformed

Tests checklist

Factory Review

Result: Pass

Factory Cooperation	Average
Factory Organization	Average
Factory/workshop cleanliness	Average
Inspection Room Lighting Conditions	Please confirm the lighting conditions in the inspection room. Average
Is the factory/workshop location same as booked? 1	Please confirm the factory location is the same as booked by the client. Provide pictures of inspectors in front of the factory gate. Yes
Are the QIMA documents signed? Pass | 3	Factory Disclaimer, Draft Report, and COC must be signed by inspectors and factory representatives. Pictures of the signed documents must be provided. Yes

Photos

Workmanship: Defect - Travel bag (19)

Big oil stain MAJ

Poor fabric MAJ

Stain / streaks (MIN) MIN

Stain / streaks (MIN) MIN

Stain / streaks (MIN) MIN

Stain / streaks (MIN) MIN

Stain / streaks (MIN) MIN

Stain / streaks (MIN) MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN



Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Untrimmed Thread Ends MIN

Checkpoints & tests: Product Specifications - SL (54)

Cartons before selection

Cartons after selection

Selected cartons

Outer packing

Outer packing

Outer packing

Outer packing

Outer packing

Outer packing

Shipping Marks: Front & Side

Shipping Marks: Front & Side

Unit Packing

Unit Packing

Unit Packing

Unit Packing

Unit Packing

Unit Packing
Product bottom was slightly wrinkle compared with approval sample due to fold pack(left was sample)

Outer Packing: Assortment, Dimensions & Weight

Outer Packing: Assortment, Dimensions & Weight

Outer Packing: Assortment, Dimensions & Weight

Outer Packing: Assortment, Dimensions & Weight

Outer Packing: Assortment, Dimensions & Weight

Carton drop test

Carton drop test

Product Style & Construction
Left was approval sample

Product Style & Construction
Left was approval sample

Product Style & Construction
Left was approval sample

QIMA © 2024

Product Style & Construction
Left was approval sample

Product Style & Construction
Left was approval sample



Product Style & Construction
Left was approval sample

Product Style & Construction
Top was approval sample

Product Style & Construction
Top was approval sample

Product Style & Construction
Left was approval sample

Product Style & Construction
Left was approval sample

Product Style & Construction
Top was approval sample

Product Style & Construction
Top was approval sample

Product Style & Construction
Product side snap button closed was easy to open close to approval sample

Product Style & Construction
Product side snap button closed was easy to open close to approval sample

Product Style & Construction
Product side snap button closed was easy to open close to approval sample



Product Logo



Product Logo

Product Logo



Product Logo

Product Logo



Product Logo



Product Logo

Product Logo

Product Logo

Product Labels

Product Labels

Product Labels

Product Labels

Reference Sample

Reference Sample

Checkpoints & tests: Product Dimensions SL (14)

Product Dimensions Result

Product Dimensions Result
Product height was 328-330mm close to approval sample but different from spec 270mm



Product Dimensions Result

Product Dimensions Result
Handle height was 16cm same as approval sample but different from spec 18 cm.this is product

Product Dimensions Result
Handle height was 16cm same as approval sample but different from spec 18 cm.this is approval sample

Product Dimensions Result
Inside front pocket size was 355×268mm close to approval sample but slightly different from spec

Product Dimensions Result
Inside front pocket size was 355×268mm close to approval sample but slightly different from spec

Product Dimensions Result
Inside back pocket size was 195×190mm close to appdroval sample but slightly different from spec

Product Dimensions Result
Inside back pocket size was 195×190mm close to appdroval sample but slightly different from spec



product	spec	Approval sample	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10
Width	320	320	320	321	320	319	320	321	320	318	320	319
height	270	270	270	270	270	270	270	270	270	270	270	270
depth	260	262	262	261	262	262	261	261	262	261	262	261
weight		1.021	1.021	1.020	1.021	1.020	1.021	1.01	1.021	1.017	1.020	1.022
product	spec	Approval sample	S11	S12	S13	S14	S15	S16	S17	S18	S19	S20
Width	320	320	319	320	321	320	321	320	320	321	320	319
height	270	270	270	270	270	270	270	270	270	270	270	270
depth	260	262	262	261	261	262	261	262	262	261	262	262
weight		1.021	1.020	1.021	1.01	1.017	1.020	1.022	1.021	1.020	1.021	1.020

Product Dimensions Result

Product Dimensions Result
Product weight

Product Dimensions Result
Product weight

Product Dimensions Result
Approval sample weight

Product Dimensions Result
Approval sample weight

Checkpoints & tests: Product Test - Travel bag (21)

Fatigue test

Fatigue test

Fatigue test

Fatigue test

Odor check

Rubbing (textile) test

Rubbing (textile) test

Rubbing (textile) test

Rubbing (textile) test

Seam strength test

Seam strength test

Seam strength test

Fitting check

Fitting check

Color shading check

Surface feel test

Approval sample comparison

Approval sample comparison

Stitch density check

Label check

Label check

Checkpoints & tests: Factory Review (4)

Is the factory/workshop location same as booked?



Are the QIMA documents signed?

Are the QIMA documents signed?



Are the QIMA documents signed?

Acknowledgments & signatures

B. John
Inspector

Acknowledged on 22-May-2024
10:09 AM (Timezone: UTC +08:00)

Summary review

Issued by QIMA Inspection (Shenzhen) Limited
Reviewed by K. Chen

THE ABOVE RESULT(S) REFLECT(S) QIMA LIMITED'S FINDINGS AT THE TIME AND PLACE OF INSPECTION. THIS REPORT DOES NOT RELEASE THE BUYER OR SELLER FROM CONTRACTUAL RESPONSIBILITIES, NOR DOES IT PREJUDICE THE BUYER'S RIGHT OF CLAIM TOWARD THE SELLER/SUPPLIER FOR COMPENSATION FOR ANY APPARENT AND/OR HIDDEN DEFECTS NOT DETECTED DURING INSPECTION OR OCCURRING ANYTIME THEREAFTER.

QIMA © 2024