


C-RADIOv4 vs DINOv2 segmentation visual audit

YKI08 · 1611.584 seconds · existing deterministic 1 FPS diagnostic replay · generated without model or segmentation recomputation

Manual inspection only. This report does not decide which representation is better. Judge whether boundaries correspond to real scene/action/event changes, whether C-RADIO ignores useful fine changes, whether DINO reacts to camera/photometric motion, and which segmentation yields coherent Medium-level events.

A. Global timeline comparison

exact/shared matched within ± 2 s DINO-only C-RADIO-only



Markers are all existing Fine boundaries. “Only” means unmatched by the deterministic one-to-one ± 2 s comparison; it is not a correctness label.

B. Side-by-side boundary examples

Twenty deterministic examples: four exact strong shared, four shared with 1–2 s displacement, four strong DINO-only, four strong C-RADIO-only, and four additional > 5 s disagreement anchors. Seven source frames around each anchor provide ± 3 s context.

#01 strong shared — exact

nearest distance 0.0s



DINO + C-RADIO 1345.0s


DINOv2 boundary 1345.0s · strength 0.5745 · raw cosine 0.3896 · smoothed cosine 0.4255

C-RADIO boundary 1345.0s · strength 0.1062 · raw cosine 0.8376 · smoothed cosine 0.8938

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#02 strong shared — exact

nearest distance 0.0s



DINO + C-RADIO 315.0s

DINOv2 boundary 315.0s · strength 0.5417 · raw cosine 0.3057 · smoothed cosine 0.4583

C-RADIO boundary 315.0s · strength 0.0759 · raw cosine 0.8939 · smoothed cosine 0.9241

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#03 strong shared — exact

nearest distance 0.0s



DINO + C-RADIO 5.0s


DINOv2 boundary 5.0s · strength 0.5252 · raw cosine 0.5685 · smoothed cosine 0.4748

C-RADIO boundary 5.0s · strength 0.0921 · raw cosine 0.9232 · smoothed cosine 0.9079

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#04 strong shared — exact

nearest distance 0.0s



DINO + C-RADIO 1223.0s


DINOv2 boundary 1223.0s · strength 0.4898 · raw cosine 0.3629 · smoothed cosine 0.5102

C-RADIO boundary 1223.0s · strength 0.0545 · raw cosine 0.9173 · smoothed cosine 0.9455

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#05 shared — 1–2 s disagreement

nearest distance 1.0s



C-RADIO 1093.0s

DINO 1094.0s


DINOv2 boundary 1094.0s · strength 0.6667 · raw cosine 0.2554 · smoothed cosine 0.3333

C-RADIO boundary 1093.0s · strength 0.1000 · raw cosine 0.8809 · smoothed cosine 0.9000

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#06 shared — 1–2 s disagreement

nearest distance 2.0s



C-RADIO 1301.0s

DINO 1303.0s

DINOv2 boundary 1303.0s · strength 0.5379 · raw cosine 0.3191 · smoothed cosine 0.4621

C-RADIO boundary 1301.0s · strength 0.0692 · raw cosine 0.9043 · smoothed cosine 0.9308

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#07 shared — 1–2 s disagreement

nearest distance 1.0s



C-RADIO 1072.0s

DINO 1073.0s

DINOv2 boundary 1073.0s · strength 0.5233 · raw cosine 0.3628 · smoothed cosine 0.4767

C-RADIO boundary 1072.0s · strength 0.0671 · raw cosine 0.9093 · smoothed cosine 0.9329

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#08 shared — 1–2 s disagreement

nearest distance 2.0s



DINO 1120.0s

C-RADIO 1122.0s

DINOv2 boundary 1120.0s · strength 0.4866 · raw cosine 0.4879 · smoothed cosine 0.5134

C-RADIO boundary 1122.0s · strength 0.0645 · raw cosine 0.9246 · smoothed cosine 0.9355

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#09 DINO-only strong (>5 s to C-RADIO)

nearest distance 7.0s



C-RADIO nearest 376.0s → outside strip

DINO 369.0s


DINOv2 boundary 369.0s · strength 0.3086 · raw cosine 0.6974 · smoothed cosine 0.6914

C-RADIO boundary 376.0s · strength 0.0182 · raw cosine 0.9846 · smoothed cosine 0.9818

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#10 DINO-only strong (>5 s to C-RADIO)

nearest distance 12.0s



C-RADIO nearest 376.0s ← outside strip

DINO 388.0s

DINOv2 boundary 388.0s · strength 0.2969 · raw cosine 0.6079 · smoothed cosine 0.7031

C-RADIO boundary 376.0s · strength 0.0182 · raw cosine 0.9846 · smoothed cosine 0.9818

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#11 DINO-only strong (>5 s to C-RADIO)

nearest distance 6.0s



C-RADIO nearest 461.0s ← outside strip

DINO 467.0s


DINOv2 boundary 467.0s · strength 0.2857 · raw cosine 0.6403 · smoothed cosine 0.7143

C-RADIO boundary 461.0s · strength 0.0260 · raw cosine 0.9696 · smoothed cosine 0.9740

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#12 DINO-only strong (>5 s to C-RADIO)

nearest distance 8.0s



C-RADIO nearest 406.0s → outside strip

DINO 398.0s

DINOv2 boundary 398.0s · strength 0.2854 · raw cosine 0.6364 · smoothed cosine 0.7146

C-RADIO boundary 406.0s · strength 0.0261 · raw cosine 0.9600 · smoothed cosine 0.9739

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#13 C-RADIO-only strong (>5 s to DINO)

nearest distance 6.0s



DINO nearest 192.0s → outside strip

C-RADIO 186.0s

DINOv2 boundary 192.0s · strength 0.2510 · raw cosine 0.6986 · smoothed cosine 0.7490

C-RADIO boundary 186.0s · strength 0.0423 · raw cosine 0.9285 · smoothed cosine 0.9577

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#14 C-RADIO-only strong (>5 s to DINO)

nearest distance 6.0s



DINO nearest 1087.0s → outside strip

C-RADIO 1081.0s

DINOv2 boundary 1087.0s · strength 0.4886 · raw cosine 0.4432 · smoothed cosine 0.5114

C-RADIO boundary 1081.0s · strength 0.0356 · raw cosine 0.9627 · smoothed cosine 0.9644

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#15 C-RADIO-only strong (>5 s to DINO)

nearest distance 10.0s



DINO nearest 291.0s ← outside strip

C-RADIO 301.0s


DINOv2 boundary 291.0s · strength 0.3102 · raw cosine 0.6925 · smoothed cosine 0.6898

C-RADIO boundary 301.0s · strength 0.0348 · raw cosine 0.9607 · smoothed cosine 0.9652

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#16 C-RADIO-only strong (>5 s to DINO)

nearest distance 18.0s



DINO nearest 192.0s → outside strip

C-RADIO 174.0s

DINOv2 boundary 192.0s · strength 0.2510 · raw cosine 0.6986 · smoothed cosine 0.7490

C-RADIO boundary 174.0s · strength 0.0282 · raw cosine 0.9657 · smoothed cosine 0.9718

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#17 >5 s disagreement — DINO anchor

nearest distance 7.0s



C-RADIO nearest 332.0s → outside strip

DINO 325.0s


DINOV2 boundary 325.0s · strength 0.2790 · raw cosine 0.6601 · smoothed cosine 0.7210

C-RADIO boundary 332.0s · strength 0.0267 · raw cosine 0.9776 · smoothed cosine 0.9733

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#18 >5 s disagreement — DINO anchor

nearest distance 6.0s



C-RADIO nearest 732.0s ← outside strip

DINO 738.0s


DINOV2 boundary 738.0s · strength 0.2701 · raw cosine 0.6999 · smoothed cosine 0.7299

C-RADIO boundary 732.0s · strength 0.0276 · raw cosine 0.9702 · smoothed cosine 0.9724

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#19 >5 s disagreement — C-RADIO anchor

nearest distance 13.0s



DINO nearest 602.0s ← outside strip

C-RADIO 615.0s


DINOv2 boundary 602.0s · strength 0.2231 · raw cosine 0.7022 · smoothed cosine 0.7769

C-RADIO boundary 615.0s · strength 0.0274 · raw cosine 0.9684 · smoothed cosine 0.9726

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous

#20 >5 s disagreement — C-RADIO anchor

nearest distance 12.0s



DINO nearest 81.0s → outside strip

C-RADIO 69.0s

DINOv2 boundary 81.0s · strength 0.2421 · raw cosine 0.7195 · smoothed cosine 0.7579

C-RADIO boundary 69.0s · strength 0.0268 · raw cosine 0.9624 · smoothed cosine 0.9732

Manual impression: ☐ DINO more reasonable ☐ C-RADIO more reasonable ☐ both reasonable ☐ neither / ambiguous


C. Segment-level comparison

Six representative windows cover both models' longest and shortest Fine segments and windows where either method splits more often. Each box reports the full segment interval/duration and displays its existing representative timestamp frame. Boxes are clipped visually to the selected window but labels retain full boundaries.


Longest DINO Fine segment context

73.5–153.5s

DINOv2



C-RADIO




Manual impression: ☐ DINO events more coherent ☐ C-RADIO events more coherent ☐ comparable ☐ ambiguous


Longest C-RADIO Fine segment context

217.5–287.5s

DINOv2



C-RADIO






Manual impression: ☐ DINO events more coherent ☐ C-RADIO events more coherent ☐ comparable ☐ ambiguous




Shortest DINO Fine segment context

1571.6–1611.6s

DINOv2



C-RADIO







Manual impression: ☐ DINO events more coherent ☐ C-RADIO events more coherent ☐ comparable ☐ ambiguous






Shortest C-RADIO Fine segment context

293.0–333.0s

DINOv2



C-RADIO




Manual impression: ☐ DINO events more coherent ☐ C-RADIO events more coherent ☐ comparable ☐ ambiguous


DINO splits more in this 60 s window

340.0–400.0s

DINOv2



C-RADIO



Manual impression: ☐ DINO events more coherent ☐ C-RADIO events more coherent ☐ comparable ☐ ambiguous


C-RADIO splits more in this 60 s window

1080.0–1140.0s

DINOv2



C-RADIO



Manual impression: ☐ DINO events more coherent ☐ C-RADIO events more coherent ☐ comparable ☐ ambiguous

D. Existing strongest examples

- [Strongest DINO boundary near 1094 s](#)
- [Strongest C-RADIO boundary near 1345 s](#)
- [Strong DINO-only boundary near 369 s](#)
- [Strong C-RADIO-only boundary near 186 s](#)

Each linked card includes seven newly decoded context frames. Existing three-frame contact sheets remain preserved in the diagnostic output directory but are not needed to render this report.

E. Summary statistics

Metric	DINOv2	C-RADIOv4
Fine segments	134	126
Medium segments	46	40
Adjacent cosine mean	0.797581	0.979667
Adjacent cosine std	0.111810	0.017589
Adjacent cosine MAD	0.056181	0.006066
Smoothed MAD	0.047190	0.005558

Boundary tolerance	Matches	F1
Exact	31	0.240
±1 s	67	0.519
±2 s	82	0.636
±5 s	99	0.767

The 8.49× MAD difference indicates different similarity-signal scales, not an 8.49× performance difference.

Visualization-only audit. Source: outputs/diagnostics/cradio_v4/dino_comparison/dino_comparison_results.json. No embeddings, thresholds, segments, B0/B1/B2 definitions, or frozen artifacts were changed.