

RippleLab Day 02 Progress Report

Day: 02 of 30

Date: 2026-08-13

Status: Complete

Branch: codex/day-02-design-system

Implementation commit: 9430777

CI: Full local quality gate passed

1. Objective

Establish RippleLab's visual language and reusable application shell so later profile, authentication and simulation work can be added without redesigning foundational interface patterns.

2. Acceptance Criteria

- [x] Color, typography, spacing and data-visualization tokens are defined.
- [x] The dashboard shell and navigation adapt to desktop and 390 px mobile viewports.
- [x] Buttons, cards, fields, dialogs, confidence badges and status patterns are reusable.
- [x] Empty, loading and error states are implemented.
- [x] Keyboard focus is visible and native dialog dismissal works with Escape.
- [x] Automated accessibility smoke checks report no critical or serious violations.

3. Completed Work

The application now opens on a structured personal-impact dashboard instead of the Day 1 landing placeholder. It includes a scenario prompt, impact placeholders, a causal-chain preview and a persistent educational-use disclaimer. A dedicated design-system route demonstrates foundations, form states, confidence treatments, loading, empty and recoverable error patterns.

Desktop uses a fixed navigation rail and wide dashboard grid. Mobile converts the rail into an off-canvas drawer and stacks metrics, forms and content cards into a single readable column.

4. Technical Implementation

- Added typed primitives for buttons, cards, fields, dialogs, confidence badges, icons and system states.
- Added a client-side application shell with responsive navigation state.
- Added a native HTML dialog wrapper with accessible labels and Escape handling.
- Centralized design metadata in `design-tokens.ts` and visual tokens in CSS custom properties.
- Added route-level loading and error boundaries.
- Added Playwright projects for desktop Chromium and a Chromium-backed mobile viewport.
- Added axe-core WCAG 2/2.1 A and AA smoke tests to the root quality gate.

5. Calculations, Assumptions and Evidence

No economic calculations or evidence records changed. Dashboard figures remain explicitly marked as awaiting a future profile or engine connection. Confidence badges are interface semantics only at this stage.

6. Verification Evidence

Check	Command or method	Result
Shared contract	<code>pnpm check:contracts</code>	Passed
Web lint	ESLint through <code>pnpm check:web</code>	Passed
Web type-check	TypeScript through <code>pnpm check:web</code>	Passed
Production build	Next.js webpack build	Passed; / and /design-system prerendered
Accessibility	Playwright plus axe-core	Passed; 5 tests, 1 intentional desktop skip
API checks	Ruff and pytest	Passed; 2 tests
Secret scan	<code>pnpm check:secrets</code>	Passed
Full quality gate	<code>pnpm check</code>	Passed
Visual review	In-app browser at desktop and 390 x 844	Passed
Git whitespace	<code>git diff --check</code>	Passed

The first accessibility run identified near-threshold contrast in Medium and Low confidence badges. Their foreground colors were darkened, and the final desktop/mobile scans passed without serious or critical findings.

7. Important Files Changed

- `apps/web/src/app/globals.css` - design tokens, component styling and responsive layout.
- `apps/web/src/components/app-shell.tsx` - dashboard frame and mobile navigation.
- `apps/web/src/components/dashboard-preview.tsx` - Day 2 dashboard composition.
- `apps/web/src/components/design-system-showcase.tsx` - reusable component gallery.
- `apps/web/src/components/ui` - typed interface primitives.
- `apps/web/src/app/loading.tsx` and `error.tsx` - route-level states.
- `apps/web/playwright.config.ts` and `apps/web/tests/a11y.spec.ts` - responsive accessibility coverage.
- `package.json` - accessibility gate added to the project-wide check.

8. Visual Proof

The dashboard and component gallery were rendered in the in-app browser and inspected at the default desktop size and a 390 x 844 mobile viewport. The review covered navigation transformation, card stacking, form width, causal-chain wrapping, status legibility and component-gallery flow.

9. Security, Privacy and Accessibility

- No user data, authentication tokens or financial records are introduced.

- The scenario preview states that nothing is saved or calculated.
- Form labels, descriptions and errors use programmatic relationships.
- Focus-visible treatment is global and high-visibility.
- Status meaning uses labels and symbols in addition to color.
- Reduced-motion preferences suppress non-essential animation.
- Native dialog semantics provide focus containment and Escape dismissal.

10. Decisions

- Use restrained blue-green product colors with amber reserved for uncertainty and attention.
- Treat confidence as a first-class reusable semantic component.
- Keep the component system dependency-light until simulation-specific visualization libraries arrive.
- Run mobile and desktop accessibility checks as part of every root quality gate.
- Use native dialog behavior for a smaller and more accessible baseline.

11. Risks and Blockers

- The dashboard currently contains prototype values and no persisted profile; Day 4 owns profile data.
- Automated accessibility testing does not replace screen-reader and full keyboard review; a broader pass is planned for Day 27.
- Browser tests require a locally installed Chromium binary in fresh environments.

No Day 2 blocker remains.

12. GitHub Publication

- Implementation commit message: `feat(ui): establish RippleLab design system and shell`
- Implementation commit SHA: `9430777`
- Remote branch: `codex/day-02-design-system`
- Pull request: Not requested
- CI status: Local quality gate passed; remote workflow status pending push

13. Next Day

Day 3 will add Supabase-ready authentication, sign-up, sign-in, sign-out, password recovery, session-aware protected routing and understandable authentication errors. Local development must remain usable without committing credentials.

Sign-off

Prepared by: Codex

Evidence reviewed: Yes

Ready to continue: Yes