

Provided is the schema for my database, create me an md file to show the tables and the relationships between them

```
model Todo {  
  id      Int      @id @default(autoincrement())  
  title    String  
  description String?  
  dueDate  DateTime?  
  topic     String  
  category  String?  
  status    String
```

Show more ▾

Here's a Markdown (`database-schema.md`) file you can add to your project. It documents the table, columns, and relationships (currently there are none because your schema only contains a single table).

Markdown

Database Schema

Overview

This database currently consists of a single table:

- `Todo`

Since there is only one table, there are ****no foreign key relationships****.

Entity Relationship Diagram (ERD)

```text

| Todo        |             |
|-------------|-------------|
| PK id       | : Int       |
| title       | : String    |
| description | : String?   |
| dueDate     | : DateTime? |
| topic       | : String    |
| category    | : String?   |
| status      | : String    |
| createdAt   | : DateTime  |
| archived    | : Boolean   |
| updatedAt   | : DateTime  |

```

Tables

Todo

Stores all tasks created by users.

Column	Type	Nullable	Default	Description
`id`	Int	No	Auto Increment	Primary key
`title`	String	No	-	Task title
`description`	String	Yes	`NULL`	Optional task description
`dueDate`	DateTime	Yes	`NULL`	Due date of the task
`topic`	String	No	-	Topic the task belongs to
`category`	String	Yes	`NULL`	Optional category
`status`	String	No	-	Current task status
`createdAt`	DateTime	No	`now()`	Date the task was created
`archived`	Boolean	No	`false`	Indicates whether the task is archived
`updatedAt`	DateTime	No	Auto Updated	Last modification timestamp

Primary Keys

Table	Primary Key
-----	-----
Todo	`id`

Foreign Keys

There are currently **no foreign keys** defined in the schema.

Relationships

``text
No relationships exist.

Todo
``

Notes

- Every task is uniquely identified by `id`.
- `description`, `dueDate`, and `category` are optional fields.
- `createdAt` is automatically populated when a task is created.
- `updatedAt` is automatically updated whenever the record changes.
- `archived` defaults to `false`.
- This schema can easily be extended later with related tables such as:
 - `User`
 - `Topic`
 - `Category`
 - `Tag`
 - `Reminder`

This format is suitable for GitHub and most Markdown viewers, and it provides both a simple ERD and detailed table documentation.



ChatGPT can make mistakes. Check important info.

This document is printed directly from chatgpt web. Model used chatgpt [gpt-5.5]

