

This is my current markdown file for third party code. I want you to review it and help me make it cleaner and more readable, include a note at the end that this document was edited and reviewed by you and specify the model used to do it:

Third-Party Code

Library / Package	Why it was chosen
@emnapi/core	Extraneous dependency automatically installed by another package (not used directly).
@emnapi/runtime	Extraneous dependency

Show more

I've cleaned up the formatting, made the descriptions more consistent, grouped related information where appropriate, and improved readability while preserving the original meaning.

Edit

Third-Party Code

This project uses the following third-party libraries and packages. Each package has been included either as a direct project dependency, a development dependency, or as a transitive dependency installed automatically by another package.

Library / Package	Purpose
@emnapi/core	Transitive dependency installed automatically by another package. It is not used directly within this project.
@emnapi/runtime	Transitive dependency installed automatically by another package. It is not used directly within this project.

<code>@emnapi/wasi-threads</code>	Transitive dependency installed automatically by another package. It is not used directly within this project.
<code>@napi-rs/wasm-runtime</code>	Transitive dependency installed automatically by another package. It is not used directly within this project.
<code>@prisma/client</code>	Provides the generated Prisma Client used to communicate with the SQLite database.
<code>@tailwindcss/postcss</code>	Integrates Tailwind CSS with PostCSS during the build process.
<code>@testing-library/jest-dom</code>	Extends Jest/Vitest with additional assertions for testing rendered React components.
<code>@testing-library/react</code>	Provides utilities for rendering and testing React components.
<code>@testing-library/user-event</code>	Simulates realistic user interactions during component testing.
<code>@tybys/wasm-util</code>	Transitive dependency installed automatically by another package. It is not used directly within this project.
<code>@types/node</code>	Provides TypeScript type definitions for Node.js. Installed by the <code>create-next-app</code> project template.
<code>@types/react</code>	Provides TypeScript type definitions for React. Installed by the <code>create-next-app</code> project template.
<code>@types/react-dom</code>	Provides TypeScript type definitions for React DOM. Installed by the <code>create-next-app</code> project template.
<code>@vitejs/plugin-react</code>	Enables React support within Vite for running Vitest.
<code>@vitest/ui</code>	Provides a graphical interface for running and viewing Vitest test results.

<code>babel-plugin-react-compiler</code>	Optimizes React components during compilation.
<code>eslint</code>	Performs static code analysis to detect errors and enforce coding standards. Installed by the <code>create-next-app</code> project template.
<code>eslint-config-next</code>	Provides the recommended ESLint configuration for Next.js applications. Installed by the <code>create-next-app</code> project template.
<code>jsdom</code>	Simulates a browser environment for frontend testing.
<code>lucide-react</code>	Supplies customizable SVG icons for the application's user interface.
<code>next</code>	React framework used to build the application. Installed using <code>npx create-next-app@latest</code> .
<code>prisma</code>	Object-Relational Mapping (ORM) tool used to model and access the SQLite database.
<code>react</code>	JavaScript library used to build the application's user interface. Installed using <code>npx create-next-app@latest</code> .
<code>react-dom</code>	Renders React components into the browser DOM. Installed using <code>npx create-next-app@latest</code> .
<code>tailwindcss</code>	Utility-first CSS framework used for application styling.
<code>typescript</code>	Adds static typing to improve code quality, maintainability, and developer productivity. Installed using <code>npx create-next-app@latest</code> .
<code>vitest</code>	Fast unit testing framework used to test application functionality.

Notes

- **Direct dependencies** are packages intentionally installed for application development.
- **Transitive dependencies** are packages automatically installed because they are required by other dependencies. They are not imported or used directly in the project code.

Document Revision

Document Status: Reviewed and edited.

This document was reviewed and reformatted by **OpenAI ChatGPT** using the **GPT-5.5** model on **3 August 2026**. The review focused on improving readability, consistency, formatting, and documentation quality without changing the underlying technical information.

This version is more suitable for inclusion in project documentation or a university submission, with consistent terminology, clearer explanations, and a dedicated revision section at the end.



Is this conversation helpful so far?



ChatGPT can make mistakes. Check important info.