MCA Semester – IV Project

Name	Nayana Harli
USN	202VMTR00819
Elective	Computer Science & IT
Date of Submission	14/10/2022

A study on Creating Android Application on Online Orphanage basedon the client requirement

(ORPHANAGE MANAGEMENT SYSTEM)

Research Project submitted to Jain Online (Deemed-to-be University)

In partial fulfillment of the requirement for the award of

Master of Computer Applications

Submitted by

Nayana P Harli

USN

202VMTR00819

Under the

guidance of

Prof. Divya Kshatriya

(Faculty-JAIN Online)

DECLARATION

I, *Nayana P Harli,* hereby declare that the Research Project Report titled *"Online Law System" has been* prepared by me under the guidance of *Prof. Divya Kshatriya.* I declare that this Project work is towards the partial fulfillment of the University Regulations for the award of degree of Master of Computer Applications by Jain University, Bengaluru. I have undergone a project for a period of Eight Weeks. I further declare that this Project is based on the original study undertaken by me and has not been submitted for the award of any degree/diploma from any other University / Institution.

Place: Bangalore   *Nayana P Harli*

Date: 14/10/2022   *USN:* 202VMTR00819

ACKNOWLEDGEMENT

Thanks to Jain University for giving me an opportunity to learn and develop this project and thanks to my project guide Prof Divya Kshatriya for guiding me to develop this project. It was a good learning in my career.

Nayana P Harli

USN: 202VMTR00819

TABLE OF CONTENTS

Title	Page Nos.

i.   EXECUTIVE SUMMARY

Orphanage connecting Application is being developed for the welfare of the orphanage and can be used by NGOs for co-operative social work.

Rapid population increase in the number of homeless children and orphans due to HIV/AIDs and poverty is motivating factor to creation of new facilities to accommodate them. However, the more the children are, the more the files, papers and filing cabinets are required for the record management. Some children from the orphanages also nun after feeling that they are not comfortable with the conditions such as hunger and health. What if these records are backed up? It would be easier to manage the records. In managing records, planning and budgeting for the children in these orphanages, they use manual system which is unreliable, inaccurate and misarranged. Integrity, transparency and accountability on these records becomes a major issue if the records are altered in order to benefit one or some of the employees. There have been several cases where responsible employee adds fake 'children' to records in files for financial gain. There are also circumstances in which children are lost and then accommodated in the orphanages. To make it easier to parents to get their lost children, referring manual systems for the information is tiresome. Generating reports from manual records in file is a hectic task requiring one to manually get the records from the different files and compile them to one report. The problem experienced in the current system is that: records can be misplaced and damaged. It is difficult to make changes on physical records, information is subject to unauthorized modification as a result of insecurity. Therefore, to curb the above problems, I propose to develop an Orphanage Management system. The system removes the time and place constraints thus information from the orphanage and children home can be accessed anywhere at any time. It can be accesses on any devices as well. The System is not only suitable for small medium orphanages but also provide various benefits such as easier generation of reports, faster access and search of information, secure access to information and reliability by authorized user

Chapter 1

INTRODUCTION AND BACKGROUND

Orphanage Management System

1.1 Purpose of the Study

The problem experienced in the current system is that: records can be misplaced and damaged. It is difficult to make changes on physical records, information is subject to unauthorized modification as a result of insecurity. Therefore, to curb the above problems, I propose to develop an Orphanage Management system. The system removes the time and place constraints thus information from the orphanage and children home can be accessed anywhere at any time. It can be accesses on any devices as well. The System is not only suitable for small medium orphanages but also provide various benefits such as easier generation of reports, faster access and search of information, secure access to information and reliability by authorized users.

1.2 Introduction

In managing records, planning and budgeting for the children in these orphanages, they use manual system which is unreliable, inaccurate and misarranged. Integrity, transparency and accountability on these records becomes a major issue if the records are altered in order to benefit one or some of the employees. There have been several cases where responsible employee adds fake 'children' to records in files for financial gain. There are also circumstances in which children are lost and then accommodated in the orphanages. To make it easier to parents to get their lost children, referring manual systems for the information is tiresome. Generating reports from manual records in file is a hectic task requiring one to manually get the records from the different files and compile them to one report. The problem experienced in the current system is that: records can be misplaced and damaged. It is difficult to make changes on physical records, information is subject to unauthorized modification as a result of insecurity. Therefore, to curb the above problems, I propose to develop an Orphanage Management system. The system removes the time and place constraints thus information from the orphanage and children home can be accessed anywhere at any time. It can be accesses on any devices as well. The System is not only suitable for small medium orphanages but also provide various benefits such as easier generation of reports, faster access and search of information, secure access to information and reliability by authorized users

Existing System: The existing system is a manual system and there are many difficulties in maintaining and handling it. The drawbacks of the manual system are,
• Ledger books should be maintained for each entry.
• Every time to make a new entry the previous records have to be referred.
• Maintaining the data manually has no security.
• To generate a report, every time the ledger books have to be searched which is time consuming. • They need financial help for education, clothes, medical and food, so it's difficult to manage these all things for them

The system, which is followed at present, is a manual system. In the existing system each and every time a reference should be made manually. There are high possibilities to commit errors and mistakes, which leads to produce the wrong statements to the management. Report generation is also not an easy task.

Draw backs of existing system
The existing system is a manual system. Here the employees need to save the information in the form of excel sheets or Disk Drives.
• There is no sharing is possible if the data is in the form of paper or Disk drives.
• The manual system gives us very less security for saving data; some data may be lost due to mismanagement.
• It's a limited system and fewer users friendly.
 • Searching of particular information is very critical it takes lot of time.
 • It is very critical to maintain manually call records of customers, because call center receives huge no of calls per a day.
 • It is a tedious job to maintain different customers are asking different service details, normally to solve these queries are not easy so the automated system will be helpful.

Proposed System: To debug the existing system, remove procedures those cause data redundancy, make navigational sequence proper. To provide information about users on different level and also to reflect the current work status depending on organization. To build strong password mechanism.
Features of proposed system: We all know the importance of computerization. The world is moving ahead at lightning speed and everyone is running short of time. One always wants to get the information and perform a task that he/she/they desire(s) within a short period of time and too with amount of efficiency and accuracy. The application areas for the computerization have been selected on the basis of following factors:
• Minimizing the manual records kept at different locations. There will be more data integrity.
• Facilitating desired information display, very quickly, by retrieving information from users.
• Facilitating various statistical information which helps in decision-making?
• To reduce manual efforts in activities that involved repetitive work.
 • Updating and deletion of such a huge amount of data will become easier.
• Charity or donor can contribute some amount for orphanage's education, medical related things and food.
 • Food Providers can share their details by using this application so that they can provide food weekly once
    Or twice.
• People can check the adoption details of children and anyone can provide helping hand to Orphanage children

Modules

Admin: Admin adds of the information about children and orphanage

Parent: Parent can view the information and apply for adoption.

Donor: Donor can register and donate things and money to orphanage/children in the orphanage.

Manager: Manager can view the all the information and he can approve or reject the application by parents. He can also view the donation information.

Chapter 2

Review of Literature

Domain Review

This chapter outlines the approaches that these orphanages use to manage information. i.e., study of the existing systems, how they operate, their strengths and weaknesses. It will also provide the method and approach that is used to analyze, design and develop the orphanage application. The budget required to run the project from the beginning to the end is provided in this chapter.

Chapter 3

Research Methodology

3.1 Objectives of the Research

The objective of this application is to develop a centralized website for orphanages. To provide facilities of various social activities in a single website and mobile app. People can adopt the children and they can donate through online.

• The main goal is to develop a web application for managing records in an orphanage/children home.

• Collect and analyze the data on information of entities in an orphanage.

• Adoption - People or the users those who likes to adopt the children from the orphanages can adopt the child by adhering rules and regulations of the orphanage.

• Fund transfer - Amount which are given by the users will be sent to the admin account. admin will transfer that particular amount to the orphanages which have been registered.

• To design and improved and convenient system.

Scope of the Study

The Orphanage Management System aims to co-ordinate and help to maintain the development of and improvements to the articles related to orphanages, children's, donations and the people who wants to adopt a child.

Methodology

Research Design

Design is essentially a bridge between the requirement specification and final solution for requirements. The focuses on deciding which components are needed for the system, the specification of these components and how components should be interconnected.

3.1.1 Data Collection

The most creative and challenging System Development Life Cycle is system design. The term describes the final system and process by which it is developed. It refers to the technical specification that will be applied in implementing the candidate system. It also includes the construction of the program, program testing and Orientation (It translates the system requirements in to detailed implementation, the system recommended in the feasibility study.

3.4 Data Analysis Tools:
Python

Python is an interpreted language. Interpreted language do not have to compiled to work. A program called interpreter executes Python code on almost all types of computers. This means that a programmer can modify the code and quickly see the results. This also means that Python is slower than a language complied like C, because it doesn't directly execute machine code Python is a good programming language for beginners. It is a high-level language, which means that a programmer can focus on what to do instead of how to do it. It supports different packages and libraries to build applications.

Python is used in many applications domains and Python offers many choices for web development. Python is widely used scientific and numeric computing. Python is often used as a support language for software developers, for building control and administrations, testing and in many other ways.

Python is often used for:

1. Web development framework (Django, pyramid)
2. Scientific programming
3. GUI desktop applications
4. Network programming

Python supports different packages and libraries like sklearn, matplotlib, NumPy, pandas, smtplib, smtpd, flask etc.

Tools and Technologies Used

Jet Brains PyCharm Integrated Development Environment

PyCharm is an integrated development environment used in computer programming, particularly for the Python language. It provides code analysis, a graphical debugger, and supports web development with Django. PyCharm provides API developers to write their own plugins to extend the functions of PyCharm. Various plugins from other JetBrains IDBs also work with PyCharm. In the Jet Brains PyCharm Integrated Development Environment, first we need to create the new project and for implementing it with some other packages we have to install the Django framework from the created project. By installing this Django framework we can implement our project with more precise .After installing it shows the

Unified Resource Locator as http://127.0.0.1:8000/by clicking this link it opens the web page of the project.

Django framework

Django makes it easier to build better web applications faster and with less code. The django web framework is written is a fast and powerful python language. It is an open source web development that follows the principle of 'Don't repeat yourself'. It is follows MVC-MVT (model. view. Template) architecture pattern. which greatly helps in building clean and maintenance web applications the framework was named after geslit arise Django Reinhardt.

Django Files

1. Migrations: It is the first directory inside your applications is a way to connect your website to your database.

2. init.py: This file tells the python see the directory ass a python app so if the file is inside the directory is not a normal one but it in python applications.

3. Admin.py: Every website has admin section and it is the coolest thing with python that it automatically creates admin functionality.

4. Apps.py: It is the configuration file at our app.

5. Models.py: A module is basically the blue point of our database. It defined how data goes to our database.

6. Test.py: With these you can create some test to debug your app.
7. Views.py: This is the focus of the views. views the just python functions. views take user request and give back something like request.

8. Urls.py: Which is used to link with the python file.

Figure 3.2.2.1: Architecture of Django framework

XAMPP

XAMPP is a free and open-source cross-platform web server stack package that allows you to start and stop Apache and MySQL. It is mainly composed of the Apache's HTTP server, the MariaDB database and the interpreters for scripts written in the PHP and Perl programming languages. Since most real Web server implementations use the same components as XAMPP, it is possible to switch from a local test server to a live server. XAMPP also support for creating and manipulating databases in SQLite, among others.

3.2 Limitations of the Study

Accessing records. It was difficult to get access to all the operations involving records in some of these orphanages. Access to website is limited to the admin, user and the organization. It would require a reliable internet connection for the application to operate. The security of the application would depend on the integrity of the user

Chapter 4

Data Analysis and Interpretation

Design

4.1 Data flow Diagrams

The dataflow analysis is a study of how and what data flows through the system. It is done with the help of Data Flow Diagram (DFD), which depicts the entities involved in the system,data input by the entities, processes the input data undergoes and data store where data is stored.

Data flow diagrams should be developed in a 'top-down' process. They show a functional perspective where each transformation represents a single function or process. They show the entire sequence of actions that take place from input being processed to the corresponding output of the system.

Following are the notations used in data flow diagram:

Notation	Meaning
⬭	Process
⎯⎯⎯ ⎯⎯⎯	Data Store
▭	External Entity
⟶	Data flow

4.2 Data Flow Diagram

4.3 Screenshots

Home Page

This is the main screen where one can login/ Register to access the application.

Login Page

This is the login page where the people can login to access the application

Admin Page

This is the page for Admin where he/she can add child/orphanage information and he/she can view the added information by them and also the donor information.

Parent Page:

ORPHANAGE MANAGEMENT SYSTEM The Life Line

Home   Baby Request   Request Status   Home Visting Status   ChangePassword   Logout

Donate & Adopt
Connect a better world

This is the page for Parents. They can view the child information and can request for adoption. And also, they view the status of the application.

Donor page:

This is the donor page where one can easily donate and orphanage information.

Manager Page:

ORPHANAGE MANAGEMENT SYSTEM The Life Line

Home   Baby Information   Baby Request   Donor Information   Donation Details

Donate & Adopt
Connect a better world

This is the manager page where one can accept or reject the applications and view the information

4.5 Interface

User Registration

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Title</title>
</head>
<body>
<h1>Registration here</h1>
<form method="post">
    {% csrf_token %}
    <table border="1" width="400" height="400">
        <tr>
            <td>name</td>
            <td><input type="text" name="t1"></td></tr>
        <tr>
            <td>city</td>
            <td><input type="text" name="t2"></td>
        </tr>
         <tr>
            <td>address</td>
            <td><input type="text" name="t3"></td>
        </tr>

         <tr>
            <td>pincode</td>

            <td><input type="text" name="t4"></td>
        </tr>

         <tr>
            <td>contact</td>
            <td><input type="text" name="t5"></td>
        </tr>

         <tr>
```

```
      <td>email</td>
      <td><input type="text" name="t6"></td>
    </tr>


    <tr>
      <td></td>
      <td><input type="submit" name="Insert"></td>
    </tr>


  </table>
</body>
</html>
```

User login

```
</style>
</head>
<body class="single-page about-page">
<header class="site-header">
  <div class="top-header-bar">
    <div class="container">
      <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
        <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-start mb-3 mb-lg-0">
          <div class="header-bar-email">
            MAILID: <a href="#">nayananph@gmail.com<</a>
          </div><!-- .header-bar-email -->

          <div class="header-bar-text">
            <p>PHONE: <span>+91 9986368050</span></p>
          </div><!-- .header-bar-text -->
        </div><!-- .col -->

        <!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .top-header-bar -->

  <div class="nav-bar">
    <div class="container">
```

```html
<div class="row">
    <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">
        <div class="site-branding d-flex align-items-center">
            <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px;
font-weight:bold;">ORPHANAGE MANAGEMENT SYSTEM</a></p>

            <p style="color:#000000; font-weight:bold;"> The Life Line </p>
        </div><!-- .site-branding -->

        <nav class="site-navigation d-flex justify-content-end align-items-center">
            <ul class="d-flex flex-column flex-lg-row justify-content-lg-end align-content-center">
                <li class="current-menu-item"><a href="{% url 'index' %}">Home</a></li>

            </ul>
        </nav><!-- .site-navigation -->

        <div class="hamburger-menu d-lg-none">
            <span></span>
            <span></span>
            <span></span>
            <span></span>
        </div><!-- .hamburger-menu -->
    </div><!-- .col -->
</div><!-- .row -->
</div><!-- .container -->
</div><!-- .nav-bar -->
</header><!-- .site-header -->

<div class="page-header">
    <div class="container">
        <div class="row">
            <div class="col-12">

            </div><!-- .col -->
        </div><!-- .row -->
    </div><!-- .container -->
</div><!-- .page-header -->

<div class="welcome-wrap">
```

```
    <div class="container">
      <div class="row">
        <div class="col-12 col-lg-6 order-2 order-lg-1">
          <div class="welcome-content">
            <header class="entry-header">
              <h2 class="entry-title">Welcome to Login Panel</h2>
            </header><!-- .entry-header -->


            <div class="entry-content mt-5">
              <p>
<form name="form1" method="post">
<p style="color:#FF0000; font-weight:bold;"> {{msg}} </p>
{% csrf_token %}
  <table width="418" height="136" align="center">
   <tr>
     <td>Username</td>
     <td><label>
       <input type="text" name="t1" id="t1" style="width:200px;">
     </label></td>
   </tr>
   <tr>
     <td>Password</td>
     <td><input type="password" name="t2" id="t2" style="width:200px;"></td>
   </tr>
   <tr>
     <td><a href="{% url 'reg' %}" style="text-decoration:underline; color:#0000FF;">Parent
Registration?</a></td>
     <td><label>
       <input type="submit" name="b1" id="b1" value="Submit" style="width:100px; background-
color:#FFCC00; color:#FFFFFF;" />
       <input type="reset" name="b2" id="b2" value="Reset" style="width:100px; background-color:
#00CC33; color:#FFFFFF;" />
     </label></td>
   </tr>
   <tr>
     <td> </td>
     <td><a href="{% url 'forgetpass' %}" style="color:#0000FF; text-
decoration:underline">ForgotPassword?</a></td>
   </tr>
  </table>
```

```
</form>
 </p>
                </div><!-- .entry-content -->


                <!-- .entry-footer -->
            </div><!-- .welcome-content -->
        </div><!-- .col -->


        <div class="col-12 col-lg-6 order-1 order-lg-2">
            <img src="{% static 'images/welcome.jpg'%}" alt="welcome">
        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .home-page-icon-boxes -->



  <footer class="site-footer">
    <div class="footer-widgets">
      <div class="container">
        <div class="row">




                <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">

                </div><!-- .col -->

                <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
                  <div class="foot-contact">
                    <h2>Contact</h2>

                    <ul>
                      <li><i class="fa fa-phone"></i><span>+45 677 8993000 223</span></li>
                      <li><i class="fa fa-envelope"></i><span>office@template.com</span></li>
                      <li><i class="fa fa-map-marker"></i><span>Main Str. no 45-46, b3, 56832, Los
Angeles, CA</span></li>
                    </ul>
                  </div><!-- .foot-contact -->
```

<!-- .search-widget -->
                </div><!-- .col -->
            </div><!-- .row -->
        </div><!-- .container -->
    </div><!-- .footer-widgets -->

    <div class="footer-bar">
        <div class="container">
            <div class="row">
                <div class="col-12">
                    <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC
BY 3.0. -->
Copyright ©<script>document.write(new Date().getFullYear());</script> All rights reserved | Janani
<!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. --></p>
                </div><!-- .col-12 -->
            </div><!-- .row -->
        </div><!-- .container -->
    </div><!-- .footer-bar -->
</footer><!-- .site-footer -->

 <script type='text/javascript' src='{% static 'js/jquery.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/swiper.min.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/circle-progress.min.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'% }'></script>
 <script type='text/javascript' src='{% static 'js/custom.js'% }'></script>

</body>
</html>

Admin Menu

```
<ul class="d-flex flex-column flex-lg-row justify-content-lg-end align-content-center">
            <li class="current-menu-item"><a href="{% url 'admin_home' %}">Home</a></li>
            <li><a href="{% url 'babyinfo' %}">Add Baby</a></li>
            <li><a href="{% url 'orphanageinfo' %}">Add Orphanage</a></li>



            <li><a href="{% url 'BabyInfo_view' %}">View Baby Info</a></li>
            <li><a href="{% url 'OrphanageInfo_view' %}">View Orphanage Info</a></li>
            <li><a href="{% url 'CharityInfo_view' %}">View Donor Info</a></li>
        </ul>
```

Donor Menu

```
<ul class="d-flex flex-column flex-lg-row justify-content-lg-end align-content-center">
            <li ><a href="#">Home</a></li>
            <li><a href="{% url 'donationinfo' %}">Give Donation</a></li>
            <li><a href="{% url 'OrphanageInfo_view_d' %}">Orphanage Info</a></li>


            <li><a href="{% url 'changepass' %}">ChangePassword</a></li>
            <li><a href="{% url 'index' %}">Logout</a></li>
        </ul>
```

Manager Menu

```
<ul class="d-flex flex-column flex-lg-row justify-content-lg-end align-content-center">
            <li class="current-menu-item"><a href="{% url 'manager_home' %}">Home</a></li>
            <li><a href="{% url 'BabyInfo_view_m' %}">Baby Information</a></li>
            <li><a href="{% url 'adoption_request_view_m' %}">Baby Request</a></li>


            <li><a href="{% url 'CharityInfo_view_m' %}">Donor Information</a></li>
            <li><a href="{% url 'DonationInfo_view_m' %}">Donation Details</a></li>
        </ul>
```

Parent Menu

```
<ul class="d-flex flex-column flex-lg-row justify-content-lg-end align-content-center">
                <li class="current-menu-item"><a href="{% url 'parent_home' %}">Home</a></li>
                <li><a href="{% url 'BabyInfo_view_p' %}">Baby Request</a></li>
                <li><a href="{% url 'adoption_status_view_p' %}">Request Status</a></li>
                <li><a href="{% url 'Homevstngstatus_view_p' %}">Home Visting Status</a></li>
                <li><a href="{% url 'changepass' %}">ChangePassword</a></li>
                <li><a href="{% url 'index' %}">Logout</a></li>
           </ul>
```

Adoption Request

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Baby Adoption</title>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="{% static 'css/bootstrap.min.css' %}">

    <!-- FontAwesome CSS -->
    <link rel="stylesheet" href="{% static 'css/font-awesome.min.css' %}">

    <!-- ElegantFonts CSS -->
    <link rel="stylesheet" href="{% static 'css/elegant-fonts.css' %}">

    <!-- themify-icons CSS -->
    <link rel="stylesheet" href="{% static 'css/themify-icons.css' %}">

    <!-- Swiper CSS -->
    <link rel="stylesheet" href="{% static 'css/swiper.min.css' %}">

    <!-- Styles -->
    <style>
</style>
</head>
```

```
<body class="single-page about-page">
<header class="site-header">
   <div class="top-header-bar">
     <div class="container">
        <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
          <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-start mb-3 mb-lg-0">
             <div class="header-bar-email">
                MAIL: <a href="#">contact@ourcharity.com</a>
             </div><!-- .header-bar-email -->

             <div class="header-bar-text">
                <p>PHONE: <span>+24 3772 120 091 / +56452 4567</span></p>
             </div><!-- .header-bar-text -->
          </div><!-- .col -->

          <!-- .col -->
        </div><!-- .row -->
     </div><!-- .container -->
   </div><!-- .top-header-bar -->

   <div class="nav-bar">
     <div class="container">
        <div class="row">
          <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">
             <div class="site-branding d-flex align-items-center">
                <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px; font-weight:bold;">Janani</a></p>

                  <p style="color:#000000; font-weight:bold;"> The Life Line </p>
             </div><!-- .site-branding -->

             <nav class="site-navigation d-flex justify-content-end align-items-center">
                {% include 'parent_menu.html' %}
             </nav><!-- .site-navigation -->

             <div class="hamburger-menu d-lg-none">
                <span></span>
                <span></span>
```

```
          <span></span>
          <span></span>
        </div><!-- .hamburger-menu -->
      </div><!-- .col -->
    </div><!-- .row -->
  </div><!-- .container -->
</div><!-- .nav-bar -->
</header><!-- .site-header -->


  <div class="page-header">
    <div class="container">
      <div class="row">
        <div class="col-12">


        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .page-header -->


  <div class="welcome-wrap">
    <div class="container">
      <div class="row">
        <div class="col-12 col-lg-6 order-2 order-lg-1">
          <div class="welcome-content">
            <header class="entry-header">
              <h2 class="entry-title">Adoption Request</h2>
            </header><!-- .entry-header -->

            <div class="entry-content mt-5">
              <p>
<form  method="post">
{% csrf_token %}
  <table width="499" height="480" align="center">
  <tr>
    <td><strong>Request ID</strong></td>
    <td><label>
    <input type="text" name="t1" id="t1" style="width:200px;"  value="{{request_id}}" />
    </label></td>
  </tr>
```

```
<tr>
  <td><strong>Request By</strong></td>
  <td><input type="text" name="t2" id="t2"  style="width:200px;" readonly="readonly" value="{{username}}"/></td>
</tr>
<tr>
  <td><strong>Request Date</strong></td>
  <td><input type="text" name="t3" id="t3"  style="width:200px;" readonly="readonly" value="{{request_date}}" /></td>
</tr>
<tr>
  <td><strong>Adoption Reason/Purpose</strong></td>
  <td><label>
    <textarea name="t5" id="t5"  style="width:200px;"></textarea>
  </label></td>
</tr>
<tr>
  <td><strong>Occupation</strong></td>
  <td><input type="text" name="t6" id="t6"  style="width:200px;" /></td>
</tr>
<tr>
  <td><strong>Current Family Members</strong></td>
  <td><input type="text" name="t7" id="t7"  style="width:200px;" /></td>
</tr>
<tr>
  <td><strong>Annual Income</strong></td>
  <td><input type="text" name="t8" id="t8"  style="width:200px;" /></td>
</tr>
<tr>
  <td><strong>Asset Details</strong></td>
  <td><textarea name="t9" id="t9"  style="width:200px;"></textarea></td>
</tr>

<tr>
  <td> </td>
  <td><label>
    <input type="submit" name="b1" id="b1" value="Submit" style="width:100px; background-color:#FFCC00; color:#FFFFFF;" />
    <input type="reset" name="b2" id="b2" value="Reset" style="width:100px; background-color: #00CC99; color:#FFFFFF;" />
```

```
      </label></td>
    </tr>
   </table>
</form>
 </p>
                  </div><!-- .entry-content -->


                  <!-- .entry-footer -->
               </div><!-- .welcome-content -->
            </div><!-- .col -->


            <div class="col-12 col-lg-6 order-1 order-lg-2">
               <img src="{% static 'images/welcome.jpg'%}" alt="welcome">
            </div><!-- .col -->
         </div><!-- .row -->
      </div><!-- .container -->
   </div><!-- .home-page-icon-boxes -->



   <footer class="site-footer">
      <div class="footer-widgets">
         <div class="container">
            <div class="row">



               <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">

               </div><!-- .col -->

               <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
                  <div class="foot-contact">
                     <h2>Contact</h2>

                     <ul>
                        <li><i class="fa fa-phone"></i><span>+45 677 8993000 223</span></li>
                        <li><i class="fa fa-envelope"></i><span>office@template.com</span></li>
                        <li><i class="fa fa-map-marker"></i><span>Main Str. no 45-46, b3, 56832, Los
```

Angeles, CA

                 </div><!-- .foot-contact -->

                 <!-- .search-widget -->
              </div><!-- .col -->
           </div><!-- .row -->
        </div><!-- .container -->
     </div><!-- .footer-widgets -->

     <div class="footer-bar">
        <div class="container">
           <div class="row">
              <div class="col-12">
                 <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. -->
Copyright ©<script>document.write(new Date().getFullYear());</script> All rights reserved | Janani
<!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. --></p>
              </div><!-- .col-12 -->
           </div><!-- .row -->
        </div><!-- .container -->
     </div><!-- .footer-bar -->
  </footer><!-- .site-footer -->

  <script type='text/javascript' src='{% static 'js/jquery.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/swiper.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/circle-progress.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/custom.js'%}'></script>

</body>
</html>

Adoption Request status

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Baby Adoption</title>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="{% static 'css/bootstrap.min.css' %}">

    <!-- FontAwesome CSS -->
    <link rel="stylesheet" href="{% static 'css/font-awesome.min.css' %}">

    <!-- ElegantFonts CSS -->
    <link rel="stylesheet" href="{% static 'css/elegant-fonts.css' %}">

    <!-- themify-icons CSS -->
    <link rel="stylesheet" href="{% static 'css/themify-icons.css' %}">

    <!-- Swiper CSS -->
    <link rel="stylesheet" href="{% static 'css/swiper.min.css' %}">

    <!-- Styles -->
    <style>
</head>
<body class="single-page about-page">
<header class="site-header">
    <div class="top-header-bar">
        <div class="container">
            <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
                <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-start mb-3 mb-lg-0">
                    <div class="header-bar-email">
                        MAIL: <a href="#">contact@ourcharity.com</a>
                    </div><!-- .header-bar-email -->
```

```html
        <div class="header-bar-text">
            <p>PHONE: <span>+24 3772 120 091 / +56452 4567</span></p>
        </div><!-- .header-bar-text -->
      </div><!-- .col -->


      <!-- .col -->
    </div><!-- .row -->
  </div><!-- .container -->
 </div><!-- .top-header-bar -->


 <div class="nav-bar">
   <div class="container">
     <div class="row">
       <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">
         <div class="site-branding d-flex align-items-center">
            <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px;
font-weight:bold;">Janani</a></p>

             <p style="color:#000000; font-weight:bold;"> The Life Line </p>
         </div><!-- .site-branding -->

         <nav class="site-navigation d-flex justify-content-end align-items-center">
           {% include 'parent_menu.html' %}
         </nav><!-- .site-navigation -->

         <div class="hamburger-menu d-lg-none">
           <span></span>
           <span></span>
           <span></span>
           <span></span>
         </div><!-- .hamburger-menu -->
       </div><!-- .col -->
     </div><!-- .row -->
   </div><!-- .container -->
 </div><!-- .nav-bar -->
</header><!-- .site-header -->

 <div class="page-header">
   <div class="container">
```

```
    <div class="row">
        <div class="col-12">


        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .page-header -->


  <div class="welcome-wrap">
    <div class="container">
      <div class="row">
        <div class="col-12 col-lg-6 order-2 order-lg-1">
          <div class="welcome-content">
            <header class="entry-header">
              <h2 class="entry-title">Adoption Request Status</h2>
            </header><!-- .entry-header -->

            <div class="entry-content mt-5">
              <p>
<table border="1" width="648" height="171">
    <tr style="background-color:blue;color:white">
      <td><strong>Application No </strong></td>
      <td><strong>Request Date</strong></td>
      <td><strong>Request Status</strong></td>
      <td><strong>Adopt Status</strong></td>
      <!-- <td>Actions</td>-->
    </tr>
    {% for i in userdict %}
    <tr>
      <td><span class="style3">{{i.appln_no}}</span></td>
      <td><span class="style3">{{i.requestdate}}</span></td>
      <td><span class="style3">{{i.requeststatus}}</span></td>
      <td><span class="style3">{{i.adoptionstatus}}</span></td>

      <!-- <td><a href="{% url 'BabyInfo_update' i.id %}">update</a></td>-->
    </tr>
    {% endfor %}
  </table>
</p>
```

</div><!-- .entry-content -->

<!-- .entry-footer -->
</div><!-- .welcome-content -->
</div><!-- .col -->

<!-- <div class="col-12 col-lg-6 order-1 order-lg-2"><img src="{% static 'images/welcome.jpg'%}" alt="welcome"></div>-->
<!-- .col -->
</div><!-- .row -->
</div><!-- .container -->
</div><!-- .home-page-icon-boxes -->

<footer class="site-footer">
  <div class="footer-widgets">
    <div class="container">
      <div class="row">

        <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">

        </div><!-- .col -->

        <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
          <div class="foot-contact">
            <h2>Contact</h2>

              <i class="fa fa-phone"></i>+45 677 8993000 223
              <i class="fa fa-envelope"></i>office@template.com
              <i class="fa fa-map-marker"></i>Main Str. no 45-46, b3, 56832, Los Angeles, CA

          </div><!-- .foot-contact -->

          <!-- .search-widget -->

```
                </div><!-- .col -->
            </div><!-- .row -->
        </div><!-- .container -->
    </div><!-- .footer-widgets -->


    <div class="footer-bar">
        <div class="container">
            <div class="row">
                <div class="col-12">
                    <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC
BY 3.0. -->
Copyright &copy;<script>document.write(new Date().getFullYear());</script> All rights reserved | Janani
<!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. --></p>
                </div><!-- .col-12 -->
            </div><!-- .row -->
        </div><!-- .container -->
    </div><!-- .footer-bar -->
  </footer><!-- .site-footer -->


  <script type='text/javascript' src='{% static 'js/jquery.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/swiper.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/circle-progress.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/custom.js'%}'></script>

</body>
</html>
```

Children Info

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Baby Adoption</title>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="{% static 'css/bootstrap.min.css' %}">

    <!-- FontAwesome CSS -->
    <link rel="stylesheet" href="{% static 'css/font-awesome.min.css' %}">

    <!-- ElegantFonts CSS -->
    <link rel="stylesheet" href="{% static 'css/elegant-fonts.css' %}">

    <!-- themify-icons CSS -->
    <link rel="stylesheet" href="{% static 'css/themify-icons.css' %}">

    <!-- Swiper CSS -->
    <link rel="stylesheet" href="{% static 'css/swiper.min.css' %}">

    <!-- Styles -->
    <style>
</style>
</head>
<body class="single-page about-page">
<header class="site-header">
    <div class="top-header-bar">
        <div class="container">
            <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
                <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-start mb-3 mb-lg-0">
                    <div class="header-bar-email">
                        MAIL: <a href="#">contact@ourcharity.com</a>
                    </div><!-- .header-bar-email -->
```

```html
        <div class="header-bar-text">
            <p>PHONE: <span>+24 3772 120 091 / +56452 4567</span></p>
        </div><!-- .header-bar-text -->
    </div><!-- .col -->


    <!-- .col -->
  </div><!-- .row -->
 </div><!-- .container -->
</div><!-- .top-header-bar -->


<div class="nav-bar">
  <div class="container">
    <div class="row">
      <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">
        <div class="site-branding d-flex align-items-center">
          <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px;
font-weight:bold;">Janani</a></p>

          <p style="color:#000000; font-weight:bold;"> The Life Line </p>
        </div><!-- .site-branding -->

        <nav class="site-navigation d-flex justify-content-end align-items-center">
         {% include 'admin_menu.html' %}
        </nav><!-- .site-navigation -->

        <div class="hamburger-menu d-lg-none">
          <span></span>
          <span></span>
          <span></span>
          <span></span>
        </div><!-- .hamburger-menu -->
      </div><!-- .col -->
    </div><!-- .row -->
  </div><!-- .container -->
</div><!-- .nav-bar -->
</header><!-- .site-header -->

<div class="page-header">
  <div class="container">
```

```html
    <div class="row">
       <div class="col-12">


       </div><!-- .col -->
    </div><!-- .row -->
  </div><!-- .container -->
 </div><!-- .page-header -->


 <div class="welcome-wrap">
   <div class="container">
     <div class="row">
       <div class="col-12 col-lg-6 order-2 order-lg-1">
         <div class="welcome-content">
           <header class="entry-header">
             <h2 class="entry-title">Baby Information</h2>
           </header><!-- .entry-header -->


           <div class="entry-content mt-5">
             <p>
<form method="post" enctype="multipart/form-data">
   {% csrf_token %}
   <table width="400" height="400">
     <tr>
       <td>Age</td>
       <td><input type="text" name="t1" required pattern="[A-Z0-9\s]+" title="enter age"
style="width:200px;"></td></tr>
     <tr>


      <tr>
       <td>Gender</td>
       <td>Male<input type="radio" name="r1" required value="male">Female<input type="radio"
name="r1" required value="female"></td></tr>
     <tr>
       <td>child name</td>
       <td><input type="text" name="t2" required pattern="[A-Za-z\s]+" title="enter characters only"
style="width:200px;"></td>
     </tr>


     <tr>
```

```html
        <td>blood-group</td>
        <td><input type="text" name="t3" style="width:200px;"></td>
      </tr>
       <tr>

         <td> photo</td>
         <td><input type="file"name="myfile" style="width:200px;"></td>


      </tr>


       <tr>
         <td>dob</td>
         <td><input type="date" name="t4" required style="width:200px;"></td>
      </tr>


        <tr>
         <td>doj</td>
         <td><input type="date" name="t5" required style="width:200px;"></td>
       </tr>
        <tr>
      <td> </td>
      <td><label>
      <input type="submit" name="b1" id="b1" value="Submit" style="width:100px; background-color:#FFCC00; color:#FFFFFF;" />
      <input type="reset" name="b2" id="b2" value="Reset" style="width:100px; background-color: #00CC99; color:#FFFFFF;" />
       </label></td>
     </tr>

    </table>
</form>
 </p>
                 </div><!-- .entry-content -->

                 <!-- .entry-footer -->
              </div><!-- .welcome-content -->
           </div><!-- .col -->

           <div class="col-12 col-lg-6 order-1 order-lg-2">
             <img src="{% static 'images/welcome.jpg'%}" alt="welcome">
```

```
    </div><!-- .col -->
  </div><!-- .row -->
 </div><!-- .container -->
</div><!-- .home-page-icon-boxes -->



<footer class="site-footer">
 <div class="footer-widgets">
  <div class="container">
   <div class="row">




    <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">

    </div><!-- .col -->

    <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
     <div class="foot-contact">
      <h2>Contact</h2>

      <ul>
       <li><i class="fa fa-phone"></i><span>+45 677 8993000 223</span></li>
       <li><i class="fa fa-envelope"></i><span>office@template.com</span></li>
       <li><i class="fa fa-map-marker"></i><span>Main Str. no 45-46, b3, 56832, Los
Angeles, CA</span></li>
      </ul>
     </div><!-- .foot-contact -->

      <!-- .search-widget -->
     </div><!-- .col -->
    </div><!-- .row -->
   </div><!-- .container -->
  </div><!-- .footer-widgets -->

  <div class="footer-bar">
   <div class="container">
    <div class="row">
```

```
            <div class="col-12">
                <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC
BY 3.0. -->
Copyright &copy;<script>document.write(new Date().getFullYear());</script> All rights reserved | Janani
<!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. --></p>
            </div><!-- .col-12 -->
        </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .footer-bar -->
</footer><!-- .site-footer -->


 <script type='text/javascript' src='{% static 'js/jquery.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/swiper.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/circle-progress.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/custom.js'%}'></script>


</body>
</html>
```

Donation Info

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Baby Adoption</title>

  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">


  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="{% static 'css/bootstrap.min.css' %}">


  <!-- FontAwesome CSS -->
  <link rel="stylesheet" href="{% static 'css/font-awesome.min.css' %}">
```

<!-- ElegantFonts CSS -->
<link rel="stylesheet" href="{% static 'css/elegant-fonts.css' %}">

<!-- themify-icons CSS -->
<link rel="stylesheet" href="{% static 'css/themify-icons.css' %}">

<!-- Swiper CSS -->
<link rel="stylesheet" href="{% static 'css/swiper.min.css' %}">

<!-- Styles -->
<style>
</style>
</head>
<body class="single-page about-page">
<header class="site-header">
  <div class="top-header-bar">
    <div class="container">
      <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
        <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-start mb-3 mb-lg-0">
          <div class="header-bar-email">
            MAIL: contact@ourcharity.com
          </div><!-- .header-bar-email -->

          <div class="header-bar-text">
            <p>PHONE: +24 3772 120 091 / +56452 4567</p>
          </div><!-- .header-bar-text -->
        </div><!-- .col -->

        <!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .top-header-bar -->

  <div class="nav-bar">
    <div class="container">
      <div class="row">
        <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">

```
        <div class="site-branding d-flex align-items-center">
            <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px;
font-weight:bold;">Janani</a></p>

                <p style="color:#000000; font-weight:bold;"> The Life Line </p>
            </div><!-- .site-branding -->

            <nav class="site-navigation d-flex justify-content-end align-items-center">
                {% include 'donor_menu.html' %}
            </nav><!-- .site-navigation -->

            <div class="hamburger-menu d-lg-none">
                <span></span>
                <span></span>
                <span></span>
                <span></span>
            </div><!-- .hamburger-menu -->
        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .nav-bar -->
</header><!-- .site-header -->

  <div class="page-header">
    <div class="container">
      <div class="row">
        <div class="col-12">

        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .page-header -->

  <div class="welcome-wrap">
    <div class="container">
      <div class="row">
        <div class="col-12 col-lg-6 order-2 order-lg-1">
          <div class="welcome-content">
            <header class="entry-header">
```

```
            <h2 class="entry-title">Give Donation</h2>
          </header><!-- .entry-header -->

          <div class="entry-content mt-5">
            <p>
<form method="post">
   {% csrf_token %}
   <table border="1" width="400" height="400">
      <tr>
         <td>Charity_id</td>
         <td><input type="text" name="t1" value="{{username}}"></td></tr>
      <tr>
         <td>Donation_Amt</td>
         <td><input type="text" name="t2"></td>
      </tr>


      <tr>
         <td>Donation_things</td>
         <td><input type="text" name="t3"></td>
      </tr>
       <tr>
         <td>Donation_date</td>
         <td><input type="date" name="t4"></td>
      </tr>
       <tr>
         <td>purpes</td>
         <td><input type="text" name="t5"></td>
      </tr>
       <tr>
         <td></td>
         <td><input type="submit"></td>
      </tr>


   </table>
</form>
</p>
          </div><!-- .entry-content -->

          <!-- .entry-footer -->
```

```
      </div><!-- .welcome-content -->
    </div><!-- .col -->


    <div class="col-12 col-lg-6 order-1 order-lg-2">
      <img src="{% static 'images/welcome.jpg'%}" alt="welcome">
    </div><!-- .col -->
  </div><!-- .row -->
 </div><!-- .container -->
</div><!-- .home-page-icon-boxes -->



<footer class="site-footer">
  <div class="footer-widgets">
    <div class="container">
      <div class="row">


        <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">


        </div><!-- .col -->


        <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
          <div class="foot-contact">
            <h2>Contact</h2>


            <ul>
              <li><i class="fa fa-phone"></i><span>+45 677 8993000 223</span></li>
              <li><i class="fa fa-envelope"></i><span>office@template.com</span></li>
              <li><i class="fa fa-map-marker"></i><span>Main Str. no 45-46, b3, 56832, Los
Angeles, CA</span></li>
            </ul>
          </div><!-- .foot-contact -->


          <!-- .search-widget -->
        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .footer-widgets -->


  <div class="footer-bar">
```

```
      <div class="container">
        <div class="row">
          <div class="col-12">
            <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC
```
BY 3.0. -->
```
Copyright &copy;<script>document.write(new Date().getFullYear());</script> All rights reserved | Janani
<!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. --></p>
          </div><!-- .col-12 -->
        </div><!-- .row -->
      </div><!-- .container -->
    </div><!-- .footer-bar -->
  </footer><!-- .site-footer -->


  <script type='text/javascript' src='{% static 'js/jquery.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/swiper.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/circle-progress.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/custom.js'%}'></script>

</body>
</html>
```

Payment

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Baby Adoption</title>

  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <!-- Bootstrap CSS -->
```

```
<link rel="stylesheet" href="{% static 'css/bootstrap.min.css' %}">


<!-- FontAwesome CSS -->
<link rel="stylesheet" href="{% static 'css/font-awesome.min.css' %}">


<!-- ElegantFonts CSS -->
<link rel="stylesheet" href="{% static 'css/elegant-fonts.css' %}">


<!-- themify-icons CSS -->
<link rel="stylesheet" href="{% static 'css/themify-icons.css' %}">


<!-- Swiper CSS -->
<link rel="stylesheet" href="{% static 'css/swiper.min.css' %}">


<!-- Styles -->
<style>
</style>
</head>
<body class="single-page about-page">
<header class="site-header">
  <div class="top-header-bar">
    <div class="container">
      <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
        <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-start mb-3 mb-lg-0">
          <div class="header-bar-email">
            MAIL: <a href="#">contact@ourcharity.com</a>
          </div><!-- .header-bar-email -->


          <div class="header-bar-text">
            <p>PHONE: <span>+24 3772 120 091 / +56452 4567</span></p>
          </div><!-- .header-bar-text -->
        </div><!-- .col -->


        <!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .top-header-bar -->
```

```html
<div class="nav-bar">
  <div class="container">
    <div class="row">
      <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">
        <div class="site-branding d-flex align-items-center">
          <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px; font-weight:bold;">Janani</a></p>

          <p style="color:#000000; font-weight:bold;"> The Life Line </p>
        </div><!-- .site-branding -->

        <nav class="site-navigation d-flex justify-content-end align-items-center">
          {% include 'donor_menu.html' % }
        </nav><!-- .site-navigation -->

        <div class="hamburger-menu d-lg-none">
          <span></span>
          <span></span>
          <span></span>
          <span></span>
        </div><!-- .hamburger-menu -->
      </div><!-- .col -->
    </div><!-- .row -->
  </div><!-- .container -->
</div><!-- .nav-bar -->
</header><!-- .site-header -->

  <div class="page-header">
    <div class="container">
      <div class="row">
        <div class="col-12">

        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .page-header -->

  <div class="welcome-wrap">
    <div class="container">
```

```html
        <div class="row">
          <div class="col-12 col-lg-6 order-2 order-lg-1">
            <div class="welcome-content">
              <header class="entry-header">
                <h2 class="entry-title">Give Donation</h2>
              </header><!-- .entry-header -->

              <div class="entry-content mt-5">
                <p>
<form action="{% url 'donor_home' %}" method="POST">
{% csrf_token %}
<script
   src="https://checkout.razorpay.com/v1/checkout.js"
   data-key="rzp_test_Z1qzBJgJYDcceP"
   data-amount={{amount}}00
   data-buttontext="GIve Donation"
   data-name="Donation Amount"
   data-description="Janani Life Line"
   data-image=""
   data-prefill.name="Pallavi"
   data-prefill.email="useremail@gmail.com"
   data-theme.color="#F37254"></script>

<input type="hidden" custom="Hidden Element" name="hidden">
</form>
</p>
              </div><!-- .entry-content -->

              <!-- .entry-footer -->
            </div><!-- .welcome-content -->
          </div><!-- .col -->

          <div class="col-12 col-lg-6 order-1 order-lg-2">
            <img src="{% static 'images/welcome.jpg'%}" alt="welcome">
          </div><!-- .col -->
        </div><!-- .row -->
      </div><!-- .container -->
    </div><!-- .home-page-icon-boxes -->
```

```html
<footer class="site-footer">
    <div class="footer-widgets">
        <div class="container">
            <div class="row">




                <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">

                </div><!-- .col -->

                <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
                    <div class="foot-contact">
                        <h2>Contact</h2>

                        <ul>
                            <li><i class="fa fa-phone"></i><span>+45 677 8993000 223</span></li>
                            <li><i class="fa fa-envelope"></i><span>office@template.com</span></li>
                            <li><i class="fa fa-map-marker"></i><span>Main Str. no 45-46, b3, 56832, Los
Angeles, CA</span></li>
                        </ul>
                    </div><!-- .foot-contact -->

                    <!-- .search-widget -->
                </div><!-- .col -->
            </div><!-- .row -->
        </div><!-- .container -->
    </div><!-- .footer-widgets -->

    <div class="footer-bar">
        <div class="container">
            <div class="row">
                <div class="col-12">
                    <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC
BY 3.0. -->
Copyright &copy;<script>document.write(new Date().getFullYear());</script> All rights reserved | Janani
<!-- Link back to Colorlib can't be removed. Template is licensed under CC BY 3.0. --></p>
```

```
          </div><!-- .col-12 -->
        </div><!-- .row -->
      </div><!-- .container -->
    </div><!-- .footer-bar -->
  </footer><!-- .site-footer -->


  <script type='text/javascript' src='{% static 'js/jquery.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/swiper.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/circle-progress.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'%}'></script>
  <script type='text/javascript' src='{% static 'js/custom.js'%}'></script>

</body>
</html>
```

Forgot Password

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Baby Adoption</title>

  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="{% static 'css/bootstrap.min.css' %}">

  <!-- FontAwesome CSS -->
  <link rel="stylesheet" href="{% static 'css/font-awesome.min.css' %}">

  <!-- ElegantFonts CSS -->
  <link rel="stylesheet" href="{% static 'css/elegant-fonts.css' %}">

  <!-- themify-icons CSS -->
```

```html
<link rel="stylesheet" href="{% static 'css/themify-icons.css' %}">


<!-- Swiper CSS -->
<link rel="stylesheet" href="{% static 'css/swiper.min.css' %}">


<!-- Styles -->
<style>
</style>
</head>
<body class="single-page about-page">
<header class="site-header">
   <div class="top-header-bar">
      <div class="container">
         <div class="row flex-wrap justify-content-center justify-content-lg-between align-items-lg-center">
            <div class="col-12 col-lg-8 d-none d-md-flex flex-wrap justify-content-center justify-content-lg-
start mb-3 mb-lg-0">
               <div class="header-bar-email">
                  MAIL: <a href="#">contact@ourcharity.com</a>
               </div><!-- .header-bar-email -->


               <div class="header-bar-text">
                  <p>PHONE: <span>+24 3772 120 091 / +56452 4567</span></p>
               </div><!-- .header-bar-text -->
            </div><!-- .col -->


            <!-- .col -->
         </div><!-- .row -->
      </div><!-- .container -->
   </div><!-- .top-header-bar -->


   <div class="nav-bar">
      <div class="container">
         <div class="row">
            <div class="col-12 d-flex flex-wrap justify-content-between align-items-center">
               <div class="site-branding d-flex align-items-center">
                  <p><a class="d-block" href="index.html" rel="home" style="color:#FF6600; font-size:46px;
font-weight:bold;">Janani</a></p>


                  <p style="color:#000000; font-weight:bold;"> The Life Line </p>
```

```
        </div><!-- .site-branding -->

        <nav class="site-navigation d-flex justify-content-end align-items-center">
          <ul class="d-flex flex-column flex-lg-row justify-content-lg-end align-content-center">
            <li class="current-menu-item"><a href="{% url 'index' %}">Home</a></li>

          </ul>
        </nav><!-- .site-navigation -->

        <div class="hamburger-menu d-lg-none">
          <span></span>
          <span></span>
          <span></span>
          <span></span>
        </div><!-- .hamburger-menu -->
      </div><!-- .col -->
    </div><!-- .row -->
  </div><!-- .container -->
 </div><!-- .nav-bar -->
</header><!-- .site-header -->

  <div class="page-header">
    <div class="container">
      <div class="row">
        <div class="col-12">

        </div><!-- .col -->
      </div><!-- .row -->
    </div><!-- .container -->
  </div><!-- .page-header -->

  <div class="welcome-wrap">
    <div class="container">
      <div class="row">
        <div class="col-12 col-lg-6 order-2 order-lg-1">
          <div class="welcome-content">
            <header class="entry-header">
              <h2 class="entry-title">Forgot Password</h2>
            </header><!-- .entry-header -->
```

```html
            <div class="entry-content mt-5">
                <p>
<form name="form1" method="post">
{% csrf_token %}
  <table width="418" height="136" align="center">
   <tr>
     <td>Username</td>
     <td><label>
       <input type="text" name="t1" id="t1" style="width:200px;">
     </label></td>
   </tr>


   <tr>
     <td> </td>
     <td><label>
       <input type="submit" name="b1" id="b1" value="Submit" style="width:100px; background-color:#FFCC00; color:#FFFFFF;" />
       <input type="reset" name="b2" id="b2" value="Reset" style="width:100px; background-color: #00CC33; color:#FFFFFF;" />
     </label></td>
   </tr>
   <tr>
     <td> </td>
     <td> </td>
   </tr>
  </table>
</form>
 </p>
                </div><!-- .entry-content -->

                    <!-- .entry-footer -->
                  </div><!-- .welcome-content -->
              </div><!-- .col -->

              <div class="col-12 col-lg-6 order-1 order-lg-2">
                <img src="{% static 'images/welcome.jpg'%}" alt="welcome">
              </div><!-- .col -->
            </div><!-- .row -->
```

```
    </div><!-- .container -->
  </div><!-- .home-page-icon-boxes -->



<footer class="site-footer">
   <div class="footer-widgets">
      <div class="container">
         <div class="row">




            <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">

            </div><!-- .col -->

            <div class="col-12 col-md-6 col-lg-3 mt-5 mt-md-0">
               <div class="foot-contact">
                  <h2>Contact</h2>

                  <ul>
                     <li><i class="fa fa-phone"></i><span>+45 677 8993000 223</span></li>
                     <li><i class="fa fa-envelope"></i><span>office@template.com</span></li>
                     <li><i class="fa fa-map-marker"></i><span>Main Str. no 45-46, b3, 56832, Los
Angeles, CA</span></li>
                  </ul>
               </div><!-- .foot-contact -->

               <!-- .search-widget -->
            </div><!-- .col -->
         </div><!-- .row -->
      </div><!-- .container -->
   </div><!-- .footer-widgets -->

   <div class="footer-bar">
      <div class="container">
         <div class="row">
            <div class="col-12">
               <p class="m-0"><!-- Link back to Colorlib can't be removed. Template is licensed under CC
```

       </div><!-- .col-12 -->
      </div><!-- .row -->
     </div><!-- .container -->
    </div><!-- .footer-bar -->
   </footer><!-- .site-footer -->

```
 <script type='text/javascript' src='{% static 'js/jquery.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.collapsible.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/swiper.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.countdown.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/circle-progress.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.countTo.min.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/jquery.barfiller.js'%}'></script>
 <script type='text/javascript' src='{% static 'js/custom.js'%}'></script>
```

</body>
</html>

Chapter-5

Recommendations and Conclusion

Conclusion

5.1 Summary

In managing records, planning and budgeting for the children in these orphanages, they use manual system which is unreliable, inaccurate and misarranged. Integrity, transparency and accountability on these records becomes a major issue if the records are altered in order to benefit one or some of the employees. There have been several cases where responsible employee adds fake 'children' to records in files for financial gain. There are also circumstances in which children are lost and then accommodated in the orphanages. To make it easier to parents to get their lost children, referring manual systems for the information is tiresome. Generating reports from manual records in file is a hectic task requiring one to manually get the records from the different files and compile them to one report. The problem experienced in the current system is that: records can be misplaced and damaged. It is difficult to make changes on physical records, information is subject to unauthorized modification as a result of insecurity. Therefore, to curb the above problems, I propose to develop an Orphanage Management system. The system removes the time and place constraints thus information from the orphanage and children home can be accessed anywhere at any time. It can be accesses on any devices as well. The System is not only suitable for small medium orphanages but also provide various benefits such as easier generation of reports, faster access and search of information, secure access to information and reliability by authorized users

Books

- Android Studio Cookbook Paperback by Mike van Drongelen
- Mastering Android Studio by Kyle Mew
- Beginning Android Programming with Android Studio Kindle Edition by Roger Deutsch
- Django web framework and website development:https://developer.mozilla.org/enUS/docs/Learn/Server-side/Django

Websites

- https://www.tutorialspoint.com/android/
- https://developer.android.com/guide
- https://www.vogella.com/tutorials