

FINAL YEAR PROJECT

**TOPIC: DENTAL CLINIC MANAGEMENT
SYSTEM**

**BY:
NAYAN BIRADAR
TYCS-A
8215**

Project Synopsis

Dental Clinic Management System.

1. Title Of the Project

Dental Clinic Management System.

2. Objective of the Project

This project will be developed to override the problems faced during manual practices. This will make the work easy and faster compared to manual work.

3. Project Description (features)

The project will be having features like:

- Appointment booking
- Scheduler
- Availability of doctors
- Transaction management
- Patient information
- Doctor information
- Tests to be performed
- Rescheduling appointments
- Canceling appointments
- Feedback

4. Project Category

Medical Section

5. Structure of the program Tools / Platform , frontend -backend Software Requirements

In this project html, css, bootstrap and javascript will be used for frontend and php will be used for the backend. Also Ajax will be used.

The software which will be used is Visual Studio and xampp.

6. Module Description

The required modules will be:

Login module
Admin module
Doctor module
Appointment module
Patient module
Transaction module
AboutUs module
Feedback module

7. Future scope of the Project

This project will be updated from time to time as per requirements and asks. It will make the doctors, assistants as well as the patients work easy and less confusing.


8. Conclusion

This project concludes that it will ease the manual work and lessen the confusion.

9. References

www.google.com
www.youtube.com

Er Diagram:



Admin Login:

index.php

```
<?php include('dbcon.php'); ?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <title>Clinic Management System</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">

    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon">

    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Roboto:wght@500;700&display=swap" rel="stylesheet">

    <!-- Icon Font Stylesheet -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" />

    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">

    <!-- Template Stylesheet -->
    <link href="css/style.css" rel="stylesheet">
</head>

<body>
    <div class="container-fluid position-relative d-flex p-0">
        <!-- Spinner Start -->
        <div id="spinner" class="show bg-dark position-fixed translate-middle
w-100 vh-100 top-50 start-50 d-flex align-items-center justify-content-
center">
```

```

        <div class="spinner-border text-primary" style="width: 3rem;
height: 3rem;" role="status">
            <span class="sr-only">Loading...</span>
        </div>
    </div>
    <!-- Spinner End -->

    <!-- Sign In Start -->
    <div class="container-fluid">
        <div class="row h-100 align-items-center justify-content-center"
style="min-height: 100vh;">
            <div class="col-12 col-sm-8 col-md-6 col-lg-5 col-xl-4">
                <div class="bg-secondary rounded p-4 p-sm-5 my-4 mx-3">
                    <form method="POST">
                        <div class="d-flex align-items-center justify-content-
between mb-3">
                            <!-- <a href="index.html" class="">
                                <h3 class="text-primary"><i class="fa fa-user-
edit me-2"></i>DarkPan</h3>
                            </a> -->
                            <h3>Sign In</h3>
                        </div>
                        <div class="form-floating mb-3">
                            <input type="text" class="form-control"
name="username" id="username" placeholder="name@example.com">
                            <label for="floatingInput">Username</label>
                        </div>
                        <div class="form-floating mb-4">
                            <input type="password" class="form-control"
name="password" id="password" placeholder="Password">
                            <label for="floatingPassword">Password</label>
                        </div>
                        <button id="login" name="submit" type="submit"
class="btn btn-primary py-3 w-100 mb-4">Sign In</button>
                    </form>
                </div>
            </div>
        </div>
    <?php
if (isset($_POST['submit'])){
    session_start();
    $username = $_POST['username'];
    $password = $_POST['password'];
    $query = "SELECT * FROM users WHERE username='$username' AND
password='$password'";
    $result = mysqli_query($conn,$query)or die(mysqli_error($conn));
    $num_row = mysqli_num_rows($result);
    $row=mysqli_fetch_array($result);
    if( $num_row > 0 ) {
        header('location:dashboard.php');
    }
}
    </div>
    </div>
    <!-- Sign In End -->

```

```

$_SESSION['id']=$row['user_id'];
    }
    else{ ?>
        <br>
        <br>
        <div class="alert alert-danger">!Access Denied</div>
<?php    }


    }
?>

        </div>
    </div>
</div>
<!-- Sign In End -->
</div>
<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>
</html>

```

Output:



The image shows a 'Sign In' form on a dark background. The form is a dark gray rectangle containing the following elements:

- Sign In**: A title in white text at the top of the form.
- Username**: A text input field with the value 'admin' entered.
- Password**: A text input field with masked characters '*****'.
- Sign In**: A red rectangular button with white text at the bottom of the form.

Dashboard:

dashnoard.php

```
<?php include('header.php'); ?>
<?php include('session.php'); ?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">
    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon">
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=R
oboto:wght@500;700&display=swap" rel="stylesheet">
    <!-- Icon Font Stylesheet -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-
awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" />
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">

    <!-- Template Stylesheet -->
    <link href="css/style.css" rel="stylesheet">
</head>
<body>
    <div class="container-fluid position-relative d-flex p-0">
        <!-- Sidebar Start -->
        <div class="sidebar pe-4 pb-3">
            <nav class="navbar bg-secondary navbar-dark">
                <div class="d-flex align-items-center ms-4 mb-4">
                    <div class="position-relative">
                        
                        <div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
                    </div>
                    <div class="ms-3">
```

```

        <h6 class="mb-0">Jhon Doe</h6>
        <span>Admin</span>
    </div>
</div>
<div class="navbar-nav w-100">
    <a href="dashboard.php" class="nav-item nav-link active"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>
    <a href="sched_today.php" class="nav-item nav-link"><i
class="fa fa-th me-2"></i>Schedule Today </a>
    <a href="schedule.php" class="nav-item nav-link"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
    <a href="service.php" class="nav-item nav-link"><i
class="fa fa-table me-2"></i>Service</a>
    <a href="user.php" class="nav-item nav-link"><i class="fa
fa-user me-2"></i>User Accounts</a>
    <a href="members.php" class="nav-item nav-link"><i
class="fa fa-users me-2"></i>Members</a>
    <a href="note.php" class="nav-item nav-link"><i class="fa
fa-sticky-note me-2"></i>Note</a>
</div>
</nav>
</div>
<div class="content">
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
            <div class="nav-item">
                <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-user me-lg-2"></i>
                    <span class="d-none d-lg-inline-
flex">Welcome:Admin</span>
                </a>
            </div>
            <div class="nav-item">
                <a href="logout.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-share me-lg-2"></i>

```




```

                                <span class="d-none d-lg-inline-
flex">Logout</span>
                                </a>
                                </div>
                                </nav>
                                <!-- Navbar End -->
                                <?php include('thumbnail.php'); ?>
</div>
                                <!-- JavaScript Libraries -->
                                <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
                                <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
                                <script src="lib/chart/chart.min.js"></script>
                                <script src="lib/easing/easing.min.js"></script>
                                <script src="lib/waypoints/waypoints.min.js"></script>
                                <script src="lib/owlcarousel/owl.carousel.min.js"></script>
                                <script src="lib/tempusdominus/js/moment.min.js"></script>
                                <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
                                <script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

                                <!-- Template Javascript -->
                                <script src="js/main.js"></script>
</body>
</html>

```

Output:



Schedule:

sched_today.php

```
<?php include('header.php'); ?>
<?php include('session.php'); ?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">

    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon">

    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Roboto:wght@500;700&display=swap" rel="stylesheet">

    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" />

    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">

    <!-- Template Stylesheet -->
    <link href="css/style.css" rel="stylesheet">
</head>

<body>
    <div class="container-fluid position-relative d-flex p-0">
        <!-- Sidebar Start -->
        <div class="sidebar pe-4 pb-3">
            <nav class="navbar bg-secondary navbar-dark">
```

```

        <div class="d-flex align-items-center ms-4 mb-4">
            <div class="position-relative">
                
                <div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
            </div>
            <div class="ms-3">
                <h6 class="mb-0">Jhon Doe</h6>
                <span>Admin</span>
            </div>
        </div>
        <div class="navbar-nav w-100">
            <a href="dasboard.php" class="nav-item nav-link"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>
            <a href="sched_today.php" class="nav-item nav-link
active"><i class="fa fa-th me-2"></i>Schedule Today </a>
            <a href="schedule.php" class="nav-item nav-link"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
            <a href="service.php" class="nav-item nav-link"><i
class="fa fa-table me-2"></i>Service</a>
            <a href="user.php" class="nav-item nav-link"><i class="fa
fa-user me-2"></i>User Accounts</a>
            <a href="members.php" class="nav-item nav-link"><i
class="fa fa-users me-2"></i>Members</a>
            <a href="note.php" class="nav-item nav-link"><i class="fa
fa-sticky-note me-2"></i>Note</a>
        </div>
    </nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dasboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
        </div>
    </nav>

```

```

        <div class="nav-item">
        <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-user me-lg-2"></i>
            <span class="d-none d-lg-inline-
flex">Welcome:Admin</span>
        </a>
        </div>
        <div class="nav-item">
        <a href="logout.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-share me-lg-2"></i>
            <span class="d-none d-lg-inline-
flex">Logout</span>
        </a>
        </div>
    </nav>
    <!-- Navbar End -->

    <!-- Table Start -->
    <div class="container-fluid pt-4 px-4">
        <div class="bg-secondary text-center rounded p-4">
            <div class="d-flex align-items-center justify-content-
between mb-4">
                <h6 class="mb-0">Schedule Today</h6>
            </div>
            <div class="table-responsive">
                <table class="table text-start align-middle table-
bordered table-hover mb-0">
                    <thead>
                        <tr class="text-white">
                            <th scope="col">Number</th>
                            <th scope="col">Member</th>
                            <th scope="col">Date</th>
                            <th scope="col">Service</th>
                            <th scope="col">Price</th>
                            <th scope="col">Status</th>
                            <th scope="col">Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php

                            $new = date('d/m/Y');

                            $user_query=mysqli_query($conn,"select *
from schedule where date like '%$new%' ")or die(mysqli_error($conn));

```

```

) {
    while($row=mysqli_fetch_array($user_query))
    {
        $id=$row['id'];
        $member_id = $row['member_id'];
        $service_id = $row['service_id'];
        /* member query */
        $member_query = mysqli_query($conn,"select
* from members where member_id = ' $member_id'") or die(mysqli_error($conn));
        $member_row =
mysqli_fetch_array($member_query);
        /* service query */
        $service_query =
mysqli_query($conn,"select * from service where service_id = '$service_id'
") or die(mysqli_error($conn));
        $service_row =
mysqli_fetch_array($service_query);
        ?>

        <tr class="del"<?php echo $id ?>">
        <td><?php echo $row['Number']; ?></td>
        <td><?php echo $member_row['firstname'].
".$member_row['lastname']; ?></td>
        <td><?php echo $row['date']; ?></td>
        <td><?php echo
$service_row['service_offer']; ?></td>
        <td><?php echo
$service_row['price']; ?></td>
        <td><?php echo $row['status']; ?></td>
        <td width="100">

            <a rel="tooltip" title="Edit"
id="e"<?php echo $id; ?>" href="#edit"<?php echo $id; ?>" data-toggle="modal"
class="btn btn-success"><i class="icon-pencil icon-large"></i></a>
            <a
href="update1.php"<?php echo '?id='.$id; ?>" class="btn btn-info"><i
class="icon-check icon-large"></i></a>

            <?php include('edit_service.php'); ?>
            </td>
            <?php include('toolttip_edit_delete.php');
?>

        </tr>
        <?php } ?>

    </tbody>
</table>
</div>
</div>
</div>
</div>

```


```

</div>
    <!-- Table End -->
</div>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
    <script src="lib/chart/chart.min.js"></script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/waypoints/waypoints.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="lib/tempusdominus/js/moment.min.js"></script>
    <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
    <script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

    <!-- Template Javascript -->
    <script src="js/main.js"></script>
</body>
</html>

```

Output:




```

        
        <div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
    </div>
    <div class="ms-3">
        <h6 class="mb-0">Jhon Doe</h6>
        <span>Admin</span>
    </div>
</div>
<div class="navbar-nav w-100">
    <a href="dasboard.php" class="nav-item nav-link"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>
    <a href="sched_today.php" class="nav-item nav-link"><i
class="fa fa-th me-2"></i>Schedule Today </a>
    <a href="schedule.php" class="nav-item nav-link active"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
    <a href="service.php" class="nav-item nav-link"><i
class="fa fa-table me-2"></i>Service</a>
    <a href="user.php" class="nav-item nav-link"><i class="fa
fa-user me-2"></i>User Accounts</a>
    <a href="members.php" class="nav-item nav-link"><i
class="fa fa-users me-2"></i>Members</a>
    <a href="note.php" class="nav-item nav-link"><i class="fa
fa-sticky-note me-2"></i>Note</a>
</div>
</nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dasboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
            <div class="nav-item">

```



```

/* member query */
$member_query = mysqli_query($conn,"select
* from members where member_id = ' $member_id'")or die(mysqli_error($conn));
$member_row =
mysqli_fetch_array($member_query);

/* service query */
$service_query =
mysqli_query($conn,"select * from service where service_id = '$service_id'
")or die(mysqli_error($conn));
$service_row =
mysqli_fetch_array($service_query);
?>

<tr class="del"<?php echo $id ?>">
<td><?php echo $row['Number']; ?></td>
<td><?php echo $member_row['firstname']."
".$member_row['lastname']; ?></td>
<td><?php echo $row['date']; ?></td>
<td><?php echo
$service_row['service_offer']; ?></td>
<td><?php echo
$service_row['price']; ?></td>
<td><?php echo $row['status']; ?></td>
<td width="100">

<?php
/* <a href="#delete"<?php echo $id ?>"
data-toggle="modal" rel="tooltip" title="Delete" id="<?php echo $id; ?>"
class="btn btn-danger"><i class="icon-trash icon-large"></i></a>
<?php include('delete_schedule.php');
?> */

?>

<a href="update.php"<?php echo
'?id='.$id; ?>" class="btn btn-info"><i class="fa fa-check"></i></a>
</td>
<?php include('toolttip_edit_delete.php');
?>

</tr>
<?php } ?>

</tbody>
</table>
</div>
</div>
</div>
</div>
<!-- Table End -->
</div>

```

```

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>
</html>

```

Output:

Number	Member	Date	Service	Price	Status	Action
1	Nayan Biradar	2022-09-14	Cleaning	2000.00	Done	<input checked="" type="checkbox"/>
1	Nayan Biradar	2022-09-14	Cleaning	2000.00	Done	<input checked="" type="checkbox"/>
1	Seema Singh	2022-09-22	Crown	5000.00	Done	<input checked="" type="checkbox"/>
1	Seema Singh	2022-09-15	Braces	25000.00	Done	<input checked="" type="checkbox"/>
1	Seema Singh	2022-09-21	Filling	2500.00	Done	<input checked="" type="checkbox"/>
1	Seema Singh	2022-09-28	Crown	5000.00	Pending	<input checked="" type="checkbox"/>
1	Seema Singh	2022-09-29	Rootcanal	4500.00	Pending	<input checked="" type="checkbox"/>

service.php

```

<?php include('dbcon.php'); ?>
<?php include('session.php'); ?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0" name="viewport">

```

```

<meta content="" name="keywords">
<meta content="" name="description">

<!-- Favicon -->
<link href="img/favicon.ico" rel="icon">

<!-- Google Web Fonts -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Roboto:wght@500;700&display=swap" rel="stylesheet">

<!-- Icon Font Stylesheet -->
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

<!-- Libraries Stylesheet -->
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
<link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" />

<!-- Customized Bootstrap Stylesheet -->
<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Template Stylesheet -->
<link href="css/style.css" rel="stylesheet">
</head>

<body>
<div class="container-fluid position-relative d-flex p-0">
  <!-- Sidebar Start -->
  <div class="sidebar pe-4 pb-3">
    <nav class="navbar bg-secondary navbar-dark">
      <div class="d-flex align-items-center ms-4 mb-4">
        <div class="position-relative">
          
          <div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
        </div>
        <div class="ms-3">
          <h6 class="mb-0">Jhon Doe</h6>
          <span>Admin</span>
        </div>
      </div>
    </nav>
  </div>

```

```

        <div class="navbar-nav w-100">
            <a href="dashboard.php" class="nav-item nav-link"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>
            <a href="sched_today.php" class="nav-item nav-link"><i
class="fa fa-th me-2"></i>Schedule Today </a>
            <a href="schedule.php" class="nav-item nav-link"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
            <a href="service.php" class="nav-item nav-link active"><i
class="fa fa-table me-2"></i>Service</a>
            <a href="user.php" class="nav-item nav-link"><i class="fa
fa-user me-2"></i>User Accounts</a>
            <a href="members.php" class="nav-item nav-link"><i
class="fa fa-users me-2"></i>Members</a>
            <a href="note.php" class="nav-item nav-link"><i class="fa
fa-sticky-note me-2"></i>Note</a>
        </div>
    </nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
            <div class="nav-item">
                <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-user me-lg-2"></i>
                    <span class="d-none d-lg-inline-
flex">Welcome:Admin</span>
                </a>
            </div>
            <div class="nav-item">
                <a href="logout.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-share me-lg-2"></i>

```

```

        <span class="d-none d-lg-inline-
flex">Logout</span>
    </a>
</div>
</nav>
<!-- Navbar End -->

<!-- Table Start -->
<div class="container-fluid pt-4 px-4">
    <div class="bg-secondary text-center rounded p-4">
        <div class="d-flex align-items-center justify-content-
between mb-4">
            <h6 class="mb-0">Service</h6>
            <a class="btn btn-sm btn-primary"
href="add_service.php">Add Service</a>
        </div>
        <div class="table-responsive">
            <table class="table text-start align-middle table-
bordered table-hover mb-0">
                <thead>
                    <tr class="text-white">
                        <th scope="col">Service Offer</th>
                        <th scope="col">Price</th>
                        <th scope="col">Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php $user_query=mysqli_query($conn,"select *
from service")or die(mysqli_error($conn));
                    while($row=mysqli_fetch_array($user_query)
){
                        $id=$row['service_id']; ?>
                        <tr class="del<?php echo $id ?>">
                            <td><?php echo $row['service_offer'];
?></td>

                            <td><?php echo $row['price']; ?></td>
                            <td width="100">
                                <a rel="tooltip" title="Delete"
id="<?php echo $id; ?>" class="btn btn-danger"><i class="fa fa-trash"></i></a>
                                <a rel="tooltip" title="Edit"
id="e<?php echo $id; ?>" href="edit_service.php" class="btn btn-success"><i
class="fa fa-pen"></i></a>

                                </td>
                            <?php include('toolttip_edit_delete.php');
?>

                        </tr>
                    <?php } ?>

```

```

        </tbody>
    </table>
</div>
</div>
</div>
</div>
<!-- Table End -->
</div>
<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>
</html>

<script type="text/javascript">
    $(document).ready( function() {
        $('.btn-danger').click( function() {
            var id = $(this).attr("id");
            if(confirm("Are you sure you want to delete this Data?")){
                $.ajax({
                    type: "POST",
                    url: "delete_service.php",
                    data: ({id: id}),
                    cache: false,
                    success: function(html){
                        $(".del"+id).fadeOut('slow');
                    }
                });
            }else{
                return false;
            }
        });
    });
</script>
</div>
</div>

```

add_service.php

```
<!-- Button to trigger modal -->
<a href="#add_service" role="button" class="btn btn-info" data-
toggle="modal"><i class="icon-plus icon-large"></i>&nbsp;Add Service</a>
<br>
<br>
<!-- Modal -->
<div id="add_service" class="modal hide fade" tabindex="-1" role="dialog"
aria-labelledby="myModalLabel" aria-hidden="true">
<div class="modal-header">
<div class="alert alert-info">Add Service</div>
</div>
<div class="modal-body">
<form class="form-horizontal" method="POST">
<div class="control-group">
<label class="control-label" for="inputEmail">Service</label>
<div class="controls">
<input type="text" name="service" id="inputEmail"
placeholder="Service" required>
</div>
</div>
<div class="control-group">
<label class="control-label" for="inputPassword">Price</label>
<div class="controls">
<input type="text" name="price" id="inputPassword"
placeholder="Price" required>
</div>
</div>
<div class="control-group">
<div class="controls">
<button type="submit" name="ad" class="btn btn-info">Add</button>
</div>
</div>
</form>
</div>
<div class="modal-footer">
<button class="btn" data-dismiss="modal" aria-hidden="true">Close</button>
</div>
</div>

<?php

if (isset($_POST['price'])){
    $service=$_POST['service'];
    $price=$_POST['price'];

    mysqli_query($conn,"insert into service (service_offer,price)
values('$service','$price')")or die(mysqli_error($conn));
```



```
?>
<script>
window.location="service.php";
</script>
<?php
}
?>
```

edit_service.php

```
<?php include('dbcon.php'); ?>
<?php include('session.php'); ?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <title>Clinic Management System</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">

    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon">

    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Roboto:wght@500;700&display=swap" rel="stylesheet">

    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" />

    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">

    <!-- Template Stylesheet -->
```

```

    <link href="css/style.css" rel="stylesheet">
</head>

<body>
    <div class="container-fluid position-relative d-flex p-0">

        <!-- Sign In Start -->
        <div class="container-fluid">
            <div class="row h-100 align-items-center justify-content-center"
style="min-height: 100vh;">
                <div class="col-12 col-sm-8 col-md-6 col-lg-5 col-xl-4">
                    <div class="bg-secondary rounded p-4 p-sm-5 my-4 mx-3">
                        <form method="post">
                            <div class="d-flex align-items-center justify-content-
between mb-3">

                                <!-- <a href="index.html" class="">
                                    <h3 class="text-primary"><i class="fa fa-user-
edit me-2"></i>DarkPan</h3>
                                </a> -->
                                <h3>Edit Service</h3>
                            </div>
                            <div class="form-floating mb-3">
                                <input type="hidden" id="inputEmail" name="id"
value="<?php echo $row['service_id']; ?>" required>
                                <input type="text" id="inputEmail" value="<?php
echo $service_row['service_offer']; ?>" name="service" class="form-control"
placeholder="name@example.com">
                                <label for="inputEmail">Service</label>
                            </div>
                            <div class="form-floating mb-4">
                                <input type="text" name="price" id="inputPassword"
value="<?php echo $service_row['price']; ?>" class="form-control"
placeholder="Password">
                                <label for="inputPassword">Price</label>
                            </div>
                            <button name="edit" type="submit" class="btn btn-
primary py-3 w-100 mb-4">Update</button>
                        </div>
                    </div>
                </div>
            </div>
        <!-- Sign In End -->
    </div>

    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>

```

```

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>

</html>

```









delete_service.php

```

<?php
include('dbcon.php');
$id=$_POST['id'];
mysqli_query($conn,"delete from service where service_id='$id'") or
die(mysqli_error($conn));
?>

```

Output:

Service Offer	Price	Action
Cleaning	2000.00	 
Crown	5000.00	 
Rootcanal	4500.00	 
Filling	2500.00	 


```

        
        <div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
    </div>
    <div class="ms-3">
        <h6 class="mb-0">Jhon Doe</h6>
        <span>Admin</span>
    </div>
</div>
<div class="navbar-nav w-100">
    <a href="dasboard.php" class="nav-item nav-link"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>
    <a href="sched_today.php" class="nav-item nav-link"><i
class="fa fa-th me-2"></i>Schedule Today </a>
    <a href="schedule.php" class="nav-item nav-link"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
    <a href="service.php" class="nav-item nav-link"><i
class="fa fa-table me-2"></i>Service</a>
    <a href="user.php" class="nav-item nav-link active"><i
class="fa fa-user me-2"></i>User Accounts</a>
    <a href="members.php" class="nav-item nav-link"><i
class="fa fa-users me-2"></i>Members</a>
    <a href="note.php" class="nav-item nav-link"><i class="fa
fa-sticky-note me-2"></i>Note</a>
</div>
</nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dasboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
            <div class="nav-item">

```

```

        <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-user me-lg-2"></i>
            <span class="d-none d-lg-inline-
flex">Welcome:Admin</span>
        </a>
    </div>
    <div class="nav-item">
        <a href="logout.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-share me-lg-2"></i>
            <span class="d-none d-lg-inline-
flex">Logout</span>
        </a>
    </div>
</nav>
<!-- Navbar End -->

<!-- Table Start -->
<div class="container-fluid pt-4 px-4">
    <div class="bg-secondary text-center rounded p-4">
        <div class="d-flex align-items-center justify-content-
between mb-4">
            <h6 class="mb-0">Users</h6>
            <a class="btn btn-sm btn-primary"
href="add_user.php">Add User</a>
        </div>
        <div class="table-responsive">
            <table class="table text-start align-middle table-
bordered table-hover mb-0">
                <thead>
                    <tr class="text-white">
                        <th scope="col">Username</th>
                        <th scope="col">Password</th>
                        <th scope="col">Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php $user_query=mysqli_query($conn,"select *
from users")or die(mysqli_error($conn));
                    while($row=mysqli_fetch_array($user_query)
){
                        $id=$row['user_id']; ?>
                        <tr class="del<?php echo $id ?>">
                            <td><?php echo $row['username']; ?></td>
                            <td><?php echo $row['password']; ?></td>
                            <td width="100">

```

```

                                <a rel="tooltip" title="Delete"
id="<?php echo $id; ?>" class="btn btn-danger"><i class="fa fa-trash"></i></a>
                                <a rel="tooltip" title="Edit"
id="e<?php echo $id; ?>" href="edit_user.php" class="btn btn-success"><i
class="fa fa-pen"></i></a>

                                </td>
                                <?php include('toolttip_edit_delete.php');
?>

                                </tr>
                                <?php } ?>

                                </tbody>
                                </table>
                                </div>
                                </div>
                                </div>
                                </div>
</div>
</div>
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
    <script src="lib/chart/chart.min.js"></script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/waypoints/waypoints.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="lib/tempusdominus/js/moment.min.js"></script>
    <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
    <script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

    <!-- Template Javascript -->
    <script src="js/main.js"></script>
</body>
</html>
<script type="text/javascript">
    $(document).ready( function() {
        $('.btn-danger').click( function() {
            var id = $(this).attr("id");
            if(confirm("Are you sure you want to delete this Data?")){
                $.ajax({
                    type: "POST",
                    url: "delete_user.php",
                    data: ({id: id}),
                    cache: false,
                    success: function(html){
                        $(".del"+id).fadeOut('slow');
                    }
                })
            }
        })
    })

```

```

        });
    }else{
        return false;}
    });
});
</script>

</div>

</div>

```

edit_user.php

```

<?php include('dbcon.php'); ?>
<div id="edit<?php echo $id; ?>" class="modal hide fade" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
    <div class="modal-body">
        <div class="alert alert-info"><strong>Edit User</strong></div>
        <form class="form-horizontal" method="post">
            <div class="control-group">
                <label class="control-label" for="inputEmail">Username</label>
                <div class="controls">
                    <input type="hidden" id="inputEmail" name="id" value="<?php
echo $row['user_id']; ?>" required>
                    <input type="text" id="inputEmail" name="username"
value="<?php echo $row['username']; ?>" required>
                </div>
            </div>
            <div class="control-group">
                <label class="control-label"
for="inputPassword">Password</label>
                <div class="controls">
                    <input type="text" name="password" id="inputPassword"
value="<?php echo $row['password']; ?>" required>
                </div>
            </div>
            <div class="control-group">
                <div class="controls">
                    <button name="edit" type="submit" class="btn btn-success"><i
class="icon-save icon-large"></i>&nbsp;Update</button>
                </div>
            </div>
        </form>
    </div>
    <div class="modal-footer">
        <button class="btn" data-dismiss="modal" aria-hidden="true"><i
class="icon-remove icon-large"></i>&nbsp;Close</button>
    </div>
</div>

```



```

<?php
if (isset($_POST['edit'])){

    $user_id=$_POST['id'];
    $username=$_POST['username'];
    $password=$_POST['password'];

    mysqli_query($conn,"update users set username='$username',
password='$password' where user_id='$user_id'")or die(mysqli_error($conn)); ?>
<script>
window.location="user.php";
</script>
<?php
}
?>

```

delete_user.php



```

<?php
include('dbcon.php');
$id=$_POST['id'];
mysqli_query($conn,"delete from users where user_id='$id'") or
die(mysqli_error($conn));
?>

```

Output:

The screenshot displays a web application interface with a dark theme. On the left is a sidebar menu with options: Home, Schedule Today, Schedule, Service, User Accounts (highlighted), Members, and Note. The top header shows the user profile 'Jhon Doe Admin', a hamburger menu icon, and navigation links for Home, Welcome:Admin, and Logout. The main content area is titled 'Users' and features a table with the following data:

Username	Password	Action
admin	admin	<div>   </div>

An 'Add User' button is located in the top right corner of the Users section.


```

        
        <div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
    </div>
    <div class="ms-3">
        <h6 class="mb-0">Jhon Doe</h6>
        <span>Admin</span>
    </div>
</div>
<div class="navbar-nav w-100">
    <a href="dasboard.php" class="nav-item nav-link"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>
    <a href="sched_today.php" class="nav-item nav-link"><i
class="fa fa-th me-2"></i>Schedule Today </a>
    <a href="schedule.php" class="nav-item nav-link"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
    <a href="service.php" class="nav-item nav-link"><i
class="fa fa-table me-2"></i>Service</a>
    <a href="user.php" class="nav-item nav-link"><i class="fa
fa-user me-2"></i>User Accounts</a>
    <a href="members.php" class="nav-item nav-link active"><i
class="fa fa-users me-2"></i>Members</a>
    <a href="note.php" class="nav-item nav-link"><i class="fa
fa-sticky-note me-2"></i>Note</a>
</div>
</nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dasboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
            <div class="nav-item">

```

```

        <a href="dashboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-user me-lg-2"></i>
            <span class="d-none d-lg-inline-
flex">Welcome:Admin</span>
        </a>
    </div>
    <div class="nav-item">
        <a href="logout.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-share me-lg-2"></i>
            <span class="d-none d-lg-inline-
flex">Logout</span>
        </a>
    </div>
</nav>
<!-- Navbar End -->

<!-- Table Start -->
<div class="container-fluid pt-4 px-4">
    <div class="bg-secondary text-center rounded p-4">
        <div class="d-flex align-items-center justify-content-
between mb-4">
            <h6 class="mb-0">Members</h6>
        </div>
        <div class="table-responsive">
            <table class="table text-start align-middle table-
bordered table-hover mb-0">
                <thead>
                    <tr class="text-white">
                        <th scope="col">Name</th>
                        <th scope="col">Age</th>
                        <th scope="col">Gender</th>
                        <th scope="col">Address</th>
                        <th scope="col">Contact No</th>
                        <th scope="col">Email Address</th>
                        <th scope="col">Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php $user_query=mysqli_query($conn,"select *
from members")or die(mysqli_error($conn));
                    while($row=mysqli_fetch_array($user_query)
){
                        $id=$row['member_id']; ?>
                        <tr class="del<?php echo $id ?>">
                            <td><?php echo $row['firstname']."
".$row['middlename']." ".$row['lastname']; ?></td>

```

```

        <td><?php echo $row['age']; ?></td>
        <td><?php echo $row['gender']; ?></td>
        <td><?php echo $row['address']; ?></td>
        <td><?php echo $row['contact_no']; ?></td>
        <td><?php echo $row['email']; ?></td>
        <td width="50">
            <a rel="tooltip" title="Delete"
id="<?php echo $id; ?>" class="btn btn-danger"><i class="fa fa-trash"></i></a>

        </td>
        <?php include('toolttip_edit_delete.php');
?>

    </tr>
    <?php } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<!-- Table End -->
</div>
<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>
</html>

<script type="text/javascript">
    $(document).ready( function() {
        $('.btn-danger').click( function() {
            var id = $(this).attr("id");
            if(confirm("Are you sure you want to delete this Member?")){
                $.ajax({
                    type: "POST",

```


```


        url: "delete_member.php",
        data: ({id: id}),
        cache: false,
        success: function(html){
            $(".del"+id).fadeOut('slow');
        }
    });
} else {
    return false;
}
});
});
</script>


</div>
</div>


```


Output:


**Jhon Doe**
Admin


 Home


 Schedule Today


 Schedule


 Service


 User Accounts


 **Members**

 Note






 Home

 Welcome:Admin

 Logout

Members

Name	Age	Gender	Address	Contact No	Email Address	Action
Nayan Ganesh Biradar	21	Female	AnushaktiNagar	0946651154	nayan@gmail.com	
Seema Singh	21	Female	Vashi	09466651154	seema@gmail.com	
Nayan Ganesh Biradar	21	Female	AnushaktiNagar	9987654321	nayanbiradar1@gmail.com	

localhost/apr/Apr/admin/dasboard.php

note.php

```
<?php include('dbcon.php'); ?>
<?php include('session.php'); ?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">
```

```

<!-- Favicon -->
<link href="img/favicon.ico" rel="icon">

<!-- Google Web Fonts -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Roboto:wght@500;700&display=swap" rel="stylesheet">

<!-- Icon Font Stylesheet -->
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

<!-- Libraries Stylesheet -->
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
<link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" />

<!-- Customized Bootstrap Stylesheet -->
<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Template Stylesheet -->
<link href="css/style.css" rel="stylesheet">
</head>

<body>
<div class="container-fluid position-relative d-flex p-0">
<!-- Sidebar Start -->
<div class="sidebar pe-4 pb-3">
<nav class="navbar bg-secondary navbar-dark">
<div class="d-flex align-items-center ms-4 mb-4">
<div class="position-relative">

<div class="bg-success rounded-circle border border-2
border-white position-absolute end-0 bottom-0 p-1"></div>
</div>
<div class="ms-3">
<h6 class="mb-0">Jhon Doe</h6>
<span>Admin</span>
</div>
</div>
<div class="navbar-nav w-100">
<a href="dashboard.php" class="nav-item nav-link"><i
class="fa fa-tachometer-alt me-2"></i>Home</a>

```

```

        <a href="sched_today.php" class="nav-item nav-link"><i
class="fa fa-th me-2"></i>Schedule Today </a>
        <a href="schedule.php" class="nav-item nav-link"><i
class="fa fa-keyboard me-2"></i>Schedule</a>
        <a href="service.php" class="nav-item nav-link"><i
class="fa fa-table me-2"></i>Service</a>
        <a href="user.php" class="nav-item nav-link"><i class="fa
fa-user me-2"></i>User Accounts</a>
        <a href="members.php" class="nav-item nav-link"><i
class="fa fa-users me-2"></i>Members</a>
        <a href="note.php" class="nav-item nav-link active"><i
class="fa fa-sticky-note me-2"></i>Note</a>
    </div>
</nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-secondary navbar-dark sticky-
top px-4 py-0">
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item">
                <a href="dasboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-home me-lg-2"></i>
                    <span class="d-none d-lg-inline-flex">Home</span>
                </a>
            </div>
            <div class="nav-item">
                <a href="dasboard.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-user me-lg-2"></i>
                    <span class="d-none d-lg-inline-
flex">Welcome:Admin</span>
                </a>
            </div>
            <div class="nav-item">
                <a href="logout.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                    <i class="fa fa-share me-lg-2"></i>
                    <span class="d-none d-lg-inline-
flex">Logout</span>
                </a>
            </div>
        </div>
    </nav>

```



```

        </div>
    </nav>
    <!-- Navbar End -->

    <!-- Table Start -->
    <div class="container-fluid pt-4 px-4">
        <div class="bg-secondary text-center rounded p-4">
            <div class="d-flex align-items-center justify-content-between mb-4">
                <h6 class="mb-0">Note</h6>
                <a class="btn btn-sm btn-primary" href="add_note.php">Add Note</a>
            </div>
            <div class="table-responsive">
                <table class="table text-start align-middle table-bordered table-hover mb-0">
                    <thead>
                        <tr class="text-white">
                            <th scope="col">Message</th>
                            <th scope="col">Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php $user_query=mysqli_query($conn,"select * from note")or die(mysqli_error($conn));
                        while($row=mysqli_fetch_array($user_query))
                        {
                            $id=$row['note_id']; ?>
                            <tr class="del<?php echo $id ?>">

                                <td><?php echo $row['message']; ?></td>
                                <td width="100">
                                    <a href="#delete<?php echo $id ?>" data-toggle="modal" rel="tooltip" title="Delete" id="<?php echo $id; ?>" class="btn btn-danger"><i class="fa fa-trash"></i></a>
                                    <?php
                                        include('delete_note_modal.php'); ?>
                                    <a rel="tooltip" title="Edit" id="e<?php echo $id; ?>" href="#edit<?php echo $id; ?>" data-toggle="modal" class="btn btn-success"><i class="fa fa-pen"></i></a>
                                    <?php include('edit_note.php'); ?>
                                </td>
                                <?php include('toolttip_edit_delete.php'); ?>
                            </tr>
                        <?php } ?>
                    </tbody>
                </table>
            </div>
        </div>
    </div>

```

```

        </table>
    </div>
</div>
</div>
<!-- Table End -->
</div>
<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>
</html>

```

add_note.php

```

<p><a href="#adduser" data-toggle="modal"
class="btn btn-info" ><i class="icon-plus"></i>&nbsp;Add Note</a></p>
<div id="adduser" class="modal hide
fade" tabindex="-1" role="dialog" aria-labelledby="myModalLabel" aria-
hidden="true">
    <div class="modal-body">
        <div class="alert alert-info"><strong>Add User</strong></div>
        <form class="form-horizontal" method="post">
            <div class="control-group">
                <label class="control-label"
for="inputPassword">Message</label>
                <div class="controls">
                    <textarea name="message" rows="3"></textarea>
                </div>
            </div>
            <div class="control-group">
                <div class="controls">
                    <button name="submit" type="submit" class="btn btn-success"><i
class="icon-save icon-large"></i>&nbsp;Save</button>
                </div>
            </div>
        </form>
    </div>
</div>

```

```

        </div>
    </form>
    </div>
    <div class="modal-footer">
        <button class="btn" data-dismiss="modal" aria-hidden="true"><i
class="icon-remove icon-large"></i>&nbsp;Close</button>
    </div>
</div>

<?php
if (isset($_POST['submit'])){

    $message=$_POST['message'];

    mysqli_query($conn,"insert into note (message) values('$message')")or
die(mysqli_error($conn));
}
?>

```

edit_note.php

```

    <div id="edit<?php echo $id; ?>" class="modal hide fade" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
        <div class="modal-body">
            <div class="alert alert-info"><strong>Edit Note</strong></div>
            <form class="form-horizontal" method="post">
                <div class="control-group">
                    <label class="control-label"
for="inputPassword">Message</label>
                    <div class="controls">
                        <input type="text" name="note_id" value="<?php echo
$row['note_id']; ?>">
                        <textarea name="message" rows="3"><?php echo $row['message'];
?></textarea>
                    </div>
                </div>

                <div class="control-group">
                    <div class="controls">
                        <button name="edit" type="submit" class="btn btn-success"><i
class="icon-save icon-large"></i>&nbsp;Update</button>
                    </div>
                </div>
            </form>
        </div>
        <div class="modal-footer">
            <button class="btn" data-dismiss="modal" aria-hidden="true"><i
class="icon-remove icon-large"></i>&nbsp;Close</button>

```

```

        </div>
    </div>


    <?php
    if (isset($_POST['edit'])) {

        $note_id=$_POST['note_id'];
        $message=$_POST['message'];

        mysqli_query($conn,"update note set message='$message' where
note_id='$note_id'") or die(mysqli_error($conn)); ?>
        <script>
        window.location="note.php";
        </script>
    <?php
    }
    ?>

```

Output:



Member Home pages and Login:

index.php

```

<?php include('header.php'); ?>
<?php include('dbcon.php'); ?>
<!-- -->
<nav class="navbar navbar-expand bg-secondary navbar-dark sticky-top px-4
py-0">
    <a href="index.html" class="navbar-brand d-flex d-lg-none me-
4">

```

```

                <h2 class="text-primary mb-0"><i class="fa fa-user-
edit"></i></h2>
                </a>
                <div class="navbar-nav align-items-center ms-auto"
style="margin-right: auto; padding: 10px;">
                    <div class="nav-item">
                        <a href="index.php" class="nav-item nav-link active"
style="padding-right: 5rem;">
                            <i class="fa fa-home me-lg-2"></i>
                            <span class="d-none d-lg-inline-flex">Home</span>
                        </a>
                    </div>
                    <div class="nav-item">
                        <a href="services.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                            <i class="fa fa-list me-lg-2"></i>
                            <span class="d-none d-lg-inline-
flex">Services</span>
                        </a>
                    </div>
                    <div class="nav-item">
                        <a href="about.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                            <i class="fa fa-info me-lg-2"></i>
                            <span class="d-none d-lg-inline-flex">About
Us</span>
                        </a>
                    </div>
                    <div class="nav-item">
                        <a href="contact_us.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                            <i class="fa fa-phone me-lg-2"></i>
                            <span class="d-none d-lg-inline-flex">Contact
US</span>
                        </a>
                    </div>
                    <div class="nav-item">
                        <a href="login.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                            <i class="fa fa-arrow-right-to-bracket me-lg-
2"></i>
                            <span class="d-none d-lg-inline-flex">Login</span>
                        </a>
                    </div>
                </div>
            </nav>
            <div class="container-fluid pt-4 px-4">
                <div class="bg-secondary text-center rounded p-4">

```

```

        <h2>We provide the best quality dental service</h2>
    <div class="clearfix"></div>
    <div class="span12">
        <?php include('thumbnail.php'); ?>
    </div>
    <div class="span12">
        <?php include('content1.php'); ?>
    </div>
    <div class="span12">
        <?php include('content2.php'); ?>
    </div>
</div>
</div>
</div>
</div>

```

thumbnail.php

```

<div class="container-fluid pt-4 px-4">
    <div class="row g-4">
        <div class="col-sm-6 col-xl-3">
            <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
                <a href="">
                    
                    <div><span>Safiee Smiles</span></div>
                </a>
            </div>
        <div class="col-sm-6 col-xl-3">
            <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
                <a href="">
                    
                    <div><span>Root Canal</span></div>
                </a>
            </div>
        <div class="col-sm-6 col-xl-3">
            <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
                <a href="">
                    
                    <div><span>Filling</span></div>
                </a>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
    <div class="col-sm-6 col-xl-3">
        <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
            <a href="">
                
                <div><span>Extractions</span></div>
            </a>
        </div>
    </div>
    <div class="col-sm-6 col-xl-3">
        <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
            <a href="">
                
                <div><span>Cleaning</span></div>
            </a>
        </div>
    </div>
    <div class="col-sm-6 col-xl-3">
        <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
            <a href="">
                
                <div><span>Gum Surgeries</span></div>
            </a>
        </div>
    </div>
    <div class="col-sm-6 col-xl-3">
        <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
            <a href="">
                
                <div><span>Cosmetic Dentistry</span></div>
            </a>
        </div>
    </div>
    <div class="col-sm-6 col-xl-3">
        <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
            <a href="">
                

```

```

        <div><span>Crowns and Bridges</span></div>
    </a>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
        <a href="">
            
            <div><span>Dental Implants</span></div>
        </a>
    </div>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
        <a href="">
            
            <div><span>Dentures</span></div>
        </a>
    </div>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
        <a href="">
            
            <div><span>Pediatric Dentistry</span></div>
        </a>
    </div>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-secondary rounded d-flex align-items-
center justify-content-between p-4">
        <a href="">
            
            <div><span>Orthodontic Services</span></div>
        </a>
    </div>
</div>
</div>
</div>

```


content1.php

[illegible]

Each of our professional dentists has received advanced training globally. We get deeply involved with a stringent process while selecting the right expert out of the thousands of applications we receive each year.

```

        </div>
        </div>
    </div>
    <div class="accordion-item bg-transparent">
        <h2 class="accordion-header"
id="headingThree">
            <button class="accordion-button
collapsed" type="button"
                data-bs-toggle="collapse" data-bs-
target="#collapseThree"
                aria-expanded="false" aria-
controls="collapseThree">
                High-tech Dentistry
            </button>
        </h2>
        <div id="collapseThree" class="accordion-
collapse collapse"
            aria-labelledby="headingThree" data-
bs-parent="#accordionExample">
            <div class="accordion-body">
                Safiee Smiles empowers patients with
the perfect, most reliable and advanced dental technologies. We have an in
house dental lab, which guarantees ideal accuracy in diagnosis and dental
treatment.
            </div>
        </div>
    </div>
    <div class="accordion-item bg-transparent">
        <h2 class="accordion-header"
id="headingFour">
            <button class="accordion-button
collapsed" type="button"
                data-bs-toggle="collapse" data-bs-
target="#collapseFour"
                aria-expanded="false" aria-
controls="collapseFour">
                Safety And Precautions
            </button>
        </h2>
        <div id="collapseFour" class="accordion-
collapse collapse"
            aria-labelledby="headingFour" data-bs-
parent="#accordionExample">
            <div class="accordion-body">
```

Our clinic is combat-ready to keep every visitor safe and healthy even in uncertain times of crisis. Safiee Smiles welcomes patients with the utmost care as we have implemented extra safeguards to protect you and our staff.

```
</div>
</div>
</div>
<div class="accordion-item bg-transparent">
  <h2 class="accordion-header"
id="headingFive">
    <button class="accordion-button
collapsed" type="button"
data-bs-toggle="collapse" data-bs-
target="#collapseFive"
aria-expanded="false" aria-
controls="collapseFive">
      Long Term Warranty
    </button>
  </h2>
  <div id="collapseFive" class="accordion-
collapse collapse"
parent="#accordionExample">
    <div class="accordion-body">
      We believe our work is unparalleled
and have no scepticism in offering certain warranties of up to years on our
work, even money-back guarantees in some instances.
    </div>
  </div>
</div>
<div class="accordion-item bg-transparent">
  <h2 class="accordion-header"
id="headingSix">
    <button class="accordion-button
collapsed" type="button"
data-bs-toggle="collapse" data-bs-
target="#collapseSix"
aria-expanded="false" aria-
controls="collapseSix">
      Support
    </button>
  </h2>
  <div id="collapseSix" class="accordion-
collapse collapse"
parent="#accordionExample">
    <div class="accordion-body">
```

```

                We always strive to be there for you
for years to come. We have multiple practitioners across every dental clinic
to look after your queries and resolve them immediately.
            </div>
        </div>
    </div>
    <div class="accordion-item bg-transparent">
        <h2 class="accordion-header"
id="headingSeven">
            <button class="accordion-button
collapsed" type="button"
            data-bs-toggle="collapse" data-bs-
target="#collapseSeven"
            aria-expanded="false" aria-
controls="collapseSeven">
                Dental Tourism
            </button>
        </h2>
        <div id="collapseSeven" class="accordion-
collapse collapse">
            <div class="accordion-body">
                We have approached patients from all
over the world. Our state of dental care is on par with the best centres in
India. A successful history backs Safiee Smiles in promoting dental tourism
and is trusted all over the world.
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>

```

content2.php

```

<div class="row g-4 pt-5">
<div class="col-sm-12 col-xl-6">
    <div class="bg-secondary rounded h-100 p-4">
        <h6 class="mb-4">Testimonial</h6>
        <div class="owl-carousel testimonial-carousel">
            <div class="testimonial-item text-center">
                
                <h5 class="mb-1">Patient</h5>
                <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
    </div>
</div>
</div>
</div>

<div class="col-sm-12 col-xl-6">
    <div class="h-100 bg-secondary rounded p-4">
        <div class="d-flex align-items-center justify-
content-center mb-2">
            <h4 class="mb-4">VISIT OUR CLINIC</h4>
        </div>
        <p>Clinic Hours</p>
        <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
        <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
        <p>Room 01</p>
        <p>Dr. Sandhya Gopal Saware</p>
        <p>Mazgaon Dockyard</p>
    </div>
</div>
</div>
<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>

```



```


<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>

```

Output:






service.php

```
<?php include('header.php'); ?>
<?php include('dbcon.php'); ?>
<nav class="navbar navbar-expand bg-secondary navbar-dark sticky-top px-4 py-0">
    <a href="index.html" class="navbar-brand d-flex d-lg-none me-4">
        <h2 class="text-primary mb-0"><i class="fa fa-user-edit"></i></h2>
    </a>
    <!-- <a href="#" class="sidebar-toggler flex-shrink-0">
        <i class="fa fa-bars"></i>
    </a> -->
    <!-- <form class="d-none d-md-flex ms-4">
        <input class="form-control bg-dark border-0" type="search"
placeholder="Search">
    </form> -->
    <div class="navbar-nav align-items-center ms-auto"
style="margin-right: auto; padding: 10px;">
        <div class="nav-item">
            <a href="index.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                <i class="fa fa-home me-lg-2"></i>
                <span class="d-none d-lg-inline-flex">Home</span>
            </a>
        </div>
        <div class="nav-item">
            <a href="services.php" class="nav-item nav-link active"
style="padding-right: 5rem;">
                <i class="fa fa-list me-lg-2"></i>
```


Output:



The screenshot shows a web application with a dark theme. At the top is a navigation bar with links: Home, Services, About Us, Contact US, and Login. Below the navigation bar is a section titled "List of Services Offered". This section contains a table with two columns: "Service Offered" and "Estimated Price". The table lists six services: Cleaning, Crown, Rootcanal, Filling, Braces, and Gum Surgery, with their respective estimated prices.

Service Offered	Estimated Price
Cleaning	2000.00
Crown	5000.00
Rootcanal	4500.00
Filling	2500.00
Braces	25000.00
Gum Surgery	250000.00


about.php

```
<?php include('header.php'); ?>
<?php include('dbcon.php'); ?>
<nav class="navbar navbar-expand bg-secondary navbar-dark sticky-top px-4 py-0">
    <a href="index.html" class="navbar-brand d-flex d-lg-none me-4">
        <h2 class="text-primary mb-0"><i class="fa fa-user-edit"></i></h2>
    </a>
    <!-- <a href="#" class="sidebar-toggler flex-shrink-0">
        <i class="fa fa-bars"></i>
    </a> -->
    <!-- <form class="d-none d-md-flex ms-4">
        <input class="form-control bg-dark border-0" type="search"
placeholder="Search">
    </form> -->
    <div class="navbar-nav align-items-center ms-auto"
style="margin-right: auto; padding: 10px;">
        <div class="nav-item">
            <a href="index.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                <i class="fa fa-home me-lg-2"></i>
                <span class="d-none d-lg-inline-flex">Home</span>
            </a>
        </div>
        <div class="nav-item">
            <a href="services.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                <i class="fa fa-list me-lg-2"></i>
```


about_content.php

```
<div class="col-sm-12 col-xl-12">
    <div class="bg-secondary rounded h-100 p-4">
        <h6 class="mb-4">About US</h6>
        <p>Lorem ipsum dolor sit amet, consectetur
adipiscing elit. Nam cursus. Morbi ut mi. Nullam enim leo, egestas id,
condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent
mauris ante, elementum et, bibendum at, posuere sit amet, nibh. Duis tincidunt
lectus quis dui viverra vestibulum. Suspendisse vulputate aliquam dui. Nulla
elementum dui ut augue. Aliquam vehicula mi at mauris. Maecenas placerat, nisl
at consequat rhoncus, sem nunc gravida justo, quis eleifend arcu velit quis
lacus. Morbi magna magna, tincidunt a, mattis non, imperdiet vitae, tellus.
Sed odio est, auctor ac, sollicitudin in, consequat vitae, orci. Fusce id
felis. Vivamus sollicitudin metus eget eros.</p>
<p>
Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac
turpis egestas. In posuere felis nec tortor. Pellentesque faucibus. Ut
accumsan ultricies elit. Maecenas at justo id velit placerat molestie. Donec
dictum lectus non odio. Cras a ante vitae enim iaculis aliquam. Mauris nunc
quam, venenatis nec, euismod sit amet, egestas placerat, est. Pellentesque
habitant morbi tristique senectus et netus et malesuada fames ac turpis
egestas. Cras id elit. Integer quis urna. Ut ante enim, dapibus malesuada,
fringilla eu, condimentum quis, tellus. Aenean porttitor eros vel dolor. Donec
convallis pede venenatis nibh. Duis quam. Nam eget lacus. Aliquam erat
volutpat. Quisque dignissim congue leo.
</p>
    </div>
</div>
```

Output:



contactus.php

```
<?php include('header.php'); ?>
<?php include('dbcon.php'); ?>
<nav class="navbar navbar-expand bg-secondary navbar-dark sticky-top px-4 py-0">

    <a href="index.html" class="navbar-brand d-flex d-lg-none me-4">

        <h2 class="text-primary mb-0"><i class="fa fa-user-edit"></i></h2>
    </a>
    <!-- <a href="#" class="sidebar-toggler flex-shrink-0">
        <i class="fa fa-bars"></i>
    </a> -->
    <!-- <form class="d-none d-md-flex ms-4">
        <input class="form-control bg-dark border-0" type="search"
placeholder="Search">
    </form> -->
    <div class="navbar-nav align-items-center ms-auto"
style="margin-right: auto; padding: 10px;">
        <div class="nav-item">
            <a href="index.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                <i class="fa fa-home me-lg-2"></i>
                <span class="d-none d-lg-inline-flex">Home</span>
            </a>
        </div>
        <div class="nav-item">
            <a href="services.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                <i class="fa fa-list me-lg-2"></i>
                <span class="d-none d-lg-inline-
flex">Services</span>
            </a>
        </div>
        <div class="nav-item">
            <a href="about.php" class="nav-item nav-link"
style="padding-right: 5rem;">
                <i class="fa fa-info me-lg-2"></i>
                <span class="d-none d-lg-inline-flex">About
Us</span>
            </a>
        </div>
        <div class="nav-item">
            <a href="contact_us.php" class="nav-item nav-link active"
style="padding-right: 5rem;">
                <i class="fa fa-phone me-lg-2"></i>
                <span class="d-none d-lg-inline-flex">Contact
US</span>
            </a>
        </div>
    </div>
</nav>
```

```

        </a>
    </div>
    <div class="nav-item">
        <a href="login.php" class="nav-item nav-link"
style="padding-right: 5rem;">
            <i class="fa fa-arrow-right-to-bracket me-lg-
2"></i>
            <span class="d-none d-lg-inline-flex">Login</span>
        </a>
    </div>
</div>
</nav>
<div class="container-fluid pt-4 px-4">
    <div class="bg-secondary text-center rounded p-4">
        <?php include('contactus_content.php'); ?>
        <h2>We provide the best quality dental service</h2>
    </div>
    <div class="span12">
        <?php include('thumbnail.php'); ?>
    </div>
    <div class="span12">
        <?php include('content1.php'); ?>
    </div>
    <div class="span12">
        <?php include('content2.php'); ?>
    </div>
</div>
</div>
</div>
</div>

```


contactus_content.php

```

<div class="col-sm-12 col-xl-12">
    <div class="h-100 bg-secondary rounded p-4">
        <div class="d-flex align-items-center justify-
content-center mb-2">
            <h4 class="mb-4">VISIT OUR CLINIC</h4>
        </div>
        <p>Office Hours</p>
        <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
        <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
        <p>Room 01</p>
        <p>Dr. Sandhya Gopal Saware</p>
        <p>Mazgaon Dockyard</p>
    </div>
</div>

```

Output:



login.php

```
<?php include('header.php'); ?>
<?php include('navbar.php'); ?>
<?php include('dbcon.php'); ?>

<?php include('login_modal.php'); ?>
```

login_modal.php

```
<div class="container-fluid position-relative d-flex p-0">
  <!-- Spinner Start -->
  <div id="spinner" class="show bg-dark position-fixed translate-middle
w-100 vh-100 top-50 start-50 d-flex align-items-center justify-content-
center">
    <div class="spinner-border text-primary" style="width: 3rem;
height: 3rem;" role="status">
      <span class="sr-only">Loading...</span>
    </div>
  </div>
  <!-- Spinner End -->

  <!-- Sign In Start -->
  <div class="container-fluid">
    <div class="row h-100 align-items-center justify-content-center"
style="min-height: 100vh;">
      <div class="col-12 col-sm-8 col-md-6 col-lg-5 col-xl-4">
        <div class="bg-secondary rounded p-4 p-sm-5 my-4 mx-3">
          <form method="post">
            <div class="d-flex align-items-center justify-content-
between mb-3">
              <!-- <a href="index.html" class="">
```

```

edit me-2"></i>DarkPan</h3>
        </a> -->
        <h3>Log In</h3>
    </div>
    <div class="form-floating mb-3">
        <input type="text" name="username" class="form-
control" id="floatingInput" placeholder="Username">
        <label for="inputPassword">Username</label>
    </div>
    <div class="form-floating mb-4">
        <input type="password" name="password"
class="form-control" id="floatingPassword" placeholder="Password">
        <label for="inputPassword">Password</label>
    </div>
    <button type="submit" name="submit1" class="btn btn-
primary py-3 w-100 mb-4">Log In</button>
    <p class="text-center mb-0">Don't have an Account? <a
href="signup.php">Sign Up</a></p>

        <?php
            if (isset($_POST['submit1'])){

                $username = $_POST['username'];
                $password = $_POST['password'];
                $query = "SELECT * FROM members WHERE
username='$username' AND password='$password'";
                $result = mysqli_query($conn,$query)or
die(mysqli_error($conn));

                $num_row = mysqli_num_rows($result);
                $row=mysqli_fetch_array($result);
                if( $num_row > 0 ) {
                    $_SESSION['id']=$row['member_id']; ?>
                    <script>
                        window.location="dashboard.php";
                    </script>
                    <?php    }
                    else{ ?>
                        <div class="alert alert-
danger"><strong>Login Error!</strong>&nbsp;Please check your Username and
Password</div>

                            <?php
                                }
                            }
                        ?>
                    </div>
                </form>
            </div>

```

```

        </div>
    </div>
    <!-- Sign In End -->
</div>

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>

```

login_error.php

```

<?php include('header.php'); ?>
<?php include('navbar.php'); ?>
<?php include('dbcon.php'); ?>
    <div class="container">
        <div class="margin-top">
            <div class="row">
                <div class="span12">
                    <div class="alert alert-danger">Please check your Username and
Password</div>
                    <form method="post" class="form-horizontal">
                        <div class="control-group">
                            <label class="control-label" for="inputPassword">Username</label>
                            <div class="controls">
                                <input type="text" name="username" placeholder="Username"
required>
                            </div>
                        </div>
                        <div class="control-group">
                            <label class="control-label" for="inputPassword">Password</label>
                            <div class="controls">
                                <input type="password" name="password" placeholder="Password"
required>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>

```



```

        <div class="control-group">
            <div class="controls">
                <button name="submit1" type="submit" class="btn btn-info"><i
class="icon-signin icon-large"></i>&nbsp;Login</button>
            </div>
        </div>

        <?php
if (isset($_POST['submit1'])) {
$username = $_POST['username'];
$password = $_POST['password'];
$query = "SELECT * FROM members WHERE username='$username' AND
password='$password'";
$result = mysqli_query($conn,$query) or die(mysqli_error($conn));
$num_row = mysqli_num_rows($result);
    $row=mysqli_fetch_array($result);
    if( $num_row > 0 ) {
        $_SESSION['id']=$row['member_id']; ?>
        <script>
window.location="dasboard.php";
        </script>
        <?php    }
        else{ ?>
        <script>
window.location="login_error.php";
        </script>
        <?php
    }
}
?>
    </form>

    </div>
    <div class="span12">
        <div class="caption_index">we provide the best quality dental
service</div>
    </div>
    <div class="clearfix"></div>
    <div class="span12">
        <?php include('thumbnail.php'); ?>
    </div>
    <div class="span12">
        <?php include('content1.php'); ?>
    </div>
    <div class="span12">
        <?php include('content2.php'); ?>
    </div>


```

```

        </div>
    </div>
</div>

```

Output:



dashboard.php

```

<?php include('header.php'); ?>
<?php include('session.php'); ?>
<?php include('dbcon.php'); ?>
<?php include('navbar_dashboard.php'); ?>

<div class="row g-4 justify-content-center">

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5">
        <div class="h-100 bg-secondary rounded p-3">
            <div class="d-flex align-items-center justify-
content-between mb-4">
                <h6 class="mb-0">Calender</h6>
            </div>
            <div id="calender"></div>
        </div>
    </div>

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">Note</h6>
            <div class="alert alert-primary" role="alert">
                <?php

```

```

        $note_query = mysqli_query($conn,"select * from note ")or
die(mysqli_error($conn));
        $note_count =mysqli_num_rows($note_query);
        while($note_row = mysqli_fetch_array($note_query)){
            if ($note_count > 0){ ?>

                <li><i class="icon-stop icon-large"></i>&nbsp;<?php echo
$note_row['message'] ?></li>
                <?php
                } }
            ?>

            </div>
        </div>
    </div>
</div>

    <?php
    if (isset($_POST['sub'])){
        $date = $_POST['date'];
        $service = $_POST['service'];

        $query = mysqli_query($conn,"select * from schedule where date =
'$date' and member_id = '$session_id' ")or die(mysqli_error($conn));
        $count = mysqli_num_rows($query);
        /* echo $count; */
        if ($count > 0){ ?>
            <script>
            alert('You have already schedule on this date');
            </script>
            <?php
            }else{
                $equal = $count + 1 ;

                ?>
                <div class="question">
                    <!-- <div class="alert alert-success">Your the number <strong><?php
echo $equal; ?></strong> client in this date <strong><?php echo $date;
?></strong></div> -->
                    <form method="POST" action="yes.php">
                        <input type="hidden" name="session_id" value="<?php echo $session_id;
?>" >
                        <input type="hidden" name="date1" value="<?php echo $date; ?>" >
                        <input type="hidden" name="service1" value="<?php echo $service; ?>" >
                        <input type="hidden" name="equal" value="<?php echo $equal; ?>" >
                        <div class="alert alert-success">Are you sure you want to set your
Appointment on this date?</p></div>

```

```

        <button name="yes" class="btn btn-success"><i class="icon-check icon-
large"></i>&nbsp;Yes</button> &nbsp; <a href="dashboard.php" class="btn"><i
class="icon-remove"></i>&nbsp;No</a>
    </form>

</div>
<br>
<br>
<?php }}    ?>
<div class="container-fluid pt-4 px-4">

<div class="container-fluid pt-5 px-4">
    <div class="row">
        <div class="col-sm-12 col-xl-12">
            <div class="bg-secondary rounded h-100 p-4">
                <h6 class="mb-4">Select Date of Appointment</h6>
                <form method="POST">
                    <div class="mb-3" id="datepicker">
                        <label for="inputEmail" name="date"
class="form-label">Date</label>
                        <input type="date" name="date"
maxlength="10" class="form-control">
                    </div>
                    <label for="inputPassword" name="service"
class="form-label">Service</label>
                    <select class="form-select mb-3"
name="service" aria-label="Default select example">
                        <option>Service</option>
                        <?php $query=mysqli_query($conn,"select * from service")or
die(mysqli_error($conn));
                        while($row=mysqli_fetch_array($query)){
                            ?>

                            <option value="<?php echo $row['service_id'] ?>"><?php echo
$row['service_offer'] ?></option>
                            <?php } ?>

                        </select>
                        <button type="submit" name="sub" class="btn
btn-primary">Submit</button>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
</div>

    <div class="row g-4 justify-content-center">

```

```

<div class="col-sm-3 col-md-6 col-xl-3 pt-5 pb-5">
    <div class="bg-secondary rounded h-100 p-4">
        <h6 class="mb-4">List of Services Offered </h6>
        <table class="table table-borderless">
            <thead>
                <tr>
                    <th scope="col">Service Offered</th>
                    <th scope="col">Estimated Price</th>
                </tr>
            </thead>
            <tbody>
                <?php $user_query=mysqli_query($conn,"select
* from service")or die(mysqli_error($conn));
                while($row=mysqli_fetch_array($user_query))
{
                    $id=$row['service_id']; ?>
                    <tr class="del<?php echo $id ?>">
                        <td><?php echo $row['service_offer'];
?></td>

                        <td><?php echo $row['price']; ?></td>

                    </tr>
                    <?php } ?>
                </tbody>
            </table>
        </div>
    </div>

<div class="col-sm-12 col-xl-3 pt-5 pb-5">
    <div class="h-100 bg-secondary rounded p-3">
        <div class="d-flex align-items-center justify-
content-center mb-2">
            <h4 class="mb-4">VISIT OUR CLINIC</h4>
        </div>
        <p>Clinic Hours</p>
        <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
        <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
        <p>Room 01</p>
        <p>Dr. Sandhya Gopal Saware</p>
        <p>Mazgaon Dockyard</p>
    </div>
</div>
<div class="col-sm-12 col-xl-3 pt-5 pb-5">
    <div class="bg-secondary rounded h-100 p-4">
        <h6 class="mb-4">Testimonial</h6>
        <div class="owl-carousel testimonial-carousel">

```

```

        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
        <div class="testimonial-item text-center">
            
            <h5 class="mb-1">Patient</h5>

            <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
        </div>
    </div>
</div>
</div>
</div>
</div>

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>

```



```



<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-
datepicker/1.9.0/js/bootstrap-datepicker.min.js"></script>
<script type="text/javascript">
$(document).ready(function () {
    $('#datepicker').datepicker();
    ...
});
</script>

```

Outputs:





yes.php:

```
<?php include('header.php'); ?>
<?php include('session.php'); ?>
<?php include('dbcon.php'); ?>
<?php include('navbar_dashboard.php'); ?>

<div class="container-fluid pt-5 px-4">
<div class="alert alert-primary" role="alert">
<?php if (isset($_POST['yes'])) {
    $session_id = $_POST['session_id'];
    $date1 = $_POST['date1'];
    $service1 = $_POST['service1'];
    $equal = $_POST['equal'];
    mysqli_query($conn,"insert into schedule
(member_id,date,service_id,number,status)
values('$session_id','$date1','$service1','$equal','Pending')")or
die(mysqli_error($conn));
```



```

<div class="col-sm-3 col-md-6 col-xl-3 pt-5 pb-5">
    <div class="bg-secondary rounded h-100 p-4">
        <h6 class="mb-4">List of Services Offered </h6>
        <table class="table table-borderless">
            <thead>
                <tr>
                    <th scope="col">Service Offered</th>
                    <th scope="col">Estimated Price</th>
                </tr>
            </thead>
            <tbody>
                <?php $user_query=mysqli_query($conn,"select
* from service")or die(mysqli_error($conn));
                while($row=mysqli_fetch_array($user_query))
{
                    $id=$row['service_id']; ?>
                    <tr class="del<?php echo $id ?>">
                        <td><?php echo $row['service_offer'];
?></td>

                        <td><?php echo $row['price']; ?></td>

                    </tr>
                    <?php } ?>
                </tbody>
            </table>
        </div>
    </div>

<div class="col-sm-12 col-xl-3 pt-5 pb-5">
    <div class="h-100 bg-secondary rounded p-3">
        <div class="d-flex align-items-center justify-
content-center mb-2">
            <h4 class="mb-4">VISIT OUR CLINIC</h4>
            </div>
            <p>Clinic Hours</p>
            <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
            <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
            <p>Room 01</p>
            <p>Dr. Sandhya Gopal Saware</p>
            <p>Mazgaon Dockyard</p>
        </div>
    </div>
    <div class="col-sm-12 col-xl-3 pt-5 pb-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">Testimonial</h6>
            <div class="owl-carousel testimonial-carousel">
                <div class="testimonial-item text-center">

```

```

        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
    <div class="testimonial-item text-center">
        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
    <div class="testimonial-item text-center">
        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
    <div class="testimonial-item text-center">
        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
</div>
</div>
</div>
</div>
</div>

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>


```

```

<script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-datepicker/1.9.0/js/bootstrap-datepicker.min.js"></script>
<script type="text/javascript">
$(document).ready(function () {
    $('#datepicker').datepicker();
    ...
});
</script>

```



myschedule.php

```

<?php include('header.php'); ?>
<?php include('session.php'); ?>
<?php include('dbcon.php'); ?>
<?php include('navbar_dashboard.php'); ?>

<div class="row g-4 justify-content-center">

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5">
        <div class="h-100 bg-secondary rounded p-3">
            <div class="d-flex align-items-center justify-content-between mb-4">
                <h6 class="mb-0">Calender</h6>
            </div>
            <div id="calender"></div>
        </div>
    </div>

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">Note</h6>
            <div class="alert alert-primary" role="alert">
                <?php

```

```

        $note_query = mysqli_query($conn,"select * from note ")or
die(mysqli_error($conn));
        $note_count =mysqli_num_rows($note_query);
        while($note_row = mysqli_fetch_array($note_query)){
            if ($note_count > 0){ ?>

                <li><i class="icon-stop icon-large"></i>&nbsp;<?php echo
$note_row['message'] ?></li>
                <?php
                } }
                ?>

                </div>
            </div>
        </div>
    </div>

<?php
    if (isset($_POST['sub'])){
        $date = $_POST['date'];

        $query = mysqli_query($conn,"select * from schedule where date =
'$date' and member_id = '$session_id' ")or die(mysqli_error($conn));
        $count = mysqli_num_rows($query);
        /* echo $count; */
        if ($count > 0){ ?>
            <script>
            alert('You have already schedule on this date');
            </script>
            <?php
            }else{
                $equal = $count + 1 ;

                ?>
                <div class="question">
                    <!-- <div class="alert alert-success">Your the number <strong><?php
echo $equal; ?></strong> client in this date <strong><?php echo $date;
?></strong></div> -->
                    <form method="POST" action="yes.php">
                        <input type="hidden" name="session_id" value="<?php echo $session_id;
?>" >
                        <input type="hidden" name="date1" value="<?php echo $date; ?>" >
                        <input type="hidden" name="service1" value="<?php echo $service; ?>" >
                        <input type="hidden" name="equal" value="<?php echo $equal; ?>" >
                        <div class="alert alert-success">Are you sure you want to set your
Appointment on this date?</p></div>

```

```

        <button name="yes" class="btn btn-success"><i class="icon-check icon-
large"></i>&nbsp;Yes</button> &nbsp; <a href="dashboard.php" class="btn"><i
class="icon-remove"></i>&nbsp;No</a>
    </form>

</div>
<br>
<br>
<?php }}    ?>

<div class="container-fluid pt-4 px-4">
<div class="col-sm-12 col-xl-12">
    <div class="bg-secondary rounded h-100 p-4">
        <h6 class="mb-4">My Schedule</h6>
        <table class="table table-bordered">
            <thead>
                <tr>
                    <th scope="col">My Number</th>
                    <th scope="col">Date</th>
                    <th scope="col">Service</th>
                    <th scope="col">Price</th>
                </tr>
            </thead>
            <tbody>

                <?php $user_query=mysqli_query($conn,"select *
from schedule where member_id = '$session_id' ")or die(mysqli_error($conn));
                while($row=mysqli_fetch_array($user_query)
){
                    $id=$row['id'];
                    $member_id = $row['member_id'];
                    $service_id = $row['service_id'];
                    /* member query */
                    $member_query = mysqli_query($conn,"select
* from members where member_id = ' $member_id'")or die(mysqli_error($conn));
                    $member_row =
mysqli_fetch_array($member_query);
                    /* service query */
                    $service_query =
mysqli_query($conn,"select * from service where service_id = '$service_id'
")or die(mysqli_error($conn));
                    $service_row =
mysqli_fetch_array($service_query);
                    ?>

                    <tr class="del<?php echo $id ?>">
                        <td width="100"><?php echo
$row['Number'];    ?></td>

```

```

                <td><?php echo $row['date']; ?></td>
                <td><?php echo
$service_row['service_offer']; ?></td>
                <td><?php echo
$service_row['price']; ?></td>

            </tr>
        <?php } ?>

    </tbody>
</table>
</div>
</div>

<div class="row g-4 justify-content-center">

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5 pb-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">List of Services Offered </h6>
            <table class="table table-borderless">
                <thead>
                    <tr>
                        <th scope="col">Service Offered</th>
                        <th scope="col">Estimated Price</th>
                    </tr>
                </thead>
                <tbody>
                    <?php $user_query=mysqli_query($conn,"select
* from service")or die(mysqli_error($conn));
                    while($row=mysqli_fetch_array($user_query))
                    {
                        $id=$row['service_id']; ?>
                        <tr class="del"<?php echo $id ?>">
                            <td><?php echo $row['service_offer'];
?></td>

                            <td><?php echo $row['price']; ?></td>

                        </tr>
                    <?php } ?>
                </tbody>
            </table>
        </div>
    </div>

    <div class="col-sm-12 col-xl-3 pt-5 pb-5">
        <div class="h-100 bg-secondary rounded p-3">

```

```

        <div class="d-flex align-items-center justify-
content-center mb-2">
            <h4 class="mb-4">VISIT OUR CLINIC</h4>
            </div>
            <p>Clinic Hours</p>
            <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
            <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
            <p>Room 01</p>
            <p>Dr. Sandhya Gopal Saware</p>
            <p>Mazgaon Dockyard</p>
            </div>
        </div>
        <div class="col-sm-12 col-xl-3 pt-5 pb-5">
            <div class="bg-secondary rounded h-100 p-4">
                <h6 class="mb-4">Testimonial</h6>
                <div class="owl-carousel testimonial-carousel">
                    <div class="testimonial-item text-center">
                        
                        <h5 class="mb-1">Patient</h5>

                        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
                    </div>
                    <div class="testimonial-item text-center">
                        
                        <h5 class="mb-1">Patient</h5>

                        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
                    </div>
                    <div class="testimonial-item text-center">
                        
                        <h5 class="mb-1">Patient</h5>

                        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
                    </div>
                    <div class="testimonial-item text-center">
                        
                        <h5 class="mb-1">Patient</h5>

                        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```


        </div>
    </div>
</div>
</div>
</div>

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-
datepicker/1.9.0/js/bootstrap-datepicker.min.js"></script>
<script type="text/javascript">
$(document).ready(function () {
    $('#datepicker').datepicker();
    ...
});
</script>

```

Output:



My Schedule			
My Number	Date	Service	Price
1	2022-09-29	Crown	5000.00

edit_info.php

```
<?php include('header.php'); ?>
<?php include('session.php'); ?>
<?php include('dbcon.php'); ?>
<?php include('navbar_dashboard.php'); ?>

<div class="row g-4 justify-content-center">

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5">
        <div class="h-100 bg-secondary rounded p-3">
            <div class="d-flex align-items-center justify-
content-between mb-4">
                <h6 class="mb-0">Calender</h6>
            </div>
            <div id="calender"></div>
        </div>
    </div>

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">Note</h6>
            <div class="alert alert-primary" role="alert">
                <?php
                    $note_query = mysqli_query($conn,"select * from note ")or
die(mysqli_error($conn));
                    $note_count =mysqli_num_rows($note_query);
                    while($note_row = mysqli_fetch_array($note_query)){
                        if ($note_count > 0){ ?>

                            <li><i class="icon-stop icon-large"></i>&nbsp;<?php echo
$note_row['message'] ?></li>
                            <?php
                                } }
                            ?>

                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

```

        </div>

<?php
    if (isset($_POST['sub'])){
        $date = $_POST['date'];

        $query = mysqli_query($conn,"select * from schedule where date =
'$date' and member_id = '$session_id' ")or die(mysqli_error($conn));
        $count = mysqli_num_rows($query);
        /* echo $count; */
        if ($count > 0){ ?>
            <script>
                alert('You have already schedule on this date');
            </script>
        <?php
        }else{
            $equal = $count + 1 ;

            ?>
            <div class="question">
                <!-- <div class="alert alert-success">Your the number <strong><?php
echo $equal; ?></strong> client in this date <strong><?php echo $date;
?></strong></div> -->
                <form method="POST" action="yes.php">
                    <input type="hidden" name="session_id" value="<?php echo $session_id;
?>" >
                    <input type="hidden" name="date1" value="<?php echo $date; ?>" >
                    <input type="hidden" name="service1" value="<?php echo $service; ?>" >
                    <input type="hidden" name="equal" value="<?php echo $equal; ?>" >
                    <div class="alert alert-success">Are you sure you want to set your
Appointment on this date?</p></div>
                    <button name="yes" class="btn btn-success"><i class="icon-check icon-
large"></i>&nbsp;Yes</button> &nbsp; <a href="dasboard.php" class="btn"><i
class="icon-remove"></i>&nbsp;No</a>
                    </form>

                </div>
                <br>
                <br>
            <?php }}    ?>
<div class="container-fluid pt-4 px-4">
<div class="container-fluid pt-5 px-4">
<?php
    $member_query = mysqli_query($conn,"select * from members where
member_id='$session_id'")or die(mysqli_error($conn));
    $member_row= mysqli_fetch_array($member_query);
    ?>

```

```

        <div class="row">
            <div class="col-sm-12 col-xl-12">
                <div class="bg-secondary rounded h-100 p-4">
                    <h6 class="mb-4">Edit Personal Information</h6>
                    <form method="POST">
                        <div class="mb-3">
                            <label for="exampleInputEmail1"
class="form-label">First Name</label>
                            <input type="text" class="form-control"
value="<?php echo $member_row['firstname']; ?>" name="firstname"
id="inputEmail" placeholder="Firstname">
                        </div>
                        <div class="mb-3">
                            <label for="exampleInputEmail1"
class="form-label">Last Name</label>
                            <input type="text" class="form-control"
name="lastname" id="inputPassword" placeholder="Lastname" value="<?php echo
$member_row['lastname']; ?>">
                        </div>
                        <div class="mb-3">
                            <label for="exampleInputEmail1"
class="form-label">Middle Name</label>
                            <input type="text" class="form-control"
name="middlename" id="inputPassword" value="<?php echo
$member_row['middlename']; ?>" placeholder="Middlename">
                        </div>
                        <div class="mb-3">
                            <label for="exampleInputEmail1"
class="form-label">Address</label>
                            <input type="text" class="form-control"
name="address" value="<?php echo $member_row['address']; ?>"
id="inputPassword" placeholder="Address">
                        </div>
                        <div class="mb-3">
                            <label for="exampleInputEmail1"
class="form-label">Email</label>
                            <input type="email" class="form-control"
name="email" id="inputPassword" value="<?php echo $member_row['email']; ?>"
placeholder="Email">
                        </div>
                        <div class="mb-3">
                            <label for="exampleInputEmail1"
class="form-label">Age</label>
                            <input type="number" class="form-control"
name="age" class="span1" value="<?php echo $member_row['age']; ?>"
id="inputPassword" placeholder="Age">
                        </div>

```

```

        <label for="exampleInputEmail1" class="form-label">Gender</label>
        <select class="form-select mb-3" name="gender"
aria-label="Default select example">
            <option><?php echo $member_row['gender'];
?></option>

            <option>Male</option>
            <option>Female</option>
        </select>
        <button type="submit" name="update" class="btn
btn-primary">Update</button>
    </form>

</div>

<?php
if (isset($_POST['update'])) {
    $firstname = $_POST['firstname'];
    $lastname = $_POST['lastname'];
    $middlename = $_POST['middlename'];
    $address = $_POST['address'];
    $age = $_POST['age'];
    $gender = $_POST['gender'];
    $email = $_POST['email'];

    mysqli_query($conn, "update members set firstname='$firstname' ,
lastname='$lastname' , middlename='$middlename' , address='$address' ,
    age='$age' , gender='$gender' , email='$email' where
member_id='$session_id' ") or die(mysqli_error($conn));
?>
<script>
window.location = 'edit_info.php';
</script>
<?php
}
?>

</div>
</div>
</div>
</div>
</div>

<div class="row g-4 justify-content-center">

    <div class="col-sm-3 col-md-6 col-xl-3 pt-5 pb-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">List of Services Offered </h6>
            <table class="table table-borderless">
                <thead>

```

```

        <tr>
            <th scope="col">Service Offered</th>
            <th scope="col">Estimated Price</th>
        </tr>
    </thead>
    <tbody>
        <?php $user_query=mysqli_query($conn,"select
* from service")or die(mysqli_error($conn));
        while($row=mysqli_fetch_array($user_query))
        {
            $id=$row['service_id']; ?>
            <tr class="del"<?php echo $id ?>">
            <td><?php echo $row['service_offer'];
?></td>

            <td><?php echo $row['price']; ?></td>

            </tr>
            <?php } ?>
        </tbody>
    </table>
</div>
</div>

<div class="col-sm-12 col-xl-3 pt-5 pb-5">
    <div class="h-100 bg-secondary rounded p-3">
        <div class="d-flex align-items-center justify-
content-center mb-2">
            <h4 class="mb-4">VISIT OUR CLINIC</h4>
            </div>
            <p>Clinic Hours</p>
            <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
            <p>Monday - Thursday (8:00 am to 5:00 pm)</p>
            <p>Room 01</p>
            <p>Dr. Sandhya Gopal Saware</p>
            <p>Mazgaon Dockyard</p>
        </div>
    </div>
    <div class="col-sm-12 col-xl-3 pt-5 pb-5">
        <div class="bg-secondary rounded h-100 p-4">
            <h6 class="mb-4">Testimonial</h6>
            <div class="owl-carousel testimonial-carousel">
                <div class="testimonial-item text-center">
                    
                    <h5 class="mb-1">Patient</h5>

```

```

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
    <div class="testimonial-item text-center">
        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
    <div class="testimonial-item text-center">
        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
    <div class="testimonial-item text-center">
        
        <h5 class="mb-1">Patient</h5>

        <p class="mb-0">Dolor et eos labore, stet
justo sed est sed. Diam sed sed dolor stet amet eirmod eos labore diam</p>
    </div>
</div>
</div>
</div>
</div>

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="lib/chart/chart.min.js"></script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script>

<!-- Template Javascript -->

```

```

<script src="js/main.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-datepicker/1.9.0/js/bootstrap-datepicker.min.js"></script>
<script type="text/javascript">
$(document).ready(function () {
    $('#datepicker').datepicker();
    ...
});
</script>

```

Output:

Edit Personal Information

First Name: Nayan

Last Name: Biradar

Middle Name: Ganesh

Address: AnushaktiNagar

Email: nayanbiradar1@gmail.com

Age: 21

Gender: Female

logout.php

```

<?php
session_start();
session_destroy();
header('location:index.php');
?>

```

Database:

Server: 127.0.0.1 » Database: database » Table: members

Showing rows 0 - 2 (3 total, Query took 0.0008 seconds.)

SELECT * FROM `members`

Options: Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

	member_id	firstname	lastname	middlename	address	email	contact_no	age	gender	username	password
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	Nayan	Biradar	Ganesh	AnushaktiNagar	nayan@gmail.com	0946651154	21	Female	nayanbiradar	1010
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	7	Seema	Singh		Vashi	seema@gmail.com	09466651154	21	Female	abcdef	12345
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	10	Nayan	Biradar	Ganesh	AnushaktiNagar	nayanbiradar1@gmail.com	9987654321	21	Female	nayanbiradar1	123456

Query results operations: Print | Copy to clipboard | Export | Display chart | Create view

Bookmark this SQL query

Console: ☐ Let every user access this bookmark

Server: 127.0.0.1 • Database: database • Table: note

Showing rows 0 - 1 (2 total, Query took 0.0009 seconds.)

```
SELECT * FROM `note`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

	note_id	date	message
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6	2022-09-14	Doc Sandhya will be out on 05/09/2022 (Monday).
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	8	2022-09-15	Clinic will be closed on Friday

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Label: ☐ Let every user access this bookmark

Server: 127.0.0.1 • Database: database • Table: schedule

Showing rows 0 - 8 (9 total, Query took 0.0010 seconds.)

```
SELECT * FROM `schedule`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

	id	member_id	date	service_id	Number	status
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	104	1	2022-09-14	1	1	Done
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	105	1	2022-09-14	1	1	Done
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	118	7	2022-09-22	2	1	Done
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	120	7	2022-09-15	8	1	Done
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	121	7	2022-09-21	4	1	Done
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	122	7	2022-09-28	2	1	Pending
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	123	7	2022-09-29	3	1	Pending
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	124	7	2022-09-30	3	1	Pending
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	125	10	2022-09-29	2	1	Pending

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Server: 127.0.0.1 • Database: database • Table: service

Showing rows 0 - 5 (6 total, Query took 0.0020 seconds.)

```
SELECT * FROM `service`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

	service_id	service_offer	price
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	Cleaning	2000.00
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	2	Crown	5000.00
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	3	Rootcanal	4500.00
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	4	Filling	2500.00
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	8	Braces	25000.00
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	9	Gum Surgery	250000.00

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Server: 127.0.0.1Database: databasedatabaseTable: users

BrowseStructureSQLSearchInsertExportImportPrivilegesOperationsTrackingTriggers

Showing rows 0 - 0 (1 total, Query took 0.0011 seconds.)

SELECT * FROM `users`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show allNumber of rows: 25Filter rows: Search this table

Options

user_idusernamepassword

Edit

Copy

Delete

5

admin

admin

Check all

With selected:

Edit

Copy

Delete

Export

Show allNumber of rows: 25Filter rows: Search this table

Query results operations

Print

Copy to clipboard

Export

Display chart

Create view

Bookmark this SQL query

Label: ☐ Let every user access this bookmark

Bookmark this SQL query

Console