

**ATA**  
BENINCA **B&D**  
**GLIDEROL**  
**BOSS MERLIN**  
**AVANTI**  
MARANTEC  
**ELSEMA**

**GARAGE AND GATES REMOTES**  
ALARMS, IMMobiliser AND CENTRAL LOCKING

THE **KEY GUYS**

**THE KEY GUYS**



# INDEX

	PAGE
<u>ATA</u>	1-2
<u>ACTIVOR</u>	2
<u>AVANTI</u>	3
<u>B&amp;D</u>	3-4
<u>BENINCA</u>	5
<u>BOSS</u>	6
<u>BFT</u>	7
<u>CENTSYS NOVA</u>	7
<u>CENTURION</u>	3
<u>CHAMBERLAIN</u>	8
<u>DITEC</u>	8
<u>DIGICODE</u>	9
<u>DOMINATOR</u>	9
<u>ECA</u>	10
<u>ELSEMA</u>	10-12
<u>FAAC</u>	13
<u>FADINI</u>	14
<u>GIBIDI</u>	15
<u>GLIDEROL</u>	15
<u>GRIFCO</u>	16
<u>KING GATES</u>	16
<u>MARANTEC</u>	16-17
<u>MERLIN</u>	17-19
<u>MHOUSE</u>	19
<u>NAPOLEON</u>	20
<u>NICE</u>	20
<u>SEIP</u>	21
<u>SMART</u>	21
<u>SUPERLIFT</u>	3
<u>TIILT A MATIC</u>	22
<u>UNIQUE</u>	23


## WARRANTY



- THE KEY GUYS ARE REGISTERED AS A RESPONSIBLE SUPPLIER.
- THE COMPATIBLE REMOTE HANDSET HAVE THE RCM SYMBOL.
- COMPATIBLE REMOTE HANDSETS HAVE A WARRANTY PERIOD OF 6 MONTHS.
- GENUINE REMOTE HANSETS HAVE A WARRANTY PERIOD OF 12 MONTHS FOR MANUFACTURER FAULTS ONLY.
- WARRANTY IS NOT INCLUDE ON BATTERIES.
- ANY DAMAGE CAUSED BY THE CUSTOMER WILL NOT BE COVERED UNDER ANY WARRANTY.


## HOW TO IDENTIFY WHAT TYPE OF REMOTE DO YOU HAVE:

### FIXED CODE:




FIXED CODE VS ROLLING CODE REMOTE


### ROLLING CODE:



## ATA PTX5 V2



## ATA PTX5 V1



# ATA PTX4 V2

## GENUINE AND COMPATIBLE REPLACEMENT



**ATA PTX4 V2**



**ATA PTX4 EAT V2**

BUTTONS: 4,1,4  
FREQUENCY: 433.92MHz  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS

BATTERY: PTX4 V2 - 23A, PTX4 EAT V2 - CR2032, COMPATIBLE KG ATARO1 - 27A



**KG ATARO1**



**PTX4 V1 SECURACODE**



**PTX4 V1 SECURACODE**



**TX5 SECURACODE**

## COMPATIBLE REPLACEMENT



**KG ATARO2**

BUTTONS: 4  
FREQUENCY: 304MHz  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: 27A

# ATA 304 MHZ

## COMPATIBLE REPLACEMENT




**KG ACTR01**


BUTTONS: 4  
FREQUENCY: 433.92MHz  
ENCRYPTION: ROLLING  
DISTANCE: 50 MTS  
BATTERY: CR2032

# ACTIVOR

## AVANTI, CENTURION AND SUPERLIFT



## B&D PTX4



## B&D TRI-TRAN V2

### GENUINE REPLACEMENT



BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: 23A


## B&D TRI-TRAN V1



### COMPATIBLE REPLACEMENT



**KG BDTR02**  
BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: 27A

GENUINE AND COMPATIBLE REPLACEMENT





**GENUINE AND COMPATIBLE REPLACEMENTS**

The diagram illustrates compatible remote control replacements for BFT MITTO series. It features a central 'MITTO 4B' remote with four buttons, flanked by two smaller remote controls: 'MITTO 2' (top left) and 'MITTO 4' (bottom left). Arrows point from each of these three remotes to a larger 'KG BFTR01' remote (center), which has four buttons labeled 1, 2, 3, and 4. Further arrows point from the 'KG BFTR01' remote to two additional remote controls on the right: 'TRC1' (top right) and 'TRC2' (bottom right). A final arrow points from the 'KG BFTR01' remote to a 'MITTO 2B' remote (bottom right).

**MITTO 4B      KG BFTR01**

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: MITTO 4B23A, COMPATIBLE KG BFTR01 27A

MITTO 2      MITTO 4      TRC1      TRC2      MITTO 2B

**GENUINE AND COMPATIBLE REPLACEMENTS**

The diagram illustrates compatible remote control replacements for CENTSYS NOVA. It features a central 'CENTSYS NOVA' remote with four blue buttons, flanked by two smaller remote controls: 'NOVA - 1B' (top left) and 'NOVA - 2B' (bottom left). Arrows point from each of these three remotes to a larger 'KG NOVR01' remote (center), which has four buttons labeled 1, 2, 3, and 4. A final arrow points from the 'KG NOVR01' remote to a 'NOVA - 3B' remote (top right).

**CENTSYS NOVA      KG NOVR01**

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: NOVA - 23A, COMPATIBLE KG NOVR01 - 27A

NOVA - 1B      NOVA - 2B      NOVA - 3B

CHAMBERLAIN

GENUINE REPLACEMENT



**84335AML**  
BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: CR2032.

DITEC

GENUINE AND COMPATIBLE REPLACEMENTS



**GOL4      KG DITR01**  
BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: GOL4 - CR2032, COMPATIBLE KG DITR01 - 27A.

GENUINE REPLACEMENT



**DC5070**

BUTTONS : 2  
FREQUENCY: 310MHZ  
ENCRYPTION: FIXED  
DISTANCE: 30-40 MTS  
BATTERY: 23A

GENUINE AND COMPATIBLE REPLACEMENTS



**80203      KG DOMR01**

BUTTONS : 2  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: 80203 - CR2032, COMPATIBLEKG DOMR01



YBS2

YBS4

GENUINE AND COMPATIBLE REPLACEMENTS



TX4



KG ECARO1

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING  
DISTANCE: 30-40 MTS  
BATTERY: TX4 - 23A, COMPATIBLE KG ECARO1 - 27A

GENUINE REPLACEMENT



ATA TXA1 12 SWITCH



MAGIC BUTTON MB1 12 SWITCH



KEY 301  
BUTTONS : 1  
FREQUENCY: 27.145MHZ  
SWITCH : 12  
ENCRYPTION: FIXED  
DISTANCE: 30-40 MTS  
BATTERY: 4LR44





ELSEMA FMT201



ELSEMA 20PET



ELSEMA 20FMT



**GENUINE REPLACEMENT**



ELSEMA FMT304



ATA TXA4 10 SWITCH



MAGIC BUTTON MB4 10 SWITCH

**KEY 304 1,2,3,4**

BUTTONS : 4

FREQUENCY: 27.145MHZ

SWITCH : 10

ENCRYPTION: FIXED

DISTANCE: 30-40 MTS

BATTERY: 4LR44

**GENUINE REPLACEMENT**

AVAILABLE IN 1, 2, 4 AND 5  
BUTTON CONFIGURATIONS



PCK43302



PCK43304


BUTTONS : 2,4 AND (1 TO 5)

FREQUENCY: 433.10 TO 434.70MHZ

ENCRYPTION: ROLLING CODE

DISTANCE: 70 MTS


BATTERY: PENTACODE 23A, PENTAFOB CR2032




PCK43304

**ELSEMA**

## FAAC 868 MHZ



## FAAC 433 MHZ



GENUINE REPLACEMENT



ASTRO 43-2



ASTRO

BUTTONS : 2

FREQUENCY: 433.92MHz

ENCRYPTION: ROLLING CODE

DISTANCE: 30-40 MTS

BATTERY: LR23R



ASTRO 43-4

GENUINE REPLACEMENT



JUBI 2



JUBI

BUTTONS : 2

FREQUENCY: 433.92MHz

ENCRYPTION: ROLLING CODE

DISTANCE: 30-40 MTS

BATTERY: LR23R



JUBI 4

FADINI

# GIBIDI

**GENUINE AND COMPATIBLE REPLACEMENTS**

**DOMINO**

**KG GIBR01**

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: DOMINO 23A, COMPATIBLE KG GIBR01 27A

# GLIDEROL

**GENUINE REPLACEMENT**

**TM 390+**

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: CR2016

**GENUINE AND COMPATIBLE REPLACEMENTS**

**TM305C**      **KG GR01**

BUTTONS : 3  
FREQUENCY: 315MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: TM305 - 23A, COMPATIBLE GR01 - 27A

GENUINE REPLACEMENT



**GRIFCO**

BUTTONS : 4

FREQUENCY: 433.92MHZ

ENCRYPTION: ROLLING CODE

DISTANCE: 30-40 MTS

BATTERY: CR2032

**GRIFCO**

GENUINE REPLACEMENT



**KING GATES**

BUTTONS : 4

FREQUENCY: 433.92MHZ

ENCRYPTION: ROLLING CODE

DISTANCE: 30-40 MTS

BATTERY: CR2032

**KING GATES**

GENUINE AND COMPATIBLE REPLACEMENTS



**D313**

**KG MAR01**

BUTTONS : 3 AND 4

FREQUENCY: 433.92MHZ

ENCRYPTION: ROLLING CODE

DISTANCE: 30-40 MTS

BATTERY: D313 - CR2032, COMPATIBLE KG MAR01 - 27A

**MARANTEC 433.92**

# MARANTEC 868

## GENUINE AND COMPATIBLE REPLACEMENTS



### D313

BUTTONS: 3 AND 4  
FREQUENCY: 868.3 MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: CR2032

# MERLIN BLUE

## GENUINE AND COMPATIBLE REPLACEMENTS



### M802

BUTTONS: 1  
FREQUENCY: 40.685 MHZ  
ENCRYPTION: FIXED CODE  
DISTANCE: 30-40 MTS  
BATTERY: M802 - 476A, COMPATIBLE KG M802 - 23A

# MERLIN GREEN

## GENUINE AND COMPATIBLE REPLACEMENT



**M832**



**M842**



**M844**



**KG MR01**

BUTTONS : 1,2,4,4

FREQUENCY: 433.92MHZ

ENCRYPTION: ROLLING CODE

DISTANCE: 100 MTS AND (40 TO 60) MTS

BATTERY: M832 - 476A , M842 AND 844 - CR2025, COMPATIBLE KG MPRO1 27A

## GENUINE AND COMPATIBLE REPLACEMENTS



**CM842**



**C945**



**KG C945**



**KGMPRO2**



**CM844**



**C940**



**C943**

BUTTONS : 3  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: M832 AND 842 - CR2025, COMPATIBLE KG MPRO2 - 27A

# MERLIN +

# MERLIN + 2.0

## GENUINE AND COMPATIBLE REPLACEMENTS



**E950      E945**

BUTTONS: 4 AND 3  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: CR2032

# MHOUSE

## GENUINE AND COMPATIBLE REPLACEMENTS



**GTX4      KG MHOU01**

BUTTONS: 4 AND 3  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: GTX4 CR2032, COMPATIBLE KG MHOU01 27A

GENUINE REPLACEMENT



**1021A**  
RD012/RD028  
BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: 23A

GENUINE REPLACEMENT



**1021**  
SD0800  
BUTTONS : 4  
FREQUENCY: 304MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: 23A

NAPOLÉON

GENUINE AND COMPATIBLE REPLACEMENTS



ONE - 1B



ONE - 2B



ONE - 4B



ERA-ONE



ERA-INT



KG NICRO1

FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: NICE CR2032, COMPATIBLE KGNIC01 27A



FLOR - 1B



FLOR - 2B



FLOR - 4B

NICE

GENUINE AND COMPATIBLE REPLACEMENTS

SKRJ433

SKR433-1

SKR433-3

KG SEIP01

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: SKR433- CR1616, COMPATIBLE KG SEIP01 - 27A

RCAM433

COMPATIBLE REPLACEMENT

QUATTRO

DUO

KG SMART01

BUTTONS : 4  
FREQUENCY: 433.92MHZ  
ENCRYPTION: ROLLING CODE  
DISTANCE: 30-40 MTS  
BATTERY: 27A

TILT-A-MATIC

COMPATIBLE REPLACEMENT



## UNIQUE REMOTES



**KG TAUR01**  
BUTTONS: 4  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: 433.92MHZ  
SUITS: TAU RECEIVERS.



**KG SEAR01**  
BUTTONS: 4  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: 433.92MHZ  
SUITS: SEA RECEIVERS  
BATTERY: 23A



**KG TAUR02**  
BUTTONS: 2  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: 433.92MHZ  
SUITS: TAU RECEIVERS  
BATTERY: CR2016



**KG ASAR01**  
BUTTONS: 4  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: 433.92MHZ  
SUITS: ASA RECEIVERS  
BATTERY: 27A




**KG SHER01**  
BUTTONS: 4  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: +/- 100KHZ  
SUITS: SHERLO RECEIVERS  
BATTERY: GP23AE



**KG RIB01**  
BUTTONS: 4  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: 433.92MHZ  
SUITS: RIP RECEIVERS  
BATTERY: LR23A



**KG KEYR01**  
BUTTONS: 4  
ENCRYPTION: ROLLING CODE REMOTE  
FREQUENCY: 433.92MHZ  
SUITS: RIP RECEIVERS  
BATTERY: LR23A  
WATER RESISTANT



**SMS 0409764307**



**SALES@THEKEYGUYS.COM**



**1300KEYGUY**



**WWW.THEKEYGUYS.COM.AU**