

CHECKPOINT 1

1. Create a folder called learn_git.

```
NITRO@Naye1 MINGW64 ~  
$ cd workspace  
  
NITRO@Naye1 MINGW64 ~/workspace  
$ cd  
  
NITRO@Naye1 MINGW64 ~  
$ cd workspace  
  
NITRO@Naye1 MINGW64 ~/workspace  
$ cd gomycode/git-github/  
  
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github  
$ cd  
Healthify_Project/ Recipe_collection/ git-test-1/  
  
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github  
$ mkdir learn_git
```

2. Cd (change directory) into the learn_git folder.

```
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github  
$ cd learn_git
```

3. Create a file called third.txt.

```
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github/learn_git  
$ touch third.txt
```

4. Initialize an empty git repository.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git
$ git init
Initialized empty Git repository in C:/Users/NITRO/workspace/gomycode/git-github/learn_git/.git/
```

5. Add third.txt to the staging area.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git add .
```

6. Commit with the message "adding third.txt".

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git commit -m "adding third.txt"
[master (root-commit) 6c35d6b] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt
```

7. Check out your commit with git log.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git log
commit 6c35d6bc07dcd234a36c00b8d30a04b977b0dfcb (HEAD -> master)
Author: Nayel <nayelbradai5@gmail.com>
Date: Sat May 23 14:01:59 2026 +0100

    adding third.txt
```

8. Create another file called fourth.txt.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ touch fourth.txt
```

9. Add fourth.txt to the staging area.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git add fourth.txt
```

10.Commit with the message "adding fourth.txt"

```
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git commit -m "adding fourth.txt"
[master de034a5] adding fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fourth.txt
```

11.Remove the third.txt file.

```
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git rm third.txt
rm 'third.txt'
```

12.Add this change to the staging area. (Using the command "git add.")

```
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git add .
```

13.Commit with the message "removing third.txt".

```
NITRO@Naye1 MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git commit -m "removing third.txt"
[master 8dfa61f] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 third.txt
```

14. Check out your commits using git log.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git log
commit 8dfa61f90799413b705c7d97c55bd3ce320d5ac9 (HEAD -> master)
Author: Nayel <nayelbradai5@gmail.com>
Date: Sat May 23 14:04:47 2026 +0100

    removing third.txt

commit de034a5c07c4bebcc4eeb84ee8249dde03bb2a38
Author: Nayel <nayelbradai5@gmail.com>
Date: Sat May 23 14:03:14 2026 +0100

    adding fourth.txt

commit 6c35d6bc07dcd234a36c00b8d30a04b977b0dfcb
Author: Nayel <nayelbradai5@gmail.com>
Date: Sat May 23 14:01:59 2026 +0100

    adding third.txt
```

15. Change your global settings to core.pager=cat -
you can read more about that [here](#).

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git config --global core.pager cat
```

16. Write the appropriate command to list all the
global configurations for git on your machine.

```
NITRO@Nayel MINGW64 ~/workspace/gomycode/git-github/learn_git (master)
$ git config --global --list
user.name=Nayel
user.email=nayelbradai5@gmail.com
core.editor=code --wait
core.pager=cat
```