

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Information:

No object selected

```
1 • SELECT * FROM empresa.empleados;
2 -- 1. Obtener el nombre del empleado con el sueldo más alto de la empresa y el nombre del departamento al que pertenece
3 • select e.nombre, e.apellido1, e.apellido2, e.salarioAnual, d.nomDepar from empleados e, departamentos d
4 where e.idDepar=d.idDepar and salarioAnual= (SELECT MAX(e.salarioAnual) FROM empleados e);
5
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	nombre	apellido1	apellido2	salarioAnual	nomDepar
▶	Ana	Pérez	Pérez	90456.34	Dirección

Result
Grid

Form
Editor

Field Types

Query
Stats

Execution Plan

Result 10 

Read Only Context Help Snippets

Output :

Action Output

Object Info Session

Query Completed

Query 1 x departamentos sedes empleados departamentos

SQLAdditions

◀ ▶ | I? I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Results Grid

Form
Editor

Field
Type

Quer
Stat

Executive
Player

Read Only Context Help Snippets

Action Output

No object selected

Query 1 x departamentos sedes empleados departamentos

```
10
11 -- 3. Obtener el nombre de los departamentos donde la media de salarios anuales es superior a la media de salarios de toda la empresa
12 • select d.nomDepar, avg(e.salarioAnual)
13 from departamentos d, empleados e
14 where e.idDepar = d.idDepar
15 group by d.nomDepar
16 having avg (e.salarioAnual)> (select avg(salarioAnual) from empleados);
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	nomDepar	avg(e.salarioAnual)
►	Dirección	50951.268000
	Diseño	51000.990000
	Marketing	46819.110000

SQLAdditions:

◀ ▶ | I? ⚡ I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result
Grid

Form
EditorField
TypesQuery
Stats

Executive Plan

Result 12

Read Only Context Help Snippets

Output ::

Action Output

Query Completed

Query 1 x departamentos sedes empleados departamentos

Limit to 1000 rows

17

```
18      -- 4.  Obtener para todos los departamentos ubicados en Madrid el nombre del empleado que recibe la comisión más alta.
```

```
19 • select s.ciudadSede, d.nomDepar, e.comision, e.nombre
```

```
20 from sedes s, departamentos d, empleados e
```


```
21 where s.ciudadSede = 'Madrid' and d.idDepar = e.idDepar and s.idSede = d.idSede
```

```
22 group by nomDepar having max(comision);
```

Result Grid Filter Rows: Export: Wrap Cell Content:

Result
Grid

Form
Editor

 Field Types

Query Stats

Executive Plan

Information :

No object selected

Read Only Context Help Snippets

⌵ Action Output

Query Completed