IDB-BISEW IT Scholarship Project

WDPF Round -34

JQuery and MySQLI MCQ-2

1	A . 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6.	What are the after triggers ?
1.	A stored procedure in SQL is a		a) Triggers generated after a particular operation
	a) Block of functionsb) Group of SQL statements.		b) These triggers run after an insert, update or delete
	b) Group of SQL statements.c) None		on a table
2.	Advantage of SQL stored procedure a) Maintainability		c) These triggers run after an insert, views, update or delete on a table
	b) Re-use of code c) Security d) All		d) All of the mentioned
	<u> </u>	7.	The variables in the triggers are declared using
3.	A is a special kind of a store procedure		a) –
3.	that executes in response to certain action on the table like insertion, deletion or updating of data.		b) @
	a) Procedures		c) /
	b) Triggers		d) /@
	c) Functions		
	d) None of the mentioned	8.	Which of these is also known as a virtual table? a) SCHEMA
	./\		b) DATABASE
4.	Trigger not supported in		
	a) Delete		c) JOIN
	b) Update		d) VIEW
	c) Views		
	d) All of the mentioned	9.	A View can be used to select a subset of the table columns.
			a) True
5.	The CREATE TRIGGER statement is used to create the trigger. THE clause specifies the table name on which the trigger is to be attached. The specifies that this is an AFTER INSERT		b) False
	trigger.	10.	What is xyz in the following statement?
	a) for insert, on		CREATE VIEW xyz AS SELECT a, b FROM t;
	b) On, for insert		
	c) For, insert		a) table
	d) None of the mentioned		b) column
			c) view

d) database	a) View	
	b) Commit	
11. Views are not updatable.	c) Rollback	
a) True	d) Flashback	
b) False		
12. A view can be deleted using the command a) REMOVE b) DELETE c) CLEAR d) DROP	 17. In order to undo the work of transaction after last commit which one should be used? a) View b) Commit c) Rollback d) Flashback 	
. What cannot be done on a view? a) display	18. Consider the following action: TRANSACTION Commit; ROLLBACK;	
	Uh.	
b) filter	What does Rollback do?	
c) index	a) Undoes the transactions before commit	
d) drop	b) Clears all transactions	
	c) Redoes the transactions before commit	
Using indexes optimizes query performance.a) Trueb) False	d) No action	
	19. In case of any shut down during transaction before commit which of the following statement is done	
15. A consists of a sequence of query and/or update statements.	automatically? a) View	
a) Transaction		
b) Commit	b) Commit	
c) Rollback	c) Rollback	
d) Flashback	d) Flashback	
16. Which of the following makes the transaction	20. A transaction completes its execution is said to be a) Committed	
permanent in the database ?	b) Aborted	
Wednesday, September 28, 2022	Page 2	

c) Rolled back	26. AHAH means
	- Asynchronous HTTP and HTML
d) Failed	- Asynchronous HTTP and HTTPs
	- Alternate HTTP and HTML
	- None of these
21 will undo all statements up to commit?	27 /// - 10 f - 12 f - 1
•	27. "live() function will not work in chaining"
a) Transaction	- True
b) Flashback	- False
0) 1 14010441	28. What is the file size of normal version jQuery-
c) Rollback	x.x.x.js has a file size of
	- 178KB
d) Abort	- 76.7 KB
	- 180 KB
	- None of these
22. What exports table definitions and contents?	
	29. For coping the element method is used.
a) <mark>mysqldump</mark>	copy()
b) mysqladmin	clone()
o) my squamm	coping()
c) mysqlimport	- None of these
d) mysqlexport	
	30. By default .clone() method copy any event.
	- Yes
23. What performs administrative operations?	- No
a) mysqldump	31. 1)jquery.size() 2) jquery.length Which is faster?
b) mysqladmin	-1
o) mystatam	<mark>- 2</mark>
c) mysqlimport	22 Multiple increasint library consist on simple year
	32. Multiple javascript library coexist on single page
d) mysqlexport	using
	- conflict()
	- noConflict()
24. What loads data files into tables?	- unbind()
	- die()
a) mysqldump	3.5()
b) mysqladmin	33. What does .size() method of jquery returns?
o) iiijoqiaaiiii	- No. of element in object
c) mysqlimport	- No. of variable in object
	- Both a and b
d) mysqlexport	- None of these
1 1	
25. Highlight page element under mouse cursor by	34. The Method acts as explicit iterator.
using	
hover()	hover()
- stopPropagation()	all()
toggle()	toggle()
trigger()	each()
	25 css('width') and width() are the two weeks
	35. css('width') and .width() are the two ways to

	- selector	
	- element	43. Which method is used by asynchronous HTTP
	- fade effect	request?
	- radio button	hover()
	Tadio Saccon	find()
2.0	NATIONAL AND	
	Which method is provided by the jquery to create	ajax()
	our own custom animation with fine-grained	hold()
	control.	
	animation()	44. To select all the elements in the page which symbol
	- stopPropagation()	do we have to used?
	toggle()	-#
	animate()	-\$
	ammate()	-5
		-!
	The method acts on JQuery objects and	- *
	translate the match DOM element into query string	45. How many types of selectors available in jquery.
	that can be pass along with AJAX request.	- One
	serialize()	- Two
	serializeAll()	- Three
	synchronized()	- Four
	- none of these	-1001
	- none of these	
		46. Is it compulsory to add jquery file both at master
38.	The method is used to represent an array or	page and content page?
	an object in serialize manner.	- Yes
	- size()	- No
	- length	
	- param()	47 is use for alternately expand
	- None of these	and collapse a page element
		hover()
39.	The .animate() method comes in forms.	- stopPropagation()
	- One	toggle()
	- Two	trigger()
	- Three	
	- Four	48. CDN stands for
	1 0 01	- Content Distribution Network
40	The second of th	
	The method works for accepting an array	- Common Distribution Network
	of DOM elements and pushes them into a stack.	- Collective Distribution Network
		- None of these
	- push()	
	- pop()	49. "Jquery is faster than javascript at execution
	- pushStack()	time."
	- popStack()	- True
	- popstack()	
		- False
	symbol is used for indication that this line	
	used for jquery.	50. jquery has method for inserting element
	-#	before other element.
	_ *	- One
	- Ś	- Two
	- %	- Three
	, v	
40	the control of the second seco	- Four
	How many ways are there to change the width of	
	the element in jquery.	51. jquery html() method works for
	<mark>- Two</mark>	<mark>- HTML</mark>
	- Three	- XML
	- Four	- HTML and XML
	- None of these	- None of these
	Home of these	Tione of these