PATIENT MEDICATION SCHEDULE

Chronic Disease Management Plan | Type 2 Diabetes Mellitus | Governed by Standard Clinical Prescribing Guidelines

MEDICAL NOTICE: This medication schedule has been prepared by the prescribing physician based on the patient's current condition. Do not alter dosage or stop any medication without consulting the prescribing physician. In case of severe side effects or emergency, contact the hospital immediately or call local emergency services.

Plan Date	3rd September 2026
Plan Type	Long-Term Chronic Disease Medication Plan

PRESCRIBING PHYSICIAN

Full Name	Dr. Sana Malik, MBBS, FCPS (Endocrinology)
Registration No.	PMC-45782
Clinic / Hospital	Aga Khan University Hospital, Stadium Road, Karachi
Phone	+92-21-34930051

PATIENT

Full Name	Mr. Tariq Mahmood
CNIC	12345-1234567-1
Date of Birth	14th March 1972 (Age 54)
Phone	+92-300-0000001
Medical Record No.	MRN-2026-88213

CLAUSE 1 — DIAGNOSIS & CLINICAL SUMMARY

Primary Diagnosis	Type 2 Diabetes Mellitus (newly escalated to combination therapy)
Secondary Conditions	Mild Hypertension, controlled
Current HbA1c	8.4% (last tested 28th August 2026)
Fasting Blood Glucose	168 mg/dL
Known Allergies	None reported
Weight / Height	84 kg / 5'9"

CLAUSE 2 — MEDICATION SCHEDULE

The following medications have been prescribed with specific dosage timings. The Patient must adhere strictly to the schedule below unless otherwise instructed in writing by the Prescribing Physician.

Medicine Name	Dosage	Morning (7-8 AM)	Afternoon (1-2 PM)	Evening (7-8 PM)	Night (10-11 PM)	With Food?
Metformin (Glucophage)	500 mg	1 tablet	-	1 tablet	-	Yes, after meal
Gliclazide (Diamicron MR)	60 mg	1 tablet	-	-	-	Yes, before breakfast
Empagliflozin (Jardiance)	10 mg	1 tablet	-	-	-	Yes, with breakfast
Atorvastatin (Lipitor)	20 mg	-	-	-	1 tablet	No, empty stomach preferred
Aspirin (low-dose)	75 mg	-	-	1 tablet	-	Yes, after dinner

CLAUSE 3 — ADMINISTRATION INSTRUCTIONS

3.1 Timing Consistency: All medications should be taken at approximately the same time each day to maintain stable blood glucose levels.

3.2 Missed Dose: If a dose is missed and it is within 2 hours of the scheduled time, take it immediately. If more than 2 hours have passed, skip the missed dose and resume the regular schedule -- do not double the next dose.

3.3 Blood Glucose Monitoring: The Patient must check fasting blood glucose every morning before breakfast and record readings in the monitoring log provided separately.

3.4 Hypoglycemia Precaution: The Patient should carry glucose tablets or a sugary snack at all times in case of symptoms of low blood sugar (sweating, shakiness, confusion).

CLAUSE 4 — DIETARY & LIFESTYLE INSTRUCTIONS

4.1 The Patient shall follow a low-glycemic-index diet as outlined in the attached dietary chart, avoiding refined sugars and processed carbohydrates.

4.2 The Patient is advised to engage in at least 30 minutes of moderate physical activity (brisk walking) five days per week, subject to cardiovascular clearance.

4.3 Alcohol consumption is strongly discouraged as it may interact with prescribed medications and affect blood glucose control.

4.4 The Patient should maintain a consistent meal schedule and avoid skipping meals, particularly breakfast, given the morning medication dosing.

CLAUSE 5 — WARNINGS, SIDE EFFECTS & PRECAUTIONS

5.1 Common side effects may include mild gastrointestinal discomfort (Metformin), increased urination (Empagliflozin), and occasional dizziness (Gliclazide). These typically subside within the first two weeks.

5.2 Signs requiring immediate medical attention include: persistent vomiting, signs of severe hypoglycemia, unusual muscle pain, or signs of urinary tract infection.

5.3 This medication combination should not be taken alongside other glucose-lowering agents without explicit physician approval, due to risk of severe hypoglycemia.

CLAUSE 6 — FOLLOW-UP & MONITORING SCHEDULE

Next Follow-Up Appointment	1st October 2026, 11:00 AM
HbA1c Re-Test	Due in 3 months (early December 2026)
Kidney Function Test	Due in 6 months, given Metformin and Empagliflozin use
Lipid Profile	Due in 3 months alongside HbA1c

CLAUSE 7 — EMERGENCY CONTACT INFORMATION

Clinic Emergency Line	+92-21-111-911-911
Nearest Emergency Room	Aga Khan University Hospital Emergency, Stadium Road, Karachi
Family Emergency Contact	Mrs. Nadia Mahmood (Spouse) — +92-300-0000011

PRESCRIBING PHYSICIAN

Dr. Sana Malik, MBBS, FCPS (Endocrinology)

Signature: _____

Date: _____

PATIENT

Mr. Tariq Mahmood

Signature: _____

Date: _____