PATIENT MEDICATION SCHEDULE

Chronic Disease Management Plan | Essential Hypertension | Governed by Standard Clinical Prescribing Guidelines

MEDICAL NOTICE: This medication schedule has been prepared by the prescribing physician based on the patient's current condition. Do not alter dosage or stop any medication without consulting the prescribing physician. In case of severe side effects or emergency, contact the hospital immediately or call local emergency services.

Plan Date	10th September 2026
Plan Type	Long-Term Chronic Disease Medication Plan

PRESCRIBING PHYSICIAN

Full Name	Dr. Faisal Rehman, MBBS, FCPS (Cardiology)
Registration No.	PMC-39104
Clinic / Hospital	Shifa International Hospital, Sector H-8/4, Islamabad
Phone	+92-51-8464646

PATIENT

Full Name	Mrs. Farzana Aslam
CNIC	12345-1234567-2
Date of Birth	22nd November 1965 (Age 60)
Phone	+92-300-0000002
Medical Record No.	MRN-2026-51067

CLAUSE 1 — DIAGNOSIS & CLINICAL SUMMARY

Primary Diagnosis	Essential (Primary) Hypertension, Stage 2
Secondary Conditions	Mild Osteoarthritis (knees)
Latest Blood Pressure Reading	158/98 mmHg (clinic reading, 8th September 2026)
Resting Heart Rate	78 bpm
Known Allergies	Penicillin (rash reaction, documented 2014)
Weight / Height	71 kg / 5'4"

CLAUSE 2 — MEDICATION SCHEDULE

The following medications have been prescribed with specific dosage timings. The Patient must adhere strictly to the schedule below unless otherwise instructed in writing by the Prescribing Physician.

Medicine Name	Dosage	Morning (7-8 AM)	Afternoon (1-2 PM)	Evening (7-8 PM)	Night (10-11 PM)	With Food?
Amlodipine (Norvasc)	5 mg	1 tablet	-	-	-	No preference
Losartan (Cozaar)	50 mg	1 tablet	-	-	-	No preference
Hydrochlorothiazide (HCTZ)	12.5 mg	1 tablet	-	-	-	Yes, with breakfast
Atorvastatin (Lipitor)	10 mg	-	-	-	1 tablet	No, empty stomach preferred
Paracetamol (as needed for joint pain)	500 mg	As needed	As needed	As needed	-	Optional

CLAUSE 3 — ADMINISTRATION INSTRUCTIONS

3.1 Timing Consistency: Morning blood pressure medications should be taken immediately upon waking, before other daily activities, to ensure consistent 24-hour blood pressure control.

3.2 Missed Dose: If a dose is missed in the morning and remembered before noon, take it immediately. If remembered after noon, skip the dose and resume the following morning -- do not take two doses together.

3.3 Blood Pressure Monitoring: The Patient should measure blood pressure at home twice daily (morning and evening) using a validated home monitor and maintain a log for physician review.

3.4 Diuretic Timing: Hydrochlorothiazide is scheduled in the morning specifically to avoid increased nighttime urination.

CLAUSE 4 — DIETARY & LIFESTYLE INSTRUCTIONS

4.1 The Patient shall follow a low-sodium diet, limiting salt intake to less than 5 grams per day, and avoid processed and packaged foods where possible.

4.2 The Patient is advised to engage in low-impact physical activity such as swimming or walking, given the existing knee condition, for at least 20-30 minutes most days of the week.

4.3 The Patient should limit caffeine intake, particularly in the afternoon and evening, as it may temporarily elevate blood pressure.

4.4 Weight management is recommended, with a target of gradual, sustainable weight reduction to further support blood pressure control.

CLAUSE 5 — WARNINGS, SIDE EFFECTS & PRECAUTIONS

5.1 Common side effects may include mild ankle swelling (Amlodipine), dizziness upon standing (Losartan, HCTZ), and increased urination frequency (HCTZ). These are generally manageable and should be reported if persistent.

5.2 Signs requiring immediate medical attention include: severe headache with blurred vision, chest pain, shortness of breath, or blood pressure readings above 180/120 mmHg.

5.3 Given the documented Penicillin allergy, the Patient must inform any treating physician or pharmacist of this allergy before receiving any new prescription.

CLAUSE 6 — FOLLOW-UP & MONITORING SCHEDULE

Next Follow-Up Appointment	24th September 2026, 3:30 PM
Kidney Function Test	Due in 4 weeks, given ACE/ARB and diuretic combination
Electrolyte Panel (Potassium)	Due in 4 weeks alongside kidney function test
Lipid Profile	Due in 6 months

CLAUSE 7 — EMERGENCY CONTACT INFORMATION

Clinic Emergency Line	+92-51-111-333-666
Nearest Emergency Room	Shifa International Hospital Emergency, Sector H-8/4, Islamabad
Family Emergency Contact	Mr. Aslam Rehman (Son) — +92-300-0000012

PRESCRIBING PHYSICIAN

Dr. Faisal Rehman, MBBS, FCPS (Cardiology)

Signature: _____

Date: _____

PATIENT

Mrs. Farzana Aslam

Signature: _____

Date: _____