

MATERIAL

- Roll-formed aluminum
- Regular density foam filling
- Height: 1 9/16 in (40 mm)

CURTAIN OPTION

- Light slits

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE


- 80 square feet Maximum
- width: 144 in Maximum
- height: 126 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

MATERIAL

- Roll-formed aluminum
- Ultra hard resin core
- Height: 1 15/32 in (37 mm)

CURTAIN OPTION

- Light slits

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 140 square feet
- Maximum width: 204 in
- Maximum height: 144 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

MATERIAL

- Double wall extruded aluminum
- Height: 1 9/16 in (40 mm)

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 140 square feet
- Maximum width: 192 in
- Maximum height: 144 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

MATERIAL

- Double wall extruded aluminum
- Height: 2 3/16 in (55 mm)

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 225 square feet
- Maximum width: 288 in
- Maximum height: 144 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

MATERIAL

- Roll-Formed aluminum
- Regular density foam filling
- Height: 2 1/10 in (53 mm)

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE


- 110 square feet
- Maximum width: 168 in
- Maximum height: 144 in

AUTOLOCK OPTION

- Curtain anti-lift


LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



MATERIAL

- Clear polycarbonate
- Aluminum connectors
- Height: 2 3/5 in (66 mm)

CURTAIN OPTIONS

- End-retention

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 50 square feet
- Maximum width: 120 in
- Maximum height: 98 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

I 5400
ROLL-FORMED ALUMINUM WITH
ULTRA HARD RESIN CORE

MATERIAL

- Roll-formed aluminum
- Ultra hard resin core
- Height: 2 1/10 in (53 mm)

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 200 square feet
- Maximum width: 229 in
- Maximum height: 144 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

MATERIAL

- Single wall extruded aluminum
- Height: 2 7/32 in (56 mm)

CURTAIN OPTIONS

- End-retention

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 200 square feet
- Maximum width: 264 in
- Maximum height: 180 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



MATERIAL

- Single wall extruded
- Aluminum Small perforation
- Height: 2 7/32 in (56 mm)

CURTAIN OPTIONS

- End-retention

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 200 square feet
- Maximum width: 264 in
- Maximum height: 180 in

AUTOLOCK OPTION

- Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

MATERIAL

- Single wall extruded aluminum
- Large perforations
- Height: 2 7/32 in (56 mm)

CURTAIN OPTIONS

- End-retention

OPERATION OPTIONS

- Motor - Remote, app, Wi-Fi
- Motor - Switch
- Manual - Spring Assist
- Manual - Pull Starp
- Manual - Crank Strap
- Manual - Gear Crank

MAX RECOMMENDED SIZE

- 200 square feet
- Maximum width: 264 in
- Maximum height: 180 in

AUTOLOCK OPTION

Curtain anti-lift

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



COLOR OPTIONS

- Available in standard colors or any custom color.
- Additional charge for dark bronze, black, and custom colors



White



Silver



Bronze



Black



Beige



Ivory



Custom
Colors

Stainless Steel
Ultra hard density foam
Height: 2 in (50 mm)

WIND LOAD

MAX RECOMMENDED SIZE


193.8 square feet
Maximum width: 19.7 ft
Maximum height: 13.1 ft

Configuration Options and Design

- High-quality stainless steel finish
- Multiple installation options

LOCK OPTIONS

- Heavy duty lock
- Slide lock
- Cam lock
- Thumbturn
- Low profile lock
- Keypad



System Dimensions and Features

- Coverage width: 52.9 mm
- Maximum width: 4,000 mm
- Maximum area: 12 m²
- Wind load: suitable up to approximately 70 mph (depending on element width and installation)
- Suitable for installation in RC 3 applications
- High-security stainless steel construction
- Improved resistance against forced entry
- Suitable for commercial and residential applications

