1. Create a repository with name “Cognizance” on GitHub using Git Bash.

2. Create a folder with name “Task-1” in the repository and perform the Git operations using Git Bash.

```
MINGW64:/c/Users/user/Cognizance

user@DESKTOP-QIJ3VLF MINGW64 ~
$ git init Cognizance
Initialized empty Git repository in C:/Users/user/Cognizance/.git/

user@DESKTOP-QIJ3VLF MINGW64 ~
$ cd Cognizance

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ mkdir Task1

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ git add Task1

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ git commit -m "commit changed"
[master (root-commit) 6aa3a72] commit changed
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Task1/file1.txt

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ git remote add origin https://github.com/Nazeer-18/Cognizance.git

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ git branch -M main

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Writing objects: 100% (4/4), 268 bytes | 268.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Nazeer-18/Cognizance.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

+



git reset

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git log --oneline
6aa3a72 (HEAD -> main, origin/main) commit changed
```

folder with name Task1

```
user@DESKTOP-QIJ3VLF MINGW64 ~
$ git init Cognizance
Initialized empty Git repository in C:/Users/user/Cognizance/.git/

user@DESKTOP-QIJ3VLF MINGW64 ~
$ cd Cognizance

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ mkdir Task1
```

git add

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ git add Task1
```

git checkout and git checkout-b

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git checkout -b vazeer
Switched to a new branch 'vazeer'
```

git clone

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (vazeer)
$ git clone https://github.com/Nazeer-18/Cognizance.git
Cloning into 'Cognizance'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0
Receiving objects: 100% (4/4), done.
```

git commit

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (master)
$ git commit -m "commit changed"
[master (root-commit) 6aa3a72] commit changed
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Task1/file1.txt
```

git fetch

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (vazeer)
$ git fetch https://github.com/Nazeer-18/Cognizance.git
From https://github.com/Nazeer-18/Cognizance
 * branch            HEAD       -> FETCH_HEAD
```

git merge and git rebase

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git merge
Already up to date.

user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git rebase
Current branch main is up to date.
```

git pull

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git pull https://github.com/Nazeer-18/Cognizance.git
From https://github.com/Nazeer-18/Cognizance
 * branch            HEAD       -> FETCH_HEAD
Already up to date.
```

git push

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Writing objects: 100% (4/4), 268 bytes | 268.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Nazeer-18/Cognizance.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

fork



git config --list --show-origin

```
user@DESKTOP-QIJ3VLF MINGW64 ~/Cognizance (main)
$ git config --list --show-origin
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl/c
erts/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.symlinks=false
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttppath=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master
file:C:/Users/user/.gitconfig   user.name=Nazeer-18
file:C:/Users/user/.gitconfig   user.email=ch.en.u4cse21161@ch.students.amita.edu
file:C:/Users/user/.gitconfig   user.mail=shaiknazeer297@gmail.com
file:C:/Users/user/.gitconfig   usr.name=nazeer
file:.git/config        core.repositoryformatversion=0
file:.git/config        core.filemode=false
file:.git/config        core.bare=false
file:.git/config        core.logallrefupdates=true
file:.git/config        core.symlinks=false
file:.git/config        core.ignorecase=true
file:.git/config        remote.origin.url=https://github.com/Nazeer-18/Cognizance.git
file:.git/config        remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
file:.git/config        branch.main.remote=origin
file:.git/config        branch.main.merge=refs/heads/main
```