LINK MIDDLE EAST GENERAL CONTRACTING CO

P.O. Box: 51070, ABU DHABI - U.A.E.

Tel.: (9712) 658 8504, FAX: (9712) 658 8505

E-mail: lmedubai@eim.ae

H.O: P. O. Box:16846, TEL.: (9714) 881 6750, FAX: (9714) 881 6250

EMERGENCY RESPONSE PROCEDURE

EMERGENCY RESPONSE REQUIREMENTS

The following key requirements apply:

• LME GCC shall designate their Health & Safety Representatives to oversee emergency response in line with the requirements of this plan.

EMERGENCY ACTIONS – GENERAL

When an alarm is sounded, all personnel will take the following actions:

- Do not panic;
- Stop work immediately
- Switch off all electrical equipment's
- Shut off compressed gas cylinders, welding/ cutting equipment;
- Depending on the type of emergency, note the wind direction (e.g., via windsocks) and proceed in a crosswind direction to the assembly point
- Leave workplace as quickly and as safely as possible – walk briskly - do not run;
- Report to your Supervisor/Foreman and assemble at the designated muster points;
- Wait for headcount and further instructions from the Safety Officer; The Fire warden & Safety Officer and shall:
- Notify the issue to the higher level, for their subsequent reporting, as appropriate;
- Mobilize key personnel to emergency stations;
- Proceed to designated assembly points and keep assembled personnel apprised of the situation and of any action required;
- Arrange search for and rescue of causalities;
- Safety Officer shall coordinate in conjunction with the First Aider, the recovery/treatment of casualties;
- Make the incident area as safe as possible

Evacuation Procedure

- The emergency response and evacuation plan include actions to reduce the effect of the accident; clear delegation of responsibilities, clear communication, etc.
- LME GCC displayed its premises layouts at relevant locations such as offices and yard etc.
- The layout indicates location of escape exits, fire extinguishers, first aid, etc.
- A no smoking policy has been declared and smoking will not be permitted inside the office premises, work area or in yard (Designated Smoking areas are available).
- Instructions related to emergency evacuation shall be displayed on suitable areas.
- Identify the alarm signal for the type of emergency taking place.
- Personnel should assemble at the designated assembly areas.
- Supervisors should begin head counts and report their status to the craft supervisor.
- All engine-driven equipment should be shut down and engines turned off.
- Vehicles should be parked clear of traffic lanes so emergency equipment has access to the location of the emergency. Keys should be left in the ignition.
- Any permit voided due to an emergency must be properly reissued prior to employees returning to their work activities.
- No one should return to work unless an "All Clear" signal/instruction has been given.

Assembly Locations

- Assembly points will be designated for all employees.
- All assembly points will be well marked and highly visible.
- Utilize the wind direction to determine an appropriate evacuation route and assembly point
- Always select an assembly point that is upwind of the affected area.

Personnel Accounting

- Designated supervisors shall report to assembly areas as soon as possible following an emergency

evacuation. A swift and accurate accounting of all personnel is essential. The Site Manager/Supervisor will designate primary and alternate supervisors to be responsible for coordination of the accounting process.

The accounting procedure should proceed as follows:

- A count of all employees.
- A count of all owner / supplier / subcontractor employees and visitors.
- The names of missing and excess personnel are delivered by phone / radio to the Emergency Coordinator or alternate.
- The emergency coordinator notifies the designated client representative of the results of the personnel accounting as soon as possible after receiving them from the field.

Typical Emergency Evacuation Plan

In case of emergency, the first step to take is to identify the emergency then inform the person in charge by suitable means to deal with this emergency.

Types of emergency response:

Fire

- Immediately evacuation from the fire place to the designated assembly point, the Safety Officer shall evaluate the range of fire and take an action either by putting off the fire using the firefighting extinguishers or by full evacuation to the site to a designated safe assembly point and wait for the Civil Defense.
- Each Team Leader is responsible to organize the evacuation for his team in order to prevent injuries during the evacuation and follow the Safety Officer's instructions.
- In case of injuries due to fire, the Safety Officer should apply first aid procedures regarding to the local regulations and the severity of the injury and call the Police &Emergency Vehicle.
- Project Director and Health & Safety Manager are to be informed directly by the Site Engineer or the Safety Officer or any one they assign this duty to.
- Incident is to be reported and investigated.

Fire Prevention:

- Maintain all fire extinguishers as per procedure
- Provide training to all employees on firefighting
- Restrict entry of unauthorized people in fenced areas
- Store all gas cylinders in vertical condition and chained in designated areas
- Store inflammable material away from hot work areas
- Check flammable gas leakage in confined space working
- Use flash back arrestors during gas cutting • Conduct periodic inspection of cylinders, etc.
- Maintain and follow relevant MSDS.

Explosion

- Immediately evacuate from the work site to the designated assembly point, the Safety Officer shall instruct the Team Leaders to assure safe evacuation.
- In case of injuries, Safety Officer is to provide the possible First Aid regarding to the injury severity and the local regulations if the injury of the injured person is safely accessible by the Safety Officer.

- Project Director and Health & Safety Manager are to be informed directly by the Site Engineer or the Safety Officer or any one they assign this duty to.
- Civil Defense, Police and Ambulance are to be informed immediately.
- Incident is to be reported and investigated. In Case of Explosion:
- Immediately take cover under tables, desks and other objects, which will give protection against falling glass or debris.
- After the effects of the explosion and/or fire have subsided, notify the Police & Security Services. Give your name, location and the nature of the emergency.
- If necessary, or when directed to do so, activate the building fire alarm.
- If the building fire alarm is sounded, or when told to leave by officials, walk quickly to the nearest marked exit and ask others to do the same.
- If possible and prudent, assist disabled persons in exiting the building. Do not use elevators in case of fire.
- Once outside, move to a clear area that is at least 500 feet from the affected building. Keep streets and walkways clear for emergency vehicles and crews.
- If requested, assist emergency crews as necessary.
- Do not return to an evacuated building unless told to do so by a Management responsible person.

Vehicle Incident

- Work is to be held in the accident area. Evacuate people from the area. Safety Officer shall evaluate the accident and take a remedial action.
- Responsibility of the accident is to be identified by the Project Director or the Health & Safety Manager or the Police depending on the accident severity.
- In case of injuries, first raiders are to provide the possible First Aid regarding to the injury severity and the local regulations if the injury of the injured person is safely accessible by the Safety Officer.
- Project Director and Health & Safety Manager are to be informed directly by the Site Engineer or the Safety Officer or any one they assign this duty to.
- In critical or outstanding cases Civil Defense, Police and Emergency Vehicle are to be informed immediately.
- Incident is to be reported and investigated.

In Case of Vehicle incident:

- Ascertain if any person/s injured – if yes, request Emergency Vehicle.
- Determine if vehicle/s pose/s a hazard to persons nearby (e.g. leaking fuel) – if yes, request appropriate emergency services (e.g. Fire Brigade) and evacuate persons from immediate hazard area.

- If no person injured and no hazard, determine if vehicle/s pose/s an obstruction to normal vehicular traffic flow. If yes, request driver/s to move vehicles off road (e.g., into car park) – if vehicle unable to be moved, request driver to immediately obtain tow truck assistance.
- Obtain particulars from driver/s & witness/ witnesses involved:
- Name
- Addresses
- Telephone numbers
- Details of registered owner/s of vehicles involved (if different from driver/s)
- Vehicle details (Reg. No., type, make, color)
- Brief description of events
- Confirm if driver/s require Police to be called (note – if persons injured, Police must attend)
- Complete Incident, Accident Report and other necessary documentations.

Electrical Shock

- Evacuate people from the electrical shock workplace to the assembly point to avoid other injuries.
- Shut down to be arranged immediately.
- Safety Officer should find how severe the injury is and apply the possible and authorized First Aid, and call the Emergency Vehicle immediately.
- Project Director and Health & Safety Manager are to be informed directly by the Site Engineer or the Safety Officer or any one they assign this duty to.
- Incident is to be reported and investigated. In Case of Any Electrical Shock:
- Immediately try to put off the power.
- If unable to put off power, remove the injured from the live conductor circuit with the help of a dry piece of wood or any other non-conductive items.
- Remove the injured from the location to avoid further electrocution and provide adequate ventilation.
- Inform to the First Aid Centre, Safety Officer.
- Don’t move the injured if you judge any broken bone due to fall from height or any other secondary reason.
- Render artificial respiration to the injured immediately either through mouth or through resuscitators and massage the hand palm and chest if required.
- Report the accident case to the Health & Safety Engineer & Officer, Project Director or as per Legal, LME GCC Reporting Procedure.
- Detail incident investigation to be followed

Injuries

In case of work injuries an immediate action should be taken to send the victim to the hospital to receive the required medical care according to the following procedures:

- Send the injured victim to the hospital immediately.
- Report the accident by phone to the Health & Safety Engineer, Project Director, and General Manager.
- Call 999 or 998 for serious situations. An investigation will be run later by the Health & Safety Officer in coordination with Project Director.

Chemical spills

- The individual responsible for, or who discovers the petrochemical spillage/Oil spillage (here in after referred as Spillage), shall report the incident to the site Health & Safety Manager, Project Director and site representative. The Health & Safety Manager/ Engineer & Team in consultation with the concerned parties will assess the problem and act as required. In all cases immediate response is to control /contain the spillage; apply Peat sorbs. All the details of the petrochemical/oil spillage and remediation actions shall be recorded.
- In case of contact to chemicals, wash that part of body thoroughly with plenty of waters. Remove the clothes soiled with chemicals.
- Keep the victim in open space under sunlight.
- If victim is unconscious keep him on the ground in such a way so that his head is in lower Position than rest of his body.
- Loose his clothing especially round the neck.
- Shift the patient to nearby medical Centre.
- In case of emergency follow the instruction of material safety data sheet. [MSDS].

Structural collapse

- Inform Health & Safety Manager/Admin Dept. and PM in charge.
- Barricade the area.
- If casualty is there, provide proper first aid and shift to the hospital if required.
- Traffic can be diverted.
- Put security guard till the area is cleared.

Emergency Contact

- **999 for Police**
- **998 for Ambulance**
- **997 for Fire Department (Civil Defense)**
- **996 for Coastguard**

- **991 for electricity failure.**
- **922 for water failure.**

LME GCC SITE CONTACT PERSONNEL

Name	Position	Contact Numbers
Mr. Akram al Sayegh	General manager	0559007480
Mr. Thasneem	Project engineer	0559007514
Mr. Mosses	Construction manager	0559007589
Mr. Nazeer Kadhar	HSE Coordinator	0504277475

Prepared by: Nazeer Kadhar Sign:

Reviewed by: Perumal Paul Sign:

Approved by: Akram Sign:

Date: 12/04/2026