LINK MIDDLE EAST GENERAL CONTRACTING CO.
P.O. BOX 51070, ABU DHABI - U.A.E.
TEL.: (9712) 658 8503, (9712) 658 8504, FAX: (9712) 658 8505
E-mail: jlkme@emirates.net.ae

EVALUATION SHEET FOR REGULATIONS

LMEGCC/04/002/Rev - 01 Date 02.02.2024

SL.NO	Regulations No. & Title of regulations	Applicable Clauses	Evaluation of applicable regulations compliance	Responsible department	Records
1	OSHAD CoP 14.0 – Manual Handling and Ergonomics Occupational Health and Safety Version 3.1 July 2017	2.C.1- Safe work practices and worksite procedures 2.C.2 - how to identify problems with a task or action and choose appropriate solutions (basic risk management 2.C.3 -The types of workplace injuries associated with the manual tasks performed, their causes, early signs of injury and risk factors 2.C.4 -when moving heavy items (lifting, carrying, pushing etc), employees shall know: 1. when to call for help; 2. how to safely use all mechanical aids and assistive devices; 3. how to set up and adjust the work area for safe and efficient handling; and 4. how to apply the principles of safe handling (when physically handling).	This Code of Practice (CoP) applies to all employers and places of business within the Emirate of Abu Dhabi that have exposure to risk due to manual handling and work environment ergonomic concerns that can cause or aggravate work-related musculoskeletal disorders (WRMDs) or other related injuries and illnesses. Specific requirements of this document do not replace any more stringent requirements set by Federal or other Emirate regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement.	LME GCC ABUDHABI Site Installation	1.Training record 2. Inspection Record 3. Maintenance record
2	OSHAD COP 54.0 Waste Management Version 3.1 July 2019	2.C.1 – waste classification and segregation 2.C.2 –waste storage, transport and disposal methods 2.C.3 - waste manifest / transfer note requirements 2.C.4 - specific hazardous waste requirements 2.C.5 - emergency procedures	To be used to for for the handling and management of waste so that the risks associated with the handling and disposal of waste are assessed, that control measures are implemented in accordance with the hierarchy of controls as per OSHAD-SF – Element 2 – Risk Management, and that control measures are taken to prevent pollution	Canteen Staff and Labour Accommodation Site-store Installation site	All waste given to licensed waste management facility
3	OSHAD COP 18.1 Temporary Employer Supplied Accommodation Occupational Health and Safety Version 3.1 July 2017	CoP 18.1 – Temporary Employer Supplied Accommodation 2.2.2 - Requirements of the License of Temporary Labour Accommodation 2.2.A -The employer shall have a valid license for building or constructing a project. 2.2.B -The employer shall comply with the limited period agreed to in the license of the temporary labour accommodation associated with the period of completing the building project. 2.2.C -The employer shall comply with implementing this CoP and conditions of the license of the temporary labour accommodation and abide with the terms of the lease/hire contract	Applicable to Workers Camps, Toilets, Bathrooms Kitchen, Catering , Mess halls, dining halls etc. The requirements in this CoP shall be considered as the main criteria for the design, construction, management and operation of the temporary labour accommodation pursuant to the laws and local bylaws and the best international practices, and that requires the relevant parties such as consultant offices, contracting companies and establishments and developers to comply with and implement it.	HR and Administration	1. Inspection records
4	OSHAD CoP 14.0 Occupational Health and Safety Version 3.0 July 2016	2.C.1- Safe work practices and worksite procedures 2.C.2 - how to identify problems with a task or action and choose appropriate solutions (basic risk management 2.C.3 -The types of workplace injuries associated with the manual tasks performed, their causes, early signs of injury and risk factors 2.C.4 -when moving heavy items (lifting, carrying, pushing etc), employees shall know: 1. when to call for help; 2. how to safely use all mechanical aids and assistive devices; 3. how to set up and adjust the work area for safe and efficient handling; and 4. how to apply the principles of safe handling (when physically handling).	Applicable to Installation work at site. Generally applicable to task related to measurement on staircases, Installation of railings on staircase as well as on wall at height. This Code of Practice (CoP) applies to all employers and places of business within the Emirate of Abu Dhabi that have exposure to risk due to manual handling and work environment ergonomic concerns that can cause or aggravate work-related musculoskeletal disorders (WRMDs) or other related injuries and illnesses. Specific requirements of this document do not replace any more stringent requirements set by Federal or other Emirate regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement.	Site Installation HSE	1. Tool Box talk records

5	OSHAD CoP 19.0 Occupational Food Handling and Food Preparation Areas Occupational Health and Safety Version 3.1 June 2018	2.B - Employers shall ensure that all relevant employees and contractors receive appropriate training and are competent to perform their duties, including: (i) how to recognize and report hazards; (ii) how to raise an alarm during an emergency or contact medical services in the event of a severe burn, cut, or other medical emergency; (iii) how to identify the correct personal protective equipment required for a job or task (eg, gloves, safety shoes, eye protection, etc.) and the appropriate procedures to care for the equipment; (iv) procedures for food preparation to prevent cross contamination of food and meat items; (v) procedures on how to appropriately store and prepare food to prevent food borne illnesses; (vi) dining hall procedures and best practices when presenting food to a consumer to prevent food borne illnesses; (vii) safety procedures to follow in food preparation areas to prevent incidents, illnesses, and injuries; and (viii) process for identifying and disposing of food that exceeded its shelf-life.	This CoP establishes the requirements and standards for occupational food handling and food preparation. The intent of the standard is to help ensure employee's health and fitness by providing detailed guidance and best practice to equip both the employer and the employee with the knowledge to enable them to avoid or eliminate the hazards, and thus reduce the risk in their day to day activities.	Site Installation HSE	1. Tool Box talk records
6	OSHAD CoP 19.0 Occupational Food Handling and Food Preparation Areas Occupational Health and Safety Version 3.1 June 2018	2.B - Employers shall ensure that all relevant employees and contractors receive appropriate training and are competent to perform their duties, including 2.B.1 - (i) how to recognize and report hazards; (ii) how to raise an alarm during an emergency or contact medical services in the event of a severe burn, cut, or other medical emergency; (iii) how to identify the correct personal protective equipment required for a job or task (eg, gloves, safety shoes, eye protection, etc.) and the appropriate procedures to care for the equipment; (iv) procedures for food preparation to prevent cross contamination of food and meat items; (v) procedures on how to appropriately store and prepare food to prevent food borne illnesses; (vi) dining hall procedures and best practices when presenting food to a consumer to prevent food borne illnesses; (vii) safety procedures to follow in food preparation areas to prevent incidents, illnesses, and injuries; and (viii) process for identifying and disposing of food that exceeded its shelf-life.	This CoP establishes the requirements and standards for occupational food handling and food preparation. The intent of the standard is to help ensure employee's health and fitness by providing detailed guidance and best practice to equip both the employer and the employee with the knowledge to enable them to avoid or eliminate the hazards, and thus reduce the risk in their day to day activities.	Site Installation HSE	1.Training records
7	OSHAD COP 28.0 Hot Work Operations Occupational Health and Safety Version 3.0 July 2016	Section 28.0 10.18 –Welding, Cutting and Hot work operations 2.C.1 - systems of work needed for the safe hot work operations; 2.C.2 - types and selection of correct welding and cutting equipment 2.C.3 – type, selection and use of PPE; and 2.C.4 -care, maintenance and inspection of welding and cutting equipment	This CoP specifies precautions to be taken prior to and during hot work (including welding and cutting), to prevent the possibility of fire or explosion, which may result in harm to persons or property. In particular, such precautions apply to hot work during manufacturing, construction, maintenance, repairs, demolition and where plant or equipment contains flammable, combustible or explosive material.	Site Installation	1. Welder Qualification Certificate.
8	OSHAD COP 47.0 Machine Guarding & Safety Occupational Health and Safety Version 3.0 July 2016	Section 47.0 2.C.1 - a description and identification of the hazards associated with specific machines 2.C.2 -the safeguards themselves, how they provide protection, and the hazards for which they are intended 2.C.3 - how to use the safeguards and why 2.C.4 -how and under what circumstances safeguards can be removed, and by whom (in most cases, repair or maintenance personnel only 2.C.5 -what to do if a safeguard is damaged, missing, or unable to provide appropriate protection.	1.B - This CoP establishes the requirements and standards so that the risks associated with the guarding of machinery are assessed, that control measures are implemented in accordance with the hierarchy of controls and those control measures are implemented to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	Site Installation HSE	1. PPE Inspection Report 2. Training Record
9	OSHAD CoP 35.0 Portable Power Tools Occupational Health and Safety Version 3.0 July 2016	Section 35.0 2.C.1 - systems of work needed for the safe use of portable power tools 2.C.2 -type and selection of correct portable power tools; and 2.C.3 -care, maintenance and inspection of portable power tools	Portable Power Tools" is a general term referring to a several types of power tools, based on the power source they use: electric power operated tools (eg. circular saws, drill machines), pneumatic power tools (eg. hammers, chippers, compressed air guns), hydraulic power tools (jacks), and powder-actuated tools (nail guns).	Site Installation HSE	1. Power tools inspection Record. 2.Training record 3. PPE Inspection Report

10	OSHAD CoP 2.0 Personal Protective Equipment Occupational Health and Safety Version 3.1 June 2018	2.B - The training shall be delivered to all persons who are required to use the PPE or could be affected by the misuse of the PPE. 2.C. - Training shall include; 2.C.1 - the risk(s) which the PPE shall avoid or limit; 2.C.2 - the limitations of the PPE; 2.C.3 - when and where the PPE shall be worn; 2.C.4 - what PPE shall be worn; 2.C.5 - how to correctly don, doff, adjust and wear PPE; 2.C.6 - the correct care, cleaning, useful life, maintenance and disposal of the PPE; 2.C.7 - identification of defects and reporting procedures; 2.C.8 - correct storage of PPE; 2.C.9 - inspection of PPE prior to, during and after use; and 2.C.10 - procedures for recording issue and use of PPE.	PPE is defined in the glossary as: Any device, appliance or equipment (including clothing or sunscreen affording protection against the weather) designed to be worn or held by an individual for protection against one or more health and safety hazards, or minimize their exposure to workplace risks. It includes, but is not limited to, items such as facemasks and respirators, eye protection, high visibility clothing, coveralls, goggles, helmets, safety harnesses, gloves and footwear	Site Installation HSE	1. PPE Inspection Report. 2. Training Record
11	OSHAD CoP 44.0 Traffic Management and Logistics Occupational Health and Safety Version 3.0 July 2016	Section 44.0 2.C.1 - information on the safe systems of work identified in the risk assessment 2.C.2 - appropriate control measures to be followed by vehicle drivers or operators 2.C.3 - appropriate training on the vehicle they are operating 2.C.4 - appropriate control measures to be followed by pedestrians 2.C.5 -reporting procedure in the event of incidents involving site traffic	1.B - This CoP establishes the requirements and standards so that the risks associated with traffic and logistics can be prevented or reduced through the introduction of appropriate control measures 1.C - Vehicle' refers to any powered truck, car, van or item of site plant that may be operated by a driver or operator 1.D - Site traffic' refers to all forms of vehicle traffic movements, including powered lift trucks or plant, on site and includes the movements of visitors' vehicles 1.E - 'Site' refers to a project or facility in which the traffic is being managed, including internal traffic movements such as powered fork lift trucks	Site Installation HSE	1. Driver License Record
12	OSHAD CoP 49.0 Compressed Gases and Air Occupational Health and Safety Version 13.0 July 2016	1.C.1 - Absolute Pressure: Based on a zero pressure reference point, the perfect vacuum. Measured from this point, standard atmospheric pressure at sea level is 14.7 pounds per square inch (psi) or 101.325 kilo Pascal's (kPa). This is usually expressed as psia where the 'a' indicates an absolute measurement or kPa 1.C.4 -Compressed Gas: A compressed gas is any gas which when enclosed in a container gives: 1. an absolute pressure reading greater than 276 kPa (40 psi) at 21°C (70°F) 2. an absolute pressure greater than 717 kPa (104 psi) at 54°C (129.2°F) 3. any flammable liquid having a vapor pressure greater than 276 kPa (40 psi) at 38°C (100.4°F).	(i) Absolute Pressure: Based on a zero pressure reference point, the perfect vacuum. Measured from this point, standard atmospheric pressure at sea level is 14.7 pounds per square inch (psi) or 101.325 kilo Pascal's (kPa). This is usually expressed as psia where the 'a' indicates an absolute measurement or kPa.(v) Compressed Gas Cylinder: A compressed gas cylinder is any metal cylinder of the type approved by the concerned govt. authority for storage and transportation of gases under pressure, including liquefied gases (ADNOC, etc.). Approved metal cylinders shall be used for packaging compressed gases.	Site Installation HSE, Administration	1. Equipment Maintenance / Servicing Record
13	OSHAD CoP 1.0 Hazardous Materials Occupational Health and Safety Version 3.1 June 2018	2.C.1 -use of Safety Data Sheets (SDS) (previously known as Material Safety Data Sheets, MSDS) and/or profile sheets 2.C.2 -required Personal Protective Equipment (PPE) when handling hazardous materials 2.C.3 - properties of and risks associated with hazardous materials; 2.C.4 - storage, handling and decanting requirements; 2.C.5 - appropriate disposal requirements; 2.C.6 - actions to take to prevent accidental exposures or releases of hazardous materials; 2.C.7- incompatible materials and segregation requirements; 2.C.8 - appropriate labeling of hazardous materials and hazardous waste; 2.C.9 - meaning of signs and placards; 2.C.10 - specialized training for specific hazardous material management requirements applicable to the responsibilities of their position; and 2.C.11 - control measures to take if there is an incident involving hazardous materials.	This CoP applicable to the activities like purchase of hazardous materials, unloading, handling, disposal of hazardous waste at site, at store. Employers that import, store, transport, sell, or use hazardous materials shall train all employees and contractors that package, handle, store, or transport hazardous materials to a level that is commensurate with their responsibilities. At a minimum, training shall include:	Site Installation HSE, Purchase	1. Training records 2. Mock drill records

14	Federal Law No 24 Protection and Development of Environment	Chapter -1 , Section-1 Environmental Impact of Establishments Article 3 to 16	This Law is applicable to Environmental Impacts of Site activities, Accommodation, canteen, transportation, waste management	Site Installation HSE, Purchase	1. Aspect and Impact register
15	Federal Law No 24 Protection and Development of Environment	Chapter -IV Protection of Air from Pollution Article 48,49 & 50	This law is applicable to protection of Air from Pollution by vehicles, throwing / burning of Garbage at site / Residential area.	Site Installation HSE, Purchase	1. Equipment Service Record 2. List of Equipments
16	Regulation # ED /R01/013 Water and Electricity Sector The incident Reporting Regulations 2009	Part 1 to part 6	This regulation is applicable when working on the projects under the license of Water and Electricity Sector	Site Installation HSE	1. Incident record 2. Training records
17	Regulation # ED /R01/014 December 2008 Street works and access Regulations	Part 1 to part 9	This regulation is applicable to undertake fencing projects at streets	Site Installation HSE, Purchase	1. Work Permit 2. training records
18	OSHAD CoP 4.0 – First Aid and Medical Emergency Treatment Version 3.1 June 2018	2.2 Requirements for First Aid Training Programs in Abu Dhabi Emirate (a) First aid training programs shall: 2.2.A1 - be in line with the scope of the activities, services, functions and needs of the work environment and associated potential hazards and risks; 2.2.A2 - be based on a risk assessment; 2.2.A3 - ensure that first aiders are familiar with the procedures for medical emergency response and how to contact ambulance services in Abu Dhabi; and 2.2.A4 - comply with all requirements of relevant regulatory bodies and related regulations.	1.D - Any medical professional providing services beyond first aid in the occupational setting, or at employers supplied accommodation (worker camps), shall have a valid license to practice medicine as required by Department of Health – Abu Dhabi (DOH). Medical and advanced first aid facilities shall maintain valid licenses as required by DOH.	Site Installation HSE,	Training records
19	OSHAD CoP 42.0 – Pre-Cast Construction Version 3.0 July 2016	2.B - In accordance with OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. Employers shall ensure employees required to implement the requirements of this CoP are trained in tilt-up and pre-cast construction and understand the risks associated with this type of construction and the control measures implemented by the employer. 2.C - Employers shall ensure all employees involved in the tilt-up and pre-cast concrete elements and activities are trained to recognise and respond to hazards associated with this type of work. 2.D - Employers shall maintain a record of the required training that contains the following information: (i) name and ID number; (ii) Emirates ID number; (iii) subject(s) of training; (iv) date(s) of training; and (v) person(s) providing the training.	1.B - This CoP establishes the requirements and standards so that the risks associated with tilt-up and pre-cast concrete elements are assessed, that control measures are implemented in accordance with the hierarchy of controls and that control measures are implemented to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	Site Installation HSE,	Training records
20	Code of Practice EHS RI - CoP 2.0 – Personal Protective Equipment Version 2.0	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of AD EHSMS RF – Element 01 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Every employer shall ensure that appropriate PPE is provided to all employees who may be exposed to a risk to their health or safety whilst at work. (c) All PPE provided to employees shall be provided at no cost to the employee. Employees may only be charged for PPE if they wilfully damage, misuse or misplace PPE. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of AD EHSMS RF – Element 01 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall ensure they follow all the rules and regulations set by the employer and shall not misuse items provided for the purpose of safety.	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by UAE and Abu Dhabi regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) PPE is defined in the glossary as „all equipment (including clothing affording protection against the weather) which is intended to be worn or held by a person at work and which protects him against one or more risks to their health or safety", eg safety helmets, gloves, eye protection, high visibility clothing, safety footwear and safety harnesses. (c) This CoP does not apply to general clothing worn whilst at work, such as corporate clothing with the primary purpose of presenting a	Site Installation HSE,	Training records

21	(OSHAD-SF) Occupational Standards and Guideline Values Version 3.0 July 2016	(a) The standards and TLVs stipulated by this document shall be in addition to those stipulated by the Federal Law No. (24) of 1999 and other applicable federal laws. In case of discrepancy between the standards and TLVs stipulated by this document and those federally set, whether existing or enacted in future, the more stringent stipulations shall prevail. (b) If, after exhausting all potential engineering and administrative control measures, employees are still exposed to levels exceeding the occupational exposure limits stipulated by this document, employers shall provide such employees with appropriate personal protective equipment and enforce their use, and such employees shall use such equipment. (c) Where justified by risk assessment or other information, employers shall provide occupational exposure monitoring and health surveillance, protection and / or awareness programs for workers exposed at or above the occupational exposure limits stipulated by this document. (d) OSHAD shall issue the codes of practice and technical guidelines required for implementing provisions of this document. (e) OSHAD shall monitor implementation of all standards related to the OSHAD-SF and put forth appropriate recommendations. 3.2 Occupational Air Quality Threshold Limit Values (a) The Threshold Limit Values (TLVs) stipulated in Schedule A shall be adopted as maximum allowable limits for occupational exposure to air pollutants (chemical substances) in working areas in the Emirate. (b) TLVs are guidelines designed for making decisions regarding safe levels of exposure to various chemical substances and physical agents found in the workplace. These guidelines are one of multiple factors to be considered in evaluating specific workplace situations and conditions. (c) Except as stipulated in Clauses (a) to (b) above, all concerned shall pursue the provision of acceptable indoor air quality, which is satisfactory to no less than 80% of the people exposed, and in which there are no known contaminants at harmful concentrations as determined by the authorities concerned. 3.3 Occupational Noise Standards (a) The values stipulated in Schedule B shall be adopted as limits for occupational exposure to noise in the Emirate. Exposures at and above these limits are considered hazardous.	(a) Any exposure limits on occupational air quality will have to consider the maximum allowable limits for chemical substances in working areas as stipulated in the Regulation concerning Protection of Air from Pollution under Federal Law No. (24) of 1999. These limits were adopted from the Threshold Limit Values (TLV) (Time Weighted Average (TWA) and Short-Term Exposure Limit (STEL)) for Chemical Substances specified by The American Conference of Governmental Industrial Hygienists (ACGIH). (b) The limits stipulated in Schedule A of this document have incorporated the updated TLVs and STELs specified by ACGIH (version of 2010) whenever the updated values are more stringent than those stipulated in the existing federal Regulation. In the event that the TLV and/or STEL stipulated in the existing Regulation are more stringent than those stipulated by ACGIH, there was no amendment to the existing TLV and STEL (i.e. the most stringent TLVs and STELs were adopted). (c) At the discretion of OSHAD, values in Schedule A shall be similarly updated where required to reflect future updates of TLVs and STELs by ACGIH. Updates shall come into force when incorporated in a revised version of this document. 2.2 Occupational Noise Standards (a) The occupational noise exposure levels recommended by the National Institute for Occupational Safety and Health (NIOSH), USA were adopted as Occupational Exposure Limits (OELs) with an ultimate objective to protect workers from hearing losses resulting from occupational noise exposure. The OELs thus adopted are listed in Schedule B in the form of exposure-duration tables, where OELs are	Site Installation HSE,	Training records
22	(OSHAD-SF) Code of Practice CoP 4.0 – First Aid and Medical Emergency Treatment Version 3.1 June 2018	2.2 Requirements for First Aid Training Programs in Abu Dhabi Emirate (a) First aid training programs shall: (i) be in line with the scope of the activities, services, functions and needs of the work environment and associated potential hazards and risks; (ii) be based on a risk assessment; (iii) ensure that first aiders are familiar with the procedures for medical emergency response and how to contact ambulance services in Abu Dhabi; and (iv) comply with all requirements of relevant regulatory bodies and related regulations. (b) First aid trainers / training providers shall be accredited by any of the internationally recognized accreditation or qualification bodies listed in Section 2.1(b). 2.3 Requirements for First Aid Training Providers in Abu Dhabi Emirate (a) First Aid Training providers in Abu Dhabi Emirate (and awarding bodies) are required to ensure that: (i) the training is aligned with the resources and needs of the employers (e.g., staffing resources, hazards and risks identified, the needs for first aid devices and kits); (ii) the training content is delivered according to the learning requirements of the recognized accreditation body or approved awarding body; (iii) practical training tools and equipment are available and the trainees receive practical training on different first aid topics, including, but not limited to, how to administer the CPR; (iv) the assessment of successful completion of the first-aid training program shall include instructor observation of acquired skills and written performance assessments; (v) only trainees who have successfully completed the requisite training are provided with documentary evidence to demonstrate that the trainee has met the minimum learning requirements and passed any test necessary to practice first aid at a designated level; the documentation shall include:	Introduction (a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi for provisions of first aid and medical emergency treatment to employees/workers/other persons. This CoP is designed to incorporate requirements set by UAE and Abu Dhabi Regulatory Authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) First Aid is defined as “An immediate assistance given to a person suffering from a sudden illness or injury in the workplace, with care provided to preserve life, prevent the condition from worsening, and/or promote recovery. Such care may be considered “first aid” even though provided by a health-care professional. (c) Medical Emergency is defined as “A situation or condition having a high probability of disabling or immediately life-threatening consequences requiring first aid or other immediate medical intervention”. (d) Any medical professional providing services beyond first aid in the occupational setting, or at employers supplied accommodation (worker camps), shall have a valid license to practice medicine as required by Department of Health – Abu Dhabi (DOH). Medical and advanced first aid facilities shall maintain valid licenses as required by DOH.	Site Installation HSE,	Training records

23	Code of Practice CoP 5.0 – Occupational Health Screening and Medical Surveillance Version 3.1 June 2017	3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5 (b) Every employer shall be responsible for performing a risk assessment in accordance with OSHAD-SF – Element 2 – Risk Management to determine the risks associated to job tasks and determine the requirements of their occupational health and medical surveillance program. (c) Employers shall maintain medical records and medical confidentiality in accordance with Section 4.0 of this CoP. (d) Employers shall arrange for medical surveillance of employees that have been or it is reasonably practicable to believe they have been exposed to a hazardous material if: (i) the material is listed in Appendix 2 and the degree of risk to the health of the employee is significant; or (ii) the employer reasonably believes that: 1. an identifiable adverse effect may be related to exposure; 2. the health effect may happen under the work conditions of the employee; 3. a valid biological or technical technique or test is available to detect the signs of the health effect or a valid biological monitoring procedure is available to detect the material or its metabolite; and 4. other Federal or Local legislation/regulations requires such surveillance to be conducted. (e) If the medical surveillance relates to an occupation listed in Appendix 1 the employer shall: (i) arrange for the medical surveillance to be done by a HAAD licensed physician under the supervision of a HAAD licensed Occupational Medicine Specialist; and (ii) ask the physician to give the employee and the employer a medical surveillance report which includes a description of the effects of the material or exposure on the employees' health and the need, if any, for remedial action or treatment; and an explanation of the report. (f) Employers with occupational health screening and medical surveillance programs shall use an employee general health history questionnaire to collect, at a minimum, the following information (see Appendix 3 for sample questionnaire): (i) occupational history - physical, chemical, biological, radiological, and ergonomic stressors from previous	(a) This Code of Practice (CoP) applies to all employers and places of business within the Emirate of Abu Dhabi. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) This CoP identifies specific requirements for occupational health screening/fitness to work and medical surveillance for employees performing any of the job duties found in Appendix 1 or exposed to chemicals/materials listed in Appendix 2 of this CoP. (c) Occupational health screening shall be undertaken with regards to the potential exposures expected related to the employees occupation and before an employee is exposed to a hazardous work environment. (d) Medical surveillance shall be undertaken after a risk assessment and/or occupational hygiene assessments have been undertaken to assess the extent of the exposure and after other control measures implemented to control exposure to an acceptable level using the principles of risk management and the hierarchy of control.	Site Installation HSE,	Training records
24	Code of Practice CoP 8.0 – General Workplace Amenities Version 3.1 June 2018	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall set minimum requirements for general worksite conditions that at a minimum comply with Chapter 5 of Federal Law No. 8, for 1980, on Regulation of Labour Relations. Requirements and control measures shall focus on ensuring workplaces are free from recognizable hazards. (c) If applicable, employers shall ensure compliance with Ministerial Decision No. 27/1 of 1981 - Concerning the Definition of Remote Areas as stipulated in Law No. 8 of 1980. (d) To ensure requirements are followed, the employer shall develop a system to routinely inspect the worksite in accordance with OSHAD-SF – Element 8 – Audit and Inspection. (e) Employers shall ensure the general welfare of employees is met. This includes ensuring, as required, employees have access to: (i) prayer room / mosque; (ii) appropriate facilities for eating; (iii) clean and sanitary bathrooms; and (iv) changing rooms. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall follow procedures set by the employer to keep the worksite free from safety and health hazards. 3.2 Housekeeping (a) All places of employment including, passageways, storerooms, and service rooms shall be kept clean and orderly and in a sanitary condition. (b) The floor of every workroom shall be maintained in a clean and, so far as reasonably practicable, dry condition. Where wet processes are used, drainage shall be maintained and false floors, platforms, mats, or	Training and Competency (a) Employers shall ensure that OSH training complies with the requirements of: (i) OSHAD-SF – Element 5 – Training, Awareness and Competency; (ii) OSHAD-SF – Mechanism 7.0 – OSH Professional Entity Registration; and (iii) OSHAD-SF – Mechanism 8.0 – OSH Practitioner Registration. (b) Employers shall train their employees on: (i) common hazards in the workplace; (ii) requirements set by the employer to prevent occupational injuries and illnesses; and (iii) housekeeping and general amenity requirements. (e.g. trash disposal, cleaning workspaces, preventing chemical exposures, etc.).	Site Installation HSE,	Training records

25	Code of Practice CoP 9.0 – Workplace Wellness Version 3.0 July 2016	Requirements 3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5 (b) Employers shall perform regular health needs assessment (at least yearly) to determine common health risk factors at work and of employees. (c) Employers shall allocate responsibility for coordination of the workplace health promotion program to a competent person (eg. OSH Officer). (d) Employers shall actively enhance workplace wellness through a planned, implemented and evaluated workplace health promotion program. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall report any activity or event which they believe is reasonably practicable to endanger their safety or that of another person. 3.2 Planning and Assessment (a) Employers shall evaluate each site or operation to determine if hazards are present and the workplace shall be assessed using risk management practices as required by OSHAD-SF – Element 2 – Risk Management. (b) Employers shall ensure the following: (i) an assessment of the various risks is undertaken and systems of work are established; and (ii) that effective procedures and control measures are in place, which are implemented in order to manage activities safely and without risk to health.	Introduction (a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This Code of Practice is designed to incorporate requirements set by OSHAD and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP aims to contribute to the prevention of the common health conditions found in the occupational environment. The requirements found in this document are designed to ensure control measures are implemented in accordance with the hierarchy of controls and those control measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) This CoP aims to improve the health and wellbeing of employees in Abu Dhabi Emirate in order to have a more productive and healthy workforce. In particular, it aims to promote awareness and prevention of the most common health conditions that affect the population of the Emirate such as cardiovascular disease, stress, tobacco use and other general health issues. (d) It also aims to establish requirements and standards for workplace health promotion programs. The goal is to improve the health and wellbeing of employees and other relevant persons and thereby contribute to workplace wellness.	Site Installation HSE,	Training records
26	Code of Practice CoP 13.0– Violence in the Workplace Version 3.0 July 2016	3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall ensure a risk assessment is performed in accordance with OSHAD-SF- Element 2 - Risk Management to determine significant risk factors, such as high risk activities and tasks, dangers, and times of day when the risk of violence is increased. (c) Employers shall, as far as practicable, provide and maintain a working environment where employees are not exposed to workplace violence. This includes, but is not limited to requirements to: (i) The routine assessment of the incidence of workplace violence and the factors that support or generate workplace violence; (ii) Assigning responsibilities and developing policies and plans at the workplace to combat workplace violence and establishing the required monitoring mechanisms and range of sanction; (iii) Providing information, instruction, training and supervision so employees can perform the work safely; (iv) Providing security personnel if required based on risk assessment; (v) Consulting and cooperating with safety and health representatives, if any, and other employees, regarding occupational safety and health at the workplace; (vi) Consulting with representative of the workers on the development of relevant policies and plans and how to implement them; and (vii) Setting up of mechanisms for collecting data and information in the area of workplace violence. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees are required to take reasonable care for their own safety and health at work and to avoid harming the safety and health of other people through any act or omission at work. (c) Employees must comply as far as they reasonably can with instructions given by their employer in the interests of safety or health and follow workplace policies and procedures. (d) Employees must attend relevant educational and training programs.	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi and is designed to incorporate requirements set by OSHAD and Sector Regulatory Authorities (SRA's) in the Emirate of Abu Dhabi. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) The purpose of this code of practice is to ensure that employers take measures to prevent or minimize the occurrence of violence in the work place and to protect employees and other potentially affected persons against it, ensuring that they have access to assistance and recourse if they happen to be exposed to it. (c) Work place violence is "Any action, incident, or behavior that departs from reasonable conduct in which a person is assaulted, threatened, harmed, or injured in the course of, or as a direct result of, his or her work". (d) Types of Workplace violence include but are not limited to: (i) Violence by Strangers: This is violence committed by an assailant who has no legitimate business relationship to the workplace of the worker. (ii) Violence by Customers or Clients: This is violence committed by an assailant who either receives services from or is under the custodial supervision of the affected workplace or the victim. (iii) Violence by Co-workers: This is violence committed by an assailant who has some employment related involvement with the workplace, for example, a current or former employee, supervisor or manager. (iv) Violence by Personal Relations: This is violence committed by an assailant who confronts an individual with whom he or she has or had a personal relationship outside of work.	Site Installation HSE,	Training records

27	Code of Practice CoP 14.0 – Manual Handling and Ergonomics Version 3.1 June 2017	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall perform a risk assessment in accordance with OSHAD-SF – Element 2 – Risk Management to determine the risks associated with manual handling and ergonomics. (c) Employers shall assess workstations / work areas, or coordinate for their assessment, to ensure ergonomically safe layouts / set-up. (d) Employers shall develop and implement control measures and safe work practices to reduce employee's exposures to manual handling and ergonomic risks. (e) Employers shall ensure maintenance is performed on equipment used in manual handling as per the manufacturer's instructions and preventative maintenance plan. (f) Employers shall provide their employees with information about their work environment, the loads, the safety and health risks and the preventive and protective control measures in place to prevent injuries and illnesses. (g) Employers shall assess the employee's capability to perform manual handling operations which may create safety and health risks, if applicable. (h) Employers shall comply with the requirements of OSHAD-SF – CoP 14.1 – Manual Tasks involving the Handling of People, if applicable. (i) Employers shall ensure equipment utilized in manual handling is fit for purpose. (j) Employers shall ensure equipment utilized in manual handling is inspected, tested, certified and maintained as per the manufacturer's requirements. (k) Employers shall monitor the use of equipment used in manual handling to ensure employees are using the equipment appropriately. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7.	Introduction (a) This Code of Practice (CoP) applies to all employers and places of business within the Emirate of Abu Dhabi that have exposure to risk due to manual handling and work environment ergonomic concerns that can cause or aggravate work-related musculoskeletal disorders (WRMDs) or other related injuries and illnesses. Specific requirements of this document do not replace any more stringent requirements set by Federal or other Emirate regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) Manual handing applies to any workplace activity requiring the use of force by a person to grasp, manipulate, strike, throw, carry, move (lift, lower, push, pull), hold or restrain an object, load or body part. (c) The principal method of reducing risk is by avoiding hazardous manual handling operations and designing the work environment in relation to the employee in such a manner that it will reduce the risk of, or eliminate the working hazards. If it is not reasonably practicable to eliminate this completely, it shall be carefully and critically assessed. Employers shall take the task, the load, the working environment, individual capabilities and other factors into account to ensure preventive and protective control measures are developed and implemented.	Site Installation HSE,	Training records
28	Code of Practice CoP 17.0 – Safety Signage and Signals Version 3.1 July 2019	Requirements 3.1 Roles and Responsibilities 3.1.1 Employer (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall comply with Article 2 and 14 of Ministerial Order No. 32 of 1982. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall ensure they follow all the rules and regulation set by the employer with regards to OSH Signs and Signals. (c) Employees shall ensure that they immediately report any hazard or information that may affect, adversely or otherwise, the works being undertaken. (d) Employees shall not wilfully damage or remove items, such as OSH signs, that are provided for the purpose of safety. 3.2 Definitions (a) This CoP covers a variety of methods of communicating OSH information in addition to the traditional safety sign or signboard. The terms used in this CoP mean the following: (i) OSH sign – a sign providing information or instruction about OSH at work by means of a signboard, a color, an illuminated sign or acoustic signal, a verbal communication or hand signal; (ii) OSH signboard – a sign which provides information or instructions by a combination of shape, color and a symbol or pictogram and which is rendered visible by lighting of appropriate intensity. In practice many signboards may be accompanied by supplementary text (e.g. 'Fire Exit' alongside the symbol of a moving person). Signboards can be of the following types shown in Table 1;	Introduction (a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by UAE and Abu Dhabi regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) This CoP requires employers to use OSH signs where there is a significant OSH risk that has not been avoided or controlled by the methods required under OSHAD - SF - Element 2 – Risk Management, provided the use of OSH signs can help reduce the risk. OSH signs are not a substitute for those other methods of controlling risks such as engineering controls and safe systems of work. (c) This CoP applies to all workplaces and to all activities where a person(s) are employed, but excludes signs used in connection with transport or the supply and marketing of dangerous substances, materials, products and equipment.	Site Installation HSE,	Training records

29	Code of Practice CoP 19.0 – Occupational Food Handling and Food Preparation Areas Version 3.0 July 2016	Requirements 3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall be responsible for performing a risk assessment in accordance with OSHAD-SF – Element 2 – Risk Management to determine the risks associated with dining facilities, food storage and food preparation. Controls shall be implemented for any identified hazards. (c) Employers shall ensure all relevant employees have the required certificate of medical fitness and are licensed with the ADFCA. (d) Employers shall ensure all dining facilities, food storage, and food preparation facilities are registered with the ADFCA in accordance with Abu Dhabi Food Control Authority Regulation No. (4) of 2010, The Identification and Registration System for the Emirate of Abu Dhabi. (e) Employers shall ensure procedures and policies for managing dining facilities and food preparation operations are in accordance with Abu Dhabi Food Control Authority Regulation No.(6) of 2010, Food Hygiene Throughout the Food Chain. (f) Employers shall ensure procedures and policies of food preparation operations are in compliance with the requirements of Abu Dhabi Food Control Authority Regulation No. (3) of 2008, Food Traceability and Recall. (g) Employers shall ensure all supply / food chain entities have implemented appropriate OSH systems / control measures. (h) Employers shall ensure through contractual arrangements and monitoring activities, which any business / supply / food chain entity is appropriately licensed and is inspected to ensure appropriate food handling and storage processes are in place and followed. For facilities located within in the Emirate of Abu Dhabi, the employer shall ensure they are licensed in accordance with the requirements of ADFCA. (i) Notify the ADFCA when a food related injury or illness has occurred, in accordance with the requirements set by the ADFCA and OSHAD-SF – Mechanism 11.0 – Incident Notification, Investigation and Reporting.	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by UAE and Abu Dhabi regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) This CoP establishes the requirements and standards for occupational food handling and food preparation. The intent of the standard is to help ensure employee's health and fitness by providing detailed guidance and best practice to equip both the employer and the employee with the knowledge to enable them to avoid or eliminate the hazards, and thus reduce the risk in their day to day activities. (c) The following definitions apply to this CoP: (i) Food Chain: This includes all stages of food production (including feeds/fertilizers and other inputs into production), processing, preparation, manufacturing, packing, transporting, storing, distributing, displaying, servicing and selling it to consumers. (Source: Abu Dhabi Emirate Food Law No. 2/2008 adapted); (ii) Establishment: Any building(s) or areas(s), fixed or mobile, in which food is handled at any stage of food chain; (iii) Licensee: A person with valid license for operating any activity related to food and its handling; (iv) Food Business Operator: The natural or legal person(s) responsible for ensuring that the requirements of food law are met within the food business under their control; and (v) Food: Any substance, whether processed, semi-processed or raw, which is intended for human consumption, inter-alia drink, chewing	Site Installation HSE,	Training records
30	Code of Practice CoP 20.0 – Safety in Design (Construction) Version 3.1 August 2019	3.1 Definitions (a) Designers: (i) designers are those who have a trade or a business which involves them in: 1. preparing designs for construction work and operational design and layout, including variations. This includes preparing drawings, design details, specifications, bills of quantities and the specification (or prohibition) of materials, as well as all the related analysis, calculations, and preparatory work; or 2. arranging for their employees or other people under their control to prepare designs relating to a structure or part of a structure. (ii) it does not matter whether the design is recorded (e.g. on paper or a computer) or not (e.g. it is only communicated orally); (iii) designers therefore include: 1. architects, civil and structural engineers, building surveyors, landscape architects, other consultants, process design engineers, manufacturers and design practices (of whatever discipline) contributing to, or having overall responsibility for, any part of the design, this includes for example drainage engineers designing the drainage for a new development; 2. anyone who specifies or alters a design, or who specifies the use of a particular method of work or material, such as a design manager or quantity surveyor who insists on specific material, or a client who stipulates a particular layout for a new building; 3. building service designers, engineering practices or others designing plant which forms part of the permanent structure (including lifts, heating, ventilation and electrical systems), for example a specialist provider of permanent fire extinguishing installations; 4. those purchasing materials where the choice has been left open, for example those purchasing building blocks and so deciding the weights that bricklayers must handle; 5. contractors carrying out design work as part of their contribution to a project, such as an engineering contractor providing design, procurement and construction management services; 6. temporary works engineers, including those designing auxiliary structures, such as formwork, false work, façade retention schemes, scaffolding, and sheet piling;	Introduction (a) This Code of Practice (CoP) obligates those persons or employers that are classed as designers under OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation to eliminate or reduce risk that can arise through construction or end use of a structure or piece of equipment. At each stage of design, designers shall ensure that all foreseeable risks have been identified and analyzed to reduce the risk to as low as a reasonable practicable. (b) The scope of this CoP covers the construction, operational and decommissioning design of buildings, structures and workplaces. It does not cover product design which shall be designed to the appropriate international or local standards (e.g. European Conformity "EC Marking"). (c) Designers of operational workplaces / areas shall incorporate ergonomic and material flow considerations. (d) Designers' earliest decisions fundamentally affect the health and safety of construction and operation activities. These decisions influence later design choices, and considerable work may be required if it is necessary to unravel earlier decisions. It is therefore vital to address health and safety from the very start	Site Installation HSE,	Training records

31	Code of Practice CoP 21.0 – Permit to Work Systems Version 3.1 July 2019	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall ensure that all activities requiring a PTW are identified and managed in a safe manner. (c) Employer shall ensure that all persons involved with activities that require a PTW, are competent. (d) Employers establish a PTW system for non-routine activities. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall ensure they follow all the rules and regulation set by the employer with regards to PTW. (c) Employees shall ensure that they immediately report any hazard or information that may affect, adversely or otherwise, the works being undertaken. 3.2 Planning and Assessment (a) Employers shall evaluate each site or operation to determine if hazards are present that require the additional control of a PTW and the workplace shall be assessed using risk management practices as required by OSHAD-SF – Element 2 – Risk Management. (b) Employers shall ensure the following: (i) an assessment of the various risks is undertaken and systems of work are established which are safe to all parties involved or affected including the public; (ii) that effective procedures and control measures are implemented in order to manage activities safely and without risk to health; (iii) that for the Building and Construction Sector the management of PTW requirements are included in the Pre-Tender Environment, Health and Safety Plan in accordance with OSHAD-SF – CoP 53.0 –OSH Management During Construction Work; and (iv) that associated safe systems of work, and site rules are included in the Safety and Health Construction Management Plan (OSH-CMP) in the case of the Building and Construction Sector in accordance with OSHAD-	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by UAE and Abu Dhabi regulatory authorities. If requirements of this document conflict with requirements set by another regulatory authority, employers are required to follow the more stringent requirement. (b) A permit to work (PTW) system is a formal recorded process used to control work which is identified as potentially hazardous. It is also a means of communication between site/installation management, plant supervisors and operators and those who carry out the hazardous work. Essential features of PTW systems include: (i) clear identification of who may authorize particular jobs (and any limits to their authority) and who is responsible for specifying the necessary precautions; (ii) training and instruction in the issue, use and closure of permits; (iii) monitoring and auditing to ensure that the system works as intended; (iv) clear identification of the types of work considered hazardous; and (v) clear and standardized identification of tasks, risk assessments, permitted task duration and supplemental or simultaneous activity and control measures. (c) The PTW does not, in itself, make the job safe but relies for effectiveness on specified personnel implementing its requirements conscientiously under competent supervision. It is therefore essential that anyone undertaking hazardous work demonstrates that they have followed an appropriate risk assessment process to identify and minimize any hazard associated with the proposed work	Site Installation HSE,	Training records
32	Code of Practice CoP 22.0 – Barricading of Hazards Version 3.1 July 2019	3.1 Roles and Responsibilities 3.1.1 Employer (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) maintaining control of access to dangerous or high risk areas or equipment through the use of barricades; (ii) barricades shall be appropriate for the task and in serviceable condition; (iii) all work involving the use of barricades shall be appropriately planned, organized and appropriately supervised; (iv) those involved in the barricading of hazards are trained and competent; and (v) barricades are inspected on a regular basis by a competent person. 3.1.2 Employee (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following: (i) employees shall report any activity or defect relating to barricades which they believe is reasonably foreseeable to endanger their safety or the safety of another person; and (ii) employees shall follow safe systems of work as instructed by the Entity whilst installing or erecting barricades. 3.2 Planning and Assessment (a) Employers shall evaluate each site or operation to determine if hazards are present and the barricade equipment shall be assessed using risk management practices as required by OSHAD-SF – Element 2 – Risk Management. (b) Employers shall ensure the following: (i) an assessment of the various risks is undertaken and systems of work which are safe to both employees and the public shall be established; (ii) that effective procedures and control measures are in place which are implemented in order to manage the	Introduction (a) This Code of Practice (CoP) applies to all Employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Center (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks of certain physical hazards can be prevented or reduced through the installation and maintenance of barricades. (c) 'Barricading' is a general term referring to a structure consisting of vertical and/or horizontal components (e.g. barricade mesh, tape, panels etc.), or similar objects, used to create a restricted access area to prevent unauthorized entry into a particular work area or area where a hazard may exist.	Site Installation HSE,	Training records

33	Code of Practice CoP 27.0 – Confined Spaces Version 3.1 March 2019	3.1 Roles and Responsibilities 3.1.1 Employers Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) employers shall ensure that all activities that require persons to work within a confined space, are identified and recorded; (ii) employers shall allow entry to confined space only when it is not reasonably practicable to achieve the purpose without such entry to the confined space; and (iii) employers shall ensure that all persons required to enter a confined space are competent and fully aware of the emergency procedures. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following: (i) never enter a confined space unless authorised to do so and only once appropriate control measures have been identified and implemented; and (ii) report any hazards and defects immediately. 3.2 Planning and Assessment Employers shall ensure the following: (i) an assessment of the various risks is undertaken and systems of work are established which are safe to all parties involved or affected including the public; (ii) that effective procedures and controls are in place, which are implemented in order to manage activities safely and without risk to health; (iii) that for the Building and Construction Sector the management of confined spaces requirements are included in the Pre-Tender Safety and Health Plan in accordance with OSHAD-SF – CoP 53.0 – OSH Management During Construction Work; and	Introduction This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Centre (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. This CoP establishes the requirements and standards so that the risks associated with confined Spaces are assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. OSHAD-SF – Technical Guideline - Safe Work in Confined Spaces provides further information on how employers can comply with the requirements of this CoP. The information contained within the technical guide is not mandatory, however is seen as best advice and following the information within the technical guide will assist employers in complying with the requirements of this CoP.	Site Installation HSE,	Training records
34	Code of Practice CoP 27.0 – Confined Spaces Version 3.1 March 2019	3.1 Roles and Responsibilities 3.1.1 Employers Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) employers shall ensure that all activities that require persons to work within a confined space, are identified and recorded; (ii) employers shall allow entry to confined space only when it is not reasonably practicable to achieve the purpose without such entry to the confined space; and (iii) employers shall ensure that all persons required to enter a confined space are competent and fully aware of the emergency procedures. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following: (i) never enter a confined space unless authorised to do so and only once appropriate control measures have been identified and implemented; and (ii) report any hazards and defects immediately. 3.2 Planning and Assessment Employers shall ensure the following: (i) an assessment of the various risks is undertaken and systems of work are established which are safe to all parties involved or affected including the public; (ii) that effective procedures and controls are in place, which are implemented in order to manage activities safely and without risk to health; (iii) that for the Building and Construction Sector the management of confined spaces requirements are included in the Pre-Tender Safety and Health Plan in accordance with OSHAD-SF – CoP 53.0 – OSH Management During Construction Work; and	Introduction This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Centre (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. This CoP establishes the requirements and standards so that the risks associated with confined Spaces are assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. OSHAD-SF – Technical Guideline - Safe Work in Confined Spaces provides further information on how employers can comply with the requirements of this CoP. The information contained within the technical guide is not mandatory, however is seen as best advice and following the information within the technical guide will assist employers in complying with the requirements of this CoP.	Site Installation HSE,	Training records

35	Code of Practice Cop 28.0 – Hot Work Operations (e.g. Welding and Cutting) Version 3.0 July 2016	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities in accordance with the following: hot works plant and equipment (eg. welding and cutting equipment) shall be (i)appropriate for the task and maintained in good working condition; all work involving the use of hot works plant and equipment is appropriately (ii)planned, organized and appropriately supervised; those involved in use of hot works equipment are trained and competent; (iii) all hot works equipment is inspected on a daily basis by a competent person; (iv) implement an appropriate medical surveillance program in accordance with (v)OSHAD-SF – CoP 5.0 – Medical Surveillance; conduct appropriate occupational air monitoring in accordance with OSHAD-SF (vi)– Element 7 – Monitoring, Investigation and Reporting and take the appropriate actions to reduce exposures to employees working in the area and monitor their health; and employees using hot works equipment are provided with the particular personal (vii)protective equipment necessary to protect them from the hazards in accordance with the requirements of OSHAD-SF – CoP 2.0 – Personal Protective Equipment. For example, appropriate protective clothing for welders may include: a shield or helmet with a filtered lens; fire resistant gloves; a leather apron; boots; leather spats; a felt skull-cap or beret and preferably overalls. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following: employees shall inspect work equipment before use, report any activity or defect (i)relating to the equipment which they believe is reasonably foreseeable to endanger their safety or the safety of another person; and employees shall use safety devices provided to use with the welding and cutting (ii)equipment by employers in	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health System Framework (OSHAD-SF) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks associated with hot work operations are assessed, that control measures are implemented in accordance with the hierarchy of controls and that control measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) This CoP specifies precautions to be taken prior to and during hot work (including welding and cutting), to prevent the possibility of fire or explosion, which may result in harm to persons or property. In particular, such precautions apply to hot work during manufacturing, construction, maintenance, repairs, demolition and where plant or equipment contains flammable, combustible or explosive material. (d) 'Hot Work" is a general term referring to grinding, welding, thermal or oxygen cutting or heating, and other related heat-producing or spark-producing operations. (e) 'Welding" has been defined as the fusion of two pieces of metal, rendered plastic or liquid by heat or by pressure, or by both. There are many different welding processes, but the two most commonly used in the construction industry are gas welding and electric arc welding. (f) 'Hazardous Area" has been defined as an area in which flammable liquids, vapours or gases, combustible liquids, dusts or fibres, or other flammable or explosive substances may be present.	Site Installation HSE,	Training records
36	Code of Practice CoP 29.0 – Excavation Work Version 3.0 July 2016	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) that an appropriate risk assessment is conducted in consultation with the relevant stakeholders and that services are identified, located and marked on the surface; (ii) that the site has been surveyed correctly with markers/confirmation of alignments and boundaries and that all available site diagrams, maps, drawings, specifications and relationships with surrounding properties are obtained; (iii) all services searches are initiated and validated; (iv) in consultation with the Principal Contractor, develop documented safe systems of work for the proposed excavation work, including the method or methods of excavation; (v) inform the Principal Contractor and any other relevant parties of the method or methods of excavation selected and the equipment to be used; (vi) obtain all necessary work permits and authorizations and provide all necessary notifications concerning the work; (vii) nominate a person to supervise the work at all times and implement the documented safe systems of work. This person shall be competent in the type of excavation work needed for the particular project and be experienced in the implementation of safe work procedures; (viii) ensure an inspection of adjacent properties is undertaken when necessary, and that any change in the condition of adjacent properties during the excavation work is reported to the relevant parties; (ix) erect all appropriate fencing and overhead protection barriers for the protection of the public and employees at the workplace; (x) ensure employees are consulted and provided with all the information, instructions, training and supervision they need to perform their work safely; (xi) maintain the security of the site to prevent;	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Centre (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks associated with excavation work are assessed, that control measures are implemented in accordance with the hierarchy of controls and ensures control measures are implemented to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) Excavation includes: (i) all processes and activities that move earth or rock, or disturb or break ground; (ii) any work that involves driving an object into the ground; (iii) any other work, which may cause or may create the likelihood of: underground services being struck, damaged, undermined or unsupported; 1.and protective covers, warning tapes or earthing conductors becoming exposed 2.or damaged. (d) Excavation activities include: (i) all digging, including ditches, shafts, wells, and trenching or trench filling; (ii) grading; (iii) tunneling; boring and/or drilling; (iv) post driving, including driving of earth electrodes, driving of star pickets, and driving of fence posts; and (v) any works using caissons or cofferdams - cofferdams and caissons	Site Installation HSE,	Training records

37	Code of Practice CoP 33.0 – Working On or Adjacent to a Road Version 3.0 July 2016	Requirements 3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) ensure the appropriate planning of road works in accordance with this CoP; and (ii) development of a Traffic Control Plan for all works carried out on a road. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following: (i) following information provided by the employer regarding equipment use; (ii) observing safe work practices and operating procedures prescribed by the employer; (iii) shall use appropriate PPE, equipment or safety device provided for work by the employer in accordance with any training or instruction received; and (iv) reporting any activity or defect which they believe is reasonably foreseeable to endanger their safety or another person.	(a) This Code of Practice (CoP) applies to all Employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Center (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks associated with road works, as applied to both new highway construction works and the reconstruction or resurfacing of existing highways, are assessed, that control measures are implemented in accordance with the hierarchy of controls and that control measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) The term "Road works" is the general term used in this CoP for activities of working on or adjacent to a road. (d) Road works includes the use of road surfacing materials containing cement, such as concrete and mortars and those containing bitumen, pitch or tar, such as hot rolled asphalt, cold asphalt, bituminous-macadam and tar macadam and also the use of bitumen and tars in cold or hot liquid and spray form. (e) Various ancillary works and materials are also covered, including the use of water-bound macadam and epoxy resins, the burning off and planning of existing bituminous road surfaces, the use of fuels such as diesel oil, petrol and liquefied petroleum gas, as well as many other maintenance activities such as patching, surface dressing, drainage works and trench reinstatements, carried out on roads and highways. (f) The term "Bituminous Material" used in this section refers to any material containing bitumen, tar or pitch as a binder and can also be considered to apply to bitumen or tar used in liquid form.	Site Installation HSE,	Training records
38	Code of Practice CoP 34.0 – Safe Use of Lifting Equipment and Lifting Accessories Version 3.0 July 2016	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities with regards to lifting equipment and lifting accessories by ensuring the following: lifting plans are prepared and as regularly as necessary updated to reflect the (i)type of lifting operations being carried out at the site; specific lifting plans are developed when special (complex) lists are to be (ii)undertaken; all lifting operations are planned and carried out in accordance with the specific (iii)control measures identified in the lifting plan; all employees undertaking lifting operations are trained and competent; (iv) the place where lifting operations are undertaken is safe; (v) where an employer is to use lifting equipment or lifting accessories provided by (vi)another employer they shall ensure that it is inspected by a competent person and declared safe and appropriate for use; employees undertaking lifting operations have received appropriate medical (vii)screening and surveillance as required by OSHAD-SF – CoP 5.0 – Medical Surveillance; and shall ensure that lifting equipment used in operations is fit for purpose, (viii)appropriately maintained and serviceable, and that any associated risks in using the equipment are identified and mitigated or appropriately controlled. 3.1.2 Principal Contractors (a) In the case of the Building and Construction Sector, Principal Contractors shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – CoP 53.0 – OSH Management during Construction Work. (b) In addition section 3.1.1, Principal Contractors shall undertake their specific roles and responsibilities with regards to lifting equipment and lifting accessories by ensuring the following: that contractors have all available descriptions of the site, including design (i)drawings, site surveys, plans of	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Centre (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks associated with the use of lifting equipment and lifting accessories are assessed, that control measures are implemented in accordance with the hierarchy of controls and that control measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) This CoP applies to the use of all types of lifting equipment and lifting accessories in accordance with the definitions laid out in this section. (d) In this CoP the following terms and definitions are used: 'Lifting Operation' refers to the operation of lifting or lowering a load using lifting (i)equipment; 'Lifting Equipment' refers to any device used for lifting or lowering a load and (ii)typically includes mobile cranes, tower cranes, gantry cranes, crawler cranes, hoists and elevating work platforms; 'Load' refers to any load being lifted or lowered by lifting equipment and typically (iii)includes materials, waste materials, plant, equipment and persons; 'Common Lift' refers to any routine or regular lifting operation that is carried out (iv)where the lifting equipment, lifting accessory and the load are the same in each case. An example of a common lift is the unloading of steel reinforcement from a delivery lorry at the same radius, using the same crane and lifting accessory; 'Special Lift' refers to any lifting operation which is carried out	Site Installation HSE,	Training records

39	Code of Practice CoP 35.0 – Portable Power Tools Version 3.0 July 2016	3.1 Roles and Responsibilities 3.1.1 Employers (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) portable power tools shall be appropriate for the task and maintained in good working condition; (ii) all work involving the use of portable power tools shall be appropriately planned, organized and appropriately supervised; (iii) those involved in use of portable power tools are trained and competent; and (iv) all portable power tools are inspected and maintained to manufactures specifications on a regular basis by a competent person. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following: (i) employees shall inspect portable power tools before use, report any activity or defect relating to the power tool which they believe is reasonably foreseeable to endanger their safety or the safety of another person; and (ii) employees shall use safety devices provided with portable power tools in accordance with the training or instruction received from the employer. 3.2 Planning and Assessment (a) Employers shall evaluate each site or operation to determine if hazards are present from portable power tools, which shall be assessed using risk management practices as required by OSHAD-SF – Element 2 – Risk Management. (b) Employers shall ensure the following: (i) assessment is made of the various risks associated with using portable power tools and systems of work are established which are safe to both employees and the public; (ii) that effective procedures and control measures are in place which are implemented in order to manage the	Introduction (a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health System (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP established the requirements and standards so that the risks associated with the use of portable power tools are assessed, that control measures are implemented in accordance with the hierarchy of controls and that control measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) "Portable Power Tools" is a general term referring to a several types of power tools, based on the power source they use: electric power operated tools (eg. circular saws, drill machines), pneumatic power tools (eg. hammers, chippers, compressed air guns), hydraulic power tools (jacks), and powder-actuated tools (nail guns).	Site Installation HSE,	Training records
40	Code of Practice CoP 42.0 – Pre-Cast Construction Version 3.0 July 2016	3.1 Roles and Responsibilities 3.1.1 Employer (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake their specific roles and responsibilities in accordance with the following: (i) tilt-up and pre-cast concrete work is appropriately planned, organised and supervised; (ii) to consult with designers and builders to ensure that safety matters are considered in all aspects of the design work for all pre-cast concrete element construction work; (iii) those involved in tilt-up and pre-cast concrete and the equipment are trained and competent; (iv) the location where tilt-up and pre-cast concrete elements work is done is safe; and (v) tilt-up and pre-cast concrete equipment appropriately maintained and inspected. 3.1.2 Principal Contractors (a) In the case of the Building and Construction Sector, Principal Contractors shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – CoP 53.0 – OSH Management during Construction Work. (b) Principal Contractors shall undertake their specific roles and responsibilities in accordance with the following: (i) ensure that employers have all available descriptions of the site, including design drawings, site surveys, plans of services and information on the nature and location of hazardous materials, the nature of building materials and the building or structure's relationship to surrounding properties; (ii) relevant authorities and utility service providers are notified and all necessary approvals are obtained before work commences; and (iii) the workplace is secured. 3.1.3 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. (b) Employees shall undertake their specific roles and responsibilities in accordance with the following:	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Center (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks associated with tilt-up and pre-cast concrete elements are assessed, that control measures are implemented in accordance with the hierarchy of controls and that control measures are implemented to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) This CoP covers: (i) safe design; (ii) prefabrication and casting; (iii) handling, storage, transportation; and (iv) erection. (d) Pre-cast concrete elements not included in the scope of this CoP include concrete pipes, bridge beams and culverts. (e) In this CoP a pre-cast concrete element means a concrete panel or other pre-cast concrete element, made in either an on-site or off-site casting yard that is cast and then lifted into position to form part of a structure / building / services infrastructure, or part of a structure / building / services infrastructure. (f) In this CoP 'tilt-up' means: (i) an essentially flat pre-cast concrete panel cast in a horizontal position, usually on site; initially lifted by rotation about one edge until in a vertical or near vertical position, and (ii) transported and lifted into position if necessary; and then stabilized	Site Installation HSE,	Training records

41	Code of Practice CoP 53.0 – OHS Management during Construction Work Version 3.1 August 2019	3.1 Definitions 3.1.1 Construction Work (a) Construction Work includes: (i) work to erect, construct, extend, alter, convert, fit-out, commission, renovate, repair, refurbish, disassemble, demolish and/or decommission a structure / building / services infrastructure, or part of a structure / building / services infrastructure; or (ii) work connected with site preparation, earthworks, land reclamation, excavation, piling, provision of services infrastructure or landscaping for works mentioned in paragraph (1); or (iii) the assembly or installation of prefabricated components to form a structure / building / services infrastructure, or part of a structure / building / services infrastructure for work mentioned in paragraph (1); or (iv) the disassembly of prefabricated components for work mentioned in paragraph (1) that, immediately before the disassembly, formed a structure / building / services infrastructure or part of a structure / building / services infrastructure. (b) Construction Work is deemed complete when control, operation and possession of the workplace is officially returned to the developer / client through the contractual arrangement process. 3.1.2 Developer / Client for Construction Work (a) The developer / client for construction work is the person / entity who finances and/or commissions the construction work; and (i) may engage a project manager / client representative / supervising consultant to plan, manage and monitor the project / development on their behalf; and (ii) may appoint a principal contractor to manage, supervise and perform the construction work. 3.1.3 Project Manager / Client Representative / Supervising Consultant / Resident Engineer for Construction Work (a) The project manager / client representative / supervising consultant / resident engineer for construction work is the entity appointed by the developer / client to carry out the management, planning and monitoring of the construction work on behalf of the developer/client. (b) If the developer / client fails to appoint a project manager / client representative / supervising consultant /	Introduction (a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi. This CoP is designed to incorporate requirements set by Abu Dhabi Occupational Safety and Health Center (OSHAD) and Sector Regulatory Authorities in the Emirate of Abu Dhabi. (b) This CoP establishes the requirements and standards so that the risks associated with the activities of contractors on a construction site are assessed, and that control measures are implemented, in accordance with the hierarchy of controls, to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities. (c) This CoP provides specific management requirements for all persons/employers involved in construction work, as per the definition of "construction work" provided within OSHAD-SF – Glossary of Terms. (d) These requirements are in addition to those general requirements outlined within OSHAD-SF– Element 3 – Management of Contractors	Site Installation HSE,	Training records
42	Code of Practice CoP 54.0 – Waste Management Version 3.1 July 2019	3.1 Roles and Responsibilities 3.1.1 Employer (a) Employers shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.5. (b) Employers shall undertake appropriate risk assessment to ensure hazards from the generation, handling, segregation, recycling, storage, transportation and disposal of waste are identified and appropriate control measures are implemented as required by OSHAD-SF – Element 2 – Risk Management. 3.1.2 Employees (a) Employees shall undertake their roles and responsibilities in accordance with the general requirements of OSHAD-SF – Element 1 – Roles, Responsibilities and Self-Regulation Section 3.2.7. 3.1.3 Waste Classification (a) The identification and classification of different waste stream shall be based on: (i) the definition of waste stipulated in Law No. (21) of 2005 Concerning Waste Management in Abu Dhabi Emirate; (ii) the classification of hazardous wastes and medical wastes stipulated in Regulation Concerning Handling of Hazardous Substance, Hazardous Wastes and Medical Wastes under the Federal Law No. (24) of 1999; and (iii) waste classification guidelines by the Center for Waste Management – Abu Dhabi (CWM-AD). 3.1.4 Waste Generator (a) All effort shall be dedicated towards minimising waste generation at the source, by preventing the generation of waste and introducing source segregation. (b) The waste generator shall: (i) identify and classify the waste according to Section 3.1.3 of this CoP; (ii) segregate non-hazardous / hazardous / medical waste into appropriate recycling bins for non-hazardous wastes (glass, metal, plastics, paper, and cardboard), or special coded bins / containers for the hazardous waste; (iii) ensure all wastes are stored on site correctly to minimise adverse impact to environment and human health, as per the applicable regulations of the CWM-AD and relevant laws in the Emirates;	(a) This Code of Practice (CoP) applies to all employers within the Emirate of Abu Dhabi that generate waste, whether hazardous or non-hazardous. This CoP is designed to incorporate requirements set by OSHAD and Sector Regulatory Authorities (SRA's) in the Emirate of Abu Dhabi. (b) This CoP establishes the interim minimum requirements and standards for the handling and management of waste by entities so that the risks associated with the handling and disposal of waste are assessed, that control measures are implemented in accordance with the hierarchy of controls as per OSHAD-SF – Element 2 – Risk Management, and that control measures are taken to prevent pollution. (c) This CoP establishes the interim minimum requirements for the handling, transport and disposal of waste, including recording and collection of waste data, and use of waste transport manifests. (d) This CoP does not apply to : (i) wastes discharged to atmosphere in the form of gases, vapours, fumes, aerosols, dusts and particulates; (ii) radioactive wastes; and (iii) sewerage water or effluents released from the industries. (e) The waste transport interim requirements in this CoP do not apply in the following cases: (i) the transportation of waste in case of an emergency to protect human health, the environment or property; (ii) the transportation of waste for the purpose of waste categorization or in research, but only if this has been approved by the CWM-AD; (iii) the transportation of waste by pipeline; or (iv) the transportation of any residue of a substance in a container, if	Site Installation HSE,	Training records

43	GuidelineCode of Practice Electrical Safety at work OSHJ-Cop-05 Employer Supplied Accommodation OSHJ-GL-05	Roles and Responsibilities 4.1 Entity Responsibilities • Identify all foreseeable hazards, these hazards shall be recorded; • Ensure all foreseeable hazards are assessed and effective control measures implemented; • Develop, implement and maintain safe systems of work based on the results of the risk assessment; • Provide information, instruction, supervision and training to employees on the electrical systems they are using; • Ensure electrical systems are suitable for use, and for the purpose and conditions in which it is to be used; • Ensure employees are competent and have experience of the electrical system to be worked on; • Ensure electrical systems are maintained in a safe condition for use and as per the manufacturer's manual; • Provide emergency equipment, which is adequately maintained, inspected and available for the planned work activities; • Have an adequate emergency response procedure in place. 4.2 Employee Responsibilities • Not endanger themselves or others; • Follow precautionary control measures to ensure work activities associated with electrical safety are performed safely and without risk to health;	Introduction Electricity is at the heart of many modern technologies. Any use of electricity has the potential to result in personal injury or fatality as well as fire and explosion. This code of practice deals with electrical hazards in the workplace and the measures that can be taken to control them. 2 Purpose and Scope This Code of Practice (CoP) has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. This Code of Practice (CoP) defines the minimum acceptable requirements of the Occupational Safety and Health System in Sharjah, and entities can apply practices higher than, but not lower than those mentioned in this document, as they demonstrate the lowest acceptable level of compliance in the Emirate of Sharjah. This Code of Practice excludes portable electrical equipment; further information on this subject can be found in OSHJ-GL-08: Portable Power Tools. This Code of Practice excludes requirements for the construction of electrical systems; further information on this subject should be obtained from the Sharjah Electricity, Water and Gas Authority. 3 Definitions and Abbreviations Entities: Government Entities: Government departments, authorities or establishments and the like in the Emirate. Private Entities: Establishments, companies, enterprises and economic activities operating in the Emirate in general.	Site Installation HSE,	Training records
44	Guideline Employer Supplied Transport OSHJ-GL-06	Roles and Responsibilities 4.1 Entity Responsibilities ▯ Undertake risk assessments to identify all significant hazards, assess risks to employees safety and provide adequate control measures to reduce risk; ▯ Ensure employees who drive vehicles on UAE public roads receive safety information, instruction, supervision and training and are competent to drive safely and have a valid driving licence for the vehicle they drive; ▯ Ensure that all vehicles used for employee transportation are insured; ▯ Provide vehicles that are regularly maintained and safe to use; ▯ Ensure drivers are not intoxicated with any substance or medication that could impair decision making and/or the safety of others when driving; ▯ Provide resources to ensure the vehicles used to transport employees are fit for purpose. 4.2 Employee Responsibilities ▯ Not endanger themselves or others; ▯ Cooperate with the entity and receive safety information, instruction, supervision and training; ▯ Report any activity or defect relating to the provision of transport which they know is	Introduction Managing the transport of employees is important, not only for employee's wellbeing, it also makes good business sense as it also protects the entity and business profits. Effective management of employer supplied transport will not only reduce business costs, other benefits for the entity, include but not limited to: ▯ Protecting employees and other road users and reducing the number of transport related road injuries; ▯ Reducing disruption to work activities; ▯ Reducing potential damage to the reputation of the entity; ▯ Making the business more efficient by reducing vehicle expenses. The entity has a duty of care to look after employees being transported and to put in place suitable arrangements to manage their safety and health. This should be a practical approach and part of the everyday process of running an entity that practises good risk management. 2 Purpose and Scope This Guideline document has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. To achieve compliance in the Emirate of Sharjah, all entities are required to demonstrate a standard of compliance which is equal to or higher than the minimum acceptable requirements outlined in this Guideline document. Employer supplied transport can consist of the following, including but not limited to: ▯ Buses, mini-bus or coaches;	Site Installation HSE,	Training records

45	Guideline OSHJ-GL-07 Personal Protective Equipment	Roles and Responsibilities 4.1 Entity Responsibilities Assess PPE to ensure it is suitable for the hazards it is protecting the user from; Maintain and store PPE as per the manufacturer's manual;Provide PPE, at no cost to all employees who may be exposed to a risk to their safety and health within the workplace; Provide information, instruction, supervision and training on how to use PPE correctly; Ensure employees use PPE correctly; That PPE must meet the criteria of the UAE or any higher internationally recognised standard. 4.2 Employee Responsibilities Not endanger themselves or others; Cooperate with the entity and receive safety information, instruction, supervision and training and wear PPE where required; Report any activity or defect relating to the use of PPE which they know is likely to endanger the safety of themselves or that of any other person. 5 Guidelines The entity should regard PPE as the last resort to protect against risks to safety and health and only considered where the risk cannot be adequately controlled in other ways or where it provides additional protection from residual risk. Other controls and safe systems of work should be considered before PPE.	Introduction Personal Protective Equipment (PPE) is equipment that will protect the user against safety and health risks in the workplace. It can include items such as safety helmets, gloves, eye protection, high-visibility clothing, safety footwear and safety harnesses. 2 Purpose and Scope This Guideline document has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. To achieve compliance in the Emirate of Sharjah, all entities are required to demonstrate a standard of compliance which is equal to or higher than the minimum acceptable requirements outlined in this Guideline document. 3 Definitions and Abbreviations Entities: Government Entities: Government departments, authorities or establishments and the like in the Emirate. Private Entities: Establishments, companies, enterprises and economic activities operating in the Emirate in general. Risk: Is the combination of likelihood of the hazard causing the loss and the severity of that loss (consequences). Risk Assessment: The systematic identification of workplace hazards and evaluation of the risks associated. This process takes existing control measures into account and identifies and recommends further control measures where required.	Site Installation HSE,	Training records
46	Guideline Portable Power Tools OSHJ-GL-08	Roles and Responsibilities 4.1 Entity Responsibilities Provide portable power tools that are appropriate for the job; Ensure portable power tools are inspected and maintained as per the manufacturer's manual and in safe working condition;Identify all foreseeable risks for employees using portable power tools and ensure that adequate control measures are implemented; Ensure portable power tools shall only be used for the purpose for which they were designed; Ensure that employees receive information, instruction, supervision and training on the portable power tools they are using; Ensure safety devices provided with portable power tools are used as per the manufacturer's manual; Ensure that where required, employees use appropriate personal protective equipment. 4.2 Employee Responsibilities Not endanger themselves or others; Follow precautionary control measures to ensure work activities associated with the use of portable power tools are performed safely and without risk to health; Cooperate with the entity and receive safety information, instruction, training and supervision; Report any activity or defect relating to the use of portable power tools which they know is likely to endanger the safety of themselves or that of any other person. 5 Guidelines This guideline document provides safety measures for work conducted with portable power tools where potential hazards to employees exist, including but not limited to: Liquid fuel powered tools; Electrically powered tools; Compressed air tools; Powder actuated tools; Hydraulic power tools. The general principles where power tools are used, include but are not limited to:	Introduction The use of hand and power tools are common and are present in nearly every industry. These tools help to easily perform tasks that otherwise would be difficult or impossible. However, these simple tools can be hazardous and have the potential for causing severe injuries when used or maintained improperly. Adequate safety controls are necessary in order to reduce or eliminate hand and power tool hazards. 2 Purpose and Scope This Guideline document has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. To achieve compliance in the Emirate of Sharjah, all entities are required to demonstrate a standard of compliance which is equal to or higher than the minimum acceptable requirements outlined in this Guideline document. 3 Definitions and Abbreviations Entities: Government Entities: Government departments, authorities or establishments and the like in the Emirate. Private Entities: Establishments, companies, enterprises and economic activities operating in the Emirate in general. Risk: Is the combination of likelihood of the hazard causing the loss and the severity of that loss (consequences). Risk Assessment: The systematic identification of workplace hazards and evaluation of the risks associated. This process takes existing control measures into	Site Installation HSE,	Training records

47	Guideline Safety in Heat OSHJ-GL-15	Responsibilities 4.1 Entity Responsibilities Undertake a safety in heat risk assessment, identify heat hazards, employees at risk and introduce control measures; Have an effective safety in heat plan; Ensure potable drinking water is available to employees at all times; Ensure cooling/ventilated rest areas are provided on sites; Ensure employees are acclimatised to hot working environments; Provide suitable lightweight clothing for employees working in hot environments; Provide information, instruction, supervision and training to managers, supervisors, employees and first-aiders on the safety in heat arrangements at the workplace; Provide resources for the implementation of safety in heat requirements; Provide immediate access to medical attention for employees suspected of heat illness; Have a system for employees to report heat related illness; Enforce the requirements for a midday break during summer months for employees working outside, which is supported and enforced by The Ministry of Human Resources and Emiratisation (MOHRE). 4.2 Employee Responsibilities Not endanger themselves or others; Follow precautionary control measures to ensure work activities conducted in heat are performed safely and without risk to health; Cooperate with the entity and receive information, instruction, supervision and training; Report any activity or defect which they know is likely to endanger the safety of themselves or that of any other person.	Introduction The Emirate of Sharjah has a hot desert climate with extremely hot humid summers and working in heat can involve adverse work conditions. This is of concern to entities because of the potential effects of heat related illness on employees. Work involving excessive heat exposure is a serious occupational safety and health (OSH) hazard, which can lead to a range of health problems from dehydration to life threatening conditions. 2 Purpose and Scope This Guideline document has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. To achieve compliance in the Emirate of Sharjah, all entities are required to demonstrate a standard of compliance which is equal to or higher than the minimum acceptable requirements outlined in this Guideline document.	Site Installation HSE,	Training records
48	Guideline Permit to Work OSHJ-GL-16	Responsibilities 4.1 Entity Responsibilities Ensure a permit-to-work system is developed and implemented; Ensure clear roles and responsibilities are identified for all employees involved in the permit-to-work system; Appoint a competent person to control the permit-to-work system; Ensure employees are aware of the permit-to-work system and trained in its operation; Ensure that the information within the permit is explained in the language understood by the work party; Monitor the permit-to-work system to ensure that it is effective and correctly applied; Ensure resources are provided to enable the permit-to-work system to be properly implemented, supervised and monitored. 4.2 Employee Responsibilities Not endanger themselves or others; Follow precautionary control measures to ensure work activities are performed safely and without risk to health; Cooperate with the entity and receive safety information, instruction, supervision and training; Report any activity or defect relating to the use of permit to work which they know is likely to endanger the safety of themselves or that of any other person. 5 Guidelines The entity should consider a permit-to-work system whenever the entity intends to carry out work which may adversely affect the safety and health of employees. Essential features of permit-to-work system, include: Clear identification of who authorises specific work activities and any limits to their authority, and who is responsible for specifying the necessary precautions; Clear identification of to whom the permit is issued, names not job roles/positions; Training and instruction in the issue, use and closure of permits for people involved; Monitoring and auditing to ensure that the system works as intended;	Introduction A permit-to-work system is defined as a formal recorded process used to control work activities that have been identified as potentially hazardous. It is also a means of communication between management, supervisors and operators and those who carry out the hazardous work. A permit-to-work system aims to ensure that adequate consideration is given to the risks of a particular work activity or simultaneous work activities in the workplace. The permit is a detailed document which authorises certain employees to carry out specific work activities at a specific workplace at a certain time, and which sets out the precautions needed to complete the work activities safely. 2 Purpose and Scope This Guideline document has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. To achieve compliance in the Emirate of Sharjah, all entities are required to demonstrate a standard of compliance which is equal to or higher than the minimum acceptable requirements outlined in this Guideline document.	Site Installation HSE,	Training records

49	Code of Practice Incident Reporting and Investigation OSHJ-Cop-17	Responsibilities 4.1 Entity Responsibilities ▯ Establish procedures for the reporting and investigating of incidents; ▯ Encourage employees to report incidents; ▯ Adequately investigate all incidents; ▯ Notify SPSA of any reportable incidents and where required to other relevant authorities; ▯ Record all incidents internally and provide information and details of all recordable incidents to SPSA periodically; ▯ Provide adequate resources to investigate all incidents; ▯ Provide employees with information, instruction, supervision and training on incident reporting and investigation; ▯ Action the findings of investigations. 4.2 Employee Responsibilities ▯ Not endanger themselves or others; ▯ Cooperate with the entity during incident investigations; ▯ Cooperate with the entity and receive safety information, instruction, supervision and training; ▯ Report any activity or defect which they know is likely to endanger the safety of themselves or that of any other person. 5 Requirements The entity must comply with the requirements of the Occupational Safety and Health System in Sharjah when it comes to incident reporting and investigation. There are two distinct types of reporting that the entity must comply with: ▯ Incidents Reportable to SPSA – The entity must report certain incidents to SPSA; ▯ Internal Reporting of Incidents – The entity must have a system in place for employees and others to report all safety and health incidents internally within the entity. The entity must keep record of all these incidents internally. Information on all incidents must be reported periodically to SPSA as part of entity OSH performance reporting.	Introduction Reporting incidents is an important part of an effective safety and health system. It can help to identify work related safety and health hazards and risks. The purpose of reporting is to identify the causes of incidents, appropriate controls can then be put in place to prevent re-occurrence. The entity shall investigate all incidents with the aim of identifying root causes, evaluating findings and implementing corrective actions. Incident investigation is a fact finding process to identify root cause(s) and correcting them, it is not a fault finding process to blame employees. Outcomes from reporting and investigating incidents is to prevent injury and ill health in the workplace and improve overall risk management. 2 Purpose and Scope This Code of Practice (CoP) has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. This Code of Practice (CoP) defines the minimum acceptable requirements of the Occupational Safety and Health System in Sharjah, and entities can apply practices higher than, but not lower than those mentioned in this document, as they demonstrate the lowest acceptable level of compliance in the Emirate of Sharjah.	Site Installation HSE,	Training records
50	Code of Practice Emergency Preparedness and Response OSHJ-Cop-18	Responsibilities 4.1 Entity Responsibilities ▯ Ensure emergency plans are prepared for the workplace; ▯ Ensure emergency procedures include an effective response to an emergency; ▯ Ensure evacuation procedures are in place for all workplace locations; ▯ Review emergency procedures periodically and when there are changes in processes; ▯ Provide information, instruction, supervision and training to employees as part of the implementation of emergency procedures. ▯ Adequate resources are provided for the development, implementation and maintenance of the emergency plan and for any equipment and personnel required to support the plan. 4.2 Employee Responsibilities ▯ Not endanger themselves or others; ▯ Cooperate with the entity and receive instructions during emergencies and familiarise themselves with emergency procedures; ▯ Cooperate with the entity and receive safety information, instruction, supervision and training; ▯ Report any activity or defect which they know is likely to endanger the safety of themselves or that of any other person. 5 Requirements Emergency preparedness are the actions performed before an emergency. This can include planning and coordination meetings, writing emergency procedures, training employees, conducting emergency drills and exercises and ensuring emergency equipment is available, maintained and ready to use. By preparing for emergencies, the entity will be able to respond effectively to reduce the impact to employees, others, property and the environment. Emergency response are the actions taken after an emergency occurs. This can include emergency communications, sounding an alarm, coordination of emergency response	Introduction An important part of any safety and health programme is having the provision of a workplace specific emergency plan. Emergency preparedness and response aims to minimise the effect of an incident both inside and outside of the workplace. It requires the prompt application of defined procedures by the entity and employees, with adequate training and resources. For this to happen, plans and procedures specific to the work activities conducted in the workplace must have been developed, documented and tested prior to the occurrence of an emergency. An emergency plan should aim to prevent, limit and manage the effects of the consequences on people, environment and property. 2 Purpose and Scope This Code of Practice (CoP) has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. This Code of Practice (CoP) defines the minimum acceptable requirements of the Occupational Safety and Health System in Sharjah, and entities can apply practices higher than, but not lower than those mentioned in this document, as they demonstrate the lowest acceptable level of compliance in the Emirate of Sharjah.	Site Installation HSE,	Training records

	Code of Practice Waste Management OSHJ-Cop-19	Roles and Responsibilities 4.1 Entity Responsibilities Identify all reasonably foreseeable hazards involving waste management, these hazards shall be adequately risk assessed; Ensure effective procedures are in place to manage employees working with waste; Ensure that resources are available to implement adequate control measures required for waste management activities; Provide information, instruction, supervision and training to employees on the hazards of waste; Ensure that waste handling, segregation and storage is conducted by competent employees; Ensure that health issues related to waste management are identified and adequately managed; Ensure that arrangements are established for monitoring compliance with relevant authorities; Waste collection, transportation and disposal is only conducted by a waste collection and transportation entity that is licenced by the relevant authority. 4.2 Employee Responsibilities Not endanger themselves or others; Follow precautionary control measures to ensure work activities associated with waste managements are performed safely and without risk to health; Cooperate with the entity and receive safety information, instruction, supervision and training; Report any activity or defect relating to waste management which they know is likely to endanger the safety of themselves or that of any other person. 5 Requirements The entity has mandatory requirements for waste management and the disposal of waste should comply with the requirements of the relevant authorities. The entity shall ensure that a waste management process is developed based on the main principles of waste management, which include: Prevent – Do not generate waste; Reduce – Generate less waste by better management and material substitution; Reuse – Reuse in its original form;	Introduction The growing world population is causing negative impacts on the planet. The current model of production and consumption generates a lot of waste that, in many cases does not get reused or recycled. Improper handling of waste is a health hazard for employees and others who come into contact with waste. The environment is also affected when waste is not treated properly, decomposition and putrefaction may take place, causing land and water pollution when the waste products filter down into underground water resources. Waste management includes the activities and actions required to manage waste from its inception to its final disposal. This includes the generation, segregation, storage, collection, transport, processing and disposal of waste, together with monitoring and the regulation of the waste management process. 2 Purpose and Scope This Code of Practice (CoP) has been developed to provide information to entities to assist them in complying with the requirements of the Occupational Safety and Health System in Sharjah. This Code of Practice (CoP) defines the minimum acceptable requirements of the Occupational Safety and Health System in Sharjah, and entities can apply practices higher than, but not lower than those mentioned in this document, as they demonstrate the lowest acceptable level of compliance in the Emirate of Sharjah. This Code of Practice does not apply to: Radioactive waste; Waste discharged into the atmosphere; Sewage discharged into the sewage system.	Site Installation HSE,	Training records

PREPARED BY: NAZEER KADHAR SIGN

REVIEWED BY: PERUMAL PAUL SIGN

APPROVED BY: AKRAM SIGN

DATE: 12/04/2026