DEFENDER

Defender OCTA 4,4 litre V8 635PS Turbocharged Petrol (Automatic) All Wheel Drive



EXTERIOR



EXTERIOR 3

EXTERIOR FEATURES

Colours	Petra Copper
Colour Finish	Matte Protective Film
Roof Colour	Black contrast roof
Glass	Clear glass
Bonnet Type	Body-coloured bonnet
Towing	Electrically deployable tow bar
Wheels	22" Style 7026, Diamond Turned wheels with Gloss Black contrast
Tyres	All-season tyres

INTERIOR



INTERIOR 5

INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Light Cloud/Lunar perforated Ultrafabrics™ seats with Light Cloud/Lunar interior
Finishers	Light Cloud Finisher
Powder cross beam	Cross car beam in Metallic Grey Powder Coat finish
Interior upgrades	Signature Interior Upgrade
Headlining	Light Cloud suedecloth headlining

ROOF TYPE

Sliding panoramic roof	A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric
	sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails	Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum
	position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic (with interior storage)

Defender's signature graphic demonstrating its strength and proportions. Also includes interior storage.

CONSOLE CONFIGURATION

Front centre console refrigerator compartment

Defender's seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY 14-way heated and cooled electric memory performance front seats **REAR SEAT OPTIONS** 40:20:40 folding, heated rear seats with centre armrest STEERING WHEEL Performance non-leather steering wheel **GEARSHIFT** Resist gearshift **INFOTAINMENT** With Wi-Fi Enabled with data plan*, you'll be able to keep in touch with friends and family, and keep everyone entertained with video Wi-Fi Enabled with Data Plan streaming. Even when you are on the road less travelled. Wi-Fi uses the external antenna for the best possible connection. *Fair use policy applies. Standard 1 year subscription. **SAFETY AND SECURITY** Intrusion sensor The Intrusion Sensor offers enhanced theft-protection, using ultrasonic sensors to detect any intrusion into the cabin area when the

vehicle is locked.

	When the alarm is activated, the car emits an acoustic warning and the hazard warning lights are automatically switched on.	
Locking wheel nuts	Protect your wheels with custom designed high-security Chrome locking wheel nuts.	
Secure Tracker Pro	Integrates authentication technology into the key fob. An alert will be sent within minutes to the Stolen Vehicle Tracking Centre if your car is stolen with non authorised keys. Includes service subscription for the warranty period.	
WHEEL LOCK		
Spare wheel lock	-	
SPARE WHEELS		
22" full size spare wheel	Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.	
TOUCHSCREENS		
11.4" Touchscreen	-	
OPTION DISPLAY		
Interactive Driver Display	The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.	

ACCESSORIES

EXTERIOR STYLING

Black Fixed Side Steps

Fixed side steps are a popular upgrade choice, assisting access into and exit from the vehicle, as well as providing a rugged, off-road style to the vehicle.

EXTERIOR PROTECTION

OCTA Mud Flaps

Mudflaps are a popular upgrade that reduce spray and enhance the level of protection to the paintwork from debris and dirt whilst complementing the vehicle's exterior design. With split line detail, these mudlflaps feature both Narvik gloss black and grained matt black finishes. OCTA Mud Flaps includes:

OCTA Front Mud Flaps OCTA Rear Mud Flaps

CARRYING ACCESSORIES

Black Deployable Roof Ladder

Exclusive to Land Rover Defender, the deployable roof ladder is a key innovative and stylish interpretation of the traditional Land Rover Defender accessory. Designed to enhance the vehicle's exterior style, it has been optimised to minimise wind noise and has a unique, two stage deployment to ensure a compact size when stowed. Mounting to fixings in the body side and roof, it maximise roof accessibility. The roof ladder is lockable when in the stowed position to ensure it is secure. The ladder has anodised aluminium steps with black, powder-coated aluminium sides, set in a high-quality, durable plastic with an Anthracite coloured finish frame. For additional durability the top and bottom steps are manufactured from steel and the rubber coated steps help to improve grip. The maximum weight capacity of the ladder is 150kg, sufficient for a person carrying equipment to the roof.

Roof rails required for fitment. The ladder will fit to both sides of the vehicle, however if the vehicle is already fitted with the exterior side-mounted gear carrier, it can only fitted on left hand side. Compatible with all roof carrying accessories.

Speak to retailer for availability.

Gloss Black Exterior Side-Mounted Gear Carrier

Exclusive to Land Rover, the exterior side-mounted gear carrier provides easy to access storage on the outside the vehicle. Designed for aerodynamic performance and to minimise wind noise, it is material tested to ensure it can withstand harsh environments. It is also compatible with the radio antenna, however metallic objects inside the gear carrier may affect radio performance. This exterior carrier is lockable, waterproof and is perfect for carrying walking boots, wetsuits or other items that you may prefer not to carry inside your vehicle. It has a stay to hold the lid safely open when loading or unloading. An interior net ensures that contents remain secure when in transit and is contained when opening the lid. It also has a rubber stopper in the base to facilitate cleaning and drainage. Finished in Gloss Black with a Land Rover badge, it has a capacity of 24 litres with a maximum carrying capacity of 17kg.

11

ACCESSORIES 12

INTERIOR

Loadspace Rubber Mat	The loadspace synthetic rubber mat is a waterproof mat, tailored specifically to protect the rear loadspace from muddy or wet items. The mat is Land Rover branded, has a non-slip surface, retaining lip and is easily removed for cleaning. The mat also has a very useful bumper protector, which protects the bumper from scuffs and scratches while loading and unloading the vehicle. The liner can be stowed under the mat or detached when not in use.
Integrated Air Compressor	The integrated air compressor can be used to both inflate and deflate to pre-set defined pressures. Designed for adjusting tyre pressures as well as to inflate bicycle tyres with Schrader valves, air beds and other inflatable items such as the inflatable waterproof awning. Permanently integrated into the loadspace, and with an Eiger Grey finish it complements other loadspace trim features, with minimal impact on storage space. The hose is extendable to reach all tyres easily and comes in a highly visible, bright orange finish to minimise trip hazards in low light. The easy to use dial and digital display can be set to required pressure and includes three nozzles attachments to suit a variety of applications. The hose is 5m, self-coiling and is provided in a Land Rover branded, hard wearing 600D nylon black bag with a zipped opening and carry handle for convenient storage. It also has a carabiner for secure storage to a 'D' loop.
Portable Rinse System	Designed to be used outside the vehicle, the portable rinse system provides a convenient solution for rinsing outdoor equipment such as muddy boots, bikes and wetsuits before loading. Depending on the setting selected, this portable rinse system will deliver a minimum of two minutes of continuous water flow through a shower hose style attachment. Without the need for batteries or external power, the system utilises pressure captured when filling from a tap, and an integrated hand pump allows the user to pressurise if filling the water tank away from home. Featuring a Land Rover branded cover and handle, with an additional stowage bag it can be secured to the loadspace 'D' loops during transit.

WINCH ACCESSORIES

OCTA Winch Mounting Kit	The winch mounting kit is required for fitment of the remote control electric winch and includes remote control electric winch, winch cradle, Zircotec black winch cover and crush cans.
-------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Accessories are dealer fit options and exclusive of labour costs.

EXTERIOR FEATURES

Satin Moonlight Exterior Pack	Satin Moonlight front and rear lower bumper	Gloss Black upper and lower grille
Satin Moonlight and Phosphor Bronze Defender badging	Black contrast tail door	Black brake calipers
Privacy glass	Heated windscreen	Heated washer jets
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)	Brake pad wear indicator
Emergency Brake Assist	Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)
Electric windows with one-touch open/close and anti-trap	Heated rear window with timer	Rear wash wiper
Alpine lights	Side-hinged tailgate	Automatic Headlight Levelling
Darkened tail lights	Solar attenuating windscreen	Satin Black exhaust finisher
OCTA badge	Soft close tail door	Graphite front undershield
Front Fog Lights		

EXTERIOR LIGHTING

Headlight power wash	Centre high-mounted stop light	Puddle lights
Automatic headlights and rain sensing wipers	Rear fog lights	Follow me home lighting

INTERIOR FEATURES

Sunvisors with illuminated vanity mirrors	Bright metal pedals	Configurable Cabin Lighting
Loadspace cover	Loadspace partition net	Rear centre headrest
Durable rubber cabin flooring	Durable rubber loadspace flooring	Footwell lights
Rear reading lights	Twin front cupholders	Glovebox storage
Hooks in loadspace	Illuminated metal treadplates with Defender script	Semi-Aniline leather and Kvadrat™ Seats
Edge Illuminated Paddle Shifters	Signature carpet mats	Body and Soul Seat
Three-zone Climate Control with Rear Cooling Assist	Air Quality Sensor	Cabin Air Purification Plus
Heated steering wheel	Electrically adjustable steering column	

INFOTAINMENT

Online Pack with Data Plan	Meridian™ Surround Sound System	Digital Audio Broadcast (DAB) radio
Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)	12V power socket in loadspace
Pivi Pro	Head-up Display	

CONVENIENCE

Domestic plug socket	ClearSight interior rear view mirror	Keyless Entry
Wireless device charging	Garage Door Opener (HomeLink®)	Remote

TOWING

Phosphor Bronze exposed rear recovery eyes Advanced Tow Assist Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Secure Tracker (12-month subscription) Front passenger seat ISOFIX Rear ISOFIX

6D Dynamics

Perimetric alarm Customer Configurable Autolock Power operated child locks

Seat belt reminder Push Button Start Front airbags, with passenger seat occupant detector

Tyre Pressure Monitoring System (TPMS)

TRANSMISSION AND DYNAMICS

All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)	Electronic Active Differential with Torque Vectoring by Braking
Terrain Response 2 with Dynamic Program	All Terrain Progress Control (ATPC)	8-speed Automatic Transmission
Hill Launch Assist	Electric Power Assisted Steering (EPAS)	Dynamic Stability Control (DSC)
Low traction launch	Electronic Traction Control (ETC)	Roll Stability Control (RSC)
Cornering Brake Control (CBC)	Hill Descent Control (HDC)	Brake Hold

Configurable Programs

DRIVER ASSISTANCE

Emergency Braking Blind Spot Assist 3D Surround Camera

Adaptive Cruise Control Lane Keep Assist 360° Parking Aid

Rear Collision Monitor Rear Traffic Monitor Traffic Sign Recognition and Adaptive Speed Limiter

Driver Condition monitor

WHEEL AND TYRE OPTIONS

Full size spare wheel

Wade Sensing

Technical specifications

750

3.500

150

6.730

100 ▼ ▼

Technical specifications

PERFORMANCE		TOWING
Maximum speed km/h (mph)	250 (155)	Unbraked trailer (kg)
Acceleration (secs) 0-100 km/h (0-60mph)	4,0 (3,8)	Maximum towing (kg)
		Maximum coupling point (nose weight) (kg)
FUEL ECONOMY		Maximum vehicle and trailer combination
Combined WLTP Consumption - I/100km (mpg)	13,0 - 13,9 (21,7 - 20,4)††	(GTW) (kg)
Combined WLTP CO ₂ Emissions - g/km	294 - 314††	ROOF CARRYING

90

POWERTRAIN

Tank capacity (litres approx.)

Capacity (cc)	4.395
Maximum power (PS/kW/rpm)	635 / 467 / 5.855 - 7.000
Maximum torque (Nm/rpm)	750 / 1.800 - 5.855
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2.585 (5 Seat)
Unladen weight (DIN) (kg)	2.510 (5 Seat)
Gross Vehicle Weight (GVW) (kg)	3.230 (5 Seat)

DIMENSIONS

(kg)

Maximum roof load (including cross bars)

Height (mm)	1.995 (Air Suspension)
Length (mm)	4.813 (Without spare wheel) 5.003 (With spare wheel)
Width with mirrors folded (mm)	2.064
Width with mirrors out (mm)	2.105
Front wheel track (mm)	1.773 (Air Suspension)
Rear wheel track (mm)	1.770 (Air Suspension)
Wheelbase (mm)	3.023

Technical specifications

HEADROOM		LOADSPACE CAPACITY	
Maximum first row / second row / third row headroom with standard roof (mm)	1.032 / 1.025 / NA	Length behind third row (mm)	-
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1.032 / 1.025 / NA	Maximum loadspace volume behind third row - Dry (litres)	-
		Maximum loadspace volume behind third row - Wet (litres)	-
LEGROOM			
Maximum first row / second row / third row legroom (mm)	993 / 975 / NA	GROUND CLEARANCE - STANDAR	D
		Ride height (mm)	250 (246 at Rear Axle) (Air suspension)
LOADSPACE CAPACITY		Approach Angle	33,0° (Air suspension)
Height (mm)	904	Departure Angle	38,2° (Air suspension)
Width (mm)	1.211	Ramp Angle	22,9° (Air suspension)
Width between arches (mm)	1.160		_
Length behind first row (mm)	1.763	GROUND CLEARANCE - OFF ROAI	
Maximum loadspace volume behind first row	1.875�	Ride height (mm)	323 (Air Suspension)
- Dry (litres)		Approach Angle	40,2° (Air suspension) \triangledown
Maximum loadspace volume behind first row - Wet (litres)	2.277◆	Departure Angle	42,8° (Air suspension) ▽
Length behind second row (mm)	919	Ramp Angle	29,0° (Air suspension)
Maximum loadspace volume behind second row - Dry (litres)	786≎	WADING DEPTH	
Maximum loadspace volume behind second row - Wet (litres)	972◆	Maximum wading depth (mm)	1.000 (Air suspension)

TURNING CIRCLE

Kerb-to-kerb (m)	12,84
Wall-to-wall (m)	13,14
Turns lock-to-lock (no. of turns)	2,39

*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available.

\$\pm\$Max speed is 209km/h (130mph) when fitted with 22" wheels.

♦ Max speed is 191km/h (119mph) when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

- ▲ Includes full fluids and 90% fuel.
- ♦ Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.
- ◆Behind row 1 figures for Hard Top relates to behind loadspace partition.
- ♦Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.
- ♦Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.
- ▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.
- ∇ With towing eye cover removed.
- ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

- COOKIE AND PRIVACY POLICY
- TERMS AND CONDITIONS
- CONTACT US
- SELECT A COUNTRY
- SITE DISCLAIMER
- ACCESSIBILITY STATEMENT

© Jaguar Land Rover Limited 2024: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years.

