

Extending Customer Profile Designer

Create Data Type: ABC

Add Below Properties: FirstName, LastName, Age

Primary Key: CustomerID

Add Data Type

☒ New Data Type

☐ Existing Data Type

Label*

ABC

Description*

ABC

Advanced

Parent class

CBA-RTIM-Data

Identifier: CBA-RTIM-Data-ABC [Edit](#)

Application layer

- ☒ RTIM
- ☐ StrategyFW_RTIM
- ☐ Pega DevOps Foundation
- ☐ 1:1 Financial Services Data Model
- ☐ Pega Customer Decision Hub
- ☐ PegaCDH_Core
- ☐ PegaCDH Framework PreRequisites
- ☐ UI Kit
- ☐ PegaDM
- ☐ Pega Promoter Survey FrameWork, on PRPC
- ☐ PDCClient
- ☐ Pega Platform

Add to ruleset *

RTIM-Rules

Click on submit

Data Type: ABC

CL CBA-RTIM-Data-ABC ▼ RS RTIM-Rules

Actions ▼ Save X

Data Model Usage Sources Records Views Test cases Settings

Search... Q

☐ Show system fields

View data model

Add Field

Name	ID	Type	Options	Application Layer
No Data Found				

Click on Add fields

Data Type: ABC

CL CBA-RTIM-Data-ABC ▼ RS RTIM-Rules

Actions ▼ Save X

Data Model

Usage

Sources

Records

Views

Test cases

Settings

Search... Q

☐ Show system fields

[View data model](#)

[Add Field](#)

Name	ID	Type	Options	Application Layer	
FirstName	FirstName	Text (single line)		RTIM	 
LastName	LastName	Text (single line)		RTIM	 
Age	Age	Integer		RTIM	 

Go to Records

Data Type: ABC

CL CBA-RTIM-Data-ABC ▼ RS RTIM-Rules

Actions ▼ Save X

Data Model

Usage

Sources

Records

Views

Test cases

Settings

Source


Local data storage ▼

This source has not been configured for use with the record editor.


[Configure source](#)

Click on configure sources

Click on submit



Create Data Set under ABC class



Data Model > Create > Select Data Set

EV STUDIO Application: RTIM Configure PreferredChannel DEVELOPM

9 Applications
Classes Branches
CBA-RTIM-Data-ABC
CBA-RTIM-Data-ABC
Data Model
Reports
SysAdmin
Pinned Classes
You have no pinned Classes
Edit

Create Data Set Create and open Cancel

Data Set Record Configuration

Label* Describe the purpose for this new record
A short description or title for this record
Identifier To be determined

Type* Database Table

Context

☒ RTIM
☐ StrategyFW_RTIM
☐ Pega DevOps Foundation
☐ 1:1 Financial Services Data Model
☐ Pega Customer Decision Hub
☐ PegaCDH_Core

Apply to* CBA-RTIM-Data-ABC View all
Add to ruleset* RTIM-Rules
01-01-01

Create Data Set Create and open Cancel

Data Set Record Configuration

Label* ABC
A short description or title for this record
Identifier ABC Edit

Type* Database Table

Context

☒ RTIM
☐ StrategyFW_RTIM
☐ Pega DevOps Foundation
☐ 1:1 Financial Services Data Model
☐ Pega Customer Decision Hub

Apply to* CBA-RTIM-Data-ABC View all
Add to ruleset* RTIM-Rules
01-01-01

Click on create and open

HomeNew

Edit Data set: ABC [Available]

CL CBA-RTIM-Data-ABCID ABCRS RTIM-Rules:01-01-01

ActionsSave

Database tableHistory

Database table

Table namepr_cba_rtim_data_abc

Database typeRDBMS

Selectable keys

Define one or more properties to query data set. To achieve good query performance, make sure to use properties mapped to an indexed database column.

Add key

.CustomerID

Partitioning key

Activate Windows

Add one more key

HomeNew

Edit Data set: ABC [Available]

CL CBA-RTIM-Data-ABCID ABCRS RTIM-Rules:01-01-01

ActionsSave

Database tableHistory

Database table

Table namepr_cba_rtim_data_abc

Database typeRDBMS

Selectable keys

Define one or more properties to query data set. To achieve good query performance, make sure to use properties mapped to an indexed database column.

Add key

.CustomerID

.FirstName

Partitioning key

Activate Windows

Save

Open CDH Portal

Left Navigation > Data > Click on Customer Profile Source

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

+

Profile Data Sources

Refresh

Add

Data sets

Data flows

Summaries

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Name	Source type	Data type	Context	Fields
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary	98
Interaction History	Stream	Event data	Cannot be associated	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Click on Add > Select DataSet

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

Profile Data Sources

Add

Data sets Data flows Summaries

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Name	Source type	Data type	Context	Fields
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary	98
Interaction History	Stream	Event data	Cannot be associated	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Activate Windows

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

Profile Data Sources

Add

Data sets Data flows Summaries

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Add data set

Select or create a data set to be added as profile data source.

☒ Select existing data set


☐ Create new data set

Next


Name	Source type	Data type	Context	Fields
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary	98
Interaction History	Stream	Event data	Cannot be associated	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Activate Windows

Select existing Dataset and next



Select our dataset name



Click on Add

Profile Data Sources

[Data sets](#) [Data flows](#) [Summaries](#)

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Name	Source type	Data type	Context	Fields
ABC	Database Table	Static data	Not associated	13
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary ?	98
Interaction History	Stream	Event data	Cannot be associated ?	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Activate Windows
Go to Settings to activate Windows.

Add Profile Designer

Left Navigation > Data > Click on Profile Designer

PEGA Customer Decision Hub

Search

RTIM **DEVELOPMENT**

Profile Designer

RTIM-Rules: 01-01-01
Edited 4 hours ago by System Admin

[Edit](#) [Actions](#)

[Data associations](#) [Data dictionary](#)

Associate data sources with a context to define the data structure of the customer profile. Fields in the customer profile can be used in Next-Best-Action Designer, except aggregates in summaries based on Interaction History.
[Learn more](#)

Account
Data source
[Account](#)

Associated data	Type	Fields
No data associated yet		

Customer (Primary)
Data source
[Customer](#)

Activate Windows
Go to Settings to activate Windows.

Click on Edit

Profile Designer

RTIM-Rules: 01-01-01
Edited less than a minute from now by System Admin

Save

Cancel

Actions

Customer (Primary)

Data source
Customer

Associated data	Type	Fields
AccountsJoin	Data set	70
Outbound Contacts By Period	Summary	7
Offer Outcome Count	Summary	8
IH	Summary	8
IH Detailed Outcomes RTIM	Summary	23
OfferDS	Data set	15
ABC	Data set	13

+ Add associated data

Activate Windows
Go to Settings to activate Windows.

Save

Backend Rules Generated

1. Page List

Home

Property

ABC

Property: ABC [Available]

CL CBA-RTIM-Data-Customer

ID ABC

RS RTIM-Rules:01-01-01

Save as

Delete

Actions

Check out

General

Advanced

Specifications

History

Property type

Page List

Page definition *

CBA-RTIM-Data-ABC

Data access

☒ Manual

☐ Refer to a data page

☐ Copy data from a data page

At run time, the user adds data to this property through the UI. Data transforms and other rules may be required to support this workflow.

2. Associations

Home Property ABC Association ABC

Association: ABC [Available]

CL CBA-RTIM-Data-Customer ID ABC RS RTIM-Rules:01-01-01

Save as Delete Actions Check out

Data Access Pages & Classes Specifications History

Class association

Class name

CBA-RTIM-Data-ABC

Class join


Prefix	Class name	Type
ABC	CBA-RTIM-Data-ABC	Only include matching rows

Edit conditions

+ Add class join

Activate Windows
Go to Settings to activate Windows.

3. Data flow



4. Context Dictionary

APP STUDIO Application : RTIM Preview

Context Dictionary Ruleset: [RTIM-Rules](#)

Last generated into: RTIM-Rules:01-01-01

Next change will save into: 01-01-01

[Add context](#) [Change primary](#)

Account

PRIMARY CONTEXT

Customer

Associated data

- [Accountsjoin](#)
- [OfferDS](#)
- [ABC](#)

Active