

Extending Customer Profile Designer

Create Data Type: ABC

Add Below Properties: FirstName, LastName, Age

Primary Key: CustomerID

Add Data Type



☒ New Data Type ☐ Existing Data Type

Label *

ABC

Description *

ABC

▼ Advanced

Parent class

CBA-RTIM-Data

Identifier: CBA-RTIM-Data-ABC [Edit](#)

Application layer

- ☒ RTIM
- ☐ StrategyFW_RTIM
- ☐ Pega DevOps Foundation
- ☐ 1:1 Financial Services Data Model
- ☐ Pega Customer Decision Hub
- ☐ PegaCDH_Core
- ☐ PegaCDH Framework PreRequisites
- ☐ UI Kit
- ☐ PegaDM
- ☐ Pega Promoter Survey FrameWork, on PRPC
- ☐ PDCClient
- ☐ Pega Platform

Add to ruleset *

RTIM-Rules

Click on submit

Data Type: ABC

CL CBA-RTIM-Data-ABC **RS** RTIM-Rules

Actions **Save** **X**

[Data Model](#) [Usage](#) [Sources](#) [Records](#) [Views](#) [Test cases](#) [Settings](#)

☐ Show system fields [View data model](#) [Add Field](#)

Name	ID	Type	Options	Application Layer
No Data Found				

Click on Add fields

Data Type: ABC

CL CBA-RTIM-Data-ABC ▼ RS RTIM-Rules

Actions ▼ Save X

Data Model

Usage

Sources

Records

Views

Test cases

Settings

Search... Q

☐ Show system fields

[View data model](#)

[Add Field](#)

Name	ID	Type	Options	Application Layer	
FirstName	FirstName	Text (single line)		RTIM	 
LastName	LastName	Text (single line)		RTIM	 
Age	Age	Integer		RTIM	 

Go to Records

Data Type: ABC

CL CBA-RTIM-Data-ABC ▼ RS RTIM-Rules

Actions ▼ Save X

Data Model

Usage

Sources

Records

Views

Test cases

Settings

Source


Local data storage ▼

This source has not been configured for use with the record editor.


[Configure source](#)

Click on configure sources

Click on submit



Create Data Set under ABC class



Data Model > Create > Select Data Set

EV STUDIO Application: RTIM Configure PreferredChannel DEVELOPM

9 Applications
Classes Branches
CBA-RTIM-Data-ABC
CBA-RTIM-Data-ABC
Data Model
Reports
SysAdmin
Pinned Classes
You have no pinned Classes
Edit

Create Data Set Create and open Cancel

Data Set Record Configuration

Label* Describe the purpose for this new record
A short description or title for this record
Identifier To be determined

Type* Database Table

Context

☒ RTIM
☐ StrategyFW_RTIM
☐ Pega DevOps Foundation
☐ 1:1 Financial Services Data Model
☐ Pega Customer Decision Hub
☐ PegaCDH_Core

Apply to* CBA-RTIM-Data-ABC View all
Add to ruleset* RTIM-Rules
01-01-01

Create Data Set Create and open Cancel

Data Set Record Configuration

Label* ABC
A short description or title for this record
Identifier ABC Edit

Type* Database Table

Context

☒ RTIM
☐ StrategyFW_RTIM
☐ Pega DevOps Foundation
☐ 1:1 Financial Services Data Model
☐ Pega Customer Decision Hub

Apply to* CBA-RTIM-Data-ABC View all
Add to ruleset* RTIM-Rules
01-01-01

Click on create and open

HomeNew

Edit Data set: ABC [Available]

CL CBA-RTIM-Data-ABCID ABCRS RTIM-Rules:01-01-01

ActionsSave

Database tableHistory

Database table

Table namepr_cba_rtim_data_abc

Database typeRDBMS

Selectable keys

Define one or more properties to query data set. To achieve good query performance, make sure to use properties mapped to an indexed database column.

Add key

.CustomerID

Partitioning key

Activate Windows

Add one more key

HomeNew

Edit Data set: ABC [Available]

CL CBA-RTIM-Data-ABCID ABCRS RTIM-Rules:01-01-01

ActionsSave

Database tableHistory

Database table

Table namepr_cba_rtim_data_abc

Database typeRDBMS

Selectable keys

Define one or more properties to query data set. To achieve good query performance, make sure to use properties mapped to an indexed database column.

Add key

.CustomerID

.FirstName

Partitioning key

Activate Windows

Save

Open CDH Portal

Left Navigation > Data > Click on Customer Profile Source

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

Profile Data Sources

+ Add

Data sets Data flows Summaries

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Name	Source type	Data type	Context	Fields
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary	98
Interaction History	Stream	Event data	Cannot be associated	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Activate Windows
Go to Settings to activate Windows.

Click on Add > Select DataSet

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

Profile Data Sources

Add

Data sets Data flows Summaries

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Name	Source type	Data type	Context	Fields
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary	98
Interaction History	Stream	Event data	Cannot be associated	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

Profile Data Sources

Add

Data sets Data flows Summaries

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Add data set

Select or create a data set to be added as profile data source.


☒ Select existing data set

☐ Create new data set


Next

Name	Source type	Data type	Context	Fields
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary	98
Interaction History	Stream	Event data	Cannot be associated	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Select existing Dataset and next



Select our dataset name



Click on Add

Profile Data Sources

[Data sets](#) [Data flows](#) [Summaries](#)

Add data sets to make them available as data sources. Associate static data sets directly with the customer profile. Use event data sets as data source for summaries.

Name	Source type	Data type	Context	Fields
ABC	Database Table	Static data	Not associated	13
Account	Database Table	Static data	Customer	70
ActionFailure	Database Table	Static data	Not associated	23
Customer	Database Table	Static data	Primary ?	98
Interaction History	Stream	Event data	Cannot be associated ?	80
OfferData	Database Table	Static data	Not associated	14
OfferDS	Database Table	Static data	Customer	15

Add Profile Designer

Left Navigation > Data > Click on Profile Designer

PEGA Customer Decision Hub

Search

RTIM DEVELOPMENT

Profile Designer

RTIM-Rules: 01-01-01
Edited 4 hours ago by System Admin

[Edit](#) [Actions](#)

[Data associations](#) [Data dictionary](#)

Associate data sources with a context to define the data structure of the customer profile. Fields in the customer profile can be used in Next-Best-Action Designer, except aggregates in summaries based on Interaction History.
[Learn more](#)

Account
Data source
[Account](#)

Associated data	Type	Fields
No data associated yet		

Customer (Primary)
Data source
[Customer](#)

Activate Windows
Go to Settings to activate Windows.

Click on Edit

Profile Designer RTIM-Rules: 01-01-01 Edited less than a minute from now by System Admin Save Cancel Actions

[+ Add associated data](#)

Customer (Primary)
Data source
Customer

Associated data	Type	Fields
Accountsjoin	Data set	70
Outbound Contacts By Period	Summary	7
Offer Outcome Count	Summary	8
IH	Summary	8
IH Detailed Outcomes RTIM	Summary	23
OfferDS	Data set	15

[+ Add associated data](#)

Activate Windows
Go to Settings to activate Windows.

Click on Add Associated data > Select data Set

Profile Designer RTIM-Rules: 01-01-01 Edited less than a minute from now by System Admin Save Cancel Actions

[+ Add associated data](#)

Customer (Primary)
Data source
Customer

Associated data

Accountsjoin		
Outbound Contacts By Period		
Offer Outcome Count		
IH		
IH Detailed Outcomes RTIM		
OfferDS		

[+ Add associated data](#)

Add associated data

Data source name: ABC ID: ABC

Mapping
This data source has multiple keys. Select the data source key that maps to the context key.

Data source key: CustomerID maps to Context key: Customer ID

Cancel Add

Activate Windows
Go to Settings to activate Windows.

Click on Add

Profile Designer

RTIM-Rules: 01-01-01

Edited less than a minute from now by System Admin

Save

Cancel

Actions ▾



Customer (Primary)

Data source

Customer

Associated data	Type	Fields
AccountsJoin	Data set	70
Outbound Contacts By Period	Summary	7
Offer Outcome Count	Summary	8
IH	Summary	8
IH Detailed Outcomes RTIM	Summary	23
OfferDS	Data set	15
ABC	Data set	13

[+ Add associated data](#)

Activate Windows

Go to Settings to activate Windows.

save