

DataSet

Datasets can be used to retrieve the data / save the data / delete the data / open the data.

Dataset support different types of sources

- Database table(RDBMS)

- Decision Data Store (DDS) : it will support Cassandra database

- File

- Kafka

- Stream

Decision Data Store::

Used to retrieve the information and storing into Casandra databaseAll

DDS data will be stored Casandra BD

What kind of data will be stored in the Cassandra Database?

Customer Data / decision results / any inputs for adaptive and predictive models

Create Dataset for Database table:

Data Model > Data Set

Create Data Set [Create and open] [Cancel] ⓘ

Data Set Record Configuration

Label★
ReadData
A short description or title for this record

Identifier
ReadData [Edit](#)

Type★
Database Table ▼

Context

☒ JIO Customer Care
☐ Clickstream
☐ Pega Customer Decision Hub
☐ PegaCDH_Core
☐ PegaCDH Framework PreRequisites
UI Kit
DataML

Apply to★
JIO-NBA-Data-Customer
[View all](#)

Add to ruleset★
JIOCusto-Artifacts ▼ 01-01-01 ▼

Data set: ReadData [Available]

CL JIO-NBA-Data-Customer ID ReadData RS JIO-Custo-Artifacts:01-01-01

Decision Data Store History

Keys [Show details](#)

Field ?

.CustomerID

> Exposed fields

Run the dataset

Run Data Set: ReadData

CL JIO-NBA-Data-Customer ID ReadData

Clipboard Run

Run context

Thread

Standard

Page

Empty test page

☐ Apply data transform

Operation

Select...

Select...

Browse

Browse by keys

Delete by keys

Save

Truncate

Run Data Set: ReadData

CL JIO-NBA-Data-Customer ID ReadData

Clipboard Run

Run context

Thread

Standard

Page

Empty test page

☐ Apply data transform

Operation

Browse

Maximum number of records to read

50

Store results in

OperationResult

Click run

CUSTOMER DECISION HUB

Thread: **Standard** ▾

+ Result(1)

+ Result(2)

+ Result(3)

+ Result(4)

+ Result(5)

+ Result(6)

+ Result(7)

+ Result(8)

+ Result(9)

Clipboard page:
OperationResult.pxResults(1)

Edit

Refresh

Actions ▾

Property	Value
Address	NLR
CustomerID	0009
EmailAddress	gg@gmail.com
FullName	tester
PhoneNumber	88888888
pxCreateDateTime	20230307T085327.297 GMT
pxCreateOperator	NBA@CDH
pxCreateOpName	NBA
pxCreateSystemID	pega
pxObjClass	JIO-NBA-Data-Customer
pxUpdateDateTime	20230308T063711.810 GMT
pxUpdateOperator	NBA@CDH
pxUpdateOpName	NBA
pxUpdateSystemID	pega

Run Data Set: ReadData

Clipboard

Run

CL JIO-NBA-Data-Customer ID ReadData

Run context

Thread

Standard ▾

Page

Empty test page ▾

☐ Apply data transform

ReadData was executed using: Standard Thread on RunRecordPrimaryPage page.

Operation

Browse by keys ▾

Key *

Value *

CustomerID ▾

0002

Add key

Store results in

OperationResult

☐ Trace

Run



Thread: **Standard** ▾

+

Result(1)

Clipboard page:
OperationResult.pxResults(1)

Edit

Refresh

Actions ▾

Property	Value
Address	Hyderabad
CustomerID	0002
EmailAddress	s@gmail.com
FullName	Prasad
PhoneNumber	8888888888
pxCreateDateTime	20221210T033543.561 GMT
pxCreateOperator	NBA@CDH
pxCreateOpName	NBA
pxCreateSystemID	pega
pxObjClass	JIO-NBA-Data-Customer
pxUpdateDateTime	20230308T063711.861 GMT
pxUpdateOperator	NBA@CDH
pxUpdateOpName	NBA
pxUpdateSystemID	pega

Delete by key

Run Data Set: ReadData

Clipboard

Run

CL JIO-NBA-Data-Customer ID ReadData

Run context

Thread

Standard ▾

Page

Empty test page ▾

☐ Apply data transform

ReadData was executed using: Standard Thread on RunRecordPrimaryPage page.

Operation

Delete by keys ▾

Key*

Value*

CustomerID ▾

0002



Add key

☐ Trace

How to save the data in customer table or database using dataset (Database table) ::

Save New Record

Create Activity

Activity Record Configuration

Type

☒ Activity
☐ Automation

Label* Identifier [Edit](#)

A short description or title for this record

[View additional configuration options](#)

Context

☒ JIO Customer Care
☐ Clickstream
☐ Pega Customer Decision Hub
☐ PegaCDH_Core
☐ PegaCDH Framework PreRequisites
☐ UI Kit

Apply to* [View all](#)

Add to ruleset*

Activity: SaveNewRecordViaDataSet [Available]
CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

[Save as](#) [Delete](#) [Actions](#) [Check out](#)

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [View](#)

[Steps](#) [Parameters](#) [Pages & Classes](#) [Security](#) [Test cases](#) [Specifications](#) [History](#)

Page name	Class	
CustomerPage	JIO-NBA-Data-Customer	 
CustomerList	Code-Pega-List	 
CustomerList.pxResults	JIO-NBA-Data-Customer	 
+		

Activity: SaveNewRecordViaDataSet [Available]

CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

Save as Delete Actions Check out

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning View

StepsParametersPages & ClassesSecurityTest casesSpecificationsHistory

	Label		Method	Step page	Description		
1.		Loop When >	Page-New	CustomerPage	Create a page	Jump	
2.		Loop When >	Page-Remove		Remove page(s)	Jump	
3.		Loop When >	Property-Set	CustomerPage	Set property values	Jump	
4.		Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute	Jump	

+ Add a step Collapse all steps

Activity: SaveNewRecordViaDataSet [Available]

CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

Save as Delete Actions Check out

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning View

StepsParametersPages & ClassesSecurityTest casesSpecificationsHistory

	Label		Method	Step page	Description		
1.		Loop When >	Page-New	CustomerPage	Create a page	Jump	
2.		Loop When >	Page-Remove		Remove page(s)	Jump	

Method Parameters ?

Page

CustomerPage

+

3.		Loop When >	Property-Set	CustomerPage	Set property values	Jump	
4.		Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute	Jump	

3. Loop When > Property-Set CustomerPage Set property values Jump

Method Parameters ?

PropertiesName	PropertiesValue
.Address	"ABC"
.FullName	"TestAbc"
.PhoneNumber	"00055555"
.EmailAddress	"Get@gmail.com"
.CustomerId	"CUST1"

+

4. Loop When > DataSet-Execute CustomerPage DataSet-Execute Jump

Activity: SaveNewRecordViaDataSet [Available]
CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIO-Custo-Artifacts:01-01-01

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [View](#)

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page
2. ☐ Loop When >	Page-Remove		Remove page(s)
3. ☐ Loop When >	Property-Set	CustomerPage	Set property values
4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute

Method Parameters

Data set: ReadFromCustomerDB Operation: Save

☐ Save list of pages defined in a named page
☒ Only insert new records
☐ Insert new and overwrite existing records

Run the activity

localhost:8080/prweb/PRServlet/app/nbad/_H-kFbNtRU3pQH-2YziLpLabUC7JTJM*/!STANDARD?pyActivity... y=%40baseclass.doUIAction&eventSrc...

rd Trace Run

Thread on RunRecordPrimaryPage

use the "Allow invocation from

Success

The Operation completed successfully, but returned no content

Verify the database

Save Existing or Update Record

Edit Activity: SaveNewRecordViaDataSet [Available]
CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters **Pages & Classes** Security Test cases Specifications History

Page name	Class
CustomerPage	JIO-NBA-Data-Customer
CustomerList	Code-Pega-List
CustomerList.pxResults	JIO-NBA-Data-Customer

+

Edit Activity: SaveNewRecordViaDataSet [Available]
CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters **Pages & Classes** Security Test cases Specifications History

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page
2. ☐ Loop When >	Page-Remove		Remove page(s)

Method Parameters

Page
CustomerPage

+

3. ☐ Loop When >	Property-Set	CustomerPage	Set property values
4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute

Edit Activity: SaveNewRecordViaDataSet [Available]
CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters **Pages & Classes** Security Test cases Specifications History

3. ☐ Loop When >	Property-Set	CustomerPage	Set property values
---	--------------	--------------	---------------------

Method Parameters

PropertiesName	PropertiesValue
.Address	"TestABC"
.FullName	"ABCTestAbc"
.PhoneNumber	"55400055555"
.EmailAddress	"TestGet@gmail.com"
.CustomerID	"CUST1"

+

4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute
---	-----------------	--------------	-----------------

Edit Activity: SaveNewRecordViaDataSet [Available]
Check in Discard Actions Save

CL: JIO-NBA-Data-Customer ID: SaveNewRecordViaDataSet RS: JIOCusto-Artifacts:01-01-01

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning Review/Edit

1.	☐	Loop	When	>	Page-New	CustomerPage	Create a page	Jump	
2.	☐	Loop	When	>	Page-Remove		Remove page(s)	Jump	
3.	☐	Loop	When	>	Property-Set	CustomerPage	Set property values	Jump	
4.	☐	Loop	When	>	DataSet-Execute	CustomerPage	DataSet-Execute	Jump	

Method Parameters

Data set: ReadFromCustomerDB Operation: Save

☐ Save list of pages defined in a named page
☐ Only insert new records
☒ Insert new and overwrite existing records

+ Add a step Collapse all steps

Run the activity

localhost:8080/prweb/PRServlet/app/nbad/_H-kFbtNhTRU3pQH-2YziLpLabUC7JTJM*/!STANDARD?pyActivity... y=%40baseclass.doUIAction&eventSrc...

rd Trace Run

Thread on RunRecordPrimaryPage

use the "Allow invocation from

Success

The Operation completed successfully, but returned no content

CUST1

TestABC

TestGet@gmail.com

ABCTestAbc

55400055555



Dataset -Execute Method Options

Only Insert new records > It means we can save only new record

Insert new and overwrite existing records > it means we can update data

Save list of pages defined in named pages > we can save the data in pagelist and used later anywhere

Create Dataset for Cassandra (Decision Data Store)

Create Data Set

Create and open Cancel ?

Data Set Record Configuration

Label*
ReadCasendraData
A short description or title for this record

Identifier
ReadCasendraData Edit

Type*
Decision Data Store

Context

☒ JIO Customer Care
☐ Clickstream
☐ Pega Customer Decision Hub
☐ PegaCDH_Core
☐ PegaCDH Framework PreRequisites

Apply to*
JIO-NBA-Data-Customer
View all

Add to ruleset*
JIOCusto-Artifacts 01-01-01

Data set: ReadCasendraData [Available]

CL JIO-NBA-Data-Customer ID ReadCasendraData RS JIOCusto-Artifacts:01-01-01

Save as Delete Actions Check out


Decision Data Store History

Keys [Show details](#)


Field ?
.CustomerID

> Exposed fields


Run dataset



Browse the data



Run



These is no data after browsing, because these is no data in casendra DB

How to store / send data into cassandra database/dataset

Create Activity

Save As Activity: SaveNewRecordViaDataSet Create and open Cancel ?

Activity Record Configuration

Label* Identifier [Edit](#)

A short description or title for this record

Context

☒ JIO Customer Care
☐ Clickstream
☐ Pega Customer Decision Hub
☐ PegaCDH_Core
☐ PegaCDH Framework PreRequisites

Apply to* [View all](#)

Add to ruleset*

Edit Activity: ReadCassandraData [Available] Check in Discard Actions ▾ Save ▾ ×

CL: JIO-NBA-Data-Customer ID: ReadCassandraData RS: JIOCusto-Artifacts:01-01-01

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters Pages & Classes Security Test cases Specifications History

Page name	Class
CustomerPage	JIO-NBA-Data-Customer
CustomerList	Code-Pega-List
CustomerList.pxResults	JIO-NBA-Data-Customer

+

Edit Activity: ReadCassandraData [Available]

CL: JIO-NBA-Data-Customer ID: ReadCassandraData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters Pages & Classes Security Test cases Specifications History

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page Jump
2. ☐ Loop When >	Page-Remove		Remove page(s) Jump
3. ☐ Loop When >	Property-Set	CustomerPage	Set property values Jump
4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute Jump

[+ Add a step](#) [Collapse all steps](#)

Edit Activity: ReadCassandraData [Available]

CL: JIO-NBA-Data-Customer ID: ReadCassandraData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters Pages & Classes Security Test cases Specifications History

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page Jump
2. ☐ Loop When >	Page-Remove		Remove page(s) Jump

Method Parameters

Page

CustomerPage

[+](#)

3. ☐ Loop When >	Property-Set	CustomerPage	Set property values Jump
4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute Jump

Edit Activity: ReadCassandraData [Available]

CL: JIO-NBA-Data-Customer ID: ReadCassandraData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

2. ☐ Loop When >	Page-Remove		Remove page(s) Jump
3. ☐ Loop When >	Property-Set	CustomerPage	Set property values Jump

Method Parameters

PropertiesName

.Address

.FullName

.PhoneNumber

.EmailAddress

.CustomerId

PropertiesValue

"TestABC"

"ABCTestAbc"

"55400055555"

"TestGet@gmail.com"

"CUST1"

Edit Activity: ReadCassandraData [Available]
 CL: JIO-NBA-Data-Customer ID: ReadCassandraData RS: JIO-Custo-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page Jump 🗑
2. ☐ Loop When >	Page-Remove		Remove page(s) Jump 🗑
3. ☐ Loop When >	Property-Set	CustomerPage	Set property values Jump 🗑
4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute Jump 🗑

Method Parameters [?](#)

Data set: ReadCassandra Operation: Save

☐ Save list of pages defined in a named page
☐ Specify time to live (in seconds)
☒ Save full record
☐ Save a field within the record

Run activity

localhost:8080/prweb/PRServlet/app/nbad/_H-kFbtNhTRU3pQH-2YziLpLabUC7JTJM*/!STANDARD?pyActivity...

Trace Run

d on RunRecordPrimaryPage page.

use the "Allow invocation from

Success

The Operation completed successfully, but returned no content

Run dataset

Data set: ReadCasendraData [Available]

CL JIO-NBA-Data-Customer ID ReadCasendraData RS JIOCusto-Artifacts:01-01-01

Decision Data Store History

Keys [Show details](#)

Field ?

CustomerID

> Exposed fields

Run Data Set: ReadCasendraData

CL JIO-NBA-Data-Customer ID ReadCasendraData

Clipboard Run

Run context

Thread

Standard

Page

Empty test page

☐ Apply data transform

Operation

Browse

Maximum number of records to read

50

Store results in

OperationResult

localhost:8080/prweb/PRServlet/app/nbad/_H-kFbtNhTRU3pQH-2YziLpLabUC7JTJM*/!STANDARD?pyActivity...

Thread: Standard

+ Result(1)

Clipboard page:

OperationResult.pxResults(1)

Edit Refresh

Actions

Property	Value
Address	TestABC
CustomerID	CUST1
EmailAddress	TestGet@gmail.com
FullName	ABCTestAbc
PhoneNumber	55400055555
pxObjClass	JIO-NBA-Data-Customer
pxUpdateDateTime	20230314T071408.348 GMT

Create dataset for Stream

Create Data Set **Create and open** Cancel ?

Data Set Record Configuration

Label★
ReadFromStreamDataSet
A short description or title for this record

Identifier
ReadFromStreamDataSet [Edit](#)

Type★
Stream ▼

Context

☒ JIO Customer Care
☐ Clickstream
☐ Pega Customer Decision Hub

Apply to★
JIO-NBA-Data-Customer

Add to ruleset★
JIOCusto-Artifacts ▼ 01-01-01 ▼

Data set: ReadFromStreamDataSet [Available] [CL](#) [JIO-NBA-Data-Customer](#) ▼ [ID](#) [ReadFromStreamDataSet](#) [RS](#) [JIOCusto-Artifacts:01-01-01](#) [Save as](#) ▼ [Delete](#) [Actions](#) ▼ [X](#)

[Stream](#) [Settings](#) [Specifications](#) [History](#)

Overview

This data set allows you to implement the Publisher-Subscriber paradigm in PRPC. Two operations are provided:

- Use the Save operation to publish records to the data set
- Use the Browse operation to subscribe to the data set and receive records whenever they become available

Partition key(s)

[Add key](#)

Key

No partition keys defined yet.

Integration

Use the Pega REST service to populate this data set with external data.



▼ **Custom service**


It is recommended to use the Pega REST service instead of a custom REST or WebSocket Service.

REST
Endpoint <http://192.168.1.9:7003/stream/ReadFromStreamDataSet>
Method POST
Authentication Use standard authorization header with Base64 encoding.
Payload [view example](#)

WebSocket
Endpoint <ws://192.168.1.9:7003/stream/ReadFromStreamDataSet?auth=username:password>
Authentication In the endpoint replace username:password with its Base64 encoding.
Payload [view example](#)

Run dataset





No data available

How to store / send data into stream

datasetCreate Activity

Activity Record Configuration

Label	Identifier
ReadFeomStreamData	ReadFeomStreamData Edit
A short description or title for this record	

Context

☒ JIO Customer Care

☐ Clickstream

☐ Pega Customer Decision Hub

☐ PegaCDH_Core

☐ PegaCDH Framework PreRequisites

☐ UI Kit

☐ PegaDM

☐ Pega Promoter Survey FrameWork, on PRPC

Apply to

[View all](#)

Add to ruleset

Edit Activity: ReadFeomStreamData [Available]

CL: JIO-NBA-Data-Customer ID: ReadFeomStreamData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters Pages & Classes Security Test cases Specifications History

Page name	Class
CustomerPage	JIO-NBA-Data-Customer
CustomerList	Code-Pega-List
CustomerList.pxResults	JIO-NBA-Data-Customer

Edit Activity: ReadFeomStreamData [Available]

CL: JIO-NBA-Data-Customer ID: ReadFeomStreamData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Steps Parameters Pages & Classes Security Test cases Specifications History

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page
2. ☐ Loop When >	Page-Remove		Remove page(s)
3. ☐ Loop When >	Property-Set	CustomerPage	Set property values
4. ☐ Loop When >	DataSet-Execute	CustomerPage	DataSet-Execute

+ Add a step

Collapse all steps

Edit Activity: ReadFeomStreamData [Available]

CL: JIO-NBA-Data-Customer ID: ReadFeomStreamData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Label	Method	Step page	Description
1. ☐ Loop When >	Page-New	CustomerPage	Create a page
2. ☐ Loop When >	Page-Remove		Remove page(s)

Method Parameters

Page

CustomerPage

3. ☐ Loop When >

Property-Set

CustomerPage

Set property values

Jump

4. ☐ Loop When >

DataSet-Execute

CustomerPage

DataSet-Execute

Jump

Edit Activity: ReadFeomStreamData [Available]
 CL: JIO-NBA-Data-Customer ID: ReadFeomStreamData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Label	Loop	When	Method	Step page	Description	Jump
2.	☐	☐	Page-Remove		Remove page(s)	Jump
3.	☐	☐	Property-Set	CustomerPage	Set property values	Jump

Method Parameters

PropertiesName	PropertiesValue
.Address	"TestABC"
.FullName	"ABCTestAbc"
.PhoneNumber	"00040005000"
.EmailAddress	"TestGet@gmail.com"
.CustomerId	"CUST2"

Edit Activity: ReadFeomStreamData [Available]
 CL: JIO-NBA-Data-Customer ID: ReadFeomStreamData RS: JIOCusto-Artifacts:01-01-01

Check in Discard Actions Save

This record has 1 severe or moderate warning (including 1 unjustified) and 1 info warning [Review/Edit](#)

Label	Loop	When	Method	Step page	Description	Jump
1.	☐	☐	Page-New	CustomerPage	Create a page	Jump
2.	☐	☐	Page-Remove		Remove page(s)	Jump
3.	☐	☐	Property-Set	CustomerPage	Set property values	Jump
4.	☐	☐	DataSet-Execute	CustomerPage	DataSet-Execute	Jump

Method Parameters

Data set: ReadFromStream Operation: Save

☐ Save list of pages defined in a named page

Run activity

localhost:8080/prweb/PRServlet/app/nbad/_H-kFbtNhTRU3pQH-2YziLpLabUC7JTJM*/!STANDARD?pyActivity... y=%40baseclass.doUIAction&eventSrc...

rd Trace Run

read on RunRecordPrimaryPage

use the "Allow invocation from

Success

The Operation completed successfully, but returned no content

Run dataset

Run Data Set: ReadFromStreamDataSet

ClipboardRun

Run context

Thread

Standard

Page

Empty test page

☐ Apply data transform

Operation

Browse

Stop browsing after

10

seconds

Maximum number of records to read

50

Store results in

OperationResult

ClipboardRun

Thread: Standard

Result(1)

Result(2)

Result(3)

Clipboard page: OperationResult.pxResults(3)

EditRefresh

Actions

Property	Value
Address	TestABC
CustomerId	CUST2
EmailAddress	TestGet@gmail.com
FullName	ABCTestAbc
PhoneNumber	00040005000
pxObjClass	JIO-NBA-Data-Customer
pxStreamPartition	3
pxStreamPosition	2
pxUpdateDateTime	20230314T072331.748 GMT