

Documentation-Driven Threat Analysis

DermaTriage A5 Closure + Rewrite Checkpoint

03 - Cumulative D3 Closure and Readable Consolidation

Current research artifact

Repository baseline: 0e60754d21aa24ea487f3f60803b6b0cce8d2e2b. Methodology authority remains R4 unless this document explicitly states otherwise.

Indice

1	DDTA R25 - DermaTriage A5 Closure and Rewrite Checkpoint 03	2
1.1	1. Why this checkpoint exists	2
1.2	2. Artifacts introduced	2
1.3	3. A5 final FR set	2
1.4	4. Cumulative closure result	3
1.5	5. New high-confidence methodology observations	3
1.5.1	5.1 Decision-to-Requirement completeness counterexample	3
1.5.2	5.2 Semantic-owner-first parameter classification	3
1.5.3	5.3 Equal literals do not establish equal parameters	4
1.5.4	5.4 Scope-limited specialization	4
1.6	6. Promotion discipline	4
1.7	7. Next gate	4

1 DDTA R25 - DermaTriage A5 Closure and Rewrite Checkpoint 03

Status: A5 CUMULATIVE CLOSED / REWRITE CONSOLIDATION CHECKPOINT

Repository baseline: 0e60754d21aa24ea487f3f60803b6b0cce8d2e2b

Methodology authority: methodology/DDTA_DOCUMENTATION_BA_AUTHORIZING_GUIDE_R4.tex

Source package SHA-256: E9ED2C507BEFB95F54A52084687CD1E8798863AE81CF69D09568864D8CBF280E

BA status: NOT STARTED / BLOCKED

Date: 5 September 2026

1.1 1. Why this checkpoint exists

A5 is now cumulatively closed, but the repository checkpoint preceding this one preserves only FR-01 through FR-08. Since then the review has stabilized:

- FR-09 comparative qualification;
- DEC-07 routing to A7 rather than an artificial FR;
- pre-adoption AccuracyDegradationTolerance=T with current textual binding 5%;
- FR-10 post-adoption rollback capability;
- separate RollbackAccuracyDegradationThreshold=R with current textual binding 5%;
- FR-11 adaptation-path lifecycle independence;
- the Decision-to-Requirement counterexample test;
- A5 cumulative closure;
- thesis-scope boundary for non-security specializations;
- the plan for a pre-A7 Documentation<->BA consistency check.

This checkpoint also rewrites the method and project material into three distinct readable artifacts.

1.2 2. Artifacts introduced

1. DDTA_DOCUMENTATION_AUTHORIZING_GUIDE_R5_WORKING_CANDIDATE
Complete forward rewrite of documentation-authoring guidance through A5 holdout evidence.
Non-authoritative; R4 remains methodology authority.
2. DDTA_DERMATRIAGE_GOVERNED_DOCUMENTATION_A5_CANDIDATE_R1
Clean project-document candidate through A5. Research commentary excluded. A6-A12 still required before promotion.
3. DDTA_DERMATRIAGE_EXTENDED_CASE_STUDY_A5_R1
Annotated source-to-DDTA study preserving the reasoning, rejected interpretations, gaps and methodology feedback.
4. DDTA_R25_DERMATRIAGE_DOCUMENTATION_WORK_PLAN_A6_R1
Next controlled work plan.
5. DDTA_R25_GUIDE_IMPROVEMENT_CANDIDATES_WORKING_NOTE_05
Cumulative methodology-observation register through A5 closure.

1.3 3. A5 final FR set

FR	Parent	Disposition
FR-01	DEC-01	PASS

FR	Parent	Disposition
FR-02	DEC-02	PASS
FR-03	DEC-03	PASS
FR-04	DEC-04	PASS
FR-05	DEC-04	PASS
FR-06	DEC-09	PASS / STOP
FR-07	DEC-10	PASS / STOP
FR-08	DEC-11	PASS / STOP
FR-09	DEC-06	PASS / STOP
FR-10	DEC-08	PASS / STOP
FR-11	DEC-05	PASS / STOP

DEC-07 has **NO NEW FR** and routes its quality-property meaning to A7.

1.4 4. Cumulative closure result

```

A0 PASS
A1 PASS
A2 CUMULATIVE PASS
A3 PASS for current decomposed scope
A4 CUMULATIVE PASS / CLOSED
A5 CUMULATIVE PASS / CLOSED
A6 NEXT
A7 BLOCKED until A6 + pre-A7 consistency check
A8 NOT STARTED
A9 NOT STARTED
A10 NOT STARTED
A11 NOT STARTED
A12 NOT STARTED
BA BLOCKED

```

No A4 reopen is required.

1.5 5. New high-confidence methodology observations

1.5.1 5.1 Decision-to-Requirement completeness counterexample

Before STOP under a Decision ask whether all current descendants can pass while the Decision is still violated. DEC-05 produced the concrete counterexample that required FR-11.

1.5.2 5.2 Semantic-owner-first parameter classification

Numeric handling sequence is now:

```

value
-> semantic owner
-> lifecycle/purpose
-> requirement/property classification
-> parameter boundary
-> current binding

```

1.5.3 5.3 Equal literals do not establish equal parameters

The pre-adoption and post-adoption 5% values are kept as T and R; their identity is not established.

1.5.4 5.4 Scope-limited specialization

Non-security specialization meaning is preserved as project documentation/extensibility evidence, but concrete non-security subtype design remains outside the thesis scope. SecurityRequirement remains the concrete specialization developed for the security-analysis thesis objective.

1.6 6. Promotion discipline

This checkpoint **does not**:

- promote R5 working guide to methodology authority;
- promote the DermaTriage A5 candidate to final governed baseline;
- start accepted Base Analysis;
- start STRIDE/STRIDE-AI;
- create non-security L1 subtype classes.

1.7 7. Next gate

Proceed to A6 project-wide Requirement split. After A6, stop before A7 for the planned scope and Documentation<->BA consistency check.