



Product Manual





Blue



Green




Orange




Pink




White




Red




UV



Warm




Yellow





HIVERO

5mm Round LED Diode Specification

Colour	Voltage (v)	luminance (mcd)	Wave band (nm,k)
Blue	3.0~3.2	1000~1500mcd	460~465nm
Green	3.0~3.4	12000~14000mcd	520~525nm
Red	1.8~2.2	2000~3000mcd	620~630nm
Warm	3.0~3.4	12000~15000mcd	2800~3000k
Yellow	1.8~2.2	4000~6000mcd	590~592nm
White	3.2~3.4	12000~14000mcd	6000~6500k
Pink	3.2~3.4	1500~2000mcd	645~652nm
Purple	3.0~3.4	300~400mcd	390~400nm
Orange	1.8~2.2	5000~6000mcd	605~610nm




5mm Round Water Clear Led Diodes



IVIERO

White



Product Parameters

Diameter	5mm
Lens Color	Water Clear
Reverse Current	<=30uA
Life Rating	100,000 Hours
Max Power Dissipation	80mw
Max Forward Current	30mAh
Max Peak Forward Current	75mAh
Reverse Voltage	1.8~3.4V
Lead Soldering Temperature	240degree centigrade(<5Sec)
Operating Temperature	-25 ~ +85 degree centigrade
Preservative Temperature	-30~ +100 degree centigrade
Color	Blue/Green/Orange/Pink/White/Red/UV/Warm White/Yellow