

Paper 10.50 - T10 Master Receipt Claim Contract

CQE-paper-10.50

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-13

Construction Basis

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- top-level review source: Papers\Source\CQE-paper-10.50.md

Paper 10.50 - T10 Master Receipt Claim Contract

Purpose

Paper 10.50 defines what counts as a valid claim about the T10 master receipt. It keeps receipt integrity separate from closure of every transported or looked-up claim.

Admitted Paper 10 Claims

The following claims are admitted from Paper 10:

```
Paper 00 is bound as inherited contract and observer center C00
the 00 -> 1 encoding event is recorded
Papers 01-09 have pass-like receipt bindings
four transport rows are inspectable
transport witnesses replay
transport status is pass_with_open_lifts
two rows are demonstrated and two open/non-demonstrated lifts remain visible
lookup cache materializes required source registers
Prize 3 lookup preserves closed_form_claim = false
```

Claim Requirements

Any later paper using T10 must state:

```
which T10 component is being imported
which receipt proves the component
whether the import is a demonstrated row, bounded row, registered landing form, or open lift
whether the later paper supplies a new closure proof
```

Linked Receipt

The minimum receipt link for Paper 10 is:

```
paper: CQE-paper-10
theorem: T10 master receipt integrity
receipt: production/formal-papers/CQE-paper-10/t10_master_receipt.json
status: pass
```

The receipt is sufficient for stack-level inspectability and replayability of Papers 00-09. It is not sufficient by itself for cold-start closed forms, Niemeier landing closure, or later domain claims.

Boundary Failures

The following are boundary failures:

```
treating pass_with_open_lifts as all lifts demonstrated
using lookup materialization as a closed-form solver
importing a paper without its receipt binding
ignoring the observer enumeration event C00
using T10 to close a later paper's domain claim without a later verifier
```

Boundary failures become audit obligations or are rejected by the consuming paper.

Hidden-Guess Contract

When hidden-guess diagnostics are enabled, the answer must be recorded before the receipt is revealed. The guess record should include:

```
prompt  
predicted receipt status or lift boundary  
revealed receipt  
match/mismatch  
next audit boundary if mismatch
```

The open-lift and cold-start prompts are required because their correct answer is bounded, not closed.

Conclusion

Paper 10.50 lets later papers cite the master receipt honestly. It makes T10 a powerful audit object without converting open lifts into hidden proof claims.