

Paper 16.75 - Continuum Edge Residuals as Next-State Precondition

CQE-paper-16.75

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-13

Construction Basis

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- top-level review source: Papers\Source\CQE-paper-16.75.md

Paper 16.75 - Continuum Edge Residuals as Next-State Precondition

Purpose

This bridge defines what Paper 17 may inherit from Paper 16.

Exported State

Paper 16 exports:

```
local closure receipt
edge-residue state
window depth
open global-collapse obligation
```

Legal Use in Paper 17

Paper 17 may use edge residuals as:

```
tower input
error-correction payload
windowed boundary datum
open correction-parity obligation
```

Paper 17 may not use Paper 16 as:

```
closed continuum theorem
closed  $O(\log N)$  extractor
proof that adding digits terminates depth
```

Recenter Rule

The transition is:

```
Paper 16 edge window -> Paper 17 lattice/code rung -> Paper 17 tower receipt
```

The tower must produce its own receipt.

Hidden-Guess Diagnostic

Before using a Paper 16 export, classify:

```
local closed, global open, or overclaim
```

Then reveal the receipt.

Conclusion

Paper 16.75 lets the suite carry edge residuals into the error-correction tower without pretending the continuum problem is already closed.