

Paper 32.25 - Supervisor Cursor Toolkit Supplement

CQE-paper-32.25

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-13

Construction Basis

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- top-level review source: Papers\Source\CQE-paper-32.25.md

Paper 32.25 - Supervisor Cursor Toolkit Supplement

Purpose

This supplement shows how to reproduce Paper 32's supervisor-cursor receipt. The proof is in Paper 32 and its formal verifier. The cursor schedules requests; it does not replace the proof receipts attached to the requested items.

Digital Route

Run:

```
`python production/formal-papers/CQE-paper-32/verify_supervisor_cursor_schedule.py`
```

The expected status is ``pass_with_open_minimality_obligations``. The verifier checks coverage for ``n=4..8``, the recursive ``n=8`` chart walk, the Egan upper row, the `n=8` open corridor, the `n=5` octad orbit, and the paper-kernel selector wrap.

Analog Route

Write the schedule string on a strip. Slide a length-``n`` window across it. Each window is one requested ordering. Mark a permutation as covered only when the window contains every symbol exactly once.

Use white marks for covered orderings. Use black marks for unclosed minimality corridors. For ``n=8``, write the corridor as:

```
46205 - 46085 = 120
```

Hidden-Guess Diagnostic

Training mode should hide the label until after the reviewer chooses one:

- covered permutation row,
- missing permutation row,
- closed minimality row,
- validated schedule without minimality,
- open corridor,
- invalid hidden proof support,
- valid suite selector.

The answer key distinguishes schedule coverage from minimality.