

Paper 31.75 - Meta LCR Next-State Preconditions

CQE-paper-31.75

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-13

Construction Basis

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- top-level review source: Papers\Source\CQE-paper-31.75.md

Paper 31.75 - Meta LCR Next-State Preconditions

Purpose

This supplement defines what Paper 31 exports to Paper 32. It supplies a readout discipline for packaging: the suite may be navigated as LCR, but every claim must retain its own receipt and obligation status.

Forward Exports

Paper 31 exports:

- center-invariance status,
- Rule 30 boundary table status,
- Paper 30 ribbon receipt link,
- dependency direction: readout-only,
- standing open obligations,
- Paper 32 as forward target.

Application To Paper 32

Paper 32 may turn the suite into a deployable selector, supervisor cursor, or kernel package. It must preserve which rows are proof rows, which rows are readout metadata, and which rows are open obligations.

Kernel Sidecar Rule

Training mode keeps the hidden-guess layer on when classifying readout rows. Non-training mode may expose it as optional, but the final exported metadata must still name the row status after classification.

Failure Condition

The next state fails if a product, UI, API, or PDF bundle uses Paper 31's retrospective language as proof support for a claim whose own verifier is missing or open.