

Paper 0.75 - Applying Tools as Next-State Preconditions

CQE-paper-00.75

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-12

Construction Basis

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- top-level review source: Papers\Source\CQE-paper-00.75.md

Paper 0.75 - Applying Tools as Next-State Preconditions

Purpose

Paper 0.75 explains how a result from one review interval becomes a precondition for the next. The goal is to make transitions visible: shell changes, escrow, delay, boundary collision, recentering, and higher-tier framing should be named rather than implied.

Next-State Rule

When a paper produces a result, the next paper may use it only as one of the following:

```
proved precondition
bounded local result
boundary receipt
escrowed obligation
delayed dependency
candidate transform
recentered state
```

This prevents an informal observation from becoming a hidden premise.

Preconditioned Settings

A preconditioned setting is a review state that has already been shaped by a previous paper.

Examples include:

- a known carrier,
- a validated correction surface,
- a closed finite inventory,
- a boundary receipt,
- a kernel output,
- a lib binding,
- an analog exposure sheet,
- an unresolved obligation.

The next paper may start from that setting only if it names the previous receipt or source binding.

Shell, Escrow, and Delay

Some results are not failures and not proofs. They are delayed states:

```
shell: the result moves to a higher layer before it can close
escrow: the result is preserved until a later dependency is available
delay: the result is valid only after a time/window condition is satisfied
boundary collision: the result marks where the current frame stops
```

These categories keep the reader from confusing an unfinished route with a discarded result.

Conclusion

Paper 0.75 defines how the first toolkit and claim contract are applied to the next state. The rule is simple: no connection is hidden. If a later paper uses an earlier result, it must say

how that result is being carried.