

Paper 26.75 - Z-Pinch and Shear Next-State Precondition

CQE-paper-26.75

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-12

Construction Basis

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- top-level review source: Papers\Source\CQE-paper-26.75.md

Paper 26.75 - Z-Pinch and Shear Next-State Precondition

Purpose

This supplement defines what Paper 26 exports to later papers.

Exported Preconditions

Downstream horizon papers may use:

- the period-4 Oloid carrier receipt,
- the octonion carrier receipt,
- the orient-bit and dominant-basis residue fields,
- the fixed-generator shear diagnostic,
- the pinch-as-ledger-reclassification rule,
- the obligation that physical readings require external measurement.

Downstream Use

Paper 27 may use the carrier residue as an observer-delay diagnostic. Paper 28 may use the shear diagnostic as a game-lattice boundary event. Paper 29 may use the quarantine discipline when discussing energy-bound hypotheses.

Kernel Handshake

The kernel sidecar should expose Paper 26 as a horizon adapter: receive a tape, emit carrier traces, mark shear analog rows, and return physical readings as obligations unless a bounded-external witness is attached. In training mode, the guess label stays hidden until the reviewer predicts whether the row is a closed carrier fact or an open physical claim.