

Paper 20 - Layer-2 Synthesis Ledger

CQE-paper-20

CQECMPLX Formal Paper Series

Review-facing PDF built 2026-06-12

Construction Basis

Aggregate prediction and theory-admission results into a ledger of solved, open, failed, and transported routes.

This PDF is the clean paper artifact. Source extracts, kernels, receipts, tool notes, workbook material, and package bindings are used as construction evidence; they are not treated as separate review-facing papers.

Evidence Inputs

- production paper body pending rewrite: production\papers\CQE-paper-20\PAPER-BODY.md
- paper kernel manifest: production\paper-kernels\papers\CQE-paper-20\paper_kernel_manifest.json
- body: production\papers\CQE-paper-20\PAPER-BODY.md
- source: production\papers\CQE-paper-20\SOURCE.md
- formal: production\papers\CQE-paper-20\01-CQE-formal\FORMAL.md
- tool: production\papers\CQE-paper-20\02-CQE-tool\TOOL.md
- workbook: production\papers\CQE-paper-20\03-CQE-workbook\WORKBOOK.md
- recovered_output: production\lib-forge\recovered\papers_output\CQE-paper-20.md

Paper 20 - Layer-2 Synthesis Ledger

Status

Formal refinement draft for peer-review-facing development

Proof/Exposure Hierarchy

The proof-carrying content of this paper is the mathematics: the definitions, lemmas, constructions, examples, and receipts that establish the claimed transport. Paper 00, workbook sheets, analog tools, and open-obligation ledgers are supplemental validation and exposure layers. They exist to make the math inspectable, reproducible, and accessible without requiring a particular software stack. In the simplest case, the same state transitions can be marked with ordinary physical tokens, lines, or dirt; the point is not the material, but the preserved center, boundary, transform, residue, and receipt structure.

Abstract

This paper states a local transport problem, gives a formal vocabulary for it, binds it to a ForgeFactory/Rhenium tool surface, and records an analog workbook sheet as supplemental exposure and validation evidence. The paper is written as a proof-facing document rather than as a description of how the paper was produced. Build-method details are retained only in appendices, receipts, and the Paper 31 meta-walkthrough.

Central Thesis

Aggregate prediction and theory-admission results into a ledger of solved, open, failed, and transported routes.

Scope Boundary

The paper claims only what its math, proof tree, citations, tool receipts, and supplemental workbook evidence can presently support. Any interpretation that exceeds that support is logged as an obligation rather than silently promoted to proof.

Definitions

- ****C****: the active center of a readout window.
- ****L/R****: the two opposed boundary directions read relative to C.
- ****Transport row****: a typed record that carries a claim, source, transform, state, and obligation status.
- ****Receipt****: a replayable record of an operation, its inputs, outputs, and unresolved obligations.
- ****Supplemental workbook sheet****: a supplemental physical version of the proof state, expressed through color, tokens, string, page, card, and white/black follow-up.
- ****Tool binding****: the ForgeFactory module or function family that makes the paper executable or testable.

Axioms

Axiom 20.1 - Locality: every accepted claim must be readable through a local window before it is lifted to a larger frame.

Axiom 20.2 - Receipt Preservation: no transform is accepted unless its inputs, output, and unresolved residue can be logged.

Axiom 20.3 - Boundary Positivity: failed, partial, or mismatched routes are data. They become obligations or correction surfaces.

Axiom 20.4 - Analog Exposure Equivalence: if the claim is part of the main corpus, it can be exposed through a physical workbook analogue.

Lemmas

Lemma 20.1 - If a local state preserves C and records L/R residue, it can be transported into a proof ledger without erasing unresolved alternatives.

Lemma 20.2 - If a tool output and supplemental workbook sheet encode the same center, boundary, and obligation state, they are equivalent receipts at different media layers.

Lemma 20.3 - A practical example is valid for this paper only when it demonstrates the same operation in a non-toy domain.

Formalism / Calculus Sketch

Let a paper state be $P = (C, L, R, B, T, O)$, where C is the center, L and R are boundary readouts, B is the boundary rule, T is the tool transform, and O is the obligation set.

A local transform is accepted when:

```
T(P_in) -> P_out
receipt(P_in, T, P_out, O) exists
C_out is defined
unresolved residue is in O rather than erased
```

For Paper 20, the tool binding is:

```
forgefactory.paper20_layer2_ledger
```

Proof Tree

```
claim
-> local window
-> boundary read
-> tool transform
-> practical example
-> supplemental workbook analogue
-> receipt
-> proof result / audit residue split
```

Practical Solved Example

Domain: program review board with accepted actions, risks, and deferred decisions.

Procedure: define a center, identify left/right or equivalent boundary states, run or simulate the tool transform, record any failed or incomplete path as an obligation, and export a receipt.

Solved Output: the example is solved when the operator can reproduce the same state

transition from the formal paper, the ForgeFactory tool, and the analog workbook sheet.

Tool Binding

- Module: `forgefactory.paper20\_layer2\_ledger`
- Required outputs: `receipt.json`, `workbook\_sheet.json`, `example\_result.json`, `obligation\_ledger.csv`.
- Minimum test: a smoke test that produces at least one proof-like row and one obligation-like row.

Analog Workbook Sheet

- Start with grey loose substrate.
- Place C token at the local center.
- Mark active color gradients: red, green, blue minimum.
- Use string to bind the main route.
- Use white follow-up for proof continuation.
- Use black follow-up for obligation or unresolved residue.
- Bind the final sheet into the matching color notebook.

IRL Citation Anchors

- [W3C_PROV] W3C PROV Overview / PROV-DM provenance model. URL: <https://www.w3.org/TR/prov-overview/> Use: provenance, receipts, derivation ledgers.
- [JupyterRepro] Jupyter Project documentation. URL: <https://jupyter.org/documentation> Use: reproducible computational notebooks.

Open Obligations

- Replace citation anchors with final bibliography entries during peer-review preparation.
- Expand the tool binding from stub/registry level to executable tests where not yet implemented.
- Add one domain expert critique pass.
- Add one falsifier case that the tool must reject or defer.

Back-Propagation Targets

- Paper 00 receives any new contract term needed here.
- ForgeFactory registry receives or updates `forgefactory.paper20\_layer2\_ledger`.
- The analog workbook manual receives any new sheet rule required by this paper.
- Paper 31 records how this paper's presentation order demonstrates the same LCR process.
