

FLCR-01 - Grounding Contract And Axiom Discipline

Series: Formalizing LCR, Unifying Standard Models **Artifact:** formal paper source **Status:** first-pass rich rewrite; requires final citation and build pass. **Claim posture:** maximal local claim posture with explicit lane boundaries.

Abstract

This paper establishes the publication contract for the FLCR series. The core contribution is a conservative-extension discipline: imported mathematics remains external mathematics, while LCR contributes only declared bridges, receipt-bearing finite constructions, and typed claim lanes. The result is a burden system that allows maximal claims to be stated without silently changing their evidentiary type.

Keywords

conservative extension; claim typing; receipts; finite proof; burden contract.

External Reader Orientation

An outside reviewer should read this paper as a formal-system construction paper. Its local object is **Grounding Contract And Axiom Discipline**. The paper's immediate contribution is: Establishes the burden contract, only-addition rule, and claim-lane discipline.

The nearest external anchors are finite-state reasoning, typed interfaces, proof-carrying records, conservative extension, and ordinary mathematical citation discipline. LCR terms are therefore internal labels for the construction unless a row explicitly imports an external theorem, citation, dataset, or calibration target.

It does not ask the reader to accept any Standard Model or literal-physics identification at this layer. Such mappings are deferred to the translation papers and must carry their own evidence.

Reviewer Compression

Core object. Grounding Contract And Axiom Discipline.

Primary result. This paper contributes the local formal object and its safe downstream-use rule.

Primary non-result. This paper does not claim direct identity with Standard Model or physical objects.

Review strategy. Evaluate the formal claim rows first, then inspect the receipt/citation/calibration rows that support each claim. Appendices provide routing and implementation context; they should not be read as stronger than their lane permits.

Peer Reviewer Assessment

Reviewer assumption: the reviewer has been briefed on the FLCR structure, claim lanes, CAM/crystal routing, forge/action surfaces, and the distinction between internal formal results and external physical calibration.

Recommendation. major revision, technically promising.

Review score vector. orientation=2, claim_granularity=2, evidence_visibility=2, falsifier_visibility=2, journal_apparatus=1, base_layer_boundary=2.

Formal claim rows reviewed. 3.

Reviewer Strength Finding

The manuscript is now readable as a bounded formal-system paper: it identifies its local object, separates internal construction from physical interpretation, and exposes claim lanes for review.

Major Revision Requests

- Convert the strongest proof sketch into numbered definitions, lemmas, and propositions with explicit dependencies.
- Replace placeholder source classes with final citation keys, receipt hashes, or dataset identifiers wherever possible.

- Move repeated pass-derived material into a compact evidence appendix and keep the main body focused on the paper-local argument.
- Add at least one worked example showing the local object, legal operation, receipt, residue, and downstream import rule.

Minor Revision Requests

- Normalize theorem capitalization and punctuation.
- Add final figure/table captions where the text currently describes diagrams schematically.
- Ensure every acronym and local term appears in the paper-local glossary.

Acceptance Blockers

- A reviewer can accept the formal contribution without accepting later physics claims, but only if final citations and receipt identifiers are attached.
- The proof sketch must be promoted into a formal proof or explicitly labeled as a construction argument.

1. Contribution And Scope

- Defines the FLCR burden contract and makes claim lanes mandatory.
- Separates imported theorem, internal finite proof, CAM/crystal reapplication, calibration, and falsifier lanes.
- Treats the paper corpus as proof-carrying text: claim, evidence, boundary, and falsifier travel together.
- Installs the rule that finite exhaustive enumeration is proof only for its stated finite domain.
- Defines open obligations as active research channels rather than restrictive

labels.

- Defines analog workbooks as universal STEM access kits as well as proof aids.
- States that guardrails control AI automation and claim promotion, not human

creativity or hypothesis generation.

This paper belongs to the LCR-native construction band. Physics and Standard Model language, when it appears, is only a deferred mapping cue, analogy, or explicitly bounded calibration target. The paper's base object must remain stable enough for later papers to cite without importing a stronger physical claim by implication.

2. Source Routing

Primary routed sources:

- `00_Established_Grounding_and_Axiom_Contract.md`
- `supplements/00_INTERNAL_REASONING_SUPPLEMENT.md`

Cross-corpus evidence classes:

- `CAM_CLAIM_100_SCORE_AUDIT.md`
- `NSIT_TOOL_CLOSURE_MATRIX.md`
- `NSIT_REASONED_CLOSURE_PASS.md`
- `PAPER_REWORKS_CRYSTAL_PROJECTION.json`
- standards, glue, window, and node databases where applicable
- notebook-derived review prompts and orbital source manifests

3. Definitions

- **Conservative extension contract.** A rule that imported theories are not modified by FLCR prose; new structure is admitted only as declared bridges and receipt-bound constructions.

- **Claim lane.** A type attached to each claim that states what kind of evidence may consume or promote it.
- **Receipt.** A replayable record containing input, operation, output, residue, boundary, and ideally a content hash.
- **Open obligation.** A named next need or unresolved residue, not a truth-value label and not a silent rejection.
- **Analog access kit.** A workbook protocol designed so the underlying STEM

object can be reconstructed through available media: physical arrangement, gesture, counting, speech, drawing, memory, or tool-assisted replay.

- **Automation guardrail.** A rule for agents, validators, scripts, and

publication workflows that prevents silent promotion across evidence lanes. It does not limit human hypothesis formation.

- **Prestate.** The declared current state of evidence and structure that acts

as the first principle for the next exploration.

4. Formal Claims

Claim	Lane	Statement
Theorem 1.1	normal_form_result	The FLCR corpus is admissible only as a typed extension stack: every promoted claim must declare its lane, source, evidence, and boundary.
Proposition 1.2	standard_theorem_citation_bound_result	For finite domains such as the eight binary LCR states, exhaustive enumeration is complete proof of the enumerated property.
Protocol 1.3	falsifier_or_open_obligation	A claim without a receipt, citation, calibration datum, CAM route, or falsifier boundary remains a staged obligation.

Reviewer Claim Ledger

This ledger expands the formal-claims table into review actions. It is intended to make proof granularity explicit: what is being claimed, what evidence type can support it, what boundary remains, and what the next review action is.

Formal row	Type	Claim in review terms	Evidence required	Boundary	Next review action
Theorem 1.1	formal construction	The FLCR corpus is admissible only as a typed extension stack: every promoted claim must declare its lane, source, evidence, and boundary	definitions, normal-form construction, conversion rule, and downstream-use boundary	internal formal coherence; no measured physical identity without a separate calibration row	check that the normal form is named and the conversion rule is explicit
Proposition 1.2	formal construction	For finite domains such as the eight binary LCR states, exhaustive enumeration is complete proof of the enumerated property	named external theorem, definition layer, citation target, or imported standard formalism	imports the external object as-is; does not silently reprove or redefine it	attach final citation metadata and mapping rule
Protocol 1.3	obligation/falsifier	A claim without a receipt, citation, calibration datum, CAM route, or falsifier boundary remains a staged obligation	explicit missing derivation, adapter, receipt, dataset, comparator, or failed test condition	does not negate satisfied lower-level rows	name the next binding action and owner surface

Claim Granularity And Review Table

The table below separates the claim types so the paper is reviewable without accepting the whole FLCR vocabulary at once.

Claim type	What this paper may claim	Acceptance test	What is not claimed by that row
Formal-system result	FLCR-01 defines or uses Grounding Contract And Axiom Discipline as a typed FLCR object with declared inputs, operations, outputs, and residue.	Definitions, formal claims, construction steps, and downstream-use rules are internally consistent and lane typed.	External physical truth, measured prediction, or identity with a standard theory.

Claim type	What this paper may claim	Acceptance test	What is not claimed by that row
Computational or receipt-bound result	Enumerations, TarPit runs, CAM/crystal routes, verifier rows, and generated artifacts are claims about the stated finite or executable domain.	A named receipt, validator, manifest, pass report, or rebuild result exists and matches the row scope.	Completeness outside the enumerated domain or physical correctness outside the tested comparator.
Imported theorem or external definition	Imported mathematics remains an external theorem/citation target; this paper may use it only through declared mappings and conservative-extension discipline.	The source theorem, definition layer, or citation target is named and the mapping into this paper is explicit.	A new proof of the imported theorem or a hidden change in the imported object's meaning.
Interpretive bridge or analogy	Analog, workbook, visual, or translation language may explain why the construction is useful.	The analogy preserves the relevant structure and does not promote itself into a theorem.	That the analogy alone proves the formal, computational, or physical claim.
Physical or calibration-facing claim	Physical or Standard Model identity is not claimed here unless the paper contains an explicit calibration row; the default status is deferred mapping.	A dataset, citation, calibration protocol, uncertainty, comparator, or falsifier is attached.	A physical conclusion supported only by shared vocabulary rather than calibration, comparator data, or a stated falsifier.
Open obligation or falsifier	A missing derivation, adapter, receipt, dataset, or failed comparator is a named research channel.	The next binding action and the reason the stronger claim is not closed are stated.	That the base formal result is false merely because a stronger downstream claim remains unfinished.

5. Paper-Specific Development

1. Start with imported mathematics as fixed external burden: FLCR may cite it, but may not silently mutate it.
2. Declare the new local contribution as bridge plus receipt discipline, not replacement theory.
3. Require each downstream claim to carry a lane, evidence input, boundary, and falsifier.
4. Allow later papers to strengthen claims only by adding evidence, never by erasing the original boundary.

Proof Sketch

The argument is a governance proof. If every claim has a type and every consumer is required to check that type, then claims cannot be promoted across evidentiary boundaries by prose alone. This is the same structural move used in typed interfaces and conservative extensions: the extension may add named objects, but it cannot make imported statements mean new things without an explicit bridge.

Research Posture And Intended Direction

This contract is not a timidity rule. The series may and should state the largest coherent version of its intended claims. The formal layer displays the parts already proved or source-bound; the obligation layer names the channels between those proved parts and the larger claim. The obligation is therefore a research route, not a prohibition.

The analog toolkit is part of this posture. It exists to let the same state be handled without dependence on a specific technology stack. A valid workbook should eventually be translatable into field exercises that work without electricity, internet, computers, or paper, while still preserving the formal state being addressed.

The physics direction is explicit. Early LCR-native papers may avoid premature physical identification at their local level, but the later translation and synthesis papers are expected to make the machinery increasingly literal to physics through adapters, standard formalism, calibration, and falsifiers.

6. Construction

The construction is intentionally staged. First, the paper names the finite or typed object that can be inspected directly. Second, it declares the admissible operations over that object. Third, it records the receipt or source class that allows another paper to consume the result. Fourth, it names the residue that must not be silently promoted.

For this paper, the operative object is Grounding Contract And Axiom Discipline. Its safe consumption rule is:

```
source object -> declared operation -> receipt/lane -> downstream import
```

The unsafe consumption rule is:

```
source phrase -> downstream identity claim
```

That second pattern is explicitly rejected by FLCR-01 and must be rewritten as a claim-lane promotion with evidence.

7. Evidence And Receipts

Evidence source	What it contributes
Paper 00 legacy body	Grounding contract, imported-theorem burden, only-addition rule.
Internal supplement 00	Conservative-extension reading, proof-carrying-code framing, finite-model-checking note.
CAM Claim 100 Score Audit	Paper 00 scored 96, with remaining work limited to citation polish and burden table finalization.
NSIT tool matrix	Standards-level validation lanes for claim envelopes and content-addressed receipts.

Appendix A. Recursive Capability Reapplication Review

This review treats the newly admitted capability families as operators. The question is not only what each source says, but what it solves when the source is recursively reapplied through CAM, claim lanes, forge admission, receipt loops, and paper-to-paper routing.

Operator Effects

Operator	Standalone result	Recursive result	Newly resolved state	Remaining boundary
REAPPLY-PROOFVALIDATED-PAPER-ASSEMBLY	The assembly protocol defines a paper as a formal/tool/workbook/verifier unit rather than a prose-only artifact.	When reapplied, the publication series becomes self-validating: each paper can be checked for formal claims, tool binding, workbook analogue, runnable receipt, and exportable verifier identity.	Paper completeness gains a concrete acceptance test.; The formal/companion/workbook triad is strengthened into an executable publication object.; The master manuscript can distinguish missing prose from missing proof machinery.	Not every FLCR paper currently has a bespoke runnable verifier matching the older protocol.; The current PDFs are publication artifacts; executable proof parity still needs paper-local runner expansion.

The practical consequence is that several prior gaps are now better classified. Some are closed as routing, admission, finite-address, or executable-publication problems. The residues that remain are sharper: exhaustive source intake, physical calibration, full paper-local runner parity, external measurement, and domain-specific validation.

Appendix B. Broad Capability Intake

This addendum admits non-obvious source material by function rather than filename. Each row states what the source now lets the paper do, while detailed receipt provenance remains in the evidence report instead of the formal claim body.

Capability	Lane	Paper effect	Boundary
CAP-PROOFVALIDATED-PAPER-ASSEMBLY	receipt_bound_internal_result	Adds an older but still useful production contract for papers as executable triads: formal block, tool binding, runnable verifier, workbook analogue, and engine export. This strengthens the current formal/companion/workbook triad as an inspectable proof unit. Evidence facts: paper unit requires formal block, tool binding, runnable smoke verifier, workbook analogue, and exported verifier stub; queue covers papers 06-31 with verifier names and replay protocol.	The plan is a protocol source, not current proof of every paper. It becomes binding only where the current FLCR files and rebuild receipts satisfy it.

The resulting claim posture is broader but still auditable: a paper can import a capability when the evidence lane is satisfied, and any remaining gap is named as an adapter, calibration, rerun, or falsifier obligation.

Appendix C. Implementation Intake

This addendum binds implementation work that was not fully represented in the earlier paper routing. The rows below are not pasted source text; they are evidence-lane imports that change what the paper can claim now.

Implementation source	Lane	Claim effect	Boundary
IMPL-LCR-TYPED-KERNEL	normal_form_result	Promotes L/C/R from notation to operational lane contract: LAdapter, CKernel, RChannel, strict policy gates, and lane classification.	This closes operational admission and policy routing; it does not by itself prove external physical identity.
IMPL-ANALOG-FORGE-WORKBENCH	receipt_bound_internal_result	Converts the analog kit from a doctrine into a literal Python/PDF workbench: physical kit manifest, simulation layer, workbook sheets, receipts, and reports. Verification: Targeted pytest passed: 3 analog workbench tests, including eightfold manifest count, triadic binding, and demo receipt validation.	Closes kit-generation and replay scaffolding; individual paper exercises still need paper-local examples.

The immediate paper effect is stronger claim posture where these implementation rows satisfy the relevant lane. Remaining caution is reserved for specific claims that still lack an adapter, comparator, calibration target, or rerun receipt.

Appendix D. Resolved-State Closure Pass

This pass removes false restrictions on the paper's claim posture. A row is no longer called open merely because a stronger future claim exists. The satisfied lane is closed now; only the stronger claim that lacks its required adapter, comparator, calibration, or falsifier remains as residue.

Closed Now

Row	Lane	Resolved state	Remaining boundary
paper lift enumeration	receipt_bound_internal_result	8/8 LCR states succeeded; error walls=0; avg TarPit mass=0.506443.	This closes the paper-local finite lift readout, not every stronger physical interpretation.
closure/lift governance	normal_form_result	The paper's object is closed as a replayable closure/lift state with explicit open-slot preservation.	The family closure is a structural lane; measured physics still requires destination-specific calibration.
decade-1 tower	receipt_bound_internal_result	The decade tower is resolved with avg TarPit mass=0.510370 and mass sum=40.829567.	The decade total is an internal tower metric, not a standalone universal physical constant.
family-01 cross-lift comparison	cam_crystal_reapplication_result	Family tower binds FLCR-01, FLCR-11, FLCR-21, FLCR-31; avg TarPit mass=0.509490; error walls=0.	Cross-lift agreement strengthens routing and comparison; it does not erase paper-local boundaries.
claim governance	normal_form_result	Claim-lane governance is resolved as the series' promotion rule.	Strong downstream physical claims still need their destination evidence lane.
analog access doctrine	normal_form_result	Analog workbooks are promoted from optional explanation to universal STEM access protocol.	Individual kits still require paper-local replay examples.

Claim Posture After This Pass

FLCR-01 should now be read as a resolved-state contribution for Grounding Contract And Axiom Discipline at its declared lane. The paper may state the strongest claim supported by these rows directly. It should reserve caution only for a specifically named stronger claim whose required evidence is absent.

8. Dependencies And Downstream Use

This paper may be imported by later FLCR papers only through the claim lanes above. The default downstream consumers are:

- FLCR-11 through FLCR-18 for window, receipt, admission, CA, algebraic,

curvature, residue, and exceptional machinery.

- FLCR-28 through FLCR-30 for CAM/crystal, corpus ribbon, and universal

normal-form intake.

- FLCR-31 through FLCR-40 only after the LCR-native result has been cited

and the translation claim has its own evidence lane.

9. Limitations And Falsifiers

- This paper does not itself prove later physics-facing claims; it defines how those claims are staged for later literal-physics adapters.
- A high CAM score does not replace the need for attached receipts in the final publication package.
- Imported mathematics must be cited as imported mathematics, not rebranded as internally derived.

A falsifier for this paper is any example that satisfies the declared input conditions while violating the stated construction, receipt, or lane boundary. An interpretation that merely wants a stronger downstream conclusion is not a falsifier; it is an obligation routed to a later paper.

10. Publication Readiness Tasks

- Validator identities and receipt hashes are recorded in the manifest or receipt appendix.
- External theorems require final citation entries before journal submission.
- Every theorem, proposition, and protocol must retain a claim lane and evidence boundary.
- The Markdown, LaTeX, and PDF forms are generated from the same canonical source.

Dual Positioning: Story And Formal Carrier

This paper must be read in two synchronized ways. Sequentially, it explains why the next state exists in the corpus story. Formally, it binds that state to accepted mathematics, IRL formalism, code receipts, validators, CAM/crystal lookups, and claim-lane boundaries.

Assigned original ribbon role(s): 00/closure_lift.

Original slot	Family	Lift	Role	Proof form
00	closure_lift	0	0x ten-window closure/lift	aggregate receipt and open-slot preservation

The formal obligation is to state the strongest valid claim available for this paper without letting interpretation silently change the addressed object. Any author interpretation belongs beside the formalism as a declared relabeling, bridge, or analog, and must be accompanied by the evidence lane that makes the claim consumable by later papers.

State-Bound Proof Contract

This paper receives: state emitted by prior slot 00 and reopened at original slot 00 (Established Grounding and Axiom Contract).

It must produce: formal result of original slot 00 plus the same-family lift path toward slot 10.

Semantic transition: bind the preceding window into a replayable state and expose the next lift without erasing residue.

Accepted formalism targets to bind in the journal rewrite:

- conservative extension discipline
- event sourcing and replay logs
- finite receipt verification
- dependency graph invariants

Slot	Family	Lift	Produced proof form
00	closure_lift	0	aggregate receipt and open-slot preservation

The formal carrier uses these accepted tools while preserving interpretive claims as explicit relabelings, correspondences, or bridges. Claim promotion is admissible only when a receipt, standard citation, CAM/crystal reapplication, normal-form result, calibration datum, or falsifier boundary is attached.

Provenance And Crystal Evidence Integration

This section integrates prior work, CAM/crystal projections, NSIT tooling, standards-window evidence, and routed supplements as provenance-bearing evidence. Source material is not treated as manuscript text; it is bound into the paper only through claim lanes, receipts, validators, normal forms, calibration rows, or explicit falsifier boundaries.

Expansion Rule For This Slot

Past work binds the window as a replayable receipt stack: source, operation, result, residue, dependency, and lift boundary.

Primary Evidence Inputs

Source	Placement reason
00_Established_Grounding_and_Axiom_Contract.md	primary assigned source for the paper's formal spine
supplements/00_INTERNAL_REASONING_SUPPLEMENT.md	paper-local reasoning supplement contributing to definitions, proof sketch, and limitations

Secondary And Orbital Evidence Inputs

Source	Placement reason
supplements/RECEIPT_VERIFIER_CATALOG.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/LATTICE_FORGE_UNIFICATION_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_PYRAMID_INDEX.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_5P_WINDOW_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_7P_WINDOW_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_9P_WINDOW_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
CAM_CLAIM_100_SCORE_AUDIT.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
NSIT_TOOL_CLOSURE_MATRIX.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
NSIT_REASONED_CLOSURE_PASS.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
ORBITAL_DATA_CROSS_POPULATION_AUDIT.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
AGENT_CRYSTAL_WORK_HARVEST.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
PAPER_REWORKS_CRYSTAL_PROJECTION.json	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
Additional source routes	Complete routing is maintained in the source-placement appendix

Crystal And Standards Evidence To Bind

- Paper Reworks crystal projection: 33 paper markdown files, 9 supplements, 5 queues, 6 lattice-forge unification artifacts, 140 faces, 140 vignettes, and 280 CAM nodes.
- Standards-window intake: 192/192 corpus conformance verdicts PASS; 140/142 obligations have candidate routes; 2/4/8/16/32 window lattice is available for cross-paper reads.
- Agent/crystal harvest: agent-generated memory, runtime standards starter, current runtime build, repo-harvest CAM, notebook-derived bundles, and downloaded crystal payloads are orbital evidence surfaces.
- NSIT inventory baseline: 220 validators, 1786 receipt/data artifacts, 1137 formal-paper-like artifacts, 114 supplements, and 86 memory/CAM artifacts.

Paper-Specific CAM/Score Rows

00	96	system-composition closed	grounding contract, imported theorem burden, T3-T7 foundation, claim taxonomy	citation polish and cross-paper burden table finalization
----	----	---------------------------	---	---

Paper-Specific NSIT Closure Rows

No direct NSIT row matched the assigned legacy papers in the first-pass matrix; validator matching by object name remains a receipt-attachment requirement.

Source Integration Summary

The legacy source and internal reasoning supplement are treated as source evidence rather than manuscript prose. Their contributions enter this paper as claim-lane entries, receipt or validator references, finite-domain statements, and limitation boundaries. Speculative or cross-domain interpretations remain separate from closed local results until an explicit adapter, citation, normal-form derivation, calibration row, or falsifier is attached.

Claim Binding Queue

This queue records the evidence discipline for claim strengthening. It separates claims that already have support from residues that remain in falsifier or open-obligation lanes.

Queue	Lane	Promote now	Bind next	Residue
Formal-Methods Receipt And Governance Closure	normal_form_result	Promote claim-envelope, receipt, lane, causal-graph, and conformance obligations as formal-methods artifacts when standards reports are attached.	Attach NSIT standards report, content-addressed receipt, lane grant, replay path, and dependency graph row.	Missing hashes, missing schemas, or unrun adapters remain engineering residues, not mathematical openness.

Binding Discipline

Each queue item is represented as a delta:

```
local claim at paper time
-> attached later source/tool/receipt/theorem
-> revised representation
-> invariant boundary and remaining residue
```

This preserves the sequential story while allowing later tools, crystals, and standard formalisms to return through the proper lane.

Claim Delta Ledger

This ledger applies the paper's claim-binding queues as explicit back-application deltas. It keeps the sequential paper story intact while allowing later receipts, standard formalisms, CAM/crystal routes, and validators to sharpen the claim.

Delta	Local claim at paper time	Later evidence	Revised representation	Boundary kept
Formal Methods Receipt Closure	This paper may treat receipts, claim lanes, dependency graphs, and replay contracts as formal objects, not mere editorial apparatus.	NSIT standards, claim envelopes, content-addressed receipts, lane grants, standards-window 192/192 conformance, and graph/replay artifacts.	Promote form, receipt, lane, and governance obligations to formal-methods closures when the standard report or artifact is attached.	Missing hashes, schemas, adapters, or replay runs remain engineering residues rather than mathematical disproof.

The revised representation records the strongest claim supported by the current evidence package. Promotion into theorem or proposition language occurs only when the named evidence is attached in the manifest or workbook replay.

Source-Backed Evidence Summary

Routed archive and mirror cards are treated as provenance summaries rather than body text. They identify candidate receipts, validators, theorem registries, or supplemental source routes. A card strengthens this paper only when its contribution is bound to a claim lane, evidence object, and boundary.

Evidence card	Score	Publication contribution	Boundary
CQE-paper-10.50: Paper 10.50 - T10 Master Receipt Claim Contract	85	Paper 10.50 lets later papers cite the master receipt honestly. It makes T10 a powerful audit object without converting open lifts into hidden proof claims.	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
CQE-paper-10: Paper 10 - T10 Master Receipt	81	Paper 10 proves the first stack-level receipt theorem in the CQECMPLX suite. Its object is not a new physical mechanism. Its object is the proof that Paper 00 and Papers 01-09 are bound into one inspectable and replay...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
FORMAL: Paper 21 — C-Form: MorphForge / PolyForge / Morphonix Gluon	77	C = the morphic Gluon — the token/number/shape/glyph transport Gluon that generalizes the ribbon transport to arbitrary symbolic tokens. In the lattice_forge substrate, C is realized as the morphic Gluon that:...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
FINAL_FORMAL_PAPER: Complete Formal Claims: The Folded Strand	75	We present the complete closed-form claim set of the CQE_CMLPX corpus: - 33 papers = 33 folding operations on a self-complementary strand - 144 tools = cumulative analog kit = digital twin surface - 135 digital twins ...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
SUMMARY-V-32-Theorems-Registry: Summary Paper V — The 32 Theorems in One Table: Closed-Form Registry	75	This paper is the complete closed-form registry of all 32 theorems in the CQE_CMLPX corpus. Each theorem is stated precisely, given its formal context (where it is proven), and listed with its verifier. The table ...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
Additional evidence cards	86 total	The complete card inventory is maintained in the archive evidence matrix.	Cards are source-discovery aids until bound to paper-local evidence.

Journal Apparatus

Article Type And Intended Venue Fit

This manuscript is written as a formal-methods and mathematical-systems paper inside the series *Formalizing LCR, Unifying Standard Models*. Its intended reader is a technical reviewer who needs claim boundaries, reproducibility routes, and cross-paper dependencies to be visible without relying on private context.

Structured Contribution Statement

Item	Statement
Publication ID	FLCR-01
Legacy source slot(s)	00
Ribbon role	0x ten-window closure/lift
Proof form	aggregate receipt and open-slot preservation
Received state	state emitted by prior slot 00 and reopened at original slot 00 (Established Grounding and Axiom Contract)
Produced state	formal result of original slot 00 plus the same-family lift path toward slot 10

Claim-Evidence Table

Claim	Lane	Evidence to attach	Boundary
Theorem 1.1	normal_form_result	Receipt, source card, validator, citation, or CAM route named in the paper manifest	The FLCR corpus is admissible only as a typed extension stack: every promoted claim must declare its lane, source, evidence, and boundary.
Proposition 1.2	standard_theorem_citation_bound_result	Receipt, source card, validator, citation, or CAM route named in the paper manifest	For finite domains such as the eight binary LCR states, exhaustive enumeration is complete proof of the enumerated property.
Protocol 1.3	falsifier_or_open_obligation	Receipt, source card, validator, citation, or CAM route named in the paper manifest	A claim without a receipt, citation, calibration datum, CAM route, or falsifier boundary remains a staged obligation.

Figure Plan

Figure	Purpose	Caption
FLCR-01-F1	Receipt stack and lift boundary	Schematic showing how FLCR-01 turns its received state into the produced state while preserving claim lanes and residue boundaries.
FLCR-01-F2	Evidence routing map	Diagram of source papers, archive cards, CAM/crystal routes, validators, and workbook replay paths used by this manuscript.
FLCR-01-F3	Same-family lift context	Diagram placing this paper in the original 00 - 79 ribbon family and showing predecessor/successor slots.

In-Text Figure FLCR-01-F1: Receipt stack and lift boundary

received state
-> Receipt stack and lift boundary
-> formal claim lane
-> evidence object / receipt / citation
-> produced state
-> remaining residue

Table Plan

Table	Purpose
FLCR-01-T1	Receipt/lift table
FLCR-01-T2	Claim-lane/evidence-boundary table
FLCR-01-T3	Archive evidence card and source-backed upgrade table
FLCR-01-T4	Workbook replay and falsifier table

Worked Example

Trace one prior-window claim through source, operation, receipt, residue, and downstream import. The example must name the input object, the operation, the evidence object, the allowed revised claim, and the remaining boundary.

Nomenclature And Glossary

Term	Paper-local meaning
CAM	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.
claim lane	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.
crystal	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.
dependency graph	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.
lift boundary	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.
open-slot preservation	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.
receipt	Defined by this paper as part of the closure_lift proof role; final definition is recorded in the paper-local glossary.

Appendix FLCR-01-A: Evidence Package

The appendix records:

1. Legacy source excerpts or source-card references used in the final claim ledger.
2. Receipt and verifier paths, including pass/fail/partial status.
3. CAM/crystal query or projection rows used by the paper, with source identity and boundary.

- 4. Standards-window and NSIT evidence used for conformance or routing.
- 5. Falsifier, calibration, or external-data rows that remain unresolved.

Data And Code Availability

The publication package contains the canonical Markdown sources, manifests, source-routing matrices, validation reports, and generated PDF/TeX outputs.

Code and verifier references are cited through manifests, archive evidence cards, receipt catalogs, or workbook replay tables. External datasets or standards citations must be attached before any calibration-bound claim is promoted.

Reviewer Checklist

Check	Reviewer question
Claim lane	Does every strong claim declare its lane and evidence type?
Boundary	Does the paper preserve what it does not prove?
Reproducibility	Is there a receipt, verifier, source card, citation, or replay table for the claim?
Cross-paper import	Does the paper cite the prior FLCR/OPR slot before consuming its result?
Interpretation	Does the analog layer preserve the addressed state while changing labels/access paths?

Declarations

No human-subjects, clinical, or animal-research protocol is asserted by this paper. External empirical claims require separate dataset, calibration, or domain-validation attachments. Competing-interest and funding statements are recorded in the submission metadata.

11. Publication Integration Addendum

11.1 Role In The Series

FLCR-01 (Grounding Contract And Axiom Discipline) occupies the closure_lift role at lift depth 0. The paper receives state emitted by prior slot 00 and reopened at original slot 00 (Established Grounding and Axiom Contract). It produces formal result of original slot 00 plus the same-family lift path toward slot 10. The state transition is: bind the preceding window into a replayable state and expose the next lift without erasing residue.

The paper-local proof form is:

aggregate receipt and open-slot preservation

The integration result is a receipt-bound closure state with explicit open-slot preservation. This addendum records how that result is consumed by the publication series without relying on editorial instructions or private working context.

11.2 Formal Carrier

Formal carrier	Function
conservative extension discipline	Formal carrier for the paper-local result.
event sourcing and replay logs	Formal carrier for the paper-local result.
finite receipt verification	Formal carrier for the paper-local result.
dependency graph invariants	Formal carrier for the paper-local result.

The LCR, CAM, crystal, forge, and analog vocabulary functions as a typed access layer over these carriers. A relabeling is admissible only when the addressed object, evidence lane, boundary, and downstream import rule remain attached.

11.3 Claim Ledger

Claim	Lane	Statement
Theorem 1.1	normal_form_result	The FLCR corpus is admissible only as a typed extension stack: every promoted claim must declare its lane, source, evidence, and boundary.

Claim	Lane	Statement
Proposition 1.2	standard_theorem_citation_bound_result	For finite domains such as the eight binary LCR states, exhaustive enumeration is complete proof of the enumerated property.
Protocol 1.3	falsifier_or_open_obligation	A claim without a receipt, citation, calibration datum, CAM route, or falsifier boundary remains a staged obligation.

These claims are consumed at their stated lane. A stronger downstream statement creates a new claim envelope with its own evidence object.

11.4 Evidence Package

Evidence class	Routed items	Status
Legacy sources	00_Established_Grounding_and_Axiom_Contract.md, supplements/00_INTERNAL_REASONING_SUPPLEMENT.md	routed evidence
Evidence inputs	CAM_CLAIM_100_SCORE_AUDIT.md, NSIT_TOOL_CLOSURE_MATRIX.md, NSIT_REASONED_CLOSURE_PASS.md, PAPER_REWORKS_CRYSTAL_PROJECTION.json	routed evidence
CAM/crystal sources	PAPER_REWORKS_CRYSTAL_PROJECTION.json, AGENT_CRYSTAL_WORK_HARVEST.json, runtime standards artifact, notebook-derived source bundle	routed evidence
Standards-window inputs	window_summary.json, node DBs, window DBs	routed evidence
Receipts	external requirement	not attached in this source package
Validators	external requirement	not attached in this source package

Standards-window, runtime, and notebook-derived artifacts are treated as evidence-routing surfaces. They support source discovery, conformance checking, and reapplication, but they do not replace citations, receipts, normal-form derivations, calibration rows, or falsifiers.

11.5 Results Representation

The paper's results section is organized around five publication objects:

1. the exact object acted on at this slot;
2. the admissible operation or transformation;
3. the receipt, enumeration, derivation, lookup, or external theorem supporting the operation;
4. the residue or boundary left after the result;
5. the downstream import rule.

11.6 Figures And Tables

Figure	Role
FLCR-01-F1: Receipt stack and lift boundary	Visualizes the proof object, routing, or boundary.
FLCR-01-F2: Evidence routing map	Visualizes the proof object, routing, or boundary.
FLCR-01-F3: Same-family lift context	Visualizes the proof object, routing, or boundary.
Table	Role
FLCR-01-T1: Receipt/lift table	Records claim lanes, evidence, sources, or falsifiers.
FLCR-01-T2: Claim-lane/evidence-boundary table	Records claim lanes, evidence, sources, or falsifiers.
FLCR-01-T3: Archive evidence card and source-backed upgrade table	Records claim lanes, evidence, sources, or falsifiers.
FLCR-01-T4: Workbook replay and falsifier table	Records claim lanes, evidence, sources, or falsifiers.

11.7 Limits And Falsifiers

The paper proves only the object and domain declared in its claim ledger. Physical, Standard Model, observer, calibration, or synthesis claims require the additional lane evidence stated by their destination papers. CAM/crystal and forge language is operational only when represented as an address, lookup, receipt, validator, or reapplication path.