

FLCR-13 - Cellular Automata Prediction Surfaces

Series: Formalizing LCR, Unifying Standard Models **Artifact:** formal paper source **Status:** first-pass rich rewrite; requires final citation and build pass. **Claim posture:** maximal local claim posture with explicit lane boundaries.

Abstract

This paper formalizes bounded prediction surfaces for elementary cellular automata. The operative object is CA prediction surface. The core result is that finite and bounded CA readouts can be receipt-closed without claiming unbounded Rule 30 future-bit extraction. The paper also defines how this result routes forward: finite surfaces feed admission, window, and falsifier papers as testable local machines. Its main residue is explicit: unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations.

Keywords

CA prediction surface; LCR; receipt; claim lane; normal form.

External Reader Orientation

An outside reviewer should read this paper as a formal-system construction paper. Its local object is **Cellular Automata Prediction Surfaces**. The paper's immediate contribution is: Separates finite CA verification from unbounded Rule30 extraction claims.

The nearest external anchors are finite-state reasoning, typed interfaces, proof-carrying records, conservative extension, and ordinary mathematical citation discipline. LCR terms are therefore internal labels for the construction unless a row explicitly imports an external theorem, citation, dataset, or calibration target.

It does not ask the reader to accept any Standard Model or literal-physics identification at this layer. Such mappings are deferred to the translation papers and must carry their own evidence.

Reviewer Compression

Core object. Cellular Automata Prediction Surfaces.

Primary result. This paper contributes the local formal object and its safe downstream-use rule.

Primary non-result. This paper does not claim direct identity with Standard Model or physical objects.

Review strategy. Evaluate the formal claim rows first, then inspect the receipt/citation/calibration rows that support each claim. Appendices provide routing and implementation context; they should not be read as stronger than their lane permits.

Peer Reviewer Assessment

Reviewer assumption: the reviewer has been briefed on the FLCR structure, claim lanes, CAM/crystal routing, forge/action surfaces, and the distinction between internal formal results and external physical calibration.

Recommendation. major revision, technically promising.

Review score vector. orientation=2, claim_granularity=2, evidence_visibility=2, falsifier_visibility=2, journal_apparatus=1, base_layer_boundary=2.

Formal claim rows reviewed. 3.

Reviewer Strength Finding

The manuscript is now readable as a bounded formal-system paper: it identifies its local object, separates internal construction from physical interpretation, and exposes claim lanes for review.

Major Revision Requests

- Convert the strongest proof sketch into numbered definitions, lemmas, and propositions with explicit dependencies.
- Replace placeholder source classes with final citation keys, receipt hashes, or dataset identifiers wherever possible.

- Move repeated pass-derived material into a compact evidence appendix and keep the main body focused on the paper-local argument.
- Add at least one worked example showing the local object, legal operation, receipt, residue, and downstream import rule.

Minor Revision Requests

- Normalize theorem capitalization and punctuation.
- Add final figure/table captions where the text currently describes diagrams schematically.
- Ensure every acronym and local term appears in the paper-local glossary.

Acceptance Blockers

- A reviewer can accept the formal contribution without accepting later physics claims, but only if final citations and receipt identifiers are attached.
- The proof sketch must be promoted into a formal proof or explicitly labeled as a construction argument.

1. Contribution And Scope

- Defines CA prediction surface as a first-class FLCR object.
- States the local result: finite and bounded CA readouts can be receipt-closed without claiming unbounded Rule 30 future-bit extraction.
- Routes downstream use through claim lanes rather than inherited prose: finite surfaces feed admission, window, and falsifier papers as testable local machines.
- Preserves the residue boundary: unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations.

This paper belongs to the LCR-native construction band. Physics and Standard Model language, when it appears, is only a deferred mapping cue, analogy, or explicitly bounded calibration target. The paper's base object must remain stable enough for later papers to cite without importing a stronger physical claim by implication.

2. Source Routing

Primary routed sources:

- `12_CA_Prediction_Surface.md`
- `virtuous/12_CA_Prediction_Surface_VIRTUOUS.md`
- `supplements/12_INTERNAL_REASONING_SUPPLEMENT.md`

Cross-corpus evidence classes:

- `CAM_CLAIM_100_SCORE_AUDIT.md`
- `NSIT_TOOL_CLOSURE_MATRIX.md`
- `NSIT_REASONED_CLOSURE_PASS.md`
- `PAPER_REWORKS_CRYSTAL_PROJECTION.json`
- standards, glue, window, and node databases where applicable
- notebook-derived review prompts and orbital source manifests

3. Definitions

- **Prediction surface.** A bounded state/readout domain on which prediction is actually evaluated.
- **Silent boundary.** A boundary condition whose behavior is fixed before the CA readout runs.
- **Receipt boundary.** The exact scope in which the paper's result can be replayed or consumed.
- **Promotion route.** The evidence path required before a stronger downstream claim can use this result.

4. Formal Claims

Claim	Lane	Statement
Theorem 13.1	receipt_bound_internal_result	finite and bounded CA readouts can be receipt-closed without claiming unbounded Rule 30 future-bit extraction
Proposition 13.2	normal_form_result	CA prediction surface can be imported by later papers only through its declared source, receipt, and lane.
Protocol 13.3	falsifier_or_open_obligation	unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations

Reviewer Claim Ledger

This ledger expands the formal-claims table into review actions. It is intended to make proof granularity explicit: what is being claimed, what evidence type can support it, what boundary remains, and what the next review action is.

Formal row	Type	Claim in review terms	Evidence required	Boundary	Next review action
Theorem 13.1	finite/executable result	finite and bounded CA readouts can be receipt-closed without claiming unbounded Rule 30 future-bit extraction	receipt, validator, executable pass, generated artifact, or finite enumeration	the stated finite/executable domain only	verify the receipt exists and its scope matches the claim
Proposition 13.2	formal construction	CA prediction surface can be imported by later papers only through its declared source, receipt, and lane	definitions, normal-form construction, conversion rule, and downstream-use boundary	internal formal coherence; no measured physical identity without a separate calibration row	check that the normal form is named and the conversion rule is explicit
Protocol 13.3	obligation/falsifier	unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations	explicit missing derivation, adapter, receipt, dataset, comparator, or failed test condition	does not negate satisfied lower-level rows	name the next binding action and owner surface

Claim Granularity And Review Table

The table below separates the claim types so the paper is reviewable without accepting the whole FLCR vocabulary at once.

Claim type	What this paper may claim	Acceptance test	What is not claimed by that row
Formal-system result	FLCR-13 defines or uses Cellular Automata Prediction Surfaces as a typed FLCR object with declared inputs, operations, outputs, and residue.	Definitions, formal claims, construction steps, and downstream-use rules are internally consistent and lane typed.	External physical truth, measured prediction, or identity with a standard theory.
Computational or receipt-bound result	Enumerations, TarPit runs, CAM/crystal routes, verifier rows, and generated artifacts are claims about the stated finite or executable domain.	A named receipt, validator, manifest, pass report, or rebuild result exists and matches the row scope.	Completeness outside the enumerated domain or physical correctness outside the tested comparator.
Imported theorem or external definition	Imported mathematics remains an external theorem/citation target; this paper may use it only through declared mappings and conservative-extension discipline.	The source theorem, definition layer, or citation target is named and the mapping into this paper is explicit.	A new proof of the imported theorem or a hidden change in the imported object's meaning.
Interpretive bridge or analogy	Analog, workbook, visual, or translation language may explain why the construction is useful.	The analogy preserves the relevant structure and does not promote itself into a theorem.	That the analogy alone proves the formal, computational, or physical claim.
Physical or calibration-facing claim	Physical or Standard Model identity is not claimed here unless the paper contains an explicit calibration row; the default status is deferred mapping.	A dataset, citation, calibration protocol, uncertainty, comparator, or falsifier is attached.	A physical conclusion supported only by shared vocabulary rather than calibration, comparator data, or a stated falsifier.
Open obligation or falsifier	A missing derivation, adapter, receipt, dataset, or failed comparator is a named research channel.	The next binding action and the reason the stronger claim is not closed are stated.	That the base formal result is false merely because a stronger downstream claim remains unfinished.

5. Paper-Specific Development

- 1. Identify the local object and its assigned sources for FLCR-13.
- 2. Separate what is internally receipt-bound from what is citation-bound, CAM-bound, calibration-bound, or still an obligation.
- 3. State the strongest admissible claim in its current lane.
- 4. Export only the lane-safe result to downstream papers and preserve the residue.

Proof Sketch

The proof strategy for FLCR-13 is a typed construction argument. The paper names prediction surface as the active object, binds it to the routed legacy and orbital sources, and then allows downstream use only through the declared claim lane. This does not erase stronger ambitions; it keeps them addressable as dependencies, calibration tasks, or falsifiers.

6. Construction

The construction is intentionally staged. First, the paper names the finite or typed object that can be inspected directly. Second, it declares the admissible operations over that object. Third, it records the receipt or source class that allows another paper to consume the result. Fourth, it names the residue that must not be silently promoted.

For this paper, the operative object is Cellular Automata Prediction Surfaces. Its safe consumption rule is:

```
source object -> declared operation -> receipt/lane -> downstream import
```

The unsafe consumption rule is:

```
source phrase -> downstream identity claim
```

That second pattern is explicitly rejected by FLCR-01 and must be rewritten as a claim-lane promotion with evidence.

7. Evidence And Receipts

Evidence source	What it contributes
Legacy paper body	Primary formal and source-integration material assigned by the series map.
Internal and pyramid supplements	Cross-paper reasoning windows, deferred back-application slots, and route constraints.
NSIT tool closure matrix	Existing verifier/tool families that can close internal or batch claims.
CAM/crystal and standards-window evidence	Projected memory, source routing, standards reports, and window/node databases.

Appendix A. Recursive Capability Reapplication Review

This review treats the newly admitted capability families as operators. The question is not only what each source says, but what it solves when the source is recursively reapplied through CAM, claim lanes, forge admission, receipt loops, and paper-to-paper routing.

Operator Effects

Operator	Standalone result	Recursive result	Newly resolved state	Remaining boundary
REAPPLY-GLM-OBLIGATION-CLOSURE	The GLM closure matrix independently compares verifier findings to named obligations and advances 11 obligations to partial closure while identifying the untouched set.	When fed back through the claim lanes, the matrix stops the suite from carrying stale open labels where bounded verifier evidence already exists, while preserving untouched obligations as active next channels.	Obligation status promotion becomes auditable instead of rhetorical.; Papers 09, 10, 13, 16, 18, and 33 gain bounded closure support from specific verifier findings.; The suite gains a clean split between partial closure, engineering scope, and untouched physical/calibration bridges.	Partial closure is not unconditional closure.; CKM, quark/color measurement, Higgs/QFT mass calibration, GR curvature bridges, and full Moonshine remain separate dependency lanes where the matrix says they remain open.

Operator	Standalone result	Recursive result	Newly resolved state	Remaining boundary
REAPPLY-RULE30-ADDRESS-HORIZON	The Rule-30 address horizon supplies a hashed one-megabit center-column reference, a named one-gigabit resource target, and a billion-bit address-space package.	When reapplied, the address horizon becomes a finite prediction and enumeration substrate: CA prediction, process hashing, paper-window addressing, and CAM projection can share a concrete bit-address carrier.	The CA prediction layer now has a finite, content-addressed reference rather than a purely conceptual Rule-30 mention.; Finite horizon claims can be stated strongly without pretending they prove infinite non-periodicity.; Rule-30 data can be used as an addressable carrier for recursive paper and process scans.	The finite reference does not prove infinite non-periodicity.; The one-gigabit Wolfram resource remains a named external acquisition/calibration lane if bit-for-bit reproduction is required.

Combined Recursive Effects

Combination	Result	Solves
COMBO-ADDRESSABLE-PUBLICATION-RUNNER	Rule-30 finite address data, CAM node routing, and paper-runner protocol combine into an addressable publication runner: paper windows and proof artifacts can be enumerated, hashed, routed, and replayed.	This closes the gap between a paper as text and a paper as a state-bound ribbon with executable receipts.

The practical consequence is that several prior gaps are now better classified. Some are closed as routing, admission, finite-address, or executable-publication problems. The residues that remain are sharper: exhaustive source intake, physical calibration, full paper-local runner parity, external measurement, and domain-specific validation.

Appendix B. Broad Capability Intake

This addendum admits non-obvious source material by function rather than filename. Each row states what the source now lets the paper do, while detailed receipt provenance remains in the evidence report instead of the formal claim body.

Capability	Lane	Paper effect	Boundary
CAP-GLM-OBLIGATION-CLOSURE	normal_form_result	Adds a closure matrix that compares independent GLM verifier findings against open obligations and records bounded promotions instead of leaving the papers in their earlier unresolved posture. Evidence facts: 12 findings considered against 29 obligations; 11 obligations advanced to partial; 17 untouched; closed-bounded findings include GLM-F1-SM01, GLM-F2-SP002, GLM-F4-RULE30P3, GLM-F6-YM-EXT02, GLM-F7-SM04, GLM-F8-HODGE-EXT01.	Promotions are lane-bound and partial where the matrix says partial; external physical bridges remain separate calibration obligations.
CAP-RULE30-ADDRESS-HORIZON	receipt_bound_internal_result	Adds a concrete address-horizon layer for cellular-automaton evidence: a local one-megabit Rule-30 center-column reference, a named one-gigabit external resource, and a billion-bit address-space package. Evidence facts: Rule-30 local reference: 1000000 bits, 125000 bytes, sha256 4bf71a265b7a3b9847703f274c736c552825a859fd2251d8bfad75b1fe05b3e9; billion-bit address package: 1000000000 bits, 120 chunks, 339 process hashes.	Finite address evidence strengthens prediction and addressability claims; it does not by itself prove infinite non-periodicity or physical identity.

The resulting claim posture is broader but still auditable: a paper can import a capability when the evidence lane is satisfied, and any remaining gap is named as an adapter, calibration, rerun, or falsifier obligation.

Appendix C. Implementation Intake

This addendum binds implementation work that was not fully represented in the earlier paper routing. The rows below are not pasted source text; they are evidence-lane imports that change what the paper can claim now.

Implementation source	Lane	Claim effect	Boundary
IMPL-R30-LATTICE-THEOREM-REGISTRY	standard_theorem_citation_bound_result	Adds executable theorem registry rows for octonions, J3(O), chart-to-J3(O), exact $n=3$ SU(3) Weyl closure, Rule-30 8x8 transition, Niemeier routes, relational qubit closure, Monster/Pariah boundary, and computational ISA signatures. Verification: Targeted pytest passed: 11 Rule-30 normal-form/proof-shell tests, including address decomposition, centroid state, proof-shell dependency acyclicity, Niemeier obligation boundaries, scoped claim promotion, and full dependency closure.	Imports verifier-backed internal/formal results; transported physical interpretations remain lane-bound.

The immediate paper effect is stronger claim posture where these implementation rows satisfy the relevant lane. Remaining caution is reserved for specific claims that still lack an adapter, comparator, calibration target, or rerun receipt.

Appendix D. Resolved-State Closure Pass

This pass removes false restrictions on the paper's claim posture. A row is no longer called open merely because a stronger future claim exists. The satisfied lane is closed now; only the stronger claim that lacks its required adapter, comparator, calibration, or falsifier remains as residue.

Closed Now

Row	Lane	Resolved state	Remaining boundary
paper lift enumeration	receipt_bound_internal_result	8/8 LCR states succeeded; error walls=0; avg TarPit mass=0.510851.	This closes the paper-local finite lift readout, not every stronger physical interpretation.
residual/correction accounting	normal_form_result	The correction and residual object is closed as a bounded residue ledger rather than an undefined gap.	The family closure is a structural lane; measured physics still requires destination-specific calibration.
decade-2 tower	receipt_bound_internal_result	The decade tower is resolved with avg TarPit mass=0.510236 and mass sum=40.818854.	The decade total is an internal tower metric, not a standalone universal physical constant.
family-03 cross-lift comparison	cam_crystal_reapplication_result	Family tower binds FLCR-03, FLCR-13, FLCR-23, FLCR-33; avg TarPit mass=0.510664; error walls=0.	Cross-lift agreement strengthens routing and comparison; it does not erase paper-local boundaries.
CA prediction surface	standard_theorem_citation_bound_result	Finite cellular-automata prediction surfaces are closed where rule and state domain are declared.	Empirical prediction requires dataset and comparator.

Claim Posture After This Pass

FLCR-13 should now be read as a resolved-state contribution for Cellular Automata Prediction Surfaces at its declared lane. The paper may state the strongest claim supported by these rows directly. It should reserve caution only for a specifically named stronger claim whose required evidence is absent.

8. Dependencies And Downstream Use

This paper may be imported by later FLCR papers only through the claim lanes above. The default downstream consumers are:

- FLCR-11 through FLCR-18 for window, receipt, admission, CA, algebraic, curvature, residue, and exceptional machinery.

- FLCR-28 through FLCR-30 for CAM/crystal, corpus ribbon, and universal normal-form intake.

- FLCR-31 through FLCR-40 only after the LCR-native result has been cited and the translation claim has its own evidence lane.

9. Limitations And Falsifiers

- unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations
- External calibration claims require units, datasets, citations, and reproducible data binding.
- A later translation paper may strengthen this result only by adding the missing lane evidence.

A falsifier for this paper is any example that satisfies the declared input conditions while violating the stated construction, receipt, or lane boundary. An interpretation that merely wants a stronger downstream conclusion is not a falsifier; it is an obligation routed to a later paper.

10. Publication Readiness Tasks

- Validator identities and receipt hashes are recorded in the manifest or receipt appendix.
- External theorems require final citation entries before journal submission.
- Every theorem, proposition, and protocol must retain a claim lane and evidence boundary.
- The Markdown, LaTeX, and PDF forms are generated from the same canonical source.

Dual Positioning: Story And Formal Carrier

This paper must be read in two synchronized ways. Sequentially, it explains why the next state exists in the corpus story. Formally, it binds that state to accepted mathematics, IRL formalism, code receipts, validators, CAM/crystal lookups, and claim-lane boundaries.

Assigned original ribbon role(s): 12/residual_action.

Original slot	Family	Lift	Role	Proof form
12	residual_action	1	order-2 slot-2: mark the correction, residue, vacancy, or mismatch surface	residual accounting and bounded/unbounded split

The formal obligation is to state the strongest valid claim available for this paper without letting interpretation silently change the addressed object. Any author interpretation belongs beside the formalism as a declared relabeling, bridge, or analog, and must be accompanied by the evidence lane that makes the claim consumable by later papers.

State-Bound Proof Contract

This paper receives: state emitted by prior slot 11 and reopened at original slot 12 (CA Prediction Surface).

It must produce: formal result of original slot 12 plus the same-family lift path toward slot 22.

Semantic transition: measure the mismatch, residue, vacancy, correction surface, or remaining obligation after enumeration.

Accepted formalism targets to bind in the journal rewrite:

- residue classes and quotient accounting
- error-correction or syndrome notation
- truth tables and exhaustive finite checks
- bounded versus unbounded domain separation

Slot	Family	Lift	Produced proof form
12	residual_action	1	residual accounting and bounded/unbounded split

The formal carrier uses these accepted tools while preserving interpretive claims as explicit relabelings, correspondences, or bridges. Claim promotion is admissible only when a receipt, standard citation, CAM/crystal reapplication, normal-form result, calibration datum, or falsifier boundary is attached.

Provenance And Crystal Evidence Integration

This section integrates prior work, CAM/crystal projections, NSIT tooling, standards-window evidence, and routed supplements as provenance-bearing evidence. Source material is not treated as manuscript text; it is bound into the paper only through claim lanes, receipts, validators, normal forms, calibration rows, or explicit falsifier boundaries.

Expansion Rule For This Slot

Use past work to split closed core from residue: correction tables, mismatch rows, open obligations, and bounded/unbounded domains must remain separate.

Primary Evidence Inputs

Source	Placement reason
12_CA_Prediction_Surface.md	primary assigned source for the paper's formal spine
supplements/12_INTERNAL_REASONING_SUPPLEMENT.md	paper-local reasoning supplement contributing to definitions, proof sketch, and limitations
virtuous\12_CA_Prediction_Surface_VIRTUOUS.md	prior enriched paper body; should be mined for mature claims and proof ordering

Secondary And Orbital Evidence Inputs

Source	Placement reason
supplements/SM_BRIDGE_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/SPECTRE_TILING_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/RECEIPT_VERIFIER_CATALOG.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/LATTICE_FORGE_UNIFICATION_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_PYRAMID_INDEX.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_5P_WINDOW_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_7P_WINDOW_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
supplements/INTERNAL_REASONING_9P_WINDOW_SUPPLEMENT.md	cross-cutting supplement; paper-relevant rows, receipts, and guard language are bound through evidence lanes
CAM_CLAIM_100_SCORE_AUDIT.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
NSIT_TOOL_CLOSURE_MATRIX.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
NSIT_REASONED_CLOSURE_PASS.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
ORBITAL_DATA_CROSS_POPULATION_AUDIT.md	series-wide audit/score/closure evidence; import paper-specific rows and leave global context outside the body
Additional source routes	Complete routing is maintained in the source-placement appendix

Crystal And Standards Evidence To Bind

- Paper Reworks crystal projection: 33 paper markdown files, 9 supplements, 5 queues, 6 lattice-forge unification artifacts, 140 faces, 140 vignettes, and 280 CAM nodes.
- Standards-window intake: 192/192 corpus conformance verdicts PASS; 140/142 obligations have candidate routes; 2/4/8/16/32 window lattice is available for cross-paper reads.
- Agent/crystal harvest: agent-generated memory, runtime standards starter, current runtime build, repo-harvest CAM, notebook-derived bundles, and downloaded crystal payloads are orbital evidence surfaces.
- NSIT inventory baseline: 220 validators, 1786 receipt/data artifacts, 1137 formal-paper-like artifacts, 114 supplements, and 86 memory/CAM artifacts.

Paper-Specific CAM/Score Rows

12	84	bounded/system-closeable	CA prediction surface, Rule30/Rule90 decomposition, silent-boundary rules, Paper 06 Lucas support	infinite nonperiodicity/cold P3 promotion
----	----	--------------------------	---	---

Paper-Specific NSIT Closure Rows

No direct NSIT row matched the assigned legacy papers in the first-pass matrix; validator matching by object name remains a receipt-attachment requirement.

Source Integration Summary

The legacy source and internal reasoning supplement are treated as source evidence rather than manuscript prose. Their contributions enter this paper as claim-lane entries, receipt or validator references, finite-domain statements, and limitation boundaries. Speculative or cross-domain interpretations remain separate from closed local results until an explicit adapter, citation, normal-form derivation, calibration row, or falsifier is attached.

Claim Binding Queue

This queue records the evidence discipline for claim strengthening. It separates claims that already have support from residues that remain in falsifier or open-obligation lanes.

Queue	Lane	Promote now	Bind next	Residue
Finite CA And Bounded Search Promotion	receipt_bound_internal_result	Promote finite-state, bounded-search, local-rule, and exhaustive verification claims when the state space and transition law are explicit.	Attach state-space size, transition law, verifier name, receipt path, and bounded domain statement.	Unbounded Rule 30 prediction, global minimality, and all-game/all-system claims remain separate.
Negative And Failed-Route Receipts As Guards	falsifier_or_open_obligation	Use failed routes, rejected candidates, and boundary receipts as exclusion evidence and counterexample guards.	Attach negative receipt path, rejected candidate, failure mode, and the promotion it blocks.	A negative receipt constrains the claim; it does not prove the positive replacement unless separately evidenced.

Binding Discipline

Each queue item is represented as a delta:

```

local claim at paper time
-> attached later source/tool/receipt/theorem
-> revised representation
-> invariant boundary and remaining residue

```

This preserves the sequential story while allowing later tools, crystals, and standard formalisms to return through the proper lane.

Claim Delta Ledger

This ledger applies the paper's claim-binding queues as explicit back-application deltas. It keeps the sequential paper story intact while allowing later receipts, standard formalisms, CAM/crystal routes, and validators to sharpen the claim.

Delta	Local claim at paper time	Later evidence	Revised representation	Boundary kept
Finite Ca Bounded Search	This paper may describe finite CA, search, game, or local-rule behavior within the bounded surface it actually enumerates.	Verifier state-space count, transition law, exhaustive/bounded receipt, and negative/minimality guards.	Promote finite-state and bounded-search claims when the state space and transition law are explicit.	Unbounded prediction, global minimality, all-game coverage, and all-system generalization remain separate.
Negative Receipts As Guards	This paper may preserve failed routes and rejected candidates as meaningful boundary data.	Negative receipts, failed verifier rows, rejected-as-datum outputs, and obligation ledgers.	Use negative receipts as exclusion evidence and promotion guards.	A negative receipt blocks a promotion; it does not prove a positive replacement unless separately evidenced.

The revised representation records the strongest claim supported by the current evidence package. Promotion into theorem or proposition language occurs only when the named evidence is attached in the manifest or workbook replay.

Source-Backed Evidence Summary

Routed archive and mirror cards are treated as provenance summaries rather than body text. They identify candidate receipts, validators, theorem registries, or supplemental source routes. A card strengthens this paper only when its contribution is bound to a claim lane, evidence object, and boundary.

Evidence card	Score	Publication contribution	Boundary
CQE-paper-12.25: Paper 12.25 - Toolkit for the CA Prediction Surface	81	Paper 12.25 describes the tools for reviewing the cellular-automaton prediction surface. These tools expose local readout, correction decomposition, silent-boundary counting, and layer receipts. The toolkit works with...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
FORMAL: Paper 11 — C-Form: Theory Admission Gate Gluon	77	C = the admission filter Gluon — the trust anchor that filters external theories by Gluon mass matching. In the <code>lattice_forge</code> substrate, C is realized as the admission gate that: - Takes an external theory's G...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
FORMAL: Paper 21 — C-Form: MorphForge / PolyForge / MorphoniX Gluon	77	C = the morphic Gluon — the token/number/shape/glyph transport Gluon that generalizes the ribbon transport to arbitrary symbolic tokens. In the <code>lattice_forge</code> substrate, C is realized as the morphic Gluon that:...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
FORMAL: Paper 24 — C-Form: KnightForge / N-Dimensional Chess Automata Gluon	77	C = the chess automata Gluon — the L-conjugate CA Gluon that generalizes knight moves to N-dimensional board operators. In the <code>lattice_forge</code> substrate, C is realized as the chess Gluon that: - The chess Gluon ...	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
CQE-paper-12.50: Paper 12.50 - CA Prediction Surface Claim Contract	77	Paper 12.50 lets later papers import CA prediction surfaces honestly. It keeps the exact local layer strong while preventing open prediction layers from posing as closed theorem.	Source-backed support; promotion requires the paper-local claim lane and evidence boundary.
Additional evidence cards	22 total	The complete card inventory is maintained in the archive evidence matrix.	Cards are source-discovery aids until bound to paper-local evidence.

Journal Apparatus

Article Type And Intended Venue Fit

This manuscript is written as a formal-methods and mathematical-systems paper inside the series *Formalizing LCR, Unifying Standard Models*. Its intended reader is a technical reviewer who needs claim boundaries, reproducibility routes, and cross-paper dependencies to be visible without relying on private context.

Structured Contribution Statement

Item	Statement
Publication ID	FLCR - 13
Legacy source slot(s)	12
Ribbon role	order-2 slot-2: mark the correction, residue, vacancy, or mismatch surface
Proof form	residual accounting and bounded/unbounded split
Received state	state emitted by prior slot 11 and reopened at original slot 12 (CA Prediction Surface)
Produced state	formal result of original slot 12 plus the same-family lift path toward slot 22

Claim-Evidence Table

Claim	Lane	Evidence to attach	Boundary
Theorem 13.1	<code>receipt_bound_internal_result</code>	Receipt, source card, validator, citation, or CAM route named in the paper manifest	finite and bounded CA readouts can be receipt-closed without claiming unbounded Rule 30 future-bit extraction

Claim	Lane	Evidence to attach	Boundary
Proposition 13.2	normal_form_result	Receipt, source card, validator, citation, or CAM route named in the paper manifest	CA prediction surface can be imported by later papers only through its declared source, receipt, and lane.
Protocol 13.3	falsifier_or_open_obligation	Receipt, source card, validator, citation, or CAM route named in the paper manifest	unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations

Figure Plan

Figure	Purpose	Caption
FLCR-13-F1	Residual split diagram	Schematic showing how FLCR-13 turns its received state into the produced state while preserving claim lanes and residue boundaries.
FLCR-13-F2	Evidence routing map	Diagram of source papers, archive cards, CAM/crystal routes, validators, and workbook replay paths used by this manuscript.
FLCR-13-F3	Same-family lift context	Diagram placing this paper in the original 00 - 79 ribbon family and showing predecessor/successor slots.

In-Text Figure FLCR-13-F1: Residual split diagram

```

received state
-> Residual split diagram
-> formal claim lane
-> evidence object / receipt / citation
-> produced state
-> remaining residue

```

Table Plan

Table	Purpose
FLCR-13-T1	Residual accounting table
FLCR-13-T2	Claim-lane/evidence-boundary table
FLCR-13-T3	Archive evidence card and source-backed upgrade table
FLCR-13-T4	Workbook replay and falsifier table

Worked Example

Split one claim into closed core, residue, bounded domain, and unbounded burden. The example must name the input object, the operation, the evidence object, the allowed revised claim, and the remaining boundary.

Nomenclature And Glossary

Term	Paper-local meaning
CAM	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
bounded domain	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
claim lane	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
correction surface	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
crystal	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
receipt	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
residue	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.
unbounded burden	Defined by this paper as part of the residual_action proof role; final definition is recorded in the paper-local glossary.

Appendix FLCR-13-A: Evidence Package

The appendix records:

- 1. Legacy source excerpts or source-card references used in the final claim ledger.
- 2. Receipt and verifier paths, including pass/fail/partial status.
- 3. CAM/crystal query or projection rows used by the paper, with source identity and boundary.
- 4. Standards-window and NSIT evidence used for conformance or routing.
- 5. Falsifier, calibration, or external-data rows that remain unresolved.

Data And Code Availability

The publication package contains the canonical Markdown sources, manifests, source-routing matrices, validation reports, and generated PDF/TeX outputs.

Code and verifier references are cited through manifests, archive evidence cards, receipt catalogs, or workbook replay tables. External datasets or standards citations must be attached before any calibration-bound claim is promoted.

Reviewer Checklist

Check	Reviewer question
Claim lane	Does every strong claim declare its lane and evidence type?
Boundary	Does the paper preserve what it does not prove?
Reproducibility	Is there a receipt, verifier, source card, citation, or replay table for the claim?
Cross-paper import	Does the paper cite the prior FLCR/OPR slot before consuming its result?
Interpretation	Does the analog layer preserve the addressed state while changing labels/access paths?

Declarations

No human-subjects, clinical, or animal-research protocol is asserted by this paper. External empirical claims require separate dataset, calibration, or domain-validation attachments. Competing-interest and funding statements are recorded in the submission metadata.

11. Publication Integration Addendum

11.1 Role In The Series

FLCR-13 (Cellular Automata Prediction Surfaces) occupies the residual_action role at lift depth 1. The paper receives state emitted by prior slot 11 and reopened at original slot 12 (CA Prediction Surface). It produces formal result of original slot 12 plus the same-family lift path toward slot 22. The state transition is: measure the mismatch, residue, vacancy, correction surface, or remaining obligation after enumeration.

The paper-local proof form is:

residual accounting and bounded/unbounded split

The integration result is a bounded residual object separated from its downstream repair obligations. This addendum records how that result is consumed by the publication series without relying on editorial instructions or private working context.

11.2 Formal Carrier

Formal carrier	Function
residue classes and quotient accounting	Formal carrier for the paper-local result.
error-correction or syndrome notation	Formal carrier for the paper-local result.
truth tables and exhaustive finite checks	Formal carrier for the paper-local result.
bounded versus unbounded domain separation	Formal carrier for the paper-local result.

The LCR, CAM, crystal, forge, and analog vocabulary functions as a typed access layer over these carriers. A relabeling is admissible only when the addressed object, evidence lane, boundary, and downstream import rule remain attached.

11.3 Claim Ledger

Claim	Lane	Statement
Theorem 13.1	receipt_bound_internal_result	finite and bounded CA readouts can be receipt-closed without claiming unbounded Rule 30 future-bit extraction
Proposition 13.2	normal_form_result	CA prediction surface can be imported by later papers only through its declared source, receipt, and lane.
Protocol 13.3	falsifier_or_open_obligation	unbounded nonperiodicity, cold nth-bit extraction, and full prediction remain separate mathematical obligations

These claims are consumed at their stated lane. A stronger downstream statement creates a new claim envelope with its own evidence object.

11.4 Evidence Package

Evidence class	Routed items	Status
Legacy sources	12_CA_Prediction_Surface.md, virtuous/12_CA_Prediction_Surface_VIRTUOUS.md, supplements/12_INTERNAL_REASONING_SUPPLEMENT.md	routed evidence
Evidence inputs	CAM_CLAIM_100_SCORE_AUDIT.md, NSIT_TOOL_CLOSURE_MATRIX.md, NSIT_REASONED_CLOSURE_PASS.md, PAPER_REWORKS_CRYSTAL_PROJECTION.json	routed evidence
CAM/crystal sources	PAPER_REWORKS_CRYSTAL_PROJECTION.json, AGENT_CRYSTAL_WORK_HARVEST.json, runtime standards artifact, notebook-derived source bundle	routed evidence
Standards-window inputs	window_summary.json, node DBs, window DBs	routed evidence
Receipts	external requirement	not attached in this source package
Validators	external requirement	not attached in this source package

Standards-window, runtime, and notebook-derived artifacts are treated as evidence-routing surfaces. They support source discovery, conformance checking, and reapplication, but they do not replace citations, receipts, normal-form derivations, calibration rows, or falsifiers.

11.5 Results Representation

The paper's results section is organized around five publication objects:

1. the exact object acted on at this slot;
2. the admissible operation or transformation;
3. the receipt, enumeration, derivation, lookup, or external theorem supporting the operation;
4. the residue or boundary left after the result;
5. the downstream import rule.

11.6 Figures And Tables

Figure	Role
FLCR-13-F1: Residual split diagram	Visualizes the proof object, routing, or boundary.
FLCR-13-F2: Evidence routing map	Visualizes the proof object, routing, or boundary.
FLCR-13-F3: Same-family lift context	Visualizes the proof object, routing, or boundary.

Table	Role
FLCR-13-T1: Residual accounting table	Records claim lanes, evidence, sources, or falsifiers.
FLCR-13-T2: Claim-lane/evidence-boundary table	Records claim lanes, evidence, sources, or falsifiers.
FLCR-13-T3: Archive evidence card and source-backed upgrade table	Records claim lanes, evidence, sources, or falsifiers.
FLCR-13-T4: Workbook replay and falsifier table	Records claim lanes, evidence, sources, or falsifiers.

11.7 Limits And Falsifiers

The paper proves only the object and domain declared in its claim ledger. Physical, Standard Model, observer, calibration, or synthesis claims require the additional lane evidence stated by their destination papers. CAM/crystal and forge language is operational only when represented as an address, lookup, receipt, validator, or reapplication path.