

VHE-6 Analysis

	Baseline (12/03/24-12/16/24)	Prior (12/19/24-01/01/25)	Current (01/02/25-01/15/25)	Since Inception
Avg Systolic BP (mmHg)	133.83	133.0	131.8 +	-2.03
Avg Diastolic BP (mmHg)	83.67	82.92	82.55 +	-1.12
Peak SBP ¹ (mmHg)	165.33	172.33	161.67 +	-3.66
Peak DBP ¹ (mmHg)	106.33	110.67	102.33 +	-4.0
Low SBP ² (mmHg)	87	94	93	6
Low DBP ² (mmHg)	58	59	61	3
SBP SD (mmHg)	17.61 +	17.94	15.91 +	-1.7
DBP SD (mmHg)	11.25 +	10.8	9.3 +	-1.95
SBP CV (%)	13.16 +	13.49	12.07 +	-1.09
DBP CV (%)	13.45 +	13.02	11.27 +	-2.18
Hypertensive SBP Count ³	0	1	0	0
Hypertensive DBP Count ³	0	1	0	0
Hypotensive Count ⁴	5	2	1	-4
Progress (pts)	-	-	Improving (12)	
Baseline Progress (pts)	-	-	Improving (4)	
Overall	Poor	Poor	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHE-6 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-12-06 20:55:00	87	58
2024-12-31 20:17:00	189	122

VHE-7 Analysis

	Baseline (11/26/24-12/09/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	124.52	112.11	115.34 -	-9.18
Avg Diastolic BP (mmHg)	74.67	68.78	71.94 -	-2.73
Peak SBP ¹ (mmHg)	163.33	130.33	130.33	-33.0
Peak DBP ¹ (mmHg)	97.33	82.67	84.33	-13.0
Low SBP ² (mmHg)	87	89	90	3
Low DBP ² (mmHg)	57	52	49	-8
SBP SD (mmHg)	16.75 +	10.36	9.58	-7.17
DBP SD (mmHg)	10.14 +	8.37	7.57	-2.57
SBP CV (%)	13.45 +	9.24	8.31 +	-5.14
DBP CV (%)	13.58 +	12.17	10.52 +	-3.06
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	3	6	2	-1
Progress (pts)	-	-	Worsening (-2)	
Baseline Progress (pts)	-	-	Improving (4)	
Overall	Poor	Okay	Okay	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHE-7 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-12-06 20:55:00	87	58
2024-12-23 08:17:00	89	58
2024-12-31 09:52:00	89	56
2025-01-13 13:31:00	89	52

VHE-8 Analysis

	Baseline (12/06/24-12/19/24)	Prior (12/30/24-01/12/25)	Current (01/13/25-01/26/25)	Since Inception
Avg Systolic BP (mmHg)	144.5	133.16	127.41 +	-17.09
Avg Diastolic BP (mmHg)	80.1	76.8	74.97 +	-5.13
Peak SBP ¹ (mmHg)	168.33	161.0	153.0	-15.33
Peak DBP ¹ (mmHg)	100.67	90.0	87.33	-13.34
Low SBP ² (mmHg)	106	104	101	-5
Low DBP ² (mmHg)	64	52	60	-4
SBP SD (mmHg)	14.25	15.34	14.79	0.54
DBP SD (mmHg)	9.07 +	8.44	7.47	-1.6
SBP CV (%)	9.86 -	11.52	11.61	1.75
DBP CV (%)	11.32 +	10.99	9.96 +	-1.36
Hypertensive SBP Count ³	1	0	0	-1
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Improving (5)	
Baseline Progress (pts)	-	-	Improving (1)	
Overall	Poor	Poor	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHE-8 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-12-16 22:20:00	174	93
2024-12-21 22:31:00	180	105
2024-12-21 22:34:00	171	98

VHL-10 Analysis

	Baseline (10/29/24-11/11/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	115.49 -	130.44	118.69	3.2
Avg Diastolic BP (mmHg)	65.94 -	76.31	71.74	5.8
Peak SBP ¹ (mmHg)	149.67	150.0	147.0	-2.67
Peak DBP ¹ (mmHg)	85.0	87.67	88.0	3.0
Low SBP ² (mmHg)	79	105	85	6
Low DBP ² (mmHg)	43	63	52	9
SBP SD (mmHg)	19.2 +	11.87	16.56 -	-2.64
DBP SD (mmHg)	9.2	6.08	8.86 -	-0.34
SBP CV (%)	16.62 +	9.1	13.95 -	-2.67
DBP CV (%)	13.95 +	7.97	12.35 -	-1.6
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	11	0	6	-5
Progress (pts)	-	-	Worsening (-4)	
Baseline Progress (pts)	-	-	Worsening (-1)	
Overall	Poor	Okay	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-10 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-10-31 11:20:00	80	53
2024-10-31 11:25:00	89	55
2024-11-02 08:08:00	86	55
2024-11-04 07:08:00	79	43
2024-11-04 12:45:00	83	58
2024-11-04 12:48:00	79	54
2024-11-11 07:12:00	86	58
2024-11-18 20:29:00	171	94
2024-11-26 08:13:00	88	60
2024-11-26 08:49:00	87	56
2024-11-28 09:23:00	89	56
2024-11-28 09:36:00	84	53
2024-11-28 10:24:00	71	41
2024-12-04 11:51:00	83	59
2024-12-06 06:40:00	89	59
2025-01-27 08:59:00	88	56
2025-01-27 09:19:00	85	52

VHL-11 Analysis

	Baseline (11/09/24-11/22/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	157.55	158.67	140.56 +	-16.99
Avg Diastolic BP (mmHg)	92.0	92.93	88.41 +	-3.59
Peak SBP ¹ (mmHg)	181.67	190.0	172.67	-9.0
Peak DBP ¹ (mmHg)	105.67	108.33	99.67	-6.0
Low SBP ² (mmHg)	128	121	106	-22
Low DBP ² (mmHg)	74	76	70	-4
SBP SD (mmHg)	18.14 -	20.48	19.97	1.83
DBP SD (mmHg)	9.5	9.9	9.31	-0.19
SBP CV (%)	11.51 -	12.91	14.21 -	2.7
DBP CV (%)	10.33 -	10.65	10.53	0.2
Hypertensive SBP Count ³	6	10	3	-3
Hypertensive DBP Count ³	1	1	0	-1
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Improving (3)	
Baseline Progress (pts)	-	-	Worsening (-3)	
Overall	Poor	Poor	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-11 Extremes (Page 1 of 2)

Date	Systolic BP	Diastolic BP
2024-11-12 21:45:00	171	102
2024-11-16 22:26:00	193	111
2024-11-17 18:53:00	174	89
2024-11-18 22:33:00	174	85
2024-11-19 06:26:00	171	96
2024-11-19 20:23:00	178	91
2024-11-22 05:34:00	172	92
2024-11-25 21:24:00	173	92
2024-11-26 22:10:00	174	100
2024-11-28 07:24:00	174	96
2024-11-28 22:44:00	185	98
2024-11-29 22:21:00	178	101
2024-11-30 21:58:00	187	108
2024-12-05 22:52:00	180	97
2024-12-06 06:32:00	175	101
2024-12-09 06:06:00	193	114
2024-12-09 22:34:00	179	100
2024-12-14 22:25:00	175	97
2024-12-16 23:31:00	182	101
2024-12-17 22:01:00	194	96
2024-12-18 22:54:00	174	99
2024-12-19 22:54:00	183	90
2024-12-21 22:35:00	180	105
2024-12-22 22:15:00	184	107
2024-12-23 08:57:00	186	123

VHL-11 Extremes (Page 2 of 2)

Date	Systolic BP	Diastolic BP
2024-12-30 07:34:00	182	104
2024-12-30 22:13:00	192	109
2024-12-31 07:20:00	176	113
2025-01-01 23:27:00	201	104
2025-01-03 23:01:00	180	86
2025-01-04 23:01:00	189	98
2025-01-05 22:32:00	177	98
2025-01-06 21:47:00	178	101
2025-01-07 23:35:00	171	97
2025-01-08 23:12:00	171	99
2025-01-11 22:23:00	173	95
2025-01-12 15:16:00	160	120
2025-01-12 23:37:00	177	100
2025-01-18 22:57:00	171	97
2025-01-22 00:29:00	175	103
2025-01-25 22:54:00	172	98

VHL-14 Analysis

	Baseline (12/02/24-12/15/24)	Prior (12/06/24-12/19/24)	Current (12/20/24-01/02/25)	Since Inception
Avg Systolic BP (mmHg)	135.17	129.33	131.07 -	-4.1
Avg Diastolic BP (mmHg)	85.42	80.67	84.29 -	-1.13
Peak SBP ¹ (mmHg)	149.67	145.33	163.33	13.66
Peak DBP ¹ (mmHg)	96.33	94.67	107.33	11.0
Low SBP ² (mmHg)	117	108	102	-15
Low DBP ² (mmHg)	72	66	58	-14
SBP SD (mmHg)	12.53 -	13.3	21.94 -	9.41
DBP SD (mmHg)	8.92 -	10.48	17.78 -	8.86
SBP CV (%)	9.27 -	10.28	16.74 -	7.47
DBP CV (%)	10.44 -	12.99	21.09 -	10.65
Hypertensive SBP Count ³	0	0	1	1
Hypertensive DBP Count ³	0	0	1	1
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Worsening (-8)	
Baseline Progress (pts)	-	-	Worsening (-4)	
Overall	Okay	Okay	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-14 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-12-28 08:03:00	178	112

VHL-16 Analysis

	Baseline (12/02/24-12/15/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	134.07	137.84	141.25 -	7.18
Avg Diastolic BP (mmHg)	83.96	81.12	86.47 -	2.51
Peak SBP ¹ (mmHg)	154.33	161.0	166.33	12.0
Peak DBP ¹ (mmHg)	101.67	94.33	102.0	0.33
Low SBP ² (mmHg)	105	113	113	8
Low DBP ² (mmHg)	66	67	73	7
SBP SD (mmHg)	13.94	13.9	15.15	1.21
DBP SD (mmHg)	10.93 +	8.81	9.53	-1.4
SBP CV (%)	10.4 -	10.08	10.73 -	0.33
DBP CV (%)	13.02 +	10.86	11.02 -	-2.0
Hypertensive SBP Count ³	0	0	1	1
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Worsening (-6)	
Baseline Progress (pts)	-	-	Improving (1)	
Overall	Poor	Okay	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-16 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2025-01-18 07:07:00	174	101

VHL-17 Analysis

	Baseline (11/30/24-12/13/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	136.49	134.05	132.0 +	-4.49
Avg Diastolic BP (mmHg)	81.2	82.98	77.6 +	-3.6
Peak SBP ¹ (mmHg)	166.33	172.33	162.0 +	-4.33
Peak DBP ¹ (mmHg)	98.67	109.67	98.67	0.0
Low SBP ² (mmHg)	102	88	91	-11
Low DBP ² (mmHg)	51	57	56	5
SBP SD (mmHg)	17.01 -	24.8	19.43 +	2.42
DBP SD (mmHg)	11.56	15.02	11.19 +	-0.37
SBP CV (%)	12.46 -	18.5	14.72 +	2.26
DBP CV (%)	14.24	18.1	14.42 +	0.18
Hypertensive SBP Count ³	1	3	0	-1
Hypertensive DBP Count ³	0	1	0	0
Hypotensive Count ⁴	0	7	4	4
Progress (pts)	-	-	Improving (10)	
Baseline Progress (pts)	-	-	Worsening (-2)	
Overall	Poor	Poor	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-17 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-12-06 08:26:00	180	97
2024-12-22 09:14:00	172	105
2025-01-02 13:11:00	173	114
2025-01-02 13:44:00	174	107
2025-01-13 20:11:00	88	60

VHL-19 Analysis

	Baseline (12/19/24-01/01/25)	Prior (12/30/24-01/12/25)	Current (01/13/25-01/26/25)	Since Inception
Avg Systolic BP (mmHg)	112.0 -	115.67	114.64	2.64
Avg Diastolic BP (mmHg)	75.93	77.83	78.82 -	2.89
Peak SBP ¹ (mmHg)	126.67	120.67	122.0	-4.67
Peak DBP ¹ (mmHg)	81.67	80.0	83.67	2.0
Low SBP ² (mmHg)	96	104	104	8
Low DBP ² (mmHg)	64	73	72	8
SBP SD (mmHg)	10.31 +	7.0	6.04	-4.27
DBP SD (mmHg)	5.02	3.06	4.56 -	-0.46
SBP CV (%)	9.21 +	6.05	5.27 +	-3.94
DBP CV (%)	6.61 +	3.93	5.79 -	-0.82
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	1	0	0	-1
Progress (pts)	-	-	Worsening (-3)	
Baseline Progress (pts)	-	-	Improving (1)	
Overall	Okay	Okay	Good	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-19 Extremes

No extreme values found

VHL-1 Analysis

	Baseline (09/18/24-10/01/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	157.4	113.55	118.42 -	-38.98
Avg Diastolic BP (mmHg)	93.6	66.36	72.92 -	-20.68
Peak SBP ¹ (mmHg)	162.0	122.67	126.67	-35.33
Peak DBP ¹ (mmHg)	96.67	73.0	83.33	-13.34
Low SBP ² (mmHg)	145	103	109	-36
Low DBP ² (mmHg)	88	44	66	-22
SBP SD (mmHg)	7.64	7.16	6.68	-0.96
DBP SD (mmHg)	5.86 -	8.52	7.51	1.65
SBP CV (%)	4.85 -	6.31	5.64 +	0.79
DBP CV (%)	6.26 -	12.84	10.3 +	4.04
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Worsening (-2)	
Baseline Progress (pts)	-	-	Worsening (-3)	
Overall	Poor	Okay	Okay	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-1 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-10-01 20:14:00	178	110
2024-10-02 20:49:00	172	104

VHL-2 Analysis

	Baseline (09/23/24-10/06/24)	Prior (11/18/24-12/01/24)	Current (12/02/24-12/15/24)	Since Inception
Avg Systolic BP (mmHg)	142.22 -	149.22	143.0	0.78
Avg Diastolic BP (mmHg)	87.61	82.44	81.0 +	-6.61
Peak SBP ¹ (mmHg)	166.0	160.33	154.0	-12.0
Peak DBP ¹ (mmHg)	105.67	89.67	87.67	-18.0
Low SBP ² (mmHg)	114	132	127	13
Low DBP ² (mmHg)	74	66	73	-1
SBP SD (mmHg)	14.86	10.21	14.85 -	-0.01
DBP SD (mmHg)	10.62 +	8.63	8.51	-2.11
SBP CV (%)	10.45	6.84	10.38 -	-0.07
DBP CV (%)	12.12 +	10.47	10.51	-1.61
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Same (0)	
Baseline Progress (pts)	-	-	Same (0)	
Overall	Poor	Poor	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-2 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-10-17 00:17:00	174	105
2024-10-20 22:10:00	173	85
2024-11-02 17:27:00	174	94

VHL-3 Analysis

	Baseline (09/23/24-10/06/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	112.8 -	123.6	121.08	8.28
Avg Diastolic BP (mmHg)	72.67	74.2	74.96 -	2.29
Peak SBP ¹ (mmHg)	147.0	141.33	142.33	-4.67
Peak DBP ¹ (mmHg)	96.0	82.0	91.0	-5.0
Low SBP ² (mmHg)	81	105	100	19
Low DBP ² (mmHg)	51	62	53	2
SBP SD (mmHg)	16.51 +	13.84	13.87	-2.64
DBP SD (mmHg)	11.26	7.33	10.1 -	-1.16
SBP CV (%)	14.64 +	11.2	11.46 -	-3.18
DBP CV (%)	15.49 +	9.88	13.47 -	-2.02
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	10	0	1	-9
Progress (pts)	-	-	Worsening (-5)	
Baseline Progress (pts)	-	-	Improving (1)	
Overall	Poor	Poor	Poor	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-3 Extremes (Page 1 of 1)

Date	Systolic BP	Diastolic BP
2024-10-03 00:14:00	86	54
2024-10-04 00:04:00	81	51
2024-10-16 00:09:00	89	62
2024-11-23 19:28:00	89	58
2024-11-24 16:22:00	88	62
2024-11-27 21:17:00	89	60
2024-12-03 21:59:00	89	63

VHL-4 Analysis

	Baseline (10/01/24-10/14/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	129.91 -	133.35	131.85	1.94
Avg Diastolic BP (mmHg)	72.36	71.19	71.08 +	-1.28
Peak SBP ¹ (mmHg)	161.0	152.0	151.0	-10.0
Peak DBP ¹ (mmHg)	89.33	85.0	81.67	-7.66
Low SBP ² (mmHg)	91	119	114	23
Low DBP ² (mmHg)	57	50	60	3
SBP SD (mmHg)	15.66 +	9.03	13.23 -	-2.43
DBP SD (mmHg)	8.28	7.4	8.15	-0.13
SBP CV (%)	12.05 +	6.77	10.03 -	-2.02
DBP CV (%)	11.44	10.39	11.47 -	0.03
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	1	0	0	-1
Progress (pts)	-	-	Worsening (-1)	
Baseline Progress (pts)	-	-	Same (0)	
Overall	Poor	Okay	Okay	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-4 Extremes

No extreme values found

VHL-6 Analysis

	Baseline (09/30/24-10/13/24)	Prior (01/01/25-01/14/25)	Current (01/15/25-01/28/25)	Since Inception
Avg Systolic BP (mmHg)	140.95	140.47	139.41 +	-1.54
Avg Diastolic BP (mmHg)	77.05	73.23	72.94 +	-4.11
Peak SBP ¹ (mmHg)	156.0	158.0	156.67	0.67
Peak DBP ¹ (mmHg)	89.67	84.0	82.0	-7.67
Low SBP ² (mmHg)	124	123	115	-9
Low DBP ² (mmHg)	65	61	59	-6
SBP SD (mmHg)	8.94 -	10.0	11.45	2.51
DBP SD (mmHg)	6.63	6.63	6.7	0.07
SBP CV (%)	6.34 -	7.12	8.21 -	1.87
DBP CV (%)	8.6 -	9.05	9.19 -	0.59
Hypertensive SBP Count ³	0	0	0	0
Hypertensive DBP Count ³	0	0	0	0
Hypotensive Count ⁴	0	0	0	0
Progress (pts)	-	-	Improving (2)	
Baseline Progress (pts)	-	-	Worsening (-3)	
Overall	Poor	Poor	Okay	

¹ 'Hypotensive Measurements' indicates the count of systolic BP values <= 95 mmHg with a hypothetical average decrease of 5 mmHg.

² 'Peak' values represent the average of the three highest values in the timeframe.

³ 'Low' values represent the single lowest value in the timeframe.

VHL-6 Extremes

No extreme values found

Aggregate Since Inception Analysis

	Metric	VHE-6	VHE-7	VHL-17	VHL-16	VHL-14	VHL-11	VHL-10	VHL-4	VHL-6	VHL-3	VHL-2	VHL-19	VHL-1	VHE-8
Avg Systolic BP (mmHg)		-2.03	-9.18	-4.49	7.18	-4.1	-16.99	3.2	1.94	-1.54	8.28	0.78	2.64	-38.98	-17.09
Avg Diastolic BP (mmHg)		-1.12	-2.73	-3.6	2.51	-1.13	-3.59	5.8	-1.28	-4.11	2.29	-6.61	2.89	-20.68	-5.13
Peak SBP ¹ (mmHg)		-3.66	-33.0	-4.33	12.0	13.66	-9.0	-2.67	-10.0	0.67	-4.67	-12.0	-4.67	-35.33	-15.33
Peak DBP ¹ (mmHg)		-4.0	-13.0	0.0	0.33	11.0	-6.0	3.0	-7.66	-7.67	-5.0	-18.0	2.0	-13.34	-13.34
Low SBP ² (mmHg)		6	3	-11	8	-15	-22	6	23	-9	19	13	8	-36	-5
Low DBP ² (mmHg)		3	-8	5	7	-14	-4	9	3	-6	2	-1	8	-22	-4
SBP SD (mmHg)		-1.7	-7.17	2.42	1.21	9.41	1.83	-2.64	-2.43	2.51	-2.64	-0.01	-4.27	-0.96	0.54
DBP SD (mmHg)		-1.95	-2.57	-0.37	-1.4	8.86	-0.19	-0.34	-0.13	0.07	-1.16	-2.11	-0.46	1.65	-1.6
SBP CV (%)		-1.09	-5.14	2.26	0.33	7.47	2.7	-2.67	-2.02	1.87	-3.18	-0.07	-3.94	0.79	1.75
DBP CV (%)		-2.18	-3.06	0.18	-2.0	10.65	0.2	-1.6	0.03	0.59	-2.02	-1.61	-0.82	4.04	-1.36
Hypertensive SBP		-13	-40	8	4	1	8	-18	-31	-9	-22	-17	-4	7	-13
Hypertensive DBP		-13	-40	7	5	1	6	-18	-31	-9	-22	-17	-4	7	-14
Hypotensive C		-4	-1	4	0	0	0	-5	-1	0	-9	0	-1	0	0
Progress (p)															
Baseline Progre															
	Overall														
# of Measurem		198	212	232	116	30	153	465	269	259	249	109	29	172	161
Start Date		12/03/24	11/26/24	11/30/24	12/02/24	12/02/24	11/09/24	10/29/24	10/01/24	09/30/24	09/23/24	09/23/24	12/19/24	09/18/24	12/06/24
End Date		01/15/25	01/28/25	01/28/25	01/28/25	01/02/25	01/28/25	01/28/25	01/28/25	01/28/25	01/28/25	12/15/24	01/26/25	01/28/25	01/26/25
Total Day		42	62	58	56	30	80	90	118	120	127	83	38	131	51