

Seminar for Statistics

Departement of Mathematics

Master Thesis Spring 2015

Nicolas Bennett

The title of my thesis which should be split on several lines if it is too long

Submission Date: August 25th 2015

Co-Adviser: Anna Drewek

Adviser: Prof. Dr. Peter Bühlmann

To some special person

Preface

First words and acknowledgements. And we add a lot of text to make sure that it spans more than one line, as otherwise it may not show up.

Abstract

This example thesis briefly shows the main features of our thesis style, and how to use it for your purposes.

Contents

Co	onten	ts	vii
Li	st of	Figures	ix
Li	st of	Tables	xi
	Not	ation	xi
1	Intr	oduction	1
	1.1	Features	1
		1.1.1 Extra package includes	2
		1.1.2 Layout setup	2
		1.1.3 Theorem setup	2
		1.1.4 Macro setup	3
2	Wri	ting scientific texts in English	5
	2.1	Basic writing rules	5
	2.2	Being nice to the reader	5
	2.3	A few important grammar rules	6
	2.4	Things you (usually) don't say in English	9
3	Тур	ography	11
	3.1	Punctuation	11
	3.2	Spacing	12
	3.3	Choice of 'fonts'	13
	3.4	Displayed equations	13
	3.5	Floats	14
4	Exa	mple Chapter	17
	4.1		17
		411 Fyample Subsection	17

Contents

A	Con	nplementary information	19
	A.1	Including R code with verbatim	19
	A.2	Including R code with the <i>listings</i> package	20
		Using Sweave to include R code (and more) in your report	20
В	Yet a	another appendix	21
	B.1	Description	21
		Tables	21
Bil	bliog	raphy	23

List of Figures

List of Tables

2.1	Things you (usually) don't say											Ģ)
B.1	Test results											2	ı

Notation

Explain your symbols and abbreviations.

Chapter 1

Introduction

This is version v1.4 of the template.

We assume that you found this template on our institute's website, so we do not repeat everything stated there. Consult the website again for pointers to further reading about LATEX. This chapter only gives a brief overview of the files you are looking at.

1.1 Features

The rest of this document shows off a few features of the template files. Look at the source code to see which macros we used!

The template is divided into T_FX files as follows:

- 1. thesis.tex is the main file.
- 2. extrapackages.tex holds extra package includes.
- 3. layoutsetup.tex defines the style used in this document.
- 4. theoremsetup.tex declares the theorem-like environments.
- 5. macrosetup.tex defines extra macros that you may find useful.
- 6. introduction.tex contains this text.
- 7. sections.tex is a quick demo of each sectioning level available.
- 8. refs.bib is an example bibliography file. You can use BibTEX to quote references. For example, read Bringhurst (1996) if you can get a hold of it.

1.1.1 Extra package includes

The file extrapackages.tex lists some packages that usually come in handy. Simply have a look at the source code. We have added the following comments based on our experiences:

REC This package is recommended.

OPT This package is optional. It usually solves a specific problem in a clever way.

ADV This package is for the advanced user, but solves a problem frequent enough that we mention it. Consult the package's documentation.

As a small example, here is a reference to the Section *Features* typeset with the recommended *varioref* package:

See Section 1.1 on the preceding page.

1.1.2 Layout setup

This defines the overall look of the document – for example, it changes the chapter and section heading appearance. We consider this a 'do not touch' area. Take a look at the excellent *Memoir* documentation before changing it.

In fact, take a look at the excellent Memoir documentation, full stop.

1.1.3 Theorem setup

This file defines a bunch of theorem-like environments.

Theorem 1.1 *An example theorem.*

Proof Proof text goes here.

Note that the q.e.d. symbol moves to the correct place automatically if you end the proof with an enumerate or displaymath. You do not need to use \qedhere as with amsthm.

Theorem 1.2 (Some Famous Guy) *Another example theorem.*

Proof This proof

1. ends in an enumerate.

Proposition 1.3 *Note that all theorem-like environments are by default numbered on the same counter.*

Proof This proof ends in a display like so:

$$f(x) = x^2.$$

1.1.4 Macro setup

For now the macro setup only shows how to define some basic macros, and how to use a neat feature of the *mathtools* package:

$$|a|$$
, $\left|\frac{a}{b}\right|$, $\left|\frac{a}{b}\right|$.

Chapter 2

Writing scientific texts in English

This chapter was originally a separate document written by Reto Spöhel. It is reprinted here so that the template can serve as a quick guide to thesis writing, and to provide some more example material to give you a feeling for good typesetting.

2.1 Basic writing rules

The following rules need little further explanation; they are best understood by looking at the example in the booklet by Knuth et al., $\S2-\S3$.

Rule 2.1 Write texts, not chains of formulas.

More specifically, write full sentences that are logically interconnected by phrases like 'Therefore', 'However', 'On the other hand', etc. where appropriate.

Rule 2.2 Displayed formulas should be embedded in your text and punctuated with it.

In other words, your writing should not be divided into 'text parts' and 'formula parts'; instead the formulas should be tied together by your prose such that there is a natural flow to your writing.

2.2 Being nice to the reader

Try to write your text in such a way that a reader enjoys reading it. That's of course a lofty goal, but nevertheless one you should aspire to!

Rule 2.3 Be nice to the reader.

Give some intuition or easy example for definitions and theorems which might be hard to digest. Remind the reader of notations you introduced many pages ago – chances are he has forgotten them. Illustrate your writing with diagrams and pictures where this helps the reader. Etc.

Rule 2.4 Organize your writing.

Think carefully about how you subdivide your thesis into chapters, sections, and possibly subsections. Give overviews at the beginning of your thesis and of each chapter, so the reader knows what to expect. In proofs, outline the main ideas before going into technical details. Give the reader the opportunity to 'catch up with you' by summing up your findings periodically.

Useful phrases: 'So far we have shown that ...', 'It remains to show that ...', 'Recall that we want to prove inequality (7), as this will allow us to deduce that ...', 'Thus we can conclude that Next, we would like to find out whether ...', etc.

Rule 2.5 Don't say the same thing twice without telling the reader that you are saying it twice.

Repetition of key ideas is important and helpful. However, if you present the same idea, definition or observation twice (in the same or different words) without telling the reader, he will be looking for something new where there is nothing new.

Useful phrases: 'Recall that [we have seen in Chapter 5 that] ...', 'As argued before / in the proof of Lemma 3, ...', 'As mentioned in the introduction, ...', 'In other words, ...', etc.

Rule 2.6 Don't make statements that you will justify later without telling the reader that you will justify them later.

This rule also applies when the justification is coming right in the next sentence! The reasoning should be clear: if you violate it, the reader will lose valuable time trying to figure out on his own what you were going to explain to him anyway.

Useful phrases: 'Next we argue that ...', 'As we shall see, ...', 'We will see in the next section that ..., etc.

2.3 A few important grammar rules

Rule 2.7 There is (almost) never a comma before 'that'.

It's really that simple. Examples:

We assume that ...
Wir nehmen an, dass ...

```
It follows that ... Daraus folgt, dass ...
```

'thrice' is a word that is seldom used.

Exceptions to this rule are rare and usually pretty obvious. For example, you may end up with a comma before 'that' because 'i.e.' is spelled out as 'that is':

```
For p(n) = \log n/n we have ... However, if we choose p a little bit higher, that is p(n) = (1 + \varepsilon) \log n/n for some \varepsilon > 0, we obtain that...
```

Or you may get a comma before 'that' because there is some additional information inserted in the middle of your sentence:

Thus we found a number, namely n_0 , that satisfies equation (13).

If the additional information is left out, the sentence has no comma:

Thus we found a number that satisfies equation (13).

(For 'that' as a relative pronoun, see also Rules 2.9 and 2.10 below.)

Rule 2.8 There is usually no comma before 'if'.

Example:

```
A graph is not 3-colorable if it contains a 4-clique. Ein Graph ist nicht 3-färbbar, wenn er eine 4-Clique enthält.
```

However, if the 'if' clause comes first, it is usually separated from the main clause by a comma:

```
If a graph contains a 4-clique, it is not 3-colorable . Wenn ein Graph eine 4-Clique enthält, ist er nicht 3-färbbar.
```

There are more exceptions to these rules than to Rule 2.7, which is why we are not discussing them here. Just keep in mind: don't put a comma before 'if' without good reason.

Rule 2.9 Non-defining relative clauses have commas.

Rule 2.10 Defining relative clauses have no commas.

In English, it is very important to distinguish between two types of relative clauses: defining and non-defining ones. This is a distinction you absolutely need to understand to write scientific texts, because mistakes in this area actually distort the meaning of your text!

It's probably easier to explain first what a *non-defining* relative clause is. A non-defining relative clauses simply gives additional information *that could* also be left out (or given in a separate sentence). For example, the sentence

^{&#}x27;thrice' ist ein Wort, das selten verwendet wird.

The WeirdSort algorithm, which was found by the famous mathematician John Doe, is theoretically best possible but difficult to implement in practice.

would be fully understandable if the relative clause were left out completely. It could also be rephrased as two separate sentences:

The WeirdSort algorithm is theoretically best possible but difficult to implement in practice. [By the way,] WeirdSort was found by the famous mathematician John Doe.

This is what a non-defining relative clause is. *Non-defining relative clauses are always written with commas.* As a corollary we obtain that you cannot use 'that' in non-defining relative clauses (see Rule 2.7!). It would be wrong to write

The WeirdSort algorithm, that was found by the famous mathematician John Doe, is theoretically best possible but difficult to implement in practice.

A special case that warrants its own example is when 'which' is referring to the entire preceding sentence:

Thus inequality (7) is true, which implies that the Riemann hypothesis holds.

As before, this is a non-defining relative sentence (it could be left out) and therefore needs a comma.

So let's discuss *defining* relative clauses next. A defining relative clause tells the reader *which specific item the main clause is talking about*. Leaving it out either changes the meaning of the sentence or renders it incomprehensible altogether. Consider the following example:

The WeirdSort algorithm is difficult to implement in practice. In contrast, the algorithm that we suggest is very simple.

Here the relative clause 'that we suggest' cannot be left out – the remaining sentence would make no sense since the reader would not know which algorithm it is talking about. This is what a defining relative clause is. *Defining relative clauses are never written with commas*. Usually, you can use both 'that' and 'which' in defining relative clauses, although in many cases 'that' sounds better.

As a final example, consider the following sentence:

For the elements in \mathcal{B} which satisfy property (A), we know that equation (37) holds.

Table 2.1: Things you (usually) don't say

' - '	•
We have	Es gilt
though.)	
x satisfies property \mathcal{P} .	x erfüllt Eigenschaft ${\cal P}.$
on average	im Durchschnitt
estimate	Abschätzung
composite number	zusammengesetzte Zahl
using	mit Hilfe von
clearly	sicher, bestimmt
monotonically incr.	monoton steigend
easing' is just fine.)	
	though.) x satisfies property \mathcal{P} . on average estimate composite number using clearly monotonically incr.

This sentence does not make a statement about all elements in \mathcal{B} , only about those satisfying property (A). The relative clause is *defining*. (Thus we could also use 'that' in place of 'which'.)

In contrast, if we add a comma the sentence reads

For the elements in \mathcal{B} , which satisfy property (A), we know that equation (37) holds.

Now the relative clause is *non-defining* – it just mentions in passing that all elements in \mathcal{B} satisfy property (A). The main clause states that equation (37) holds for *all* elements in \mathcal{B} . See the difference?

2.4 Things you (usually) don't say in English – and what to say instead

Table 2.1 lists some common mistakes and alternatives. The entries should not be taken as gospel – they don't necessarily mean that a given word or formulation is wrong under all circumstances (obviously, this depends a lot on the context). However, in nine out of ten instances the suggested alternative is the better word to use.

Chapter 3

Typography

3.1 Punctuation

Rule 3.1 Use opening (') and closing (') quotation marks correctly.

In LATEX, the closing quotation mark is typed like a normal apostrophe, while the opening quotation mark is typed using the French *accent grave* on your keyboard (the *accent grave* is the one going down, as in *frère*).

Note that any punctuation that *semantically* follows quoted speech goes inside the quotes in American English, but outside in Britain. Also, Americans use double quotes first. Oppose

"Using 'lasers,' we punch a hole in ... the Ozone Layer," Dr. Evil said.

to

'Using "lasers", we punch a hole in . . . the Ozone Layer', Dr. Evil said.

Rule 3.2 Use hyphens (-), en-dashes (-) and em-dashes (--) correctly.

A hyphen is only used in words like 'well-known', '3-colorable' etc., or to separate words that continue in the next line (which is known as hyphenation). It is entered as a single ASCII hyphen character (-).

To denote ranges of numbers, chapters, etc., use an en-dash (entered as two ASCII hyphens --) with no spaces on either side. For example, using Equations (1)–(3), we see...

As the equivalent of the German *Gedankenstrich*, use an en-dash with spaces on both sides – in the title of Section 2.4, it would be wrong to use a hyphen instead of the dash. (Some English authors use the even longer emdash (—)

instead, which is typed as three subsequent hyphens in LaTeX. This emdash is used without spaces around it—like so.)

3.2 Spacing

Rule 3.3 Do not add spacing manually.

Rule 3.4 Judiciously insert spacing in maths where it helps.

This directly contradicts Rule 3.3, but in some cases TEX fails to correctly decide how much spacing is required. For example, consider

$$f(a,b) = f(a+b, a-b).$$

In such cases, inserting a thin math space \, greatly increases readability:

$$f(a,b) = f(a+b, a-b).$$

Along similar lines, there are variations of some symbols with different spacing. For example, Lagrange's Theorem states that |G| = [G:H]|H|, but the proof uses a bijection $f: aH \rightarrow bH$. (Note how the first colon is symmetrically spaced, but the second is not.)

Rule 3.5 Learn when to use _ and \@.

Unless you use 'french spacing', the space at the end of a sentence is slightly larger than the normal interword space.

The rule used by TEX is that any space following a period, exclamation mark or question mark is sentence-ending, except for periods preceded by an upper-case letter. Inserting \ before a space turns it into an interword space, and inserting \@ before a period makes it sentence-ending. This means you should write

```
Prof.\ Dr.\ A. Steger is a member of CADMO\@.

If you want to write a thesis with her, you should use this template.
```

which turns into

Prof. Dr. A. Steger is a member of CADMO. If you want to write a thesis with her, you should use this template.

The effect becomes more dramatic in lines that are stretched slightly during justification:

Prof. Dr. A. Steger is a member of CADMO. If you

Rule 3.6 Place a non-breaking space (∼) right before references.

This is actually a slight simplification of the real rule, which should invoke common sense. Place non-breaking spaces where a line break would look 'funny' because it occurs right in the middle of a construction, especially between a reference type (Chapter) and its number.

3.3 Choice of 'fonts'

Professional typography distinguishes many font attributes, such as family, size, shape, and weight. The choice for sectional divisions and layout elements has been made, but you will still occasionally want to switch to something else to get the reader's attention. The most important rule is very simple.

Rule 3.7 When emphasising a short bit of text, use \emph.

In particular, *never* use bold text (\textbf). Italics (or Roman type if used within italics) avoids distracting the eye with the huge blobs of ink in the middle of the text that bold text so quickly introduces.

Occasionally you will need more notation, for example, a consistent typeface used to identify algorithms.

Rule 3.8 Vary one attribute at a time.

For example, for WEIRDSORT we only changed the shape to small caps. Changing two attributes, say, to bold small caps would be excessive (LATEX does not even have this particular variation). The same holds for mathematical notation: the reader can easily distinguish g_n , G(x), G and G.

Rule 3.9 Never underline or uppercase.

No exceptions to this one, unless you are writing your thesis on a typewriter. Manually. Uphill both ways. In a blizzard.

3.4 Displayed equations

Rule 3.10 Insert paragraph breaks *after* displays only where they belong. Never insert paragraph breaks *before* displays.

LATEX translates sequences of more than one linebreak (i.e., what looks like an empty line in the source code) into a paragraph break in almost all contexts. This also happens before and after displays, where extra spacing is inserted to give a visual indication of the structure. Adding a blank line in these places may look nice in the sources, but compare the resulting display

$$a = b$$

to the following:

$$a = b$$

The first display is surrounded by blank lines, but the second is not. It is bad style to start a paragraph with a display (you should always tell the reader what the display means first), so the rule follows.

Rule 3.11 Never use equarray.

It is at the root of most ill-spaced multiline displays. The *amsmath* package provides better alternatives, such as the align family

$$f(x) = \sin x,$$

$$g(x) = \cos x,$$

and multline which copes with excessively long equations:

$$P[X_{t_0} \in (z_0, z_0 + dz_0], \dots, X_{t_n} \in (z_n, z_n + dz_n]]$$

$$= \nu(dz_0) K_{t_1}(z_0, dz_1) K_{t_2 - t_1}(z_1, dz_2) \cdots K_{t_n - t_{n-1}}(z_{n-1}, dz_n).$$

3.5 Floats

By default this style provides floating environments for tables and figures. The general structure should be as follows:

```
begin{figure}

centering

centering

content goes here

caption{A short caption}

label{some-short-label}

end{figure}
```

Note that the label must follow the caption, otherwise the label will refer to the surrounding section instead. Also note that figures should be captioned at the bottom, and tables at the top.

The whole point of floats is that they, well, *float* to a place where they fit without interrupting the text body. This is a frequent source of confusion and changes; please leave it as is.

Rule 3.12 Do not restrict float movement to only 'here' (${\tt h}$).

If you are still tempted, you should avoid the float altogether and just show the figure or table inline, similar to a displayed equation.

Chapter 4

Example Chapter

Dummy text.

4.1 Example Section

Dummy text.

4.1.1 Example Subsection

Dummy text.

Example Subsubsection

Dummy text.

Example Paragraph Dummy text.

Example Subparagraph Dummy text.

Appendix A

Complementary information

Additional material. For example long mathematical derivations could be given in the appendix. Or you could include part of your code that is needed in printed form. You can add several Appendices to your thesis (as you can include several chapters in the main part of your work).

A.1 Including R code with verbatim

A simple (rather too simple, see A.2) way to include code or *R* output is to use verbatim. It just prints the text however it is (including all spaces, "strange" symbols,...) in a slightly different font.

```
## loading packages
library(RBGL)
library(Rgraphviz)
library(boot)
## global variables
X_MAX < -150
   This allows me to put as many s p a
                                          c es
I can also use \ and ' and & and all the rest that is usually only
accepted in the math mode.
I can also make as
                  many
             line
    breaks as
I want... and
             where I want.
```

A.2 Including R code with the listings package

However, it is much nicer to use the *listings* package to include R code in your report. It allows you to number the lines, color the comments differently than the code, and so on.

```
## example to generate an .eps file with the function ps.latex()
  ## Author: Sarah Gerster and Martin Machler
  ## Last revision: 16 Aug 2011
  require("sfsmisc") # pdf.latex(), pdf.end(), etc
  pdf.latex(file='test_plot.pdf') #, main=TRUE)
   ## no main=TRUE is needed to leave enough space for the plot title
  ## but see below
  ## make sure the legends are large enough
  par(cex=1.5)
  ## Make sure your lines are "visible" enough. Otherwise your plot
15 ## won't look very nicely in your text.
16 plot(-10:10, (-10:10)**2, type="1", lty=5,
        xlab="my_x", ylab="my_y",
        \textit{## no main title: NOT recommended for figures in text which}
        ## have a \caption{..}
        lwd=4, col='blue')
lines(-10:10, 0:20, type="p", lwd=4, pch=23,col='red')
legend(-3, 90, c("func1", "func2"), lwd=4,col=c('blue', 'red'),
          lty=c(1,1),cex=1)
  pdf.end() # starts the previewer (which refreshes itself;
             \# at least on Linux at SfS
```

A.3 Using Sweave to include R code (and more) in your report

The easiest (and most elegant) way to include R code and its output (and have all your figures up to date with your report) is to use Sweave. You can find an introduction Sweave in /u/sfs/StatSoftDoc/Sweave/Sweave-tutorial.pdf.

Appendix B

Yet another appendix....

B.1 Description

Something details.

Something else other definition.

B.2 Tables

Refer to Table B.1 to see a left justified table with caption on top.

Results.
Grade
6
5.5
4.5
5

Bibliography

Bringhurst, R. (1996). The Elements of Typographic Style. Hartley & Marks.

Epilogue

A few final words. Test 2



Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich

Declaration of originality

The signed declaration of originality is a component of every semester paper, Bachelor's thesis, Master's thesis and any other degree paper undertaken during the course of studies, including the respective electronic versions.

respective electrorite versions.			
Lecturers may also require a declaration of originality for other written papers compiled for their courses.			
I hereby confirm that I am the sole author of the in my own words. Parts excepted are corrections	written work here enclosed and that I have compiled it s of form and content by the supervisor.		
Title of work (in block letters):			
Authored by (in block letters): For papers written by groups the names of all authors are re	equired.		
Name(s):	First name(s):		
With my signature I confirm that - I have committed none of the forms of plagi sheet.	iarism described in the 'Citation etiquette' information		
I have documented all methods, data and pI have not manipulated any data.	processes truthfully.		
- I have mentioned all persons who were sign	nificant facilitators of the work.		
I am aware that the work may be screened elect	tronically for plagiarism.		
Place, date	Signature(s)		

For papers written by groups the names of all authors are required. Their signatures collectively guarantee the entire content of the written paper.