

Report Title: Incident Details
Run Date and Time: 2026-03-05 08:55:53 Central Standard Time
Run by: Nick Bennett
Table name: incident

Incident			
Number:	INC3777281	Opened:	2026-01-13 10:01:04
Company:	Cbc Companies	Opened by:	David McMullin
Caller:	David McMullin	Channel:	Self-service
Call back count:	0	State:	Closed
Service:	OneCall - Veritas	Assignment group:	Data Protection Operations
Service entitlement:	ENTL0007239 - CBC COMPANIES - OneCall - Veritas	Reassignment reason:	
Location:	OH-Columbus-Broad St	Assigned to:	Nick Bennett
Category:	Application - Enterprise	Additional assignee list:	
Subcategory:	Other	Time worked:	11 Hours 31 Minutes
Configuration item(cmdb_ci):	ACCESS APPL 3350 1909TB A-WITH 10TB DRIV	Escalated:	false
Impact:	2 - Medium	Escalation Reason:	
Urgency:	1 - High	Escalation Group:	
Priority:	2	Pending reason:	
		Pending until:	
Short description:			
upgrading access to 8.5, seems to be unchanging for over two hours (04016881)			
Description:			

https://securefiles.nsitmsp.com/public/folder/mj5urev8vuu7lt76fc46_g/INC3777281

-----NetBackup Issue-----

What is the job completion status code received from NetBackup?
n/a

Has this operation worked before?
it is an upgrade

Have there been any changes to the environment (please describe or say "none")
upgrading access

What version is being used?
Veritas Access 3350 Appliance Cluster ID = 00000003645109350781 Cluster Name = midaccessmlnp.cbc.local Number of Nodes = 2 Serial Number VTAS0030598 = midaccess01mlnp (node 1) Serial Number VTAS0031639 = midaccess02mlnp (node 2) Model = 3350 Version = 8.3 2024/10/15

Please copy/paste the job details for the failure
[access-8.3.100] midaccess01mlnp.cbc.local > system software upgrade-status The target version is: 8.5 Current upgrade status: RUNNING. The upgrade is 9% completed. Latest operations: -[2026-01-13 08:23:06] [INFO] Extracting the upgrade package... -[2026-01-13 08:26:03] [INFO] Starting the upgrade... -[2026-01-13 08:28:46] [INFO] V-409-777-1332: Creating snapshot for the Docker volume that contains all the Docker images. unchanged since 8:28, it is 11:00 now.

Notes

Watch list:	Matt Moody, Kevin Shirley, James Bush, Taylor Gorning (Cohesity), Gerald Shonebarger (Cohesity)	Work notes list:
-------------	---	------------------

Comments:

2026-02-27 08:39:35 - Nick Bennett (Comments)
Sounds good, thanks David. Yes, they closed out wit the following. I'll close out today.

-Nick

+Cohesity thread

From: Cohesity Support <support@cohesity.com>
Sent: Tuesday, February 17, 2026 1:40 PM
To: Nick Bennett <Nick.Bennett@insight.com>
Cc: Nick Bennett <Nick.Bennett@insight.com>
Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

Thank you for the update. Since the upgrade was successful I will close this case. Based on the information provided by the Global Sustenance Engineering team, they believe it may have been due to old kernel folders in /lib/modules. It is not advisable to manually review and remove files from this directory without direct instruction from Cohesity Support.

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

2026-02-27 08:36:38 - David McMullin (Comments)
reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Since upgrade is completed, this can be closed.
It is the cohesity ticket that is keeping it open as far as I know.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DCA7CC.6FD46630]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-27 08:32:23 - Nick Bennett (Comments)
David,

Checking back to see if you need anything further or if your case can be closed. Please let me know.

Thanks,
Nick

2026-02-17 14:05:57 - Nick Bennett (Comments)

David,

Please see below from Rob on our case. They're closing out but let me know if you have any further questions.

Thanks,
Nick

+Cohesity thread

From: Cohesity Support <support@cohesity.com>
Sent: Tuesday, February 17, 2026 1:40 PM
To: Nick Bennett <Nick.Bennett@insight.com>
Cc: Nick Bennett <Nick.Bennett@insight.com>
Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

Thank you for the update. Since the upgrade was successful I will close this case. Based on the information provided by the Global Sustenance Engineering team, they believe it may have been due to old kernel folders in /lib/modules. It is not advisable to manually review and remove files from this directory without direct instruction from Cohesity Support.

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

2026-02-12 12:07:43 - Nick Bennett (Comments)
+Cohesity update

From: Nick Bennett
Sent: Thursday, February 12, 2026 12:07 PM
To: 'Cohesity Support' <support@cohesity.com>
Subject: RE: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

Thanks Rob. David re-attempted upgrade and it completed this time! Was there any indication that we can use to mitigate a failure of this kind in the future?

Nick Bennett | OneCall Support Operations
t. 800.291.3230 | d. 952.279.4722 | nick.bennett@insight.com | insight.com

From: Cohesity Support <support@cohesity.com>
Sent: Thursday, February 12, 2026 12:01 PM
To: Nick Bennett <Nick.Bennett@insight.com>
Cc: Nick Bennett <Nick.Bennett@insight.com>
Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

I received an update from the Global Sustenance Engineering team. They provided a plan of action that includes reviewing the rpmdb on the appliance, removing unnecessary kernel modules, and attempting the upgrade again. Please let us know when downtime can be arranged to perform the plan of action followed by attempting the upgrade.

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

2026-02-12 09:34:57 - Nick Bennett (Comments)
+Cohesity update

From: Cohesity Support <support@cohesity.com>
Sent: Wednesday, February 11, 2026 3:49 PM

To: Nick Bennett <Nick.Bennett@insight.com>
Cc: Nick Bennett <Nick.Bennett@insight.com>
Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

This case was escalated to our Global Sustenance Engineering team. I am awaiting a plan of action from this team.

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

2026-02-10 13:04:07 - Nick Bennett (Comments)

That's great news, thanks David!

2026-02-10 12:32:18 - David McMullin (Comments)

Rebooted before upgrading, upgrade successful!

[access-8.5] midaccess01mlnp.cbc.local > system software upgrade-status

The target version is: 8.5

Current upgrade status: COMPLETED. The upgrade is 100% completed.

Latest operations:

-[2026-02-10 12:47:33] [INFO] Running selftest.

-[2026-02-10 12:48:08] [INFO] V-409-777-30046: Running upgrade cleanup...

-[2026-02-10 12:49:44] [INFO] V-409-777-1517: Upgrade completed successfully.

[access-8.5] midaccess01mlnp.cbc.local >

2026-02-09 13:00:36 - Nick Bennett (Comments)

Good to hear, thanks David. Cohesity confirmed an internal escalation but has not updated with a confirmation yet. Since the reboot, space and disk failure have all been resolved, I would lean toward another attempt. Let me know if you want to hold off until confirmation is received from Cohesity or if you re-attempt.

-Nick

2026-02-09 12:46:23 - David McMullin (Comments)

Shelf is added, can I try to upgrade again?

2026-02-09 08:23:26 - Nick Bennett (Comments)

David,

Rob confirmed an internal escalation for our case. I'll update when I have more.

-Nick

2026-02-03 13:23:29 - Nick Bennett (Comments)

Ok, good deal. Thanks David!

2026-02-03 13:21:07 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

For some reason, the node 1 did not error that way.
midaccessmlnp.Support> debuginfo upload all
Please wait. Debug information is being collected. It will take few minutes to complete.
Remove the debuginfo .tar files after the files are uploaded to the server.
service-status module logs from midaccess02mlnp is starting, please wait.....
service-status module logs from midaccess01mlnp is starting, please wait.....
service-status module logs from midaccess01mlnp is complete.
common-logs module logs from midaccess01mlnp is starting, please wait.....
common-logs module logs from midaccess01mlnp is complete.
nas module logs from midaccess01mlnp is starting, please wait.....
nas module logs from midaccess01mlnp is complete.
install module logs from midaccess01mlnp is starting, please wait.....
install module logs from midaccess01mlnp is complete.
nas-procstacks module logs from midaccess01mlnp is starting, please wait.....
nas-procstacks module logs from midaccess01mlnp is complete.
sds module logs from midaccess01mlnp is starting, please wait.....
sds module logs from midaccess01mlnp is complete.
upgrade module logs from midaccess01mlnp is starting, please wait.....
upgrade module logs from midaccess01mlnp is complete.
explorer module logs from midaccess01mlnp is starting, please wait.....
appliance module logs from midaccess01mlnp is starting, please wait.....
appliance module logs from midaccess01mlnp is complete.
service-status module logs from midaccess02mlnp is complete.
common-logs module logs from midaccess02mlnp is starting, please wait.....
common-logs module logs from midaccess02mlnp is complete.
nas module logs from midaccess02mlnp is starting, please wait.....
nas module logs from midaccess02mlnp is complete.
install module logs from midaccess02mlnp is starting, please wait.....
install module logs from midaccess02mlnp is complete.
nas-procstacks module logs from midaccess02mlnp is starting, please wait.....
nas-procstacks module logs from midaccess02mlnp is complete.
sds module logs from midaccess02mlnp is starting, please wait.....
sds module logs from midaccess02mlnp is complete.
upgrade module logs from midaccess02mlnp is starting, please wait.....
upgrade module logs from midaccess02mlnp is complete.
explorer module logs from midaccess02mlnp is starting, please wait.....
appliance module logs from midaccess02mlnp is starting, please wait.....
appliance module logs from midaccess02mlnp is complete.
explorer module logs from midaccess01mlnp is complete.
explorer module logs from midaccess02mlnp is complete.
midaccess01mlnp log collection is complete.
midaccess02mlnp log collection is complete.
midaccess02mlnp uploading /log/nas_debuginfo/midaccess01mlnp_202602031132.tar.xz to file:///log/support_logs/, please wait.....
midaccess02mlnp log upload /log/nas_debuginfo/midaccess01mlnp_202602031132.tar.xz to file:///log/support_logs/ is complete.
midaccess02mlnp uploading /log/nas_debuginfo/midaccess02mlnp_202602031132.tar.xz to file:///log/support_logs/, please wait.....
midaccess02mlnp log upload /log/nas_debuginfo/midaccess02mlnp_202602031132.tar.xz to file:///log/support_logs/ is complete.
midaccessmlnp.Support>

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC9518.2B7AE3E0]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-03 13:19:57 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

I ran support debuginfo upload all from the cluster and then grabbed the files from the gui.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC9518.0C471110]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-03 13:01:08 - Nick Bennett (Comments)

Thanks, I see them. Are both from the shell?

-Nick

2026-02-03 12:59:55 - David McMullin (Comments)

uploaded two more logs to ftp site. should be all set now

2026-02-03 07:41:52 - Nick Bennett (Comments)

Sounds good, thanks David.

2026-02-03 07:40:25 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Got the same error on node 1 when collecting:

midaccessmlnp.Support> debuginfo upload midaccess01mlnp scp://axway@nbuapri01ulnp.cbc.local:/tmp/midaccess01mlnp_202602030730.tar.xz all
Password:

Please wait. Debug information is being collected. It will take few minutes to complete.

Remove the debuginfo .tar files after the files are uploaded to the server.

service-status module logs from midaccess01mlnp is starting, please wait.....

service-status module logs from midaccess01mlnp is complete.

common-logs module logs from midaccess01mlnp is starting, please wait.....

common-logs module logs from midaccess01mlnp is complete.

performance module logs from midaccess01mlnp is starting, please wait.....

performance module logs from midaccess01mlnp is complete.

nas module logs from midaccess01mlnp is starting, please wait.....

nas module logs from midaccess01mlnp is complete.

os module logs from midaccess01mlnp is starting, please wait.....

os module logs from midaccess01mlnp is complete.

install module logs from midaccess01mlnp is starting, please wait.....
install module logs from midaccess01mlnp is complete.
nas-procstacks module logs from midaccess01mlnp is starting, please wait.....
nas-procstacks module logs from midaccess01mlnp is complete.
sds module logs from midaccess01mlnp is starting, please wait.....
sds module logs from midaccess01mlnp is complete.
upgrade module logs from midaccess01mlnp is starting, please wait.....
upgrade module logs from midaccess01mlnp is complete.
vdd module logs from midaccess01mlnp is starting, please wait.....
Access Appliance debuginfo ERROR V-493-10-3490 vdd module logs from midaccess01mlnp failed to collect.
explorer module logs from midaccess01mlnp is starting, please wait.....
appliance module logs from midaccess01mlnp is starting, please wait.....
appliance module logs from midaccess01mlnp is complete.

Will try uploading once it completes.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC94E8.7AE34330]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-03 07:36:49 - Nick Bennett (Comments)

Sounds good, thanks David. I have attached the files to our Cohesity case and updated the case thread.

-Nick

2026-02-03 06:23:38 - David McMullin (Comments)

it looks like the file should be named to end with xz...

midaccessmlnp.Support> debuginfo upload midaccess02mlnp scp://axway@nbuapri01ulnp.cbc.local:/tmp/midaccess02mlnp.tar.gz all

Password:

Please wait. Debug information is being collected. It will take few minutes to complete.

Remove the debuginfo .tar files after the files are uploaded to the server.

service-status module logs from midaccess02mlnp is starting, please wait.....

service-status module logs from midaccess02mlnp is complete.

common-logs module logs from midaccess02mlnp is starting, please wait.....

common-logs module logs from midaccess02mlnp is complete.

performance module logs from midaccess02mlnp is starting, please wait.....

performance module logs from midaccess02mlnp is complete.

nas module logs from midaccess02mlnp is starting, please wait.....

nas module logs from midaccess02mlnp is complete.

os module logs from midaccess02mlnp is starting, please wait.....

os module logs from midaccess02mlnp is complete.

install module logs from midaccess02mlnp is starting, please wait.....

install module logs from midaccess02mlnp is complete.

nas-procstacks module logs from midaccess02mlnp is starting, please wait.....

nas-procstacks module logs from midaccess02mlnp is complete.

sds module logs from midaccess02mlnp is starting, please wait.....

sds module logs from midaccess02mlnp is complete.

upgrade module logs from midaccess02mlnp is starting, please wait.....

upgrade module logs from midaccess02mlnp is complete.

vdd module logs from midaccess02mlnp is starting, please wait.....
Access Appliance debuginfo ERROR V-493-10-3490 vdd module logs from midaccess02mlnp failed to collect.
explorer module logs from midaccess02mlnp is starting, please wait.....
appliance module logs from midaccess02mlnp is starting, please wait.....
appliance module logs from midaccess02mlnp is complete.
explorer module logs from midaccess02mlnp is complete.
midaccess02mlnp log collection is complete.
midaccess02mlnp uploading /log/nas_debuginfo/midaccess02mlnp_202602021605.tar.xz to
scp://axway@nbuapri01ulnp.cbc.local:/tmp/midaccess02mlnp.tar.gz, please wait.....
midaccess02mlnp log upload /log/nas_debuginfo/midaccess02mlnp_202602021605.tar.xz to
scp://axway@nbuapri01ulnp.cbc.local:/tmp/midaccess02mlnp.tar.gz is complete.
midaccessmlnp.Support>

2026-02-03 06:22:36 - David McMullin (Comments)

I think those are bad. it should be way bigger - I cannot delete them.
I just sent the node2 file it ran fine. I will try node 1 again

2026-02-02 15:26:30 - Nick Bennett (Comments)

Is it 1.5GB? I see two copies on the ftp.

2026-02-02 15:17:49 - David McMullin (Comments)

hmm, still getting error forbidden... midaccess01mlnp_202602021600.tar.xz Error Forbidden

2026-02-02 15:15:06 - David McMullin (Comments)

tried uploading as gz file, it is getting "forbidden error" renamed and sending again as xz. you may have to rename it - if it works

2026-02-02 15:12:24 - Nick Bennett (Comments)

Sounds good, thanks David.

2026-02-02 15:07:57 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Command line for node 1 completed, it seems bigger, sending to ftp site.

Starting node2, should be done tomorrow morning.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC945D.E9DF7F00]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-02 14:30:33 - Nick Bennett (Comments)

Sounds good, thanks David.

2026-02-02 14:28:08 - David McMullin (Comments)

files uploaded. let me know if they are ok. I am still working on the command line process.

2026-02-02 14:15:47 - Nick Bennett (Comments)

Yes, thanks David. Please use the following drop

https://securefiles.nsitmsp.com/public/folder/mj5urev8vuu7lt76fc46_g/INC3777281

2026-02-02 14:12:03 - David McMullin (Comments)

The files are too large, can you open the ftp link?

ErrorAttached files must be smaller than 3072MB - please try again

2026-02-02 14:10:41 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Ran this:

midaccessmlnp.Support> debuginfo upload

Please wait. Debug information is being collected. It will take few minutes to complete.

Remove the debuginfo .tar files after the files are uploaded to the server.

service-status module logs from midaccess02mlnp is starting, please wait.....

service-status module logs from midaccess01mlnp is starting, please wait.....

service-status module logs from midaccess01mlnp is complete.

common-logs module logs from midaccess01mlnp is starting, please wait.....

common-logs module logs from midaccess01mlnp is complete.

nas module logs from midaccess01mlnp is starting, please wait.....

nas module logs from midaccess01mlnp is complete.

install module logs from midaccess01mlnp is starting, please wait.....

install module logs from midaccess01mlnp is complete.

nas-procstacks module logs from midaccess01mlnp is starting, please wait.....

nas-procstacks module logs from midaccess01mlnp is complete.

sds module logs from midaccess01mlnp is starting, please wait.....

sds module logs from midaccess01mlnp is complete.

upgrade module logs from midaccess01mlnp is starting, please wait.....

upgrade module logs from midaccess01mlnp is complete.

explorer module logs from midaccess01mlnp is starting, please wait.....

appliance module logs from midaccess01mlnp is starting, please wait.....

appliance module logs from midaccess01mlnp is complete.

service-status module logs from midaccess02mlnp is complete.

common-logs module logs from midaccess02mlnp is starting, please wait.....

common-logs module logs from midaccess02mlnp is complete.

nas module logs from midaccess02mlnp is starting, please wait.....

nas module logs from midaccess02mlnp is complete.

install module logs from midaccess02mlnp is starting, please wait.....

install module logs from midaccess02mlnp is complete.

nas-procstacks module logs from midaccess02mlnp is starting, please wait.....

nas-procstacks module logs from midaccess02mlnp is complete.

sds module logs from midaccess02mlnp is starting, please wait.....

sds module logs from midaccess02mlnp is complete.

upgrade module logs from midaccess02mlnp is starting, please wait.....

upgrade module logs from midaccess02mlnp is complete.

explorer module logs from midaccess02mlnp is starting, please wait.....

appliance module logs from midaccess02mlnp is starting, please wait.....

appliance module logs from midaccess02mlnp is complete.

explorer module logs from midaccess01mlnp is complete.

midaccess01mlnp log collection is complete.

explorer module logs from midaccess02mlnp is complete.

midaccess02mlnp log collection is complete.

midaccess02mlnp uploading /log/nas_debuginfo/midaccess02mlnp_202602020917.tar.xz to file:///log/support_logs/, please wait.....

midaccess02mlnp log upload /log/nas_debuginfo/midaccess02mlnp_202602020917.tar.xz to file:///log/support_logs/ is complete.

midaccess02mlnp uploading /log/nas_debuginfo/midaccess01mlnp_202602020917.tar.xz to file:///log/support_logs/, please wait.....

midaccess02mlnp log upload /log/nas_debuginfo/midaccess01mlnp_202602020917.tar.xz to file:///log/support_logs/ is complete.

midaccessmlnp.Support>

Tried the process from the link, but MFA blocked it

midaccessmlnp.Support> debuginfo upload midaccess01mlnp scp://appadmin@nbuapri01ulnp.cbc.local:/tmp/midaccess01mlnp.tar.gz all

Password:

(It just hung there)

midaccessmlnp.Support>

midaccessmlnp.Support> debuginfo upload midaccess01mlnp scp://axway@nbuapri01ulnp.cbc.local:/tmp/midaccess01mlnp.tar.gz all

Password:

Please wait. Debug information is being collected. It will take few minutes to complete.

Remove the debuginfo .tar files after the files are uploaded to the server.

service-status module logs from midaccess01mlnp is starting, please wait.....

service-status module logs from midaccess01mlnp is complete.

common-logs module logs from midaccess01mlnp is starting, please wait.....

common-logs module logs from midaccess01mlnp is complete.

performance module logs from midaccess01mlnp is starting, please wait.....

performance module logs from midaccess01mlnp is complete.

nas module logs from midaccess01mlnp is starting, please wait.....

nas module logs from midaccess01mlnp is complete.

os module logs from midaccess01mlnp is starting, please wait.....

os module logs from midaccess01mlnp is complete.

install module logs from midaccess01mlnp is starting, please wait.....

install module logs from midaccess01mlnp is complete.

nas-procstacks module logs from midaccess01mlnp is starting, please wait.....

nas-procstacks module logs from midaccess01mlnp is complete.

sds module logs from midaccess01mlnp is starting, please wait.....

sds module logs from midaccess01mlnp is complete.

upgrade module logs from midaccess01mlnp is starting, please wait.....

upgrade module logs from midaccess01mlnp is complete.

vdd module logs from midaccess01mlnp is starting, please wait.....

Access Appliance debuginfo ERROR V-493-10-3490 vdd module logs from midaccess01mlnp failed to collect.

explorer module logs from midaccess01mlnp is starting, please wait.....

appliance module logs from midaccess01mlnp is starting, please wait.....

appliance module logs from midaccess01mlnp is complete.

Been sitting here for about two hours. Nothing at the destination.

Checked the web gui – the initial logs seem to be generated... downloaded them.

I will try to upload to the ticket.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC944C.326EA690]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-02 13:19:54 - Nick Bennett (Comments)

Gotcha, thanks David!

2026-02-02 13:01:59 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

It seems the process documented in the link

https://www.veritas.com/support/en_US/doc/116059455-133637637-0/uxrt-tot_v54979653-133637637

does not support MFA. I am working on getting a NON MFA account and getting the logs.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC9442.8CAAF00]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-02-02 07:21:50 - Nick Bennett (Comments)

David,

Please generate and upload a debuginfo from both nodes using the "all" module and upload the /log/upgrade_failure_<date>.tar.gz from both nodes to the case or drop.

Retrieving and sending debugging information

https://www.veritas.com/support/en_US/doc/116059455-133637637-0/uxrt-tot_v54979653-133637637

##Uploading debug information from a cluster node

To upload debugging information from a specified node to an external server

Upload debugging information from a specified node to an external server.

Support> debuginfo upload nodename debug-URL module

For example, to upload all debugging information to an FTP server:

Support> debuginfo upload node1_1

ftp://admin@ftp.docserver.company.com/patches/ all

For example, to upload CIFS-related debugging information to an SCP server:

Support> debuginfo upload node1_1

scp://root@server.company.com:/tmp/node1_1-cifs-debuginfo.tar.gz

nodename

Specifies the nodename from which to collect the debugging information.

2026-01-28 07:34:33 - Nick Bennett (Comments)

Sounds good, thanks David.

2026-01-28 07:21:36 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

I had to put it on hold, I received an urgent restore from the IRE so I had to do that instead.

Now, I have to go through change control again, plus the new shelf install – they sent the wrong cables/default (too short) cables.

So I may have to wait for that to be done, but the good news would be that would require a shutdown/boot so I have a clean booted system to upgrade.

Currently looking at the 4th for the cabling, so I would start after that was complete and the replications ran.

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC902E.C3FF8330]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-28 07:06:13 - Nick Bennett (Comments)

David,

How did the the next upgrade attempt run?

-Nick

2026-01-26 10:33:38 - Nick Bennett (Comments)

Sounds good, thanks David. I'll update if I have any updates from Rob on our case. Please let me know if you see any issues as it updates this time.

-Nick

2026-01-26 10:12:26 - David McMullin (Comments)

I would like to try this again tomorrow.

I will reboot first and see if that makes a difference

Please let me know if you have any issue with that

2026-01-23 07:08:58 - Nick Bennett (Comments)

David,

Rob updated that he needs the upgrade_failure log set. We have it from each node so just pending on a confirmation the existing logging we sent is sufficient.

-Nick

2026-01-16 08:07:02 - Nick Bennett (Comments)

David,

Rob updated but no confirmation on course yet. I'll update again when I have more.

+Cohesity thread

From: Cohesity Support <support@cohesity.com>
Sent: Friday, January 16, 2026 7:59 AM
To: Nick Bennett <Nick.Bennett@insight.com>
Cc: Nick Bennett <Nick.Bennett@insight.com>
Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

I am sorry for the delay. I dug deeper into the upgrade logs and found the symptom that led to the failure. However, I have not yet found the cause of that symptom. I have reached out to an internal group here to see if I could get some quick guidance or whether I need to escalate this case to our GSE or engineering teams. I will let you know as soon as I have further information. I do not recommend attempting the upgrade again until I get a response back from the internal teams.

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

+additional confirmation for dedupe version/upgrade

Hello Nick,

In order to have a single 2.47 PiB pool you must upgrade the deduplication container to 20.4.0.1 or later. Please make note of the compatibility between Access deduplication and NetBackup versions.

About Veritas Data Deduplication

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

2026-01-14 15:23:07 - Nick Bennett (Comments)

Can do, I see the file. I'll get this over to Rob on our case and update you when I have a confirmation.

-Nick

2026-01-14 15:20:50 - David McMullin (Comments)

file should be 5.41GB, please remove the .2 from the file name, lol

2026-01-14 15:20:00 - Nick Bennett (Comments)

Sounds good, I'll check now and update.

2026-01-14 15:09:51 - David McMullin (Comments)

hmm 5.4GB file crashed out, renamed and trying again, since I cannot overwrite/update files
INC3777281-04016881_202601141419.2.tar.xz

2026-01-14 15:05:59 - David McMullin (Comments)

re-ran logs and uploading file INC3777281-04016881_202601141419.tar.xz to ftp site.
I would request a review and green light from cohesity before I start the upgrade again.
Also - should I upgrade the deduplication software?

2026-01-14 13:26:23 - Nick Bennett (Comments)

Ahh, ok. Thanks David.

2026-01-14 13:25:28 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Supposed to be 7.5GB

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC8561.4CBF7550]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-14 13:21:47 - Nick Bennett (Comments)

Ok, thanks. I do see both files or parts, possibly. One is ~318MB. What size is it?

-Nick

2026-01-14 13:20:24 - David McMullin (Comments)

I am kicking off another log - skipping the vdd and backup logs to see if that helps.
The ftp failed twice to send the file. it must be corrupt.

2026-01-14 13:18:15 - Nick Bennett (Comments)

Sounds good, thanks David. I'll get that over to Rob on our case. Are you kicking off another upgrade?

-Nick

2026-01-14 13:10:12 - David McMullin (Comments)

uploading INC3777281-04016881_202601141000.tar.xz to ftp site

2026-01-14 13:06:32 - David McMullin (Comments)

hmm - it looks like it still created a log file, will send it to ftp site

2026-01-14 13:05:39 - David McMullin (Comments)

Access Appliance debuginfo ERROR V-493-10-3490 vdd module logs from midaccess01mlnp failed to collect., Access Appliance debuginfo ERROR V-493-10-3490 vdd module logs from midaccess02mlnp failed to collect.
will retry without vdd logs

2026-01-14 12:54:22 - Nick Bennett (Comments)

David,

Did the log collection complete? Did you kick off another upgrade?

-Nick

2026-01-14 10:14:41 - Nick Bennett (Comments)

Ok, thanks David.

2026-01-14 10:10:26 - David McMullin (Comments)

weirdly - when I try to do all logs, it does all but explorer, appliance, backup and vdd.

however, if I do all then exclude those four, it does not finish either.

I cancelled and am running all logs, started at 10:00 - still running.

2026-01-14 08:21:10 - Nick Bennett (Comments)

Thanks, 20260114.access.log.gen.docx came though on the incident. I'm downloading the tar file from sftp now.

2026-01-14 08:18:15 - David McMullin (Comments)

upgrade logs should be on the ftp site.

2026-01-14 08:15:13 - Nick Bennett (Comments)

Sounds good, thanks.

2026-01-14 08:10:11 - David McMullin (Comments)

ErrorINC3777281-04016881_202601140847.tar.xz: File type not permitted or mime type does not match the file content - i WILL TRY THE FTP SITE

2026-01-14 08:08:01 - Nick Bennett (Comments)

Sounds good, thanks David.

2026-01-14 08:05:50 - David McMullin (Comments)

here are teh upgrade logs, I will follow robs process and get complete logs

2026-01-14 07:59:12 - Nick Bennett (Comments)

David,

Rob sent over the following. Please let me know when the collects complete and if you need a drop link for upload, please use the following.

https://securefiles.nsitmsp.com/public/folder/mj5urev8vuu7lt76fc46_g/INC3777281

+Cohesity thread

From: Cohesity Support <support@cohesity.com>

Sent: Wednesday, January 14, 2026 7:46 AM

To: Nick Bennett <Nick.Bennett@insight.com>

Cc: Nick Bennett <Nick.Bennett@insight.com>

Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

Once the rollback completes we will need a datacollect from both nodes. Rather than generate the datacollect from the CLI I would like it to be created from the web UI. Generating the datacollect from the web UI allows us to collect more logs.

- * Login to the web UI of the cluster
- * Click on Settings
- * Click on Diagnostics
- * Click on Generate Log Package
- * We will create a "Basic" log package however instead of the default collection please click the option "All" to select all available logs.
- * Under historical logs select the date range of the last 3 days. I know that the log failure occurred yesterday however since at least 24 hours have passed since the upgrade was initiated I don't want to lose logs from the beginning of the process.
- * Enter a name for the log package.
- * Select the option for All Nodes
- * Click the Generate button.

Please note that the datacollect will take a significant amount of time to generate as it is generating a datacollect and collecting additional logs. Once the datacollect is done you can use the Log Browser to obtain them.

- * Login to the node CLI.
- * Execute the command support logbrowser start
- * Open a web browser and go to the URL https://<appliance_IP>:8514/appliance/logs/
- * Locate and download the datacollect file.
- * From the node CLI execute the command support logbrowser start

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

2026-01-14 07:29:06 - Nick Bennett (Comments)
Good deal, thanks David!

2026-01-14 07:26:27 - David McMullin (Comments)
reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

NM, using GUI to generate logs – there is a box to check for update logs

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC852F.288F4F70]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-14 07:22:57 - David McMullin (Comments)
reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

What is the process to get the patch log?

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC852E.934FC2A0]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-14 07:18:35 - Nick Bennett (Comments)

Possibly. We recommend rebooting within 24 hours of an upgrade on legacy appliances. Yes, please gather the patch log and it over. Then run the upgrade again with the deduplication update.

-Nick

2026-01-14 07:17:44 - David McMullin (Comments)

[access-8.3.100] midaccess02mlnp.cbc.local > start appliance preupgrade-check patch=VRTSaccess-app-update-8.5-1.x86_64.rpm

The preupgrade checks will take a few minutes to complete

Started preupgrade check on host midaccess01mlnp at Wed Jan 14 08:13:43 2026

Check the status of the appliance software components...	[PASS]
Check whether the upgrade path is supported...	[PASS]
Check the health of the cluster...	[PASS]
Check whether self-signed certificate is configured correctly...	[PASS]
Check whether all service groups are online...	[PASS]
Check if sufficient free space is available for upgrade...	[PASS]
Check that no bootable devices are attached to the appliance...	[PASS]
Check that no previous upgrade process is ongoing...	[PASS]
Check connectivity to the MongoDB database...	[PASS]
Check that the user passwords do not expire in seven days...	[PASS]
Check that factory default passwords are not used...	[PASS]
Check whether the GRUB configuration file is correct...	[PASS]

Preupgrade check result on host midaccess01mlnp: PASS

Started preupgrade check on host midaccess02mlnp at Wed Jan 14 08:13:41 2026

Check the status of the appliance software components...	[PASS]
Check whether the upgrade path is supported...	[PASS]
Check the health of the cluster...	[PASS]
Check whether self-signed certificate is configured correctly...	[PASS]
Check whether all service groups are online...	[PASS]
Check if sufficient free space is available for upgrade...	[PASS]
Check that no bootable devices are attached to the appliance...	[PASS]
Check that no previous upgrade process is ongoing...	[PASS]
Check connectivity to the MongoDB database...	[PASS]
Check that the user passwords do not expire in seven days...	[PASS]
Check that factory default passwords are not used...	[PASS]
Check whether the GRUB configuration file is correct...	[PASS]

Preupgrade check result on host midaccess02mlnp: PASS

Summary: Preupgrade check PASSED

Operation completed successfully

2026-01-14 07:14:50 - David McMullin (Comments)

Wondering if this issue is due to the system not being rebooted for a while, it rebooted as part of the roll back, I am running a precheck again - is there anything we should do before trying again? and if we do - should we choose to update the deduplication?

2026-01-14 06:40:37 - David McMullin (Comments)

reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Current upgrade status: FAILED. The upgrade is 65% completed.

-[2026-01-13 16:49:31] [INFO] Running selftest.

-[2026-01-13 16:49:59] [INFO] V-409-777-1412: Completed the rollback successfully.

Verified access is online and started IRE netbackup and pools are online and available.

Now the question is – next step?

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC8528.D4B65F20]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-13 15:23:07 - Nick Bennett (Comments)

Sounds good, thanks David.

2026-01-13 15:21:28 - David McMullin (Comments)

both nodes are rebooting, will let you know tomorrow where things are.

2026-01-13 15:11:15 - Nick Bennett (Comments)

Yes, it appears so, due to the failed reboot. Please let me know if the rollback shows any problems. I'll get this updated in our Cohesity case.

-Nick

2026-01-13 15:03:08 - David McMullin (Comments)

hmm... does this mean it is failing and rolling back?

Current upgrade status: RUNNING. The upgrade is 51% completed.

-[2026-01-13 14:36:38] [INFO] V-409-777-1511: Rebooting nodes...

-[2026-01-13 14:36:45] [INFO] midaccess02mlnp: Taking the node out of cluster...

-[2026-01-13 15:01:40] [INFO] midaccess02mlnp: Rebooting the node...

-[2026-01-13 15:17:15] [INFO] midaccess02mlnp: Waiting for the service groups to be online.

Current upgrade status: RUNNING. The upgrade is 65% completed.

-[2026-01-13 15:27:59] [INFO] midaccess02mlnp: The node is online.

-[2026-01-13 15:28:08] [INFO] midaccess01mlnp: Taking the node out of cluster...

Current upgrade status: RUNNING. The upgrade is 65% completed.

-[2026-01-13 15:56:15] [ERROR] V-409-777-1525: Failed to reboot nodes.

-[2026-01-13 15:56:21] [INFO] Starting rollback...
-[2026-01-13 15:56:27] [INFO] V-409-777-1411: Rollback starts.

2026-01-13 13:36:35 - Nick Bennett (Comments)
David,

Following our conversation. From the solutions guide note below, you need only be running the dedupe version 20.4.0.1 or above to leverage the increased limit. Please let me know if the upgrade hits any further hiccups.

NetBackup™ Access Appliance 8.4 Solutions Guide for NetBackup
https://www.veritas.com/content/support/en_US/doc/146127092-168300255-1

Note: Veritas supports a deduplication pool of size upto 2790822931980000 bytes (approximately 2.478 PiB) if the Veritas Data Deduplication version is 20.4.0.1 or later. If the Veritas Data Deduplication version is 19.0.1, you cannot create a deduplication pool of size greater than 1392125484720000 bytes (approximately 1.236 PiB).

+Current status

[access-8.3.100] midaccess02mlnp.cbc.local > system software upgrade-status

The target version is: 8.5
Current upgrade status: RUNNING. The upgrade is 45% completed.
Latest operations:

-[2026-01-13 13:17:59] [INFO] V-409-777-1314: Completed mounting the installation media.
-[2026-01-13 13:18:40] [INFO] V-409-777-1315: Upgrading the appliance infrastructure packages...
-[2026-01-13 14:28:27] [INFO] V-409-777-1316: Completed upgrading the appliance infrastructure packages.

2026-01-13 13:34:52 - David McMullin (Comments)
-[2026-01-13 08:28:46] [INFO] V-409-777-1332: Creating snapshot for the Docker volume that contains all the Docker images.
Current upgrade status: RUNNING. The upgrade is 9% completed.
-[2026-01-13 13:17:40] [INFO] V-409-777-1313: Mounting the installation media...
-[2026-01-13 13:17:59] [INFO] V-409-777-1314: Completed mounting the installation media.
-[2026-01-13 13:18:40] [INFO] V-409-777-1315: Upgrading the appliance infrastructure packages...
-[2026-01-13 14:28:27] [INFO] V-409-777-1316: Completed upgrading the appliance infrastructure packages.
Current upgrade status: RUNNING. The upgrade is 45% completed.

2026-01-13 11:51:47 - Nick Bennett (Comments)
Thanks for the confirmation. Please join the zoom below.

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

This is Rob Humenuik with Cohesity Product Specialist Group. I have taken assignment of case 04016881. Please use the link below to join a Zoom meeting so that we can begin review of the Access 8.5 upgrade.

<https://cohesity.zoom.us/j/97020095882?pwd=aYkDiWO3aLj3AbUQZcfljhulp1EYaO.1>

Regards,

Rob Humenuik

Site Reliability Engineer III
COHESITY

2026-01-13 11:47:18 - David McMullin (Comments)
reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

No, it is the same on both nodes
[access-8.3.100] midaccess01mlnp.cbc.local > system software upgrade-status
The target version is: 8.5
Current upgrade status: RUNNING. The upgrade is 9% completed.
Latest operations:
-[2026-01-13 08:23:06] [INFO] Extracting the upgrade package...
-[2026-01-13 08:26:03] [INFO] Starting the upgrade...
-[2026-01-13 08:28:46] [INFO] V-409-777-1332: Creating snapshot for the Docker volume that contains all the Docker images.

[access-8.3.100] midaccess01mlnp.cbc.local >

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC848A.57C53ED0]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-13 11:42:30 - Nick Bennett (Comments)
Thanks David, Do you see any further updates in the /log/upgrade/upgrade_8.3.log?

-Nick

2026-01-13 11:37:37 - David McMullin (Comments)
reply from: david.mcmullin@cbc-companies.com

External Message - Please be cautious when opening links or attachments in email

Thanks! Let me know!
Having the upgrade stuck at 9% is unnerving

David McMullin | Unix System Administrator | W: 614-442-3721| david.mcmullin@cbc-companies.com<mailto:david.mcmullin@cbc-companies.com>
[cid:image001.png@01DC8488.ECB0A310]

This e-mail communication (including any attachments) contains information from CBC Companies or its affiliates that is confidential and privileged. The information contained herein is intended only for the use of the addressee(s) named above. If you are not the intended recipient (or the agent responsible to deliver it to the intended recipient), you are hereby notified that any dissemination, distribution, use, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please immediately reply to sender, delete the message and destroy all copies of it.

2026-01-13 11:32:21 - Nick Bennett (Comments)
David,

Our Cohesity case is assigned. I'll update when I have more.

-Nick

2026-01-13 10:56:42 - Nick Bennett (Comments)

David,

Just an update. Our Cohesity case is showing unassigned as of now. I'll update again when I have more.

Thanks,

Nick

2026-01-13 10:27:15 - Nick Bennett (Comments)

David,

Following our conversation. I'll call back when I have Cohesity on the line. Please let me know if the upgrade status file shows any changes.

Thanks!

Nick

2026-01-13 10:23:12 - David McMullin (Comments)

Here is more info:

Started at around 0700, initial attempt had password issue

The target version is: 8.5

Current upgrade status: FAILED. The upgrade is 0% completed.

Latest operations:

-[2026-01-13 07:38:00] [INFO] V-409-777-1013: Running the preflight checks...

-[2026-01-13 07:42:11] [ERROR] One or more errors occurred during the preflight check. Resolve the errors to continue with the upgrade.

The preflight check failed with the following errors on node: midaccess01mlnp

- [Error] V-409-776-30019: The password for user [maintenance,admin,david_mcmullin] will expire in 7 days. Change the password before upgrading the appliance.

The preflight check failed with the following errors on node: midaccess02mlnp

- [Error] V-409-776-30019: The password for user [maintenance,admin,david_mcmullin] will expire in 7 days. Change the password before upgrading the appliance.

-[2026-01-13 07:42:21] [ERROR] V-409-776-30003: Pre-flight check failed.

[access-8.3.100] midaccess01mlnp.cbc.local >

updated password and ran precheck again

[access-8.3.100] midaccess01mlnp.cbc.local > start appliance preupgrade-check patch=VRTSaccess-app-update-8.5-1.x86_64.rpm

The preupgrade checks will take a few minutes to complete

Started preupgrade check on host midaccess01mlnp at Tue Jan 13 07:57:17 2026

Check the status of the appliance software components... [PASS]

Check whether the upgrade path is supported... [PASS]

Check the health of the cluster... [PASS]

Check whether self-signed certificate is configured correctly... [PASS]

Check whether all service groups are online...	[PASS]
Check if sufficient free space is available for upgrade...	[PASS]
Check that no bootable devices are attached to the appliance...	[PASS]
Check that no previous upgrade process is ongoing...	[PASS]
Check connectivity to the MongoDB database...	[PASS]
Check that the user passwords do not expire in seven days...	[PASS]
Check that factory default passwords are not used...	[PASS]
Check whether the GRUB configuration file is correct...	[PASS]

Preupgrade check result on host midaccess01mlnp: PASS

Started preupgrade check on host midaccess02mlnp at Tue Jan 13 07:57:18 2026

Check the status of the appliance software components...	[PASS]
Check whether the upgrade path is supported...	[PASS]
Check the health of the cluster...	[PASS]
Check whether self-signed certificate is configured correctly...	[PASS]
Check whether all service groups are online...	[PASS]
Check if sufficient free space is available for upgrade...	[PASS]
Check that no bootable devices are attached to the appliance...	[PASS]
Check that no previous upgrade process is ongoing...	[PASS]
Check connectivity to the MongoDB database...	[PASS]
Check that the user passwords do not expire in seven days...	[PASS]
Check that factory default passwords are not used...	[PASS]
Check whether the GRUB configuration file is correct...	[PASS]

Preupgrade check result on host midaccess02mlnp: PASS

Summary: Preupgrade check PASSED

Operation completed successfully

```
[access-8.3.100] midaccess01mlnp.cbc.local > system software upgrade-status
[access-8.3.100] midaccess01mlnp.cbc.local > system software install-update update-name=VRTSaccess-app-update-8.5-1.x86_64.rpm
```

- [Info] You are about to begin the upgrade of the Access Appliance software to version 8.5.
Before proceeding, review the following upgrade requirements and behavior:
Do not restart the node when upgrade is in progress. You can view the upgrade status using the 'system software upgrade-status' command.

On a configured Access Appliance:

- During a parallel upgrade, cluster services are not available after the cluster nodes are rebooted. The cluster services are available after the upgrade completes successfully.
 - During a rolling upgrade, cluster services are not available for a very limited period.
 - Rolling upgrade is not supported for a single-node configuration.
 - During the upgrade, do not perform any operation that can change the appliance configuration.
 - The appliance nodes restart automatically as part of the upgrade process.
 - The appliance will be configured in compliance mode if a WORM file system is present in the earlier version.
 - 1 TB of Veritas Data Deduplication storage pool requires 0.5 GB of system memory on each node. If not fulfilled, you will experience a degradation in deduplication performance. In this case, Veritas recommends that you purchase additional memory kit to increase your system memory.
 - During an upgrade, any instances of Veritas Data Deduplication configured without WORM are unconfigured. The data (file systems) remains intact. After the upgrade is completed successfully, you have to manually reconfigure the instances of Veritas Data Deduplication using the same file systems. For detailed information, refer to Veritas Access Appliance Upgrade Guide.
 - Commands associated with CIFS local users and groups are deprecated and CIFS shares exported with local users are inaccessible after an upgrade.
-

Also, you must use FQDN instead of a virtual IP address to access CIFS shares after the upgrade.

On Access Appliance nodes that are in the factory state:

- Install the upgrade package on each node.
- During the upgrade, do not perform any operation that can change the appliance configuration.
- The appliance node restarts automatically as part of the upgrade process.

New installed software updates and features:

The upgrade package installs the Access Appliance release update, including the following software updates:

InfoScale: 8.0.2.2300

Veritas Access: 8.13.0.000

MSDP WORM Container: 20.4.0.1, 20.5.0.1, 21.0

MSDP on Host: 15.1.0.0

For detailed information about the new features, refer to the Access Appliance 8.5 Release Notes.

Do you want to proceed with this installation?[yes, no] (no)yes

- [Warning] This software update requires a reboot of the appliance node after the installation process completes. Do you want to continue?[yes, no] (no)yes

You can upgrade the cluster by performing a parallel or a rolling upgrade. In a parallel upgrade, cluster services are not available after the cluster nodes are rebooted. The cluster services are available after the upgrade completes successfully. In a rolling upgrade, each node in the cluster is upgraded successively and restarted without shutting down the cluster. The services are not available for a very limited period.

Enter the upgrade method to use when installing the software update [parallel, rolling](rolling)rolling

Do you want to upgrade Veritas Data Deduplication to the latest version? (Note: Refer to the Access Appliance product documentation for compatibility with supported versions of NetBackup primary and NetBackup media servers.) [yes, no](no)

- [Info] The software upgrade operation has started. Depending on your appliance configuration, the upgrade process may take 2.5 hours or longer to complete.

2026-01-13 10:04:19 - David McMullin (Comments)

please call my work phone 614-442-3721

2026-01-13 10:02:24 - David McMullin (Comments)

last upgrade had this pattern:

07% -[2024-06-28 11:56:02] [INFO] Checking the signature of the upgrade package.

07% -[2024-06-28 11:57:16] [INFO] Extracting the upgrade package...

36% -[2024-06-28 12:26:07] [INFO] V-409-777-1313: Mounting the installation media...

36% -[2024-06-28 12:26:47] [INFO] V-409-777-1314: Completed mounting the installation media.

36% -[2024-06-28 12:33:49] [INFO] V-409-777-1315: Upgrading the appliance infrastructure packages...

45% -[2024-06-28 13:19:44] [INFO] V-409-777-1316: Completed upgrading the appliance infrastructure packages.

51% -[2024-06-28 13:30:34] [INFO] V-409-777-1511: Rebooting nodes...

this time:

Latest operations:

-[2026-01-13 08:10:39] [INFO] V-409-777-1000: Preparing for upgrade...

-[2026-01-13 08:11:10] [INFO] V-409-777-4009: Syncing the upgrade package across cluster nodes...

-[2026-01-13 08:15:46] [INFO] Validating the upgrade package...

-[2026-01-13 08:16:18] [INFO] Extracting the preflight tar ball from the upgrade package...

-[2026-01-13 08:18:25] [INFO] V-409-777-1013: Running the preflight checks...

-[2026-01-13 08:23:06] [INFO] Extracting the upgrade package...

-[2026-01-13 08:28:46] [INFO] V-409-777-1332: Creating snapshot for the Docker volume that contains all the Docker images.

expected to see next steps already

Actions taken:

Work notes:

2026-02-27 08:39:28 - Nick Bennett (Work notes)

Vendor Escalation VEND0028832 has been updated.

2026-02-23 08:39:05 - Nick Bennett (Work notes)

joined teams check-in. >> pending confirmations on this one.

2026-02-18 08:27:50 - Nick Bennett (Work notes)

updated copilot agent details for the contracts side

2026-02-17 10:29:56 - Nick Bennett (Work notes)

copilot agent testing with this inc

2026-02-17 07:53:22 - Nick Bennett (Work notes)

pending update from cohesity

2026-02-05 07:10:22 - Nick Bennett (Work notes)

pending updates from cohesity

2026-02-03 13:12:27 - Nick Bennett (Work notes)

updated cohesity case

2026-02-03 07:36:49 - Nick Bennett (Work notes)

From: Nick Bennett

Sent: Tuesday, February 3, 2026 7:35 AM

To: 'Cohesity Support' <support@cohesity.com>

Subject: RE: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

Attaching logs gathered. See below for details on the runs.

I changed the names of the uploaded files to reflect gui from web or cli for the shell. midaccess01mlnp had issues from the shell.

CLI_midaccess02mlnp.tar.gz

GUI_midaccess02mlnp_202602020917.tar.xz

CLI_midaccess01mlnp_202602021600.tar.gz

GUI_midaccess01mlnp_202602020917.tar.gz

2026-01-28 14:25:35 - Nick Bennett (Work notes)

updated with ETA for july upgrade attempt. --pending cohesity update/confirmation as well. pinged the case thread this morning. still pending update --matt updated on vol issue with a new msdp >> /usr/openv/pdde/pdcr/bin/crcontrol --dsaddpartition /mnt/msdp/vol1

2026-01-28 07:06:13 - Nick Bennett (Work notes)

updated cohesity thread

2026-01-23 07:08:58 - Nick Bennett (Work notes)

pinged cohesity thread

2026-01-21 07:24:23 - Nick Bennett (Work notes)

From: Nick Bennett

Sent: Wednesday, January 21, 2026 7:20 AM

To: Cohesity Support <support@cohesity.com>

Subject: RE: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

Thanks Rob. I can see the upgrade_failure tar files in the log bundles. Do you have these in the new (from 1/14) log bundle? The first log gather was not complete.

C:\Users\nbennett\Downloads\INC3777281-CBC\midaccess01mInp_202601141419\upgrade\appliance\upgrade_failure_20260113155119.tar.gz

Nick Bennett | OneCall Support Operations

t. 800.291.3230 | d. 952.279.4722 | nick.bennett@insight.com | insight.com

From: Cohesity Support <support@cohesity.com>

Sent: Tuesday, January 20, 2026 3:52 PM

To: Nick Bennett <Nick.Bennett@insight.com>

Cc: Nick Bennett <Nick.Bennett@insight.com>

Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

I am sorry for the delay. I made a request for further information to our internal groups on Friday and did not get an answer so I pressed again today. The response I got back was that while we obtain some logging, the collection we obtained missed key files. Would you be able to generate and upload a debuginfo from both nodes using the "all" module and upload the /log/upgrade_failure_<date>.tar.gz from both nodes to the case? I have provided a link below to documentation that describes how to generate the debuginfo collection.

Veritas Access Troubleshooting Guide - Retrieving and sending debugging information

Regards,

Rob Humenuik

Site Reliability Engineer III

COHESITY

2026-01-20 07:47:49 - Nick Bennett (Work notes)

pending confirmation from cohesity

2026-01-16 07:45:59 - Nick Bennett (Work notes)

confirmation of dedupe size increase options post 20.4.0.1

Note: Veritas supports a deduplication pool of size upto 2790822931980000 bytes (approximately 2.478 PiB) if the Veritas Data Deduplication version is 20.4.0.1 or later. If the Veritas Data Deduplication version is 19.0.1, you cannot create a deduplication pool of size greater than 1392125484720000 bytes (approximately 1.236 PiB).

https://www.veritas.com/content/support/en_US/doc/146127092-170246169-1

2026-01-15 07:48:50 - Nick Bennett (Work notes)

incoming call from David > confirmed appliances are up on 8.3 and working | lower case to p2 > pending next tuesday for the next attempt and confirmation from cohesity

2026-01-15 07:22:17 - Nick Bennett (Work notes)

pending disk rma prior to upgrade attempt - rma case INC3787372

2026-01-15 07:02:08 - Nick Bennett (Work notes)

pending updates from cohesity on logging

2026-01-14 15:45:45 - Nick Bennett (Work notes)

uploaded current log to cohesity case and updated case thread

2026-01-14 08:45:39 - Nick Bennett (Work notes)

download from sftp/upload to cohesity and updated thread

2026-01-13 15:13:03 - Nick Bennett (Work notes)

From: Nick Bennett

Sent: Tuesday, January 13, 2026 3:12 PM

To: 'Cohesity Support' <support@cohesity.com>

Subject: RE: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

Rob,

David updated on the following. Looks like a failed reboot caused a rollback. Please let me know what you need when it completes rollback.

2026-01-13 14:03:08 MST - David McMullin Comments

hmm... does this mean it is failing and rolling back?

Current upgrade status: RUNNING. The upgrade is 51% completed.

-[2026-01-13 14:36:38] [INFO] V-409-777-1511: Rebooting nodes...

-[2026-01-13 14:36:45] [INFO] midaccess02mlnp: Taking the node out of cluster...

-[2026-01-13 15:01:40] [INFO] midaccess02mlnp: Rebooting the node...

-[2026-01-13 15:17:15] [INFO] midaccess02mlnp: Waiting for the service groups to be online.

Current upgrade status: RUNNING. The upgrade is 65% completed.

-[2026-01-13 15:27:59] [INFO] midaccess02mlnp: The node is online.

-[2026-01-13 15:28:08] [INFO] midaccess01mlnp: Taking the node out of cluster...

Current upgrade status: RUNNING. The upgrade is 65% completed.

-[2026-01-13 15:56:15] [ERROR] V-409-777-1525: Failed to reboot nodes.

-[2026-01-13 15:56:21] [INFO] Starting rollback...

-[2026-01-13 15:56:27] [INFO] V-409-777-1411: Rollback starts.

Nick Bennett | OneCall Support Operations

t. 800.291.3230 | d. 952.279.4722 | nick.bennett@insight.com | insight.com

2026-01-13 13:36:35 - Nick Bennett (Work notes)

zoom update > while checking logging, we found the current step had finally completed.

--checking further logging and monitoring the upgrade status.

--checked notes on total msdp-so size limitations and found notes for ~double the capacity

--monitor applog for any failed messages (777 oid)

NetBackup™ Access Appliance 8.4 Solutions Guide for NetBackup

https://www.veritas.com/content/support/en_US/doc/146127092-168300255-1

Note: Veritas supports a deduplication pool of size upto 2790822931980000 bytes
(approximately 2.478 PiB) if the Veritas Data Deduplication version is 20.4.0.1 or later. If the Veritas Data Deduplication version is 19.0.1, you cannot create a deduplication pool of size greater than 1392125484720000 bytes (approximately 1.236 PiB).

2026-01-13 12:00:36 - Nick Bennett (Work notes)
zoom started with Rob (cohesity) and David
-unlocked each node > checking docker ps

2026-01-13 11:51:47 - Nick Bennett (Work notes)
updated cohesity thread

2026-01-13 10:27:15 - Nick Bennett (Work notes)
called david > confirmed issue in a file on another appliance | pre-check run last week > updated password. had to update the password again when the installer dropped this morning. updated and re-ran pre-check, passed. still showing docker vol snapshot step since 8:28AM EST.
-updating inc with notes from current status and notes from previous pre-check failure
--opened cohesity case for upgrade failure - 04016881

System notes:

Actions taken:

Related Records

Problem:	Current action:
3rd Party Reference Number:	UIM account number:
Client ticket number:	UIM Device:
Parent Incident:	Change Request:
Alarm increments:	Caused by Change:

Resolution Information

Knowledge Not Found:	false	Resolution code:	Solved (Permanently)
Do not survey:	false	Resolved by:	Nick Bennett
First call resolution:	false	Resolved:	2026-02-27 08:40:48
Resolution notes:			

- RMA disk
- add shelf
- proactive reboot prior to upgrade attempt

+Cohesity thread

From: Cohesity Support <support@cohesity.com>
Sent: Tuesday, February 17, 2026 1:40 PM
To: Nick Bennett <Nick.Bennett@insight.com>
Cc: Nick Bennett <Nick.Bennett@insight.com>
Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::]

External Message - Please be cautious when opening links or attachments in email

Hello Nick,

Thank you for the update. Since the upgrade was successful I will close this case. Based on the information provided by the Global Sustenance Engineering team, they believe it may have been due to old kernel folders in /lib/modules. It is not advisable to manually review and remove files from this directory without direct instruction from Cohesity Support.

Regards,

Rob Humenuik
Site Reliability Engineer III
COHESITY

Major Incident

Major incident state:

Proposed by:

Proposed:

Promoted by:

Promoted:

Business impact:

Probable cause:

Post Incident Report

Overview:

Findings:

Timeline:

Integration Data

Additional Attributes:

External Data(u_external_data):

Related List Title: Special Handling Notes List
Table name: sn_shn_notes

1 Special Handling Notes

Short Description	Expires on	Priority	Applies To
CBC Companies - US Based Engineer request - Escalations	2027-01-01 10:22:22	3 - Moderate	Company

Related List Title: Task SLA List
Table name: task_sla
Query Condition: Task = INC3777281

49 Task SLAs

SLA definition	Stage	Start time	Business elapsed time	Business elapsed percentage	Business time left	Actual elapsed time	Actual elapsed percentage	Actual time left	Has breached	Original breach time
oc.p1.inc.up date	Completed	2026-01-13 11:29:59	2 Minutes	3.94	57 Minutes	2 Minutes	3.94	57 Minutes	false	2026-01-13 12:29:59
oc.p2.inc.up date	Completed	2026-02-17 07:15:09	38 Minutes	15.92	3 Hours 21 Minutes	38 Minutes	15.92	3 Hours 21 Minutes	false	2026-02-17 11:15:09
oc.p1.inc.up date	Completed	2026-01-14 13:20:24	1 Minute	2.31	58 Minutes	1 Minute	2.31	58 Minutes	false	2026-01-14 14:20:24
oc.p1.inc.up date	Completed	2026-01-14 08:10:11	5 Minutes	8.39	54 Minutes	5 Minutes	8.39	54 Minutes	false	2026-01-14 09:10:11
oc.p1.inc.up date	Completed	2026-01-14 08:18:15	2 Minutes	4.86	57 Minutes	2 Minutes	4.86	57 Minutes	false	2026-01-14 09:18:15
oc.p1.inc.up date	Completed	2026-01-13 10:23:12	4 Minutes	6.75	55 Minutes	4 Minutes	6.75	55 Minutes	false	2026-01-13 11:23:12
oc.p2.inc.up date	Completed	2026-01-19 14:59:59	16 Hours 47 Minutes	419.93	0 Seconds	16 Hours 47 Minutes	419.93	0 Seconds	true	2026-01-19 18:59:59
oc.p1.inc.up date	Completed	2026-01-14 07:36:35	22 Minutes	37.69	37 Minutes	22 Minutes	37.69	37 Minutes	false	2026-01-14 08:36:35
oc.p1.inc.up date	Completed	2026-01-13 10:04:19	18 Minutes	31.47	41 Minutes	18 Minutes	31.47	41 Minutes	false	2026-01-13 11:04:19
oc.p1.inc.up date	Completed	2026-01-15 07:19:11	29 Minutes	49.42	30 Minutes	29 Minutes	49.42	30 Minutes	false	2026-01-15 08:19:11
oc.p1.inc.up date	Completed	2026-01-14 10:14:41	2 Hours 39 Minutes	266.14	0 Seconds	2 Hours 39 Minutes	266.14	0 Seconds	true	2026-01-14 11:14:41
oc.p1.inc.up date	Completed	2026-01-14 13:05:39	53 Seconds	1.47	59 Minutes	53 Seconds	1.47	59 Minutes	false	2026-01-14 14:05:39
oc.p1.inc.up date	Completed	2026-01-13 10:27:15	4 Minutes	7.14	55 Minutes	4 Minutes	7.14	55 Minutes	false	2026-01-13 11:27:15
oc.p1.inc.up date	Completed	2026-01-14 08:05:50	2 Minutes	3.64	57 Minutes	2 Minutes	3.64	57 Minutes	false	2026-01-14 09:05:50
oc.p1.inc.up date	Completed	2026-01-14 08:08:01	2 Minutes	3.61	57 Minutes	2 Minutes	3.61	57 Minutes	false	2026-01-14 09:08:01
oc.p1.inc.up date	Completed	2026-01-14 13:18:15	2 Minutes	3.58	57 Minutes	2 Minutes	3.58	57 Minutes	false	2026-01-14 14:18:15

SLA definition	Stage	Start time	Business elapsed time	Business elapsed percentage	Business time left	Actual elapsed time	Actual elapsed percentage	Actual time left	Has breached	Original breach time
VM Ware Support Response P1	Completed	2026-01-13 10:01:05	10 Minutes	69.56	4 Minutes	10 Minutes	69.56	4 Minutes	false	2026-01-13 10:16:05
oc.p1.inc.update	Completed	2026-01-14 13:21:47	3 Minutes	6.14	56 Minutes	3 Minutes	6.14	56 Minutes	false	2026-01-14 14:21:47
oc.p1.inc.update	Completed	2026-01-13 11:47:18	4 Minutes	7.47	55 Minutes	4 Minutes	7.47	55 Minutes	false	2026-01-13 12:47:18
oc.p1.inc.update	Completed	2026-01-14 15:20:50	2 Minutes	3.81	57 Minutes	2 Minutes	3.81	57 Minutes	false	2026-01-14 16:20:50
oc.p2.inc.update	Completed	2026-01-21 07:00:16	24 Minutes	10.18	3 Hours 35 Minutes	24 Minutes	10.18	3 Hours 35 Minutes	false	2026-01-21 11:00:16
oc.p1.inc.update	Completed	2026-01-14 08:15:13	3 Minutes	5.06	56 Minutes	3 Minutes	5.06	56 Minutes	false	2026-01-14 09:15:13
oc.p1.inc.update	Completed	2026-01-14 13:10:12	8 Minutes	13.42	51 Minutes	8 Minutes	13.42	51 Minutes	false	2026-01-14 14:10:12
oc.p2.inc.update	Completed	2026-01-23 07:06:47	2 Minutes	0.91	3 Hours 57 Minutes	2 Minutes	0.91	3 Hours 57 Minutes	false	2026-01-23 11:06:47
oc.p1.inc.update	Completed	2026-01-14 13:06:32	3 Minutes	6.11	56 Minutes	3 Minutes	6.11	56 Minutes	false	2026-01-14 14:06:32
oc.p2.inc.update	Completed	2026-01-28 07:34:33	6 Minutes	2.58	3 Hours 53 Minutes	6 Minutes	2.58	3 Hours 53 Minutes	false	2026-01-28 11:34:33
oc.p2.inc.update	Completed	2026-01-27 07:09:04	18 Seconds	0.13	3 Hours 59 Minutes	18 Seconds	0.13	3 Hours 59 Minutes	false	2026-01-27 11:09:04
oc.p1.inc.update	Completed	2026-01-14 13:25:28	55 Seconds	1.53	59 Minutes	55 Seconds	1.53	59 Minutes	false	2026-01-14 14:25:28
oc.p1.inc.update	Completed	2026-01-13 11:51:47	1 Hour 43 Minutes	171.81	0 Seconds	1 Hour 43 Minutes	171.81	0 Seconds	true	2026-01-13 12:51:47
oc.p2.inc.update	Completed	2026-02-05 06:56:27	13 Minutes	5.8	3 Hours 46 Minutes	13 Minutes	5.8	3 Hours 46 Minutes	false	2026-02-05 10:56:27
oc.p1.inc.update	Completed	2026-01-13 10:01:05	1 Minute	2.19	58 Minutes	1 Minute	2.19	58 Minutes	false	2026-01-13 11:01:05
oc.p1.inc.update	Completed	2026-01-13 11:37:37	4 Minutes	8.14	55 Minutes	4 Minutes	8.14	55 Minutes	false	2026-01-13 12:37:37
oc.p1.inc.update	Completed	2026-01-13 11:32:21	5 Minutes	8.78	54 Minutes	5 Minutes	8.78	54 Minutes	false	2026-01-13 12:32:21
oc.p1.inc.update	Completed	2026-01-13 10:02:24	1 Minute	3.19	58 Minutes	1 Minute	3.19	58 Minutes	false	2026-01-13 11:02:24
oc.p1.inc.update	Completed	2026-01-13 13:34:52	1 Minute	2.86	58 Minutes	1 Minute	2.86	58 Minutes	false	2026-01-13 14:34:52
oc.p1.inc.update	Completed	2026-01-14 12:54:22	11 Minutes	18.81	48 Minutes	11 Minutes	18.81	48 Minutes	false	2026-01-14 13:54:22
oc.p1.inc.update	Completed	2026-01-14 07:59:12	6 Minutes	11.06	53 Minutes	6 Minutes	11.06	53 Minutes	false	2026-01-14 08:59:12

SLA definition	Stage	Start time	Business elapsed time	Business elapsed percentage	Business time left	Actual elapsed time	Actual elapsed percentage	Actual time left	Has breached	Original breach time
oc.p1.inc.update	Completed	2026-01-13 11:42:30	4 Minutes	8	55 Minutes	4 Minutes	8	55 Minutes	false	2026-01-13 12:42:30
oc.p1.inc.acknowledge	Completed	2026-01-13 10:01:05	1 Minute	8.78	13 Minutes	1 Minute	8.78	13 Minutes	false	2026-01-13 10:16:05
oc.p1.inc.update	Completed	2026-01-14 15:20:00	50 Seconds	1.39	59 Minutes	50 Seconds	1.39	59 Minutes	false	2026-01-14 16:20:00
oc.p2.inc.update	Completed	2026-02-09 08:23:26	55 Seconds	0.38	3 Hours 59 Minutes	55 Seconds	0.38	3 Hours 59 Minutes	false	2026-02-09 12:23:26
oc.p1.inc.resolution	Cancelled	2026-01-13 10:01:05	11 Hours 15 Minutes	281.61	0 Seconds	11 Hours 15 Minutes	281.61	0 Seconds	true	2026-01-13 14:01:05
oc.p2.inc.update	Completed	2026-02-12 09:34:20	37 Seconds	0.26	3 Hours 59 Minutes	37 Seconds	0.26	3 Hours 59 Minutes	false	2026-02-12 13:34:20
oc.p1.inc.update	Completed	2026-01-14 08:21:10	1 Hour 49 Minutes	182.11	0 Seconds	1 Hour 49 Minutes	182.11	0 Seconds	true	2026-01-14 09:21:10
oc.p1.inc.update	Completed	2026-01-14 10:10:26	4 Minutes	7.08	55 Minutes	4 Minutes	7.08	55 Minutes	false	2026-01-14 11:10:26
oc.p2.inc.update	Completed	2026-02-27 07:04:50	1 Hour 27 Minutes	36.48	2 Hours 32 Minutes	1 Hour 27 Minutes	36.48	2 Hours 32 Minutes	false	2026-02-27 11:04:50
oc.p1.inc.update	Completed	2026-01-14 15:19:09	51 Seconds	1.42	59 Minutes	51 Seconds	1.42	59 Minutes	false	2026-01-14 16:19:09
oc.p1.inc.update	Completed	2026-01-14 13:26:23	4 Minutes	7.61	55 Minutes	4 Minutes	7.61	55 Minutes	false	2026-01-14 14:26:23
oc.p1.inc.update	Completed	2026-01-14 15:23:07	22 Minutes	37.72	37 Minutes	22 Minutes	37.72	37 Minutes	false	2026-01-14 16:23:07

Related List Title: CIs Affected List
Table name: task_ci
Query Condition: Task = INC3777281

1 CIs Affected

Configuration Item	Managed status	Service offering	Service Entitlement	Company	IP Addresses	Location	Impact	Managed by	Managed By Group	Serial number	Support group	Supported by
ACCESS APPL 3350 1909TB A-WITH 10TB DRIV		OneCall - Veritas		Cbc Companies		OH-Columbus -Broad St				VTAS003 1639		

Related List Title: Time Worked List
Table name: task_time_worked
Query Condition: Task = INC3777281

82 Time Worked

Time worked	User	Comments	Task
2 Minutes	Nick Bennett		INC3777281
2 Minutes	Nick Bennett		INC3777281
24 Minutes	Nick Bennett		INC3777281

Time worked	User	Comments	Task
2 Minutes	Nick Bennett	2026-01-14 07:59:12 - Nick Bennett (Comments) David, Rob sent over the following. Please let me know when the collects complete and if you need a drop link for upload, please use the following. https://securefiles.nsitmsp.com/public/folder/mj5urev8vuu7lt76fc46_g/INC3777281 +Cohesity thread From: Cohesity Support <support@cohesity.com> Sent: Wednesday, January 14, 2026 7:46 AM To: Nick Bennett <Nick.Bennett@insight.com> Cc: Nick Bennett <Nick.Bennett@insight.com> Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] External Message - Please be cautious when opening links or attachments in email Hello Nick, Once the rollback completes we will need a datacollect from both nodes. Rather than generate the datacollect from the CLI I would like it to be created from the web UI. Generating the datacollect from the web UI allows us to collect more logs. * Login to the web UI of the cluster * Click on Settings * Click on Diagnostics * Click on Generate Log Package * We will create a "Basic" log package however instead of the default collection please click the option "All" to select all available logs. * Under historical logs select the date range of the last 3 days. I know that	INC3777281

Time worked	User	Comments	Task
		the log failure occurred yesterday however since at least 24 hours have passed since the upgrade was initiated I don't want to lose logs from the beginning of the process. * Enter a name for the log package. * Select the option for All Nodes * Click the Generate button. Please note that the datacollect will take a significant amount of time to generate as it is generating a datacollect and collecting additional logs. Once the datacollect is done you can use the Log Browser to obtain them. * Login to the node CLI. * Execute the command support logbrowser start * Open a web browser and go to the URL https://<appliance_IP>:8514/appliance/logs/ * Locate and download the datacollect file. * From the node CLI execute the command support logbrowser start Regards, Rob Humenuik Site Reliability Engineer III COHESITY	

31 Seconds

Nick Bennett

2026-02-03 13:23:29 - Nick Bennett (Comments)
Ok, good deal. Thanks David!

INC3777281

Time worked	User	Comments	Task
1 Minute	Nick Bennett	2026-02-12 09:34:57 - Nick Bennett (Comments) +Cohesity update From: Cohesity Support <support@cohesity.com> Sent: Wednesday, February 11, 2026 3:49 PM To: Nick Bennett <Nick.Bennett@insight.com> Cc: Nick Bennett <Nick.Bennett@insight.com> Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] External Message - Please be cautious when opening links or attachments in email Hello Nick, This case was escalated to our Global Sustenance Engineering team. I am awaiting a plan of action from this team. Regards, Rob Humenuik Site Reliability Engineer III COHESITY	INC3777281
9 Seconds	Nick Bennett		INC3777281
8 Minutes	Nick Bennett		INC3777281
5 Minutes	Nick Bennett	2026-01-13 10:56:42 - Nick Bennett (Comments) David, Just an update. Our Cohesity case is showing unassigned as of now. I'll update again when I have more. Thanks, Nick	INC3777281
2 Hours 19 Minutes	Nick Bennett		INC3777281
28 Seconds	Nick Bennett		INC3777281

Time worked	User	Comments	Task
3 Minutes	Nick Bennett	2026-01-14 13:21:47 - Nick Bennett (Comments) Ok, thanks. I do see both files or parts, possibly. One is ~318MB. What size is it? -Nick	INC3777281
8 Minutes	Nick Bennett	2026-01-28 07:34:33 - Nick Bennett (Comments) Sounds good, thanks David.	INC3777281
10 Minutes	Nick Bennett	2026-01-14 07:29:06 - Nick Bennett (Comments) Good deal, thanks David!	INC3777281
22 Seconds	Nick Bennett		INC3777281

Time worked	User	Comments	Task
1 Minute	Nick Bennett	2026-02-27 08:39:35 - Nick Bennett (Comments) Sounds good, thanks David. Yes, they closed out wit the following. I'll close out today. -Nick +Cohesity thread From: Cohesity Support <support@cohesity.com> Sent: Tuesday, February 17, 2026 1:40 PM To: Nick Bennett <Nick.Bennett@insight.com> Cc: Nick Bennett <Nick.Bennett@insight.com> Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] External Message - Please be cautious when opening links or attachments in email Hello Nick, Thank you for the update. Since the upgrade was successful I will close this case. Based on the information provided by the Global Sustenance Engineering team, they believe it may have been due to old kernel folders in /lib/modules. It is not advisable to manually review and remove files from this directory without direct instruction from Cohesity Support. Regards, Rob Humenuik Site Reliability Engineer III COHESITY	INC3777281
5 Seconds	Nick Bennett		INC3777281

Time worked	User	Comments	Task
5 Minutes	Nick Bennett	2026-01-14 08:21:10 - Nick Bennett (Comments) Thanks, 20260114.access.log.gen.docx came though on the incident. I'm downloading the tar file from sftp now.	INC3777281
20 Seconds	Nick Bennett	2026-01-14 08:15:13 - Nick Bennett (Comments) Sounds good, thanks.	INC3777281
17 Seconds	Nick Bennett	2026-01-13 15:23:07 - Nick Bennett (Comments) Sounds good, thanks David.	INC3777281
1 Minute	Nick Bennett		INC3777281
35 Minutes	Nick Bennett		INC3777281
1 Minute	Nick Bennett	2026-02-10 13:04:07 - Nick Bennett (Comments) That's great news, thanks David!	INC3777281
14 Minutes	Nick Bennett	2026-01-13 10:27:15 - Nick Bennett (Comments) David, Following our conversation. I'll call back when I have Cohesity on the line. Please let me know if the upgrade status file shows any changes. Thanks! Nick	INC3777281
10 Minutes	Nick Bennett	2026-01-13 11:42:30 - Nick Bennett (Comments) Thanks David, Do you see any further updates in the /log/upgrade/upgrade_8.3.log? -Nick	INC3777281
59 Seconds	Nick Bennett	2026-02-02 14:30:33 - Nick Bennett (Comments) Sounds good, thanks David.	INC3777281

Time worked	User	Comments	Task
1 Hour 35 Minutes	Nick Bennett	2026-01-13 13:36:35 - Nick Bennett (Comments) David, Following our conversation. From the solutions guide note below, you need only be running the dedupe version 20.4.0.1 or above to leverage the increased limit. Please let me know if the upgrade hits any further hiccups. NetBackup™ Access Appliance 8.4 Solutions Guide for NetBackup https://www.veritas.com/content/support/en_US/doc/146127092-168300255-1 Note: Veritas supports a deduplication pool of size upto 2790822931980000 bytes (approximately 2.478 PiB) if the Veritas Data Deduplication version is 20.4.0.1 or later. If the Veritas Data Deduplication version is 19.0.1, you cannot create a deduplication pool of size greater than 1392125484720000 bytes (approximately 1.236 PiB). +Current status [access-8.3.100] midaccess02mlnp.cbc.local > system software upgrade-status The target version is: 8.5 Current upgrade status: RUNNING. The upgrade is 45% completed. Latest operations: -[2026-01-13 13:17:59] [INFO] V-409-777-1314: Completed mounting the installation media. -[2026-01-13 13:18:40] [INFO] V-409-777-1315: Upgrading the appliance infrastructure packages... -[2026-01-13 14:28:27] [INFO] V-409-777-1316: Completed upgrading the appliance infrastructure packages.	INC3777281

Time worked	User	Comments	Task
20 Seconds	Nick Bennett	2026-01-14 08:08:01 - Nick Bennett (Comments) Sounds good, thanks David.	INC3777281
12 Seconds	Nick Bennett		INC3777281
40 Seconds	Nick Bennett		INC3777281
57 Seconds	Nick Bennett		INC3777281
24 Minutes	Nick Bennett		INC3777281
13 Seconds	Nick Bennett		INC3777281
1 Minute	Nick Bennett		INC3777281
38 Seconds	Nick Bennett	2026-01-14 13:18:15 - Nick Bennett (Comments) Sounds good, thanks David. I'll get that over to Rob on our case. Are you kicking off another upgrade? -Nick	INC3777281
5 Minutes	Nick Bennett	2026-01-13 11:32:21 - Nick Bennett (Comments) David, Our Cohesity case is assigned. I'll update when I have more. -Nick	INC3777281
4 Seconds	Nick Bennett		INC3777281
4 Minutes	Nick Bennett		INC3777281
12 Seconds	Nick Bennett		INC3777281
6 Minutes	Nick Bennett		INC3777281
50 Seconds	Nick Bennett		INC3777281
3 Minutes	Nick Bennett	2026-01-14 15:23:07 - Nick Bennett (Comments) Can do, I see the file. I'll get this over to Rob on our case and update you when I have a confirmation. -Nick	INC3777281
4 Minutes	Nick Bennett		INC3777281
3 Minutes	Nick Bennett		INC3777281
1 Minute	Nick Bennett		INC3777281

Time worked	User	Comments	Task
2 Minutes	Nick Bennett	2026-02-12 12:07:43 - Nick Bennett (Comments) +Cohesity update From: Nick Bennett Sent: Thursday, February 12, 2026 12:07 PM To: 'Cohesity Support' <support@cohesity.com> Subject: RE: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] Thanks Rob. David re-attempted upgrade and it completed this time! Was there any indication that we can use to mitigate a failure of this kind in the future? Nick Bennett OneCall Support Operations t. 800.291.3230 d. 952.279.4722 nick.bennett@insight.com insight.com From: Cohesity Support <support@cohesity.com> Sent: Thursday, February 12, 2026 12:01 PM To: Nick Bennett <Nick.Bennett@insight.com> Cc: Nick Bennett <Nick.Bennett@insight.com> Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] External Message - Please be cautious when opening links or attachments in email Hello Nick, I received an update from the Global Sustenance Engineering team. They provided a plan of action that includes reviewing the rpmdb on the appliance, removing unnecessary kernel	INC3777281

Time worked	User	Comments	Task
		modules, and attempting the upgrade again. Please let us know when downtime can be arranged to perform the plan of action followed by attempting the upgrade. Regards, Rob Humenuik Site Reliability Engineer III COHESITY	

Time worked	User	Comments	Task
1 Minute	Nick Bennett	2026-01-16 08:07:02 - Nick Bennett (Comments) David, Rob updated but no confirmation on course yet. I'll update again when I have more. +Cohesity thread From: Cohesity Support <support@cohesity.com> Sent: Friday, January 16, 2026 7:59 AM To: Nick Bennett <Nick.Bennett@insight.com> Cc: Nick Bennett <Nick.Bennett@insight.com> Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] External Message - Please be cautious when opening links or attachments in email Hello Nick, I am sorry for the delay. I dug deeper into the upgrade logs and found the symptom that led to the failure. However, I have not yet found the cause of that symptom. I have reached out to an internal group here to see if I could get some quick guidance or whether I need to escalate this case to our GSE or engineering teams. I will let you know as soon as I have further information. I do not recommend attempting the upgrade again until I get a response back from the internal teams. Regards, Rob Humenuik Site Reliability Engineer III COHESITY +additional confirmation for dedupe version/upgrade	INC3777281

Time worked	User	Comments	Task
		Hello Nick, In order to have a single 2.47 PiB pool you must upgrade the deduplication container to 20.4.0.1 or later. Please make note of the compatibility between Access deduplication and NetBackup versions. About Veritas Data Deduplication Regards, Rob Humenuik Site Reliability Engineer III COHESITY	
2 Minutes	Nick Bennett	2026-01-23 07:08:58 - Nick Bennett (Comments) David, Rob updated that he needs the upgrade_failure log set. We have it from each node so just pending on a confirmation the existing logging we sent is sufficient. -Nick	INC3777281
1 Minute	Nick Bennett		INC3777281
54 Minutes	Nick Bennett		INC3777281
36 Minutes	Nick Bennett	2026-02-03 07:36:49 - Nick Bennett (Comments) Sounds good, thanks David. I have attached the files to our Cohesity case and updated the case thread. -Nick	INC3777281
4 Minutes	Nick Bennett	2026-01-14 13:26:23 - Nick Bennett (Comments) Ahh, ok. Thanks David.	INC3777281
34 Minutes	Nick Bennett		INC3777281
11 Minutes	Nick Bennett		INC3777281
13 Seconds	Nick Bennett		INC3777281
27 Seconds	Nick Bennett	2026-01-14 10:14:41 - Nick Bennett (Comments) Ok, thanks David.	INC3777281

Time worked	User	Comments	Task
1 Minute	Nick Bennett		INC3777281
13 Minutes	Nick Bennett	2026-02-03 13:01:08 - Nick Bennett (Comments) Thanks, I see them. Are both from the shell? -Nick	INC3777281
44 Seconds	Nick Bennett	2026-01-14 12:54:22 - Nick Bennett (Comments) David, Did the log collection complete? Did you kick off another upgrade? -Nick	INC3777281
32 Seconds	Nick Bennett	2026-02-03 07:41:52 - Nick Bennett (Comments) Sounds good, thanks David.	INC3777281

Time worked	User	Comments	Task
6 Minutes	Nick Bennett	2026-02-02 07:21:50 - Nick Bennett (Comments) David, Please generate and upload a debuginfo from both nodes using the "all" module and upload the /log/upgrade_failure_<date>.tar.gz from both nodes to the case or drop. Retrieving and sending debugging information https://www.veritas.com/support/en_US/doc/116059455-133637637-0/uxrt-tot_v54979653-133637637 ##Uploading debug information from a cluster node To upload debugging information from a specified node to an external server Upload debugging information from a specified node to an external server. Support> debuginfo upload nodename debug-URL module For example, to upload all debugging information to an FTP server: Support> debuginfo upload node1_1 ftp://admin@ftp.docserver.company.com/patches/ all For example, to upload CIFS-related debugging information to an SCP server: Support> debuginfo upload node1_1 scp://root@server.company.com:/tmp/node1_1-cifs-debuginfo.tar.gz nodename Specifies the nodename from which to collect the debugging information.	INC3777281
5 Minutes	Nick Bennett	2026-02-02 15:12:24 - Nick Bennett (Comments) Sounds good, thanks David.	INC3777281
1 Minute	Nick Bennett	2026-02-02 13:19:54 - Nick Bennett (Comments) Gotcha, thanks David!	INC3777281

Time worked	User	Comments	Task
1 Minute	Nick Bennett	2026-01-13 15:11:15 - Nick Bennett (Comments) Yes, it appears so, due to the failed reboot. Please let me know if the rollback shows any problems. I'll get this updated in our Cohesity case. -Nick	INC3777281
3 Minutes	Nick Bennett	2026-01-14 07:18:35 - Nick Bennett (Comments) Possibly. We recommend rebooting within 24 hours of an upgrade on legacy appliances. Yes, please gather the patch log and it over. Then run the upgrade again with the deduplication update. -Nick	INC3777281
5 Minutes	Nick Bennett	2026-02-27 08:32:23 - Nick Bennett (Comments) David, Checking back to see if you need anything further or if your can case be closed. Please let me know. Thanks, Nick	INC3777281
1 Minute	Nick Bennett	2026-01-28 07:06:13 - Nick Bennett (Comments) David, How did the the next upgrade attempt run? -Nick	INC3777281

Time worked	User	Comments	Task
9 Minutes	Nick Bennett	2026-01-13 11:51:47 - Nick Bennett (Comments) Thanks for the confirmation. Please join the zoom below. External Message - Please be cautious when opening links or attachments in email Hello Nick, This is Rob Humenuik with Cohesity Product Specialist Group. I have taken assignment of case 04016881. Please use the link below to join a Zoom meeting so that we can begin review of the Access 8.5 upgrade. https://cohesity.zoom.us/j/97020095882?pwd=aYkDiWO3aLj3AbUQZcfljhulp1EYaO.1 Regards, Rob Humenuik Site Reliability Engineer III COHESITY	INC3777281
46 Seconds	Nick Bennett	2026-01-14 15:20:00 - Nick Bennett (Comments) Sounds good, I'll check now and update.	INC3777281
22 Minutes	Nick Bennett		INC3777281
12 Seconds	Nick Bennett		INC3777281
1 Minute	Nick Bennett	2026-01-26 10:33:38 - Nick Bennett (Comments) Sounds good, thanks David. I'll update if I have any updates from Rob on our case. Please let me know if you see any issues as it updates this time. -Nick	INC3777281

Time worked	User	Comments	Task
1 Minute	Nick Bennett	2026-02-09 08:23:26 - Nick Bennett (Comments) David, Rob confirmed an internal escalation for our case. I'll update when I have more. -Nick	INC3777281
3 Minutes	Nick Bennett		INC3777281
58 Seconds	Nick Bennett	2026-02-02 15:26:30 - Nick Bennett (Comments) Is it 1.5GB? I see two copies on the ftp.	INC3777281
1 Minute	Nick Bennett		INC3777281
16 Seconds	Nick Bennett		INC3777281
3 Minutes	Nick Bennett	2026-02-09 13:00:36 - Nick Bennett (Comments) Good to hear, thanks David. Cohesity confirmed an internal escalation but has not updated with a confirmation yet. Since the reboot, space and disk failure have all been resolved, I would lean toward another attempt. Let me know if you want to hold off until confirmation is received from Cohesity or if you re-attempt. -Nick	INC3777281
21 Seconds	Nick Bennett	2026-02-02 14:15:47 - Nick Bennett (Comments) Yes, thanks David. Please use the following drop https://securefiles.nsitmsp.com/public/folder/mj5urev8vuu7lt76fc46_g/INC3777281	INC3777281
11 Minutes	Nick Bennett		INC3777281

Time worked	User	Comments	Task
5 Minutes	Nick Bennett	2026-02-17 14:05:57 - Nick Bennett (Comments) David, Please see below from Rob on our case. They're closing out but let me know if you have any further questions. Thanks, Nick +Cohesity thread From: Cohesity Support <support@cohesity.com> Sent: Tuesday, February 17, 2026 1:40 PM To: Nick Bennett <Nick.Bennett@insight.com> Cc: Nick Bennett <Nick.Bennett@insight.com> Subject: Cohesity Support Case #04016881: NB : upgrading access to 8.5, seems to be unchanging for over two hours [thread::dWAGUhT-dA28jmMbUQnWhEA::] External Message - Please be cautious when opening links or attachments in email Hello Nick, Thank you for the update. Since the upgrade was successful I will close this case. Based on the information provided by the Global Sustenance Engineering team, they believe it may have been due to old kernel folders in /lib/modules. It is not advisable to manually review and remove files from this directory without direct instruction from Cohesity Support. Regards, Rob Humenuik Site Reliability Engineer III COHESITY	INC3777281
14 Seconds	Nick Bennett		INC3777281

Related List Title:Relevant Knowledge - Task List

Table name:cxs_relevant_doc_task

None

Related List Title:Knowledge List

Table name:kb_knowledge

None

Related List Title:Metric List

Table name:metric_instance

66 Metrics

Created	Definition	ID	Value	Start	End	Duration	Calculation complete
2026-01-20 07:47:51	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-20 07:47:49	2026-01-21 07:00:16	23 Hours 12 Minutes	true
2026-01-27 07:09:25	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-27 07:09:22	2026-01-28 07:34:33	1 Day 25 Minutes	true
2026-02-17 07:53:25	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-02-17 07:53:22	2026-02-23 08:39:05	6 Days 45 Minutes	true
2026-02-05 07:10:25	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-02-05 07:10:22	2026-02-09 08:23:26	4 Days 1 Hour 13 Minutes	true
2026-01-21 07:24:45	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-21 07:24:42	2026-01-23 07:06:47	1 Day 23 Hours 42 Minutes	true
2026-02-12 09:35:00	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-02-12 09:34:57	2026-02-17 07:15:09	4 Days 21 Hours 40 Minutes	true
2026-02-27 08:32:27	Awaiting Vendor State	Incident: INC3777281	Awaiting Change	2026-02-27 08:32:23	2026-02-27 08:40:48	8 Minutes	true
2026-01-28 07:40:45	Awaiting Vendor State	Incident: INC3777281	Awaiting Change	2026-01-28 07:40:44	2026-02-05 06:56:27	7 Days 23 Hours 15 Minutes	true
2026-01-23 07:09:00	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-23 07:08:58	2026-01-27 07:09:04	4 Days	true
2026-01-14 15:45:50	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-14 15:45:45	2026-01-15 07:19:11	15 Hours 33 Minutes	true
2026-01-13 10:31:36	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-13 10:31:32	2026-01-13 11:29:59	58 Minutes	true
2026-01-15 07:48:51	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-15 07:48:50	2026-01-19 14:59:59	4 Days 7 Hours 11 Minutes	true
2026-01-13 15:13:06	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-01-13 15:13:03	2026-01-14 07:36:35	16 Hours 23 Minutes	true
2026-02-23 08:39:06	Awaiting Vendor State	Incident: INC3777281	Awaiting Change	2026-02-23 08:39:05	2026-02-27 07:04:50	3 Days 22 Hours 25 Minutes	true

Created	Definition	ID	Value	Start	End	Duration	Calculation complete
2026-01-13 13:36:36	Awaiting Vendor State	Incident: INC3777281	Monitoring	2026-01-13 13:36:35	2026-01-13 15:13:03	1 Hour 36 Minutes	true
2026-01-14 13:31:01	Awaiting Vendor State	Incident: INC3777281	Awaiting Evidence	2026-01-14 13:30:57	2026-01-14 15:19:09	1 Hour 48 Minutes	true
2026-02-09 08:24:26	Awaiting Vendor State	Incident: INC3777281	Awaiting Vendor	2026-02-09 08:24:21	2026-02-12 09:34:20	3 Days 1 Hour 9 Minutes	true
2026-01-15 07:48:51	Incident Priority Duration	Incident: INC3777281	2	2026-01-15 07:48:50	2026-03-02 09:00:32	46 Days 1 Hour 11 Minutes	true
2026-01-13 10:01:10	Incident Priority Duration	Incident: INC3777281	1	2026-01-13 10:01:05	2026-01-15 07:48:50	1 Day 21 Hours 47 Minutes	true
2026-02-27 08:40:51	Create to Resolve Duration	Incident: INC3777281		2026-01-13 10:01:05	2026-02-27 08:40:48	44 Days 22 Hours 39 Minutes	true
2026-01-13 10:11:35	Assigned to Duration	Incident: INC3777281	Nick Bennett	2026-01-13 10:11:31	2026-03-02 09:00:32	47 Days 22 Hours 49 Minutes	true
2026-02-05 06:56:30	Incident State Duration	Incident: INC3777281	In Progress	2026-02-05 06:56:27	2026-02-05 07:10:22	13 Minutes	true
2026-02-27 08:32:27	Incident State Duration	Incident: INC3777281	Pending	2026-02-27 08:32:23	2026-02-27 08:40:48	8 Minutes	true
2026-01-15 07:48:51	Incident State Duration	Incident: INC3777281	Pending	2026-01-15 07:48:50	2026-01-19 14:59:59	4 Days 7 Hours 11 Minutes	true
2026-01-20 07:47:51	Incident State Duration	Incident: INC3777281	Pending	2026-01-20 07:47:49	2026-01-21 07:00:16	23 Hours 12 Minutes	true
2026-01-13 10:11:35	Incident State Duration	Incident: INC3777281	In Progress	2026-01-13 10:11:31	2026-01-13 10:31:32	20 Minutes	true
2026-01-14 15:45:50	Incident State Duration	Incident: INC3777281	Pending	2026-01-14 15:45:45	2026-01-15 07:19:11	15 Hours 33 Minutes	true
2026-01-27 07:09:25	Incident State Duration	Incident: INC3777281	Pending	2026-01-27 07:09:22	2026-01-28 07:34:33	1 Day 25 Minutes	true
2026-02-17 07:53:25	Incident State Duration	Incident: INC3777281	Pending	2026-02-17 07:53:22	2026-02-27 07:04:50	9 Days 23 Hours 11 Minutes	true
2026-01-23 07:06:51	Incident State Duration	Incident: INC3777281	In Progress	2026-01-23 07:06:47	2026-01-23 07:08:58	2 Minutes	true
2026-01-19 15:00:01	Incident State Duration	Incident: INC3777281	In Progress	2026-01-19 14:59:59	2026-01-20 07:47:49	16 Hours 47 Minutes	true
2026-02-27 08:40:51	Incident State Duration	Incident: INC3777281	Resolved	2026-02-27 08:40:48	2026-03-02 09:00:32	3 Days 19 Minutes	true
2026-01-14 07:36:40	Incident State Duration	Incident: INC3777281	In Progress	2026-01-14 07:36:35	2026-01-14 13:30:57	5 Hours 54 Minutes	true
2026-01-15 07:19:15	Incident State Duration	Incident: INC3777281	In Progress	2026-01-15 07:19:11	2026-01-15 07:48:50	29 Minutes	true
2026-01-27 07:09:05	Incident State Duration	Incident: INC3777281	In Progress	2026-01-27 07:09:04	2026-01-27 07:09:22	18 Seconds	true
2026-02-27 07:04:55	Incident State Duration	Incident: INC3777281	In Progress	2026-02-27 07:04:50	2026-02-27 08:32:23	1 Hour 27 Minutes	true

Created	Definition	ID	Value	Start	End	Duration	Calculation complete
2026-01-13 11:30:00	Incident State Duration	Incident: INC3777281	In Progress	2026-01-13 11:29:59	2026-01-13 13:36:35	2 Hours 6 Minutes	true
2026-01-14 15:19:10	Incident State Duration	Incident: INC3777281	In Progress	2026-01-14 15:19:09	2026-01-14 15:45:45	26 Minutes	true
2026-01-28 07:40:45	Incident State Duration	Incident: INC3777281	Pending	2026-01-28 07:40:44	2026-02-05 06:56:27	7 Days 23 Hours 15 Minutes	true
2026-01-23 07:09:00	Incident State Duration	Incident: INC3777281	Pending	2026-01-23 07:08:58	2026-01-27 07:09:04	4 Days	true
2026-01-21 07:24:45	Incident State Duration	Incident: INC3777281	Pending	2026-01-21 07:24:42	2026-01-23 07:06:47	1 Day 23 Hours 42 Minutes	true
2026-01-13 10:31:36	Incident State Duration	Incident: INC3777281	Pending	2026-01-13 10:31:32	2026-01-13 11:29:59	58 Minutes	true
2026-02-12 09:35:00	Incident State Duration	Incident: INC3777281	Pending	2026-02-12 09:34:57	2026-02-17 07:15:09	4 Days 21 Hours 40 Minutes	true
2026-01-13 10:01:10	Incident State Duration	Incident: INC3777281	New	2026-01-13 10:01:05	2026-01-13 10:11:31	10 Minutes	true
2026-02-09 08:24:26	Incident State Duration	Incident: INC3777281	Pending	2026-02-09 08:24:21	2026-02-12 09:34:20	3 Days 1 Hour 9 Minutes	true
2026-03-02 09:00:36	Incident State Duration	Incident: INC3777281	Closed	2026-03-02 09:00:32			false
2026-02-12 09:34:25	Incident State Duration	Incident: INC3777281	In Progress	2026-02-12 09:34:20	2026-02-12 09:34:57	37 Seconds	true
2026-01-13 13:36:36	Incident State Duration	Incident: INC3777281	Pending	2026-01-13 13:36:35	2026-01-14 07:36:35	18 Hours	true
2026-01-14 13:31:01	Incident State Duration	Incident: INC3777281	Pending	2026-01-14 13:30:57	2026-01-14 15:19:09	1 Hour 48 Minutes	true
2026-02-09 08:23:30	Incident State Duration	Incident: INC3777281	In Progress	2026-02-09 08:23:26	2026-02-09 08:24:21	55 Seconds	true
2026-01-21 07:00:20	Incident State Duration	Incident: INC3777281	In Progress	2026-01-21 07:00:16	2026-01-21 07:24:42	24 Minutes	true
2026-01-28 07:34:35	Incident State Duration	Incident: INC3777281	In Progress	2026-01-28 07:34:33	2026-01-28 07:40:44	6 Minutes	true
2026-02-05 07:10:25	Incident State Duration	Incident: INC3777281	Pending	2026-02-05 07:10:22	2026-02-09 08:23:26	4 Days 1 Hour 13 Minutes	true
2026-02-17 07:15:12	Incident State Duration	Incident: INC3777281	In Progress	2026-02-17 07:15:09	2026-02-17 07:53:22	38 Minutes	true
2026-01-13 10:01:10	Open	Incident: INC3777281	true	2026-01-13 10:01:05	2026-03-02 09:00:32	47 Days 22 Hours 59 Minutes	true
2026-03-02 09:00:36	Incident Closure CI version	Incident: INC3777281	Version not specified				false
2026-01-13 10:01:05	Task touched by Insight	Incident: INC3777281	false				true
2026-01-15 07:48:50	Incident Priority Decrease Alert	Incident: INC3777281	2				true

Created	Definition	ID	Value	Start	End	Duration	Calculation complete
2026-01-13 10:01:10	First Level Resolution	Incident: INC3777281	false				true
2026-01-13 10:01:10	Incident Priority Maximum	Incident: INC3777281	1	2026-01-13 10:01:05			false
2026-01-13 10:11:35	Assignment Group	Incident: INC3777281	Data Protection Operations	2026-01-13 10:11:31	2026-03-02 09:00:32	47 Days 22 Hours 49 Minutes	true
2026-01-13 10:01:10	Assignment Group	Incident: INC3777281	OneCall Triage	2026-01-13 10:01:05	2026-01-13 10:11:31	10 Minutes	true
2026-01-13 10:11:35	Assigned to Duration Task	Incident: INC3777281	Nick Bennett	2026-01-13 10:11:31	2026-03-02 09:00:32	47 Days 22 Hours 49 Minutes	true
2026-01-13 10:01:10	Initial Assignment Group	Incident: INC3777281	OneCall Triage	2026-01-13 10:01:05	2026-01-13 10:01:05		true
2026-01-13 10:11:35	Reassignment reason	Incident: INC3777281	Technical Assistance	2026-01-13 10:11:31	2026-01-13 10:12:15	44 Seconds	true
2026-01-13 10:12:16	Reassignment reason	Incident: INC3777281		2026-01-13 10:12:15	2026-03-02 09:00:32	47 Days 22 Hours 48 Minutes	true

Related List Title: Vendor Escalation List

Table name: x_datrp_vendor_esc_vendor_escalation

Query Condition: Parent = INC3777281

Sort Order: Number in ascending order

1 Vendor Escalations

▲ Number	Action status	Active	Activity due	Additional as signee list	Approval	Approval history	Approval set	Assigned to	Assignment group
VEND002883 2		false	UNKNOWN		Not Yet Requested				