

taking you from good to GREAT.....

NBIT provides training to professionals, graduates and those seeking to advance their career. We specialize in offering the most comprehensive courses at the best value in the market. No matter who you are, what industry you're in **NBIT** has a course that will help you to reach your goals.

C
C++
JAVA
J2EE (with Spring & Hibernate)
DOT NET (C#, ASP, MVC)
ORACLE 21C
PYTHON
ANDROID with KOTLIN
JAVASCRIPT
JQUERY
ANGULAR JS, NODE JS, REACT JS
PHP
PHP++
AUTOCAD(Mech/Civil/Elec)
CATIA V5
SOLIDWORKS
NX CAD
PRO-E

TALLY PRIME, TALLY 9[ERP]
FACT
BUSY
PROFESSIONAL ACCOUNTING
CORPORATE ACCOUNTING
MS-OFFICE
DCA
DTP
AOA
ADCA
ADTP
ADPGD
WEB-DESIGNING
TYPING (HINDI/ENGLISH)
MANGAL TYPING
DIPLOMA IN HARDWARE
DIPLOMA IN INTERNET

Quality is Our Strength...

navbharat
institute of technology
Software & Hardware Education

A Perfect Place
for Software, Hardware
Computer Languages &
Share Trading Education

Head Office:

13/6C, Nai Sarak, Behind Bholeshwar Mandir, Shastri Nagar,
Meerut (U.P.), India (M): 9760091954, 9837991954

Branch Office:

C-57/6, Kunj Vihar, Somdutt Vihar Road, Jagriti Vihar,
Meerut (U.P.), India Ph. : 7599034943, 7454991954

Website : www.nbitmeerut.com

E-mail : navbharat2005@gmail.com

Available in
Jagriti Vihar
also

Iso Certified 9001 : 2008

Registered By U.p. Govt. Regn. No. : 47431-M

Recognized By Nielit (Doeacc) Regn. No. 88000950

Registered by MSME , Govt. of India. UAN : UP56E0013072



COURSE CURICULLUM

Quality is Our Strength...

navbharat
institute of technology

Software & Hardware Education

Distinguish Yourself

Successful students can be distinguished from the average student by their attitudes and behaviors. Below are some profiles that typically distinguish between an “A” student & a “B” student. Where do you fit in this scheme?

The “A” Student – An Outstanding Student

ATTENDANCE:

“A” students have virtually perfect attendance. Their commitment to the class is a high priority and exceeds other temptations.

PREPARATION:

“A” students are prepared for class. They always read the assignment. Their attention to detail is such that they occasionally can elaborate on class examples.

CURIOSITY:

“A” students demonstrate interest in the class and the subject. They look up or dig out what they don't understand. They often ask interesting questions or make thoughtful comments.

RETENTION:

“A” students have retentive minds and practice making retentive connections. They are able to connect past learning with the present. They bring a background of knowledge with them to their classes. They focus on learning concepts rather than memorizing details.

ATTITUDE:

“A” students have a winning attitude. They have both the determination and the self discipline necessary for success. They show initiative. They do things they have not been told to do.

TALENT:

“A” students demonstrate a special talent. It may be exceptional intelligence and insight. It may be unusual creativity, organizational skills, commitment – or a some combination. These gifts are evident to the teacher and usually to the other students as well.

EFFORT:

“A” students match their effort to the demands of an assignment.

COMMUNICATIONS:

“A” students place a high priority on writing and speaking in a manner that conveys clarity and thoughtful organization. Attention is paid to conciseness and completeness.

RESULTS:

“A” students make high grades on tests – usually the highest in the class. Their work is a pleasure to grade.

Distinguish Yourself

Successful students can be distinguished from the average student by their attitudes and behaviors. Below are some profiles that typically distinguish between an “A” student & a “B” student. Where do you fit in this scheme?

The “B” Student – An Average Student

ATTENDANCE:

“B” students are often late and miss class frequently. They put other priorities ahead of academic work. In some cases, their health or constant fatigue renders them physically unable to keep up with the demands of high-level performance.

PREPARATION:

“B” students may prepare their assignments consistently, but often in a perfunctory manner. Their work may be sloppy or careless. At times, it is incomplete or late.

CURIOSITY:

“B” students seldom explore topics deeper than their face value. They lack vision and bypass interconnectedness of concepts. Immediate relevancy is often their singular test for involvement.

RETENTION:

“B” students retain less information and for shorter periods. Less effort seems to go toward organizing and associating learned information with previously acquired knowledge. They display short – term retention by relying on cramming sessions that focus on details, not concepts.

ATTITUDE:

“B” students are not visibly committed to class. They participate without enthusiasm. Their body language often expresses boredom.

TALENT:

“B” students vary enormously in talent. Some have exceptional ability but show undeniable signs of poor self management or bad attitudes. Others are diligent but simply average in academic ability.

EFFORT:

“B” students are capable of sufficient efforts, but either fail to realistically evaluate the effort needed to accomplish a task successfully, or lack the desire to meet the challenge.

COMMUNICATIONS:

“B” students communicate in ways that often limit comprehension or risk misinterpretation. Ideas are not well formulated before they are expressed. Poor listening / reading habits inhibit matching inquiry and response.

RESULTS:

“B” students obtain mediocre or inconsistent results on tests. They have some concept of what is going on but clearly have not mastered the material.

Web Desiging

Duration:
6 Months

INTRODUCTION

- 👉 Introduction to Web Technologies
 - ✓ Careers in Web Technologies and Job Roles
 - ✓ How the Website Works?
 - ✓ Client and Server Scripting Languages
- ✓ Difference between a web Designer and Web Developer
- ✓ Types of Web sites (Static and Dynamic Web sites)
- ✓ Responsive design and layout

PHOTOSHOP

- 👉 Introduction
 - ✓ Introduction to Adobe Photoshop
 - ✓ Color mode & resolution
 - ✓ Types of Graphics
 - ✓ Export image
 - ✓ Animated Image
 - ✓ Tools
 - ✓ Ruler and scaling
 - ✓ Create Logos
 - ✓ Photos masking
- ✓ Smart Objects
- ✓ Merge Layers
- ✓ Group Layers
- ✓ Layer Styles
- ✓ Blending Options
- ✓ View Menu / Window Menu
- ✓ Filter Effects
- ✓ Image Adjustments
- ✓ Realtime Website Layout Design

HTML

- 👉 HTML 4.0
 - ✓ What is Markup Language
 - ✓ Basic Structure of HTML
- Document Overview
 - ✓ The Structure Tags
 - ✓ Getting Started With HTML

- ✓ Writing the Code
- ✓ Head Section
- ✓ Meta Tags
- ✓ External Link Tags
- ✓ HTML Tags
- ✓ HEAD Tags
- ✓ Title Tags
- ✓ Body Tags
- ✓ Displaying a web page in a web Browser
- 👉 HTML Elements
 - ✓ Block level elements
 - ✓ Inline elements
 - ✓ Empty elements
- 👉 Working with Forms
 - ✓ Creating a Form
 - ✓ Form Tag
 - ✓ POST and GET Method
 - ✓ Text Input, Text Area, Checkbox, Image Input and Radio
 - ✓ Select Option
 - ✓ Option Group
 - ✓ File Upload and Hidden Fields
 - ✓ Submit Button, Reset Button
 - ✓ Relation between HTML Form and PH
- 👉 Adding Special Characters Block Oriented Elements
- ✓ Defining Paragraphs and new Lines
- ✓ Inserting Spaces
- ✓ Perforating the Text
- ✓ Changing Background Color
- 👉 List
 - ✓ Ordered List
 - ✓ Unordered List, Definition List
- 👉 Attributes of List
 - ✓ Using Type attribute with Unordered list
 - ✓ Using Stat attribute with Ordered List
 - ✓ Some other elements
 - ✓ Visual Markup
- 👉 Uniform Resource Locators
 - ✓ Types of URLs
 - ✓ Absolute URLs
 - ✓ Relative URLs
 - ✓ Document-Relative URLs
 - ✓ Server-relative URLs
- 👉 Hypertext Links
 - ✓ Why links fail?
- 👉 Images
 - ✓ Adding Images
 - ✓ Adding Border to an image
- 👉 Tables
 - ✓ How to create table

- ✓ Adding Border to a Table
- ✓ Apply Formatting Features to Table
- ✓ Merge row and columns
- 👍 Introduction to style Sheets
 - ✓ How style sheets work
 - ✓ Style Sheet Structure
- 👍 Changing the Background
 - ✓ Changing the color of the text
 - ✓ Changing the front
 - ✓ Changing the Indent of the text
 - ✓ Changing the Line Spacing
 - ✓ Hide a Style Sheet
- 👍 Creating Style Classes
 - ✓ Div
 - ✓ Span
 - ✓ Frame
 - ✓ Layer
 - ✓ Meta
 - ✓ HTML Frames
 - ✓ Frame
 - ✓ Iframe
- 👍 HTML5
 - ✓ Introduction to HTML5
 - ✓ Introduction to HTML5
 - ✓ What's new in HTML5
- 👍 HTML5 Syntax
 - ✓ The DOCTYPE
 - ✓ The <script> tag
 - ✓ The <link> tag
 - ✓ HTML5 Document
- 👍 New input Elements
 - ✓ Color
 - ✓ Date
 - ✓ Datetime
 - ✓ Datetime-local
 - ✓ Email
 - ✓ Month
 - ✓ Number
 - ✓ Range
 - ✓ Search
 - ✓ Tel
 - ✓ Time
 - ✓ Url
 - ✓ Week
- 👍 New Input attributes
 - ✓ Autofocus
 - ✓ Formaction
 - ✓ Formmethod
 - ✓ Formnovalidate
 - ✓ Height and width
 - ✓ List

- ✓ Min and Max
- ✓ Multiple
- ✓ Pattern (regexp)
- ✓ Placeholder
- ✓ Required
- ✓ Step
- 👍 Audio and Video
 - ✓ <audio>
 - ✓ <video>
 - ✓ <source>
- 👍 New Structural Elements
 - ✓ <details>
 - ✓ <dialog>
 - ✓ <summary>
 - ✓ <meter>
 - ✓ <main>
 - ✓ <header>&<footer>
 - ✓ <section>
 - ✓ <aside>
 - ✓ <figure>

CSS

- 👍 Introduction
 - ✓ CSS Syntax
 - ✓ CSS Id & Class
 - ✓ Types of CSS links
- 👍 Colors and Backgrounds
 - ✓ Color
 - ✓ Background-color
 - ✓ Background-image
 - ✓ Background-repeat
 - ✓ Background-position
 - ✓ Background-attachment
 - ✓ Background
- 👍 Text and Fonts
 - ✓ Font
 - ✓ Font-family
 - ✓ Font-size
 - ✓ Font-weight
 - ✓ Font-style
 - ✓ Line-height
 - ✓ Letter-spacing
 - ✓ Word-spacing
 - ✓ Text-align
 - ✓ Text-decoration
 - ✓ Text-transform
 - ✓ White-space

- 👍 Lists
 - ✓ List-style
 - ✓ List-style-type
 - ✓ List-style-image
 - ✓ List-style-position
- 👍 Tables
 - ✓ Table-layout
 - ✓ Border-collapse
 - ✓ Border-spacing
- 👍 CSS Selectors
 - ✓ Universal Selector
 - ✓ Type Selector
 - ✓ Class Selector
 - ✓ ID Selector
 - ✓ Child Selector
 - ✓ Descendant Selector
 - ✓ Attribute Selector
 - ✓ Adjacent Sibling Selector
 - ✓ General Sibling Selector
 - ✓ Query Selector
- 👍 CSS Box Model
 - ✓ CCS Border
 - ✓ CCS Outline
 - ✓ CSS Margin
 - ✓ CSS Padding
- 👍 CSS Advanced
 - ✓ CSS Grouping/Nesting
 - ✓ CSS Dimension
 - ✓ CSS Display
 - ✓ CSS Positioning
 - ✓ CSS Floating
 - ✓ CSS Align
 - ✓ CSS Pseudo-class
 - ✓ CSS Pseudo-element
 - ✓ CSS Navigation Bar
 - ✓ CSS Image Gallery
 - ✓ CSS Image Opacity
 - ✓ CSS Attribute Selectors
 - ✓ Styling Links
- 👍 CSS 3.0
 - ✓ Introduction to CSS3.0
 - ✓ What's new in CSS 3.0
 - ✓ Border
 - ✓ Border-radius
 - ✓ Border-image
- 👍 CSS Shadows
 - ✓ Text-shadow
 - ✓ Box-shadow
- 👍 Background
 - ✓ Background-clip
 - ✓ Background-size
 - ✓ Background-origin
 - ✓ Background-image

- 👍 Outline
 - ✓ Transitions
 - ✓ Transition, delay, duration, property
- 👍 Transform
 - ✓ 2D Transforms
 - ✓ Transform
 - ✓ Matrix()
 - ✓ Translate(x,y)
 - ✓ Scale(x,y)
 - ✓ Rotate(angle)
 - ✓ Skew(x-angle,y-angle)
- 👍 3D Transforms
 - ✓ Transform , Transform-style
 - ✓ Perspective
 - ✓ Transform-origin
- 👍 Animations
 - ✓ @keyframes
 - ✓ animation, direction, duration
 - ✓ animation-name
- 👍 Selectors
 - ✓ CSS combinations
 - ✓ Pseudo Elements
- 👍 Gradients
 - ✓ Linear Gradients,
 - ✓ Radial Gradients
- 👍 Multiple Columns
 - ✓ column-count
 - ✓ column-fill
 - ✓ column-gap
 - ✓ column-width
 - ✓ columns
 - ✓ column-rule
 - ✓ column-rule-color
 - ✓ column-rule-style
 - ✓ column-rule-width
- 👍 User Interface
 - ✓ resize, box-sizing, outline-offset
- 👍 CSS Filters
 - ✓ Blur
 - ✓ Brightness
 - ✓ Contrast
 - ✓ Grayscale
 - ✓ Hue-rotate
 - ✓ Invert
 - ✓ Opacity
 - ✓ Saturate
 - ✓ Sepia
 - ✓ Drop-shadow
- 👍 Media Query
 - ✓ What is Responsive

- ✓ Web Design
- ✓ Intro to the Viewport
- ✓ The Viewport Tag
- ✓ Media Queries
- ✓ Fluid Layouts
- ✓ Tablet Styles
- ✓ Mobile Styles
- ✓ Making a Mobile Drop-down Menu
- ✓ Responsive Images & Polyfills
- 👉 Web Fonts
 - ✓ @font-face
 - ✓ Font-family
 - ✓ Src
- ✓ Font-stretch
- ✓ Font-style
- ✓ Font-weight
- 👉 Flexbox
 - ✓ Flex-grow
 - ✓ Flex-shrink
 - ✓ Flex-basis
 - ✓ Flex
 - ✓ Flex-wrap
 - ✓ Flex-direction
 - ✓ Flex-flow
 - ✓ Justify-content
 - ✓ Align-items
 - ✓ Order

DREAMWEAVER

- 👉 Dreamweaver CC Interface
 - ✓ The document toolbar
 - ✓ The property inspector
 - ✓ Dockable floating panels
 - ✓ Using contextual menus
 - ✓ Site Control
 - ✓ Defining a site
 - ✓ File and folder management
 - ✓ Creating site maps
 - ✓ Using the file browser
- 👉 Basics
 - ✓ Defining the site
 - ✓ Creating and saving document
 - ✓ Inserting images with assets panel
 - ✓ Adding text
 - ✓ Aligning page elements
 - ✓ Modifying page properties
 - ✓ Creating links with text and images

- ✓ Preview in browser
- 👉 Linking
 - ✓ Link with point to file
 - ✓ Linking to new source files
 - ✓ Browse for file and link history
 - ✓ Anchor links
 - ✓ Email links
 - ✓ File links
 - ✓ Image maps
- 👉 Typography
 - ✓ About Typography
 - ✓ Web Typography
- 👉 Tables
 - ✓ Insert and modify a table
 - ✓ Fixed width tables
 - ✓ Relative width tables
 - ✓ Hybrid table
 - ✓ Insert tabular data
 - ✓ Sort table data
- 👉 Rollovers
 - ✓ Simple rollovers - insert rollover
 - ✓ Simple rollover - swap image
- behavior
 - ✓ Multiple-event rollovers
 - ✓ Flash buttons
 - 👉 Cascading Style Sheets
 - ✓ Redefining HTML tags
 - ✓ Defining a custom class
 - ✓ CSS selectors to group tags
 - ✓ Linking to external CSS
 - ✓ CSS reference panel
 - 👉 Forms
 - ✓ Form objects
 - ✓ Creating a form
 - ✓ Creating a jump menu
 - 👉 Behaviors
 - ✓ Set text of status bar
 - ✓ Open browser window behavior
 - 👉 Inserting Media Objects
 - ✓ Linking to sounds
 - ✓ Embedding sounds
 - ✓ Inserting flash
 - ✓ Content inserting director content

JAVASCRIPT

- 👉 Introduction to JavaScript
 - ✓ Syntax, Statements, Comments.
- 👉 Enabling in various browsers
 - ✓ Popup Boxes

- ✓ Alert, Confirm, Prompt
- 👉 **Java Script (JS Basics)**
 - ✓ keywords
 - ✓ identifiers
 - ✓ datatypes
 - ✓ variables and constants
 - ✓ tokens
- 👉 **Variables Operators**
 - ✓ Arithmetic
 - ✓ Assignment
 - ✓ Comparison
 - ✓ Logical
 - ✓ Conditional
- 👉 **Conditional Statements**
 - ✓ If
 - ✓ If...else
 - ✓ If...else If...else
 - ✓ Switch
- 👉 **Loops**
 - ✓ While
 - ✓ Do...while
 - ✓ For
 - ✓ For...in Statement
 - ✓ Break
 - ✓ Continue
- 👉 **Functions**
 - ✓ Creating tuple
 - ✓ function declarations,
- definitions and calling
 - ✓ types of functions
 - ✓ anynomous functions
 - ✓ flat arrow functions or arrow functions
 - ✓ self invoked function (IIFE)
 - ✓ storage classification or variable scope (var let const and without keywords)
 - ✓ recursion
 - ✓ scope chain rule and lexical scoping
 - ✓ closure
- 👉 **Objects**
 - ✓ literal and keys
 - ✓ object functions
 - ✓ nested objects
 - ✓ Object Prototypes
 - ✓ setter and getter methods
- 👉 **Set and Map Weak Map and weak Set Dates and Time OOPS**
 - ✓ literal and keys
 - ✓ object functions
 - ✓ nested objects
 - ✓ Object Prototypes
 - ✓ setter and getter methods
- 👉 **DOM Manuplation**
 - ✓ DOM HTML
 - ✓ DOM CSS

- ✓ event handling
 - ✓ time based events
 - 👉 **Events**
 - ✓ Introduction
 - ✓ Mouse Events
 - ✓ Keyboard Events
 - ✓ Form Events
 - ✓ Document/Window Events
 - 👉 **Page redirection Built-in Objects**
 - ✓ Introduction
 - ✓ Number
 - ✓ Strings
 - ✓ Arrays
 - ✓ Associative Array
 - ✓ Array Properties and Methods
 - ✓ Date
 - ✓ Boolean
 - ✓ Regexp
 - 👉 **Advanced JavaScript**
 - ✓ Form Validations
 - Basics of Form Validation
 - Validating Radio Buttons
 - Validating Check boxes
 - Validating Select Menus
 - Validating Text areas
 - ✓ hoisting
 - ✓ strict mode
 - ✓ closure
 - ✓ synchronous and asynchronous programming
 - 👉 **JS Browser Object Model (BOM)**
 - ✓ JS Cookies
 - ✓ JS Window
 - ✓ JS Location
 - ✓ JS Popups JS Time
 - 👉 **Event propagation**
 - ✓ bubbling
 - ✓ capturing
 - 👉 **Data fetching**
 - ✓ AJAXand JSON
 - ✓ Calling API using AJAX
 - ✓ Callbacks
 - ✓ Promise
 - ✓ async await fetch
- ## JQUERY
- 👉 **Introduction to OOP concept**
 - ✓ Using JQuery links
 - ✓ JQuery Selectors
 - ✓ JQuery Events
 - ✓ JQuery Effect
 - ✓ What is JQuery?
 - ✓ Overview of JQuery features

- ✓ Hide() & show()
- ✓ Fade()
- ✓ Slide()
- ✓ Animate()
- ✓ Callback function
- ✓ Chaining
- 👉 JQuery HTML
- ✓ Get() & Set()
- ✓ Add() & Remove()
- ✓ CSS()

- ✓ Dimensions()
- 👉 JQuery Traversing
- ✓ Parent() & children()
- ✓ Next() & Prev()
- ✓ Find()
- ✓ JQuery AJAX
- ✓ Image slider using JQuery
- ✓ Form Validation
- ✓ plugins

BOOTSTRAP

- 👉 Bootstrap Framework
 - ✓ Getting started with Bootstrap
 - ✓ Grid system in Bootstrap
 - ✓ Adding Header & Navigation
 - ✓ Adding Logo in Navigation Ba
 - ✓ Adding Banner
 - ✓ Adding Rows, Columns & Containers
 - ✓ Adding Column Width using offset
 - ✓ Ordering Columns using push or pull
 - ✓ Nesting Columns in Bootstrap
 - ✓ Adding Footer top Website
 - ✓ Typography in Bootstrap
 - ✓ Adding glyphsicons
- ✓ Styling Tables
- ✓ Adding Responsive or Utilities in Bootstrap
- ✓ Styling Button using between classes
- ✓ Styling Images and making images Responsive
- ✓ Adding description list in bootstrap
- ✓ Adding Panels
- 👉 Live Website Design Project (100% Realtime Project)
 - ✓ Designing a Professional Photoshop Template
 - ✓ Conversion of PSD to HTML
 - ✓ Adding the Contact Form
 - ✓ Form validations using JS

REACT JS

- 👉 Typescript
 - ✓ Why Typescript
 - ✓ Basic Types
 - ✓ Class and Interfaces
 - ✓ Modules
- 👉 React Js
- 👉 INTRODUCTION TO REACT JS
 - ✓ What is React JS?
 - ✓ What is SPA?
 - ✓ DOM vs Virtual DOM
 - ✓ Advantages & Disadvantages
 - ✓ Key Features
- 👉 ENVIRONMENTAL SETUP
 - ✓ Node | NPM
 - ✓ Installation of CLI
 - ✓ Setup Project
 - ✓ Directory Structure
 - ✓ Code Editors
 - ✓ How React JS Application Boot
- 👉 BASIC FEATURES OF REACT JS
 - ✓ React Concepts
 - ✓ JSX and TSX
 - ✓ Render Elements
 - ✓ Function and Class Components
 - ✓ Props and State
- ✓ Handling Events
- ✓ Dynamic Data Rendering
- ✓ Property Binding
- 👉 KEY FEATURES OF REACT JS
 - ✓ Conditional Rendering
 - ✓ List and Keys
 - ✓ Forms Handling
 - ✓ Forms Validations
- 👉 COMPONENT LIFE CYCLE HOOK
 - ✓ Understanding component life cycle
 - ✓ ` All Life cycle Hooks
- 👉 EVENT HANDLING REACT
 - ✓ Understanding React Event System
 - ✓ Passing arguments to event Handlers
- 👉 NETWORK CALL
 - ✓ Fetch
 - ✓ Axios
- 👉 CUSTOM SERVICES
 - ✓ Introduction to Services
 - ✓ Building a Service
- 👉 LOCAL DATA STORAGE
 - ✓ Local Storage
 - ✓ Session Storage
 - ✓ Cookies

👍 ROUTING WITH REACT ROUTER

- ✓ Setting up React Router
- ✓ Configuring route with Route Component
- ✓ Making routes dynamic with Route Params
- ✓ Working with nested routes
- ✓ Link and NavLink
- ✓ Redirect Routes

👍 UI COMPONENTS

- ✓ Material Design
- ✓ PrimeNG

👍 INTRODUCTION TO REDUX

- ✓ Why Redux
- ✓ Install and setup
- ✓ Store ,Reducer , actions
- ✓ Dispatcher
- ✓ High order Components
- ✓ map State To Props and map Dispatch To Props usage

👍 ADVANCE REDUX

- ✓ Async Actions
- ✓ Middleware
- ✓ Redux Thunk and Redux Saga

👍 React Hooks

- ✓ Why We Need Hooks.
- ✓ Different Types Of Hooks
- ✓ Using State And Effect Hooks
- ✓ Usereducer , Userref Etc.
- ✓ Custom Hooks
- ✓ Rules Of Hooks

👍 Third Party Modules

- ✓ Social Login
- ✓ Pagination
- ✓ Search
- ✓ Filter
- ✓ JWT Token
- ✓ File Upload
- ✓ Many More

👍 Rest Js Testing

- ✓ Jest with Enzyme

👍 Develop a CRUD Application in React Js React JS Application Deployment

- ✓ Build Application and Deployment

USPs

1. HIGHLY QUALIFIED & EXPERIENCED FACULTIES
2. STUDENT SUPPORT SERVICES
3. STUDENT CAREER SERVICES
4. AFFORDABLE FEE STRUCTURE
5. LEARNING AT YOUR CONVENIENCE
6. INTERACTIVE STUDY MATERIAL
7. REGULAR PRACTICAL
8. GENERATOR FACILITY
9. 1 : 1 STUDENT COMPUTER RATIO
10. INTERACTIVE LEARNING

web & software
solution provider



www.softskillsinfotech.com

SOFTSKILLS INFOTECH PVT. LTD.

(A Unit Of Nav Bharat Institute of Technology)

- ✓ SOFTWARE DEVELOPMENT
- ✓ DOMAIN REGISTRATION
- ✓ WEB HOSTING
- ✓ WEBSITE DESIGNING
- ✓ WEBSITE PROMOTION

C-57/6, Kunj Vihar, Jagriti Vihar,
Meerut. (M) 7500820099
softskillsinfotech2012@gmail.com