THR81

SAP SuccessFactors Employee Central Core Academy

EXERCISES AND SOLUTIONS

Course Version: 2605
Exercise Duration: 11 Hours 5 Minutes

SAP Copyrights, Trademarks and Disclaimers

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. Please see https://www.sap.com/corporate/en/legal/copyright.html for additional trademark information and notices.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors.

National product specifications may vary.

These materials may have been machine translated and may contain grammatical errors or inaccuracies.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP SE or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP SE or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, which speak only as of their dates, and they should not be relied upon in making purchasing decisions.

Typographic Conventions

American English is the standard used in this handbook.

The following typographic conventions are also used.

This information is displayed in the instructor's presentation	
Demonstration	
Procedure	
Warning or Caution	
Hint	
Related or Additional Information	
Facilitated Discussion	
User interface control	*Example text*
Window title	*Example text*

© Copyright. All rights reserved.

Contents

Unit 1:	**Getting started with SAP SuccessFactors Employee Central Core**
1	Exercise 1: Exercise: Prepare an instance
Unit 2:	**Configuring initial elements**
8	Exercise 2: Exercise: Prepare the data models
12	Exercise 3: Exercise: Create a new picklist
17	Exercise 4: Exercise: Configure Latest People Profile
Unit 3:	**Assigning permissions**
19	Exercise 5: Exercise: Assign Employee Central permissions to a group of users
Unit 4:	**Configuring foundation objects**
22	Exercise 6: Exercise: Create Foundation Data
29	Exercise 7: Exercise: Customize Foundation Objects
37	Exercise 8: Exercise: Create a generic object with an association
41	Exercise 9: Exercise: Configure the Country-specific fields for Foundation Objects
Unit 5:	**Configuring employee data**
48	Exercise 10: Exercise: Use features in the Employee Central instance
55	Exercise 11: Exercise: Add new employees using the import process
60	Exercise 12: Exercise: Import Employee Updates
62	Exercise 13: Exercise: Manage Succession Data Model with Manage Business Configuration (BCUI)
64	Exercise 14: Exercise: Assign a generic object to the Succession Data Model
68	Exercise 15: Exercise: Configure the Succession Data Model using XML
73	Exercise 16: Exercise: Configure global information in the CSF Succession Data Model
76	Exercise 17: Exercise: Configure employment details and job information in the CSF Succession Data Model
82	Exercise 18: Exercise: Create a Custom Synchronization Map
Unit 6:	**Configuring transactions**
87	Exercise 19: Exercise: Customize RBP for ESS
90	Exercise 20: Exercise: Customize and use Manager Self-Service (MSS)
94	Exercise 21: Exercise: Customize an existing workflow

© Copyright. All rights reserved.

Unit 7:	Creating business rules for Employee Central
99	Exercise 22: Exercise: Create an event reason and workflow derivation rule
108	Exercise 23: Exercise: Create a hire/rehire rule
113	Exercise 24: Exercise: Create a propagation rule
117	Exercise 25: Exercise: Create a cross-entity rule
Unit 8:	**Implementing optional configurations**
121	Exercise 26: Optional Exercise: Create a new custom hire template
Unit 9:	**Succeeding as a Consultant**
	No exercises

© Copyright. All rights reserved.

© Copyright. All rights reserved.

Unit 1
Exercise 1

Exercise: Prepare an instance

Business Example

> Caution:
> This required exercise sets up your training environment. It is a prerequisite for the subsequent exercises in this course.

To prepare the training environment fully for this course, you must apply some initial settings. In this exercise, you will download the course files and update the System Admin permission role.

The default admin user account (admin/Emily Clark) provided in the training environment does not have full permissions. You will modify the permission role to get access to additional configuration tools.

Task 1: Download the Course Files

1. If you haven't done so yet, download the course files. The files included in the zip folder will be used in the upcoming activities. Ensure to unzip the folder and save to your local drive.

Task 2: Modify the System Admin Role

1. Log in to your instance. Go to **Manage Permission Roles** using the Action Search to update the System Admin's permission role and ensure you can complete the upcoming hands-on activities. Use the table below to identify the permissions that must be added.

> Note:
> Due to updates in the instance, some permissions might have already been granted or selected.

Table 1: Administrator Permissions

Administrator Permission	Permission Name	Description

© Copyright. All rights reserved.

Employee Central Import Entities	Only select the Import and Target Population columns for all entities. Leave the workflows, business rules, no overwrite, and forward propagation permissions unchecked.	The import permission controls which specific Employee Central entities a user can import. The target population permission validates that users can only import data for the target population they are authorized to manage. Permissions to trigger workflows, business rules, no overwrite, and forward propagation during import are also available for selected entities.
Employee Central Import Settings	Import Employee Data	The Import Employee Data permission ensure that users can import the Basic User file.
Manage Foundation Objects	Select All	These permissions ensure that users can import and work with legacy foundation objects.
Manage Workflows	Select All	These permissions ensure that users can use workflow tools
Manage Hires	Select All	These permissions ensure that users can manage hire tools
Admin Alerts	Select All	These permissions ensure that users can manage admin alerts
Check Tool	Select All	These permissions ensure that users can manage Check Tool
Manage Business Configuration	Select All	These permissions ensure that users can work with the Business Configuration UI.
Admin Alerts Object Permissions	Select All	These permissions ensure that users can view and manage the object-specific alerts

© Copyright. All rights reserved.

Manage Mass Data Management	Select All	Allow the user to use Mass Data Management tool for Job Information, Job Relationships, and Position Management.
Diagnostic Tool	Select All	These permissions allow users to access tracing and diagnostics data.
Admin Center Permissions	Select All	These permissions ensure that users can export Succession Data Models, access Scheduled Job Manager, and more.
Manage Action Search	Select All	Allows users to manage search paraphrase used in the Action Search.

2. Check if the **Manage Business Configuration** appears in the Action Search. If not, go to **Manage Action Search** to inactivate and reactivate the phrase and refresh the search index. You can also add "BCUI" as a custom paraphrase as shortcut to search for Manage Business Configuration.




Figure 1: Refresh the Search for BCUI

© Copyright. All rights reserved.

Unit 1
Solution 1

Exercise: Prepare an instance

Business Example

> Caution:
> This required exercise sets up your training environment. It is a prerequisite for the subsequent exercises in this course.

To prepare the training environment fully for this course, you must apply some initial settings. In this exercise, you will download the course files and update the System Admin permission role.

The default admin user account (admin/Emily Clark) provided in the training environment does not have full permissions. You will modify the permission role to get access to additional configuration tools.

Task 1: Download the Course Files

1. If you haven't done so yet, download the course files. The files included in the zip folder will be used in the upcoming activities. Ensure to unzip the folder and save to your local drive.

Task 2: Modify the System Admin Role

1. Log in to your instance. Go to **Manage Permission Roles** using the Action Search to update the System Admin's permission role and ensure you can complete the upcoming hands-on activities. Use the table below to identify the permissions that must be added.

> Note:
> Due to updates in the instance, some permissions might have already been granted or selected.

Table 1: Administrator Permissions

Administrator Permission	Permission Name	Description

© Copyright. All rights reserved.

Employee Central Import Entities	Only select the Import and Target Population columns for all entities. Leave the workflows, business rules, no overwrite, and forward propagation permissions unchecked.	The import permission controls which specific Employee Central entities a user can import. The target population permission validates that users can only import data for the target population they are authorized to manage. Permissions to trigger workflows, business rules, no overwrite, and forward propagation during import are also available for selected entities.
Employee Central Import Settings	Import Employee Data	The Import Employee Data permission ensure that users can import the Basic User file.
Manage Foundation Objects	Select All	These permissions ensure that users can import and work with legacy foundation objects.
Manage Workflows	Select All	These permissions ensure that users can use workflow tools
Manage Hires	Select All	These permissions ensure that users can manage hire tools
Admin Alerts	Select All	These permissions ensure that users can manage admin alerts
Check Tool	Select All	These permissions ensure that users can manage Check Tool
Manage Business Configuration	Select All	These permissions ensure that users can work with the Business Configuration UI.
Admin Alerts Object Permissions	Select All	These permissions ensure that users can view and manage the object-specific alerts

© Copyright. All rights reserved.

Manage Mass Data Management	Select All	Allow the user to use Mass Data Management tool for Job Information, Job Relationships, and Position Management.
Diagnostic Tool	Select All	These permissions allow users to access tracing and diagnostics data.
Admin Center Permissions	Select All	These permissions ensure that users can export Succession Data Models, access Scheduled Job Manager, and more.
Manage Action Search	Select All	Allows users to manage search paraphrase used in the Action Search.

a) Go to *Manage Permission Roles* using *Action Search*.

b) For the **System Admin** role, select **Edit** in the actions column.

c) Select Next to find and add the permissions mentioned in the Administrator Permissions table.

d) Select Next. Select Save.

e) Log out and log back in.

2. Check if the **Manage Business Configuration** appears in the Action Search. If not, go to **Manage Action Search** to inactivate and reactivate the phrase and refresh the search index. You can also add "BCUI" as a custom paraphrase as shortcut to search for Manage Business Configuration.




Figure 1: Refresh the Search for BCUI

a) Using Action Search, type Manage Business Configuration or bcui. If no result is found, continue with the next steps.

b) Navigate to the Manage Action Search using the Action Search.

c) Type Manage Business Configuration in the Search for Action box.

d) Click the cog wheel (Actions) and inactivate the phrase.

e) Save. Then reactivate the phrase and save once again.

© Copyright. All rights reserved.

f) Check if you can now see the Manage Business Configuration in the Action Search.

g) Log out from your instance.

© Copyright. All rights reserved.

Unit 2
Exercise 2

Exercise: Prepare the data models

Caution:
This required exercise sets up your training environment. It is a prerequisite for the subsequent exercises in this course.

Business Example

Although the practice system is preconfigured, uploading the baseline data models "refreshes" and ensures the system can support the subsequent hands-on configurations. You will upload the baseline data models as part of the initial setup.

Watch the Uploading the Data Models video to know how to import the XML files for the initial setup.

Task 1: Get an XML Editor

1. Determine the XML Editor that you will use.

Caution:
We don't guarantee any software stability or security. Refer to your company's IT policy when downloading and installing programs. XML Pad does have known bugs.

Task 2: Prepare the Data Models

1. If you haven't done so yet, download the course files. The files included in the zip folder will be used in different activities throughout the course. Ensure to unzip the folder and save to your local drive.
2. Use the table to identify the appropriate XML file to upload in Provisioning.

Note:
In case of uploading error, such as, "An application error occurred. Please try again later", logout from Provisioning and clear your browser's cache. Check if the data model was uploaded despite the error display before trying again.

Note:
For Corporate and Country-Specific Corporate Data Models, you can upload using the Admin Center facility if you've been granted the proper role-based permissions.

© Copyright. All rights reserved.

Table 2: XML Files

Provisioning	Corresponding XML file to upload
Import/Export Corporate Data Model XML	CorporateDM.xml
Import/Export Country/Region Specific XML for Corporate Data Model	CSF-CorporateDM.xml
Import/Export Data Model	Depends on your DC: SuccessionDM_EU.xml or SDM(US10).xml or SDM(US20).xml
Import/Export Country/Region Specific XML for Succession Data Model	CSF-SuccessionDM.xml



Note:
To know which corresponding Succession Data Model to upload, check your practice demo URL. It could only be one of the three: "hcm-eu10-sales" or "hcm-us10-sales" or "hcm-us20-sales".

Task 3: Upload the Data Models

1. Go to Succession Management section in Provisioning to upload the four data models necessary for configuring EC Core. Start with the **CorporateDM.xml**, followed by **CSF-CorporateDM.xml** then **SuccessionDM.xml** then **CSF-SuccessionDM.xml**.

© Copyright. All rights reserved.

Unit 2
Solution 2

Exercise: Prepare the data models

> Caution:
> This required exercise sets up your training environment. It is a prerequisite for the subsequent exercises in this course.

Business Example

Although the practice system is preconfigured, uploading the baseline data models "refreshes" and ensures the system can support the subsequent hands-on configurations. You will upload the baseline data models as part of the initial setup.

Watch the Uploading the Data Models video to know how to import the XML files for the initial setup.

Task 1: Get an XML Editor

1. Determine the XML Editor that you will use.

> Caution:
> We don't guarantee any software stability or security. Refer to your company's IT policy when downloading and installing programs. XML Pad does have known bugs.

a) For PC users, use XMLPad at http://download.cnet.com/XmlPad/3000-7241_4-10252051.html or for Mac users, use Oxygen (30-day trial) http://www.oxygenxml.com/.

Please use the Direct Download link to avoid the adware.

Task 2: Prepare the Data Models

1. If you haven't done so yet, download the course files. The files included in the zip folder will be used in different activities throughout the course. Ensure to unzip the folder and save to your local drive.
2. Use the table to identify the appropriate XML file to upload in Provisioning.

> Note:
> In case of uploading error, such as, "An application error occurred. Please try again later", logout from Provisioning and clear your browser's cache. Check if the data model was uploaded despite the error display before trying again.

© Copyright. All rights reserved.

Note:
For Corporate and Country-Specific Corporate Data Models, you can upload using the Admin Center facility if you've been granted the proper role-based permissions.

Table 2: XML Files

Provisioning	Corresponding XML file to upload
Import/Export Corporate Data Model XML	CorporateDM.xml
Import/Export Country/Region Specific XML for Corporate Data Model	CSF-CorporateDM.xml
Import/Export Data Model	Depends on your DC: SuccessionDM_EU.xml or SDM(US10).xml or SDM(US20).xml
Import/Export Country/Region Specific XML for Succession Data Model	CSF-SuccessionDM.xml

Note:
To know which corresponding Succession Data Model to upload, check your practice demo URL. It could only be one of the three: "hcm-eu10-sales" or "hcm-us10-sales" or "hcm-us20-sales".

Task 3: Upload the Data Models

1. Go to Succession Management section in Provisioning to upload the four data models necessary for configuring EC Core. Start with the **CorporateDM.xml**, followed by **CSF-CorporateDM.xml** then **SuccessionDM.xml** then **CSF-SuccessionDM.xml**.
   a) Log in to Provisioning. Alternatively, you can upload the Corporate and Country-Specific Corporate data models in the Admin Center.
   b) Choose your company name. Use the company ID that you received when you requested your instance.
   c) Scroll down to Succession Management section.
   d) Open the tool and upload the corresponding data models.

© Copyright. All rights reserved.

Unit 2
Exercise 3

Exercise: Create a new picklist

Business Example

> Note:
> This is a standalone exercise and isn't a prerequisite for the remaining hands-on activities.

To align with their Diversity, Equity, Inclusion and Belonging program, Ace Corp will begin gathering country-specific gender information. Import the country-specific gender values for all the supported countries included in the Master Picklist.

> Note:
> In SAP SuccessFactors, gender values specific to each country are set up in the Global Information element. Additionally, there is an option to include *"Unknown," "Undeclared," and "Others"* as gender choices in the Personal Information element. This can be enabled through the Upgrade Center. If you choose to use country-specific gender values, it is best to leave the gender field in Personal Information blank to ensure consistency.

Watch the Working with CSV Files video to know how to avoid validation issues with CSV files.

Task 1: OPTIONAL: Update the admin's email address

1. Update Emily Clark's email address to get system-generated notifications for workflows, import jobs, etc. You can do this directly in the *My Employee File → Contact Information*. If you want to change all the employee emails, use the EmployeeDataEmailImport.csv in the course files to enter your email address on column C. Upload using *Import Employee Data → Email Information.*.

Task 2: Download the Templates

1. Go to Import and Export Data to download the picklist and picklist-value CSV templates to prepare the gender picklist import. Watch the Creating a Picklist video to get a tutorial on how to import the picklists.

Task 3: Prepare and Upload the Files

1. Prepare the picklist file by transferring the necessary data from the *Master Picklists.xlsx* to the picklist CSV template.
2. Import the Picklist CSV file using Import and Export Data. Choose UTF-8 as the encoding and the correct file locale you used in the CSV.
3. Prepare the picklist-value template and import the file using the same steps as the Picklist.

© Copyright. All rights reserved.

4. If you need additional help on this exercise, please post your questions to the SAP SuccessFactors Employee Central Academy Workspace.

© Copyright. All rights reserved.

Unit 2
Solution 3

Exercise: Create a new picklist

Business Example

> Note:
> This is a standalone exercise and isn't a prerequisite for the remaining hands-on activities.

To align with their Diversity, Equity, Inclusion and Belonging program, Ace Corp will begin gathering country-specific gender information. Import the country-specific gender values for all the supported countries included in the Master Picklist.

> Note:
> In SAP SuccessFactors, gender values specific to each country are set up in the Global Information element. Additionally, there is an option to include *"Unknown," "Undeclared," and "Others"* as gender choices in the Personal Information element. This can be enabled through the Upgrade Center. If you choose to use country-specific gender values, it is best to leave the gender field in Personal Information blank to ensure consistency.

Watch the Working with CSV Files video to know how to avoid validation issues with CSV files.

Task 1: OPTIONAL: Update the admin's email address

1. Update Emily Clark's email address to get system-generated notifications for workflows, import jobs, etc. You can do this directly in the *My Employee File → Contact Information*. If you want to change all the employee emails, use the EmployeeDataEmailImport.csv in the course files to enter your email address on column C. Upload using *Import Employee Data → Email Information.*.
   a) Open EmployeeDataEmailImport.csv from the Course Files.
   b) Beginning on row three, change the values in column C (e-mail address) to your e-mail address for all rows that contain data.
   c) Save as CSV UTF-8 file.
   d) Log in to your instance.
   e) Use *Action Search* to go to *Import Employee Data*.
   f) In the Select an Entity dropdown, choose *Email Information*.
   g) In Purge Type, select *Full Purge*.
   h) Set the File Locale to match your locale.

© Copyright. All rights reserved.

i) Select *Browse* to search for and select your EmployeeDataEmailImport.csv file.

j) Select *Validate Import File Data*.

k) Select *Scheduled Job Manager* to see your results. This opens in a new browser tab.

l) Locate the job that includes emailInfo_validate. The page will need to be manually refreshed if the result is not yet visible.

m) Once the job is completed, you can scroll to the right to download the status. Verify there are no errors.

n) Return to *Import Employee Data* tab.

o) Select *Import*.

p) Select the Scheduled Job Manager and see the results of your import.

Task 2: Download the Templates

1. Go to Import and Export Data to download the picklist and picklist-value CSV templates to prepare the gender picklist import. Watch the Creating a Picklist video to get a tutorial on how to import the picklists.

   a) Open the Master Picklists.xlsx from the Course Files.

   b) Go to *Import and Export Data* using Action Search.

   c) Select *Download Template* from action to perform.

   d) Select *Picklist as the Generic Object* . Set the Dependencies to No. Leave other settings unchanged.

   e) Select *Download*.

   f) Next, download the Picklist Values template using the same steps.

Task 3: Prepare and Upload the Files

1. Prepare the picklist file by transferring the necessary data from the *Master Picklists.xlsx* to the picklist CSV template.

   a) Open the Picklist CSV template.

   b) Copy the *Code, Legacy Picklist ID, Name, Status and Effective Start Date* from the master file.

   c) Save the template as CSV UTF-8.

2. Import the Picklist CSV file using Import and Export Data. Choose UTF-8 as the encoding and the correct file locale you used in the CSV.

   a) Go to Import and Export Data using Action Search

   b) Select Import as the Action to Perform.

   c) Select Picklist from the Generic Object list.

   d) Browse for the file. Select UTF-8 as the file encoding.

   e) Choose the correct locale format used in the CSV file.

   f) Select Validate.

© Copyright. All rights reserved.

g) When no validation issues arise, proceed with the import.

3. Prepare the picklist-value template and import the file using the same steps as the Picklist.

   a) Populate the following columns: id | effectiveStartDate | values.externalCode | values.nonUniqueExternalCode | values.label.defaultValue | values.label.en_US| values.status

   b) Delete the other label translation columns from the file. Translations are optional.

   c) Go to the Import and Export Data to upload the completed picklist-value CSV template using the exact steps you made to upload the picklist file.

4. If you need additional help on this exercise, please post your questions to the SAP SuccessFactors Employee Central Academy Workspace.

© Copyright. All rights reserved.

Unit 2
Exercise 4

Exercise: Configure Latest People Profile

Business Example



Note:
This exercise is a standalone activity and is not required for completing other hands-on exercises for this course.

ACE Corp wants to customize the help text for the profile cards.

1. Go to Configure Latest People Profile to customize the help text for Personal Information and Biographical Information cards.

© Copyright. All rights reserved.

Exercise: Configure Latest People Profile

Business Example

> Note:
> This exercise is a standalone activity and is not required for completing other hands-on exercises for this course.

ACE Corp wants to customize the help text for the profile cards.

1. Go to Configure Latest People Profile to customize the help text for Personal Information and Biographical Information cards.
   a) Navigate to the Configure Latest People Profile tool using Action Search.
   b) Under the Personal Data category, select *Edit Personal Information* .
   c) In the card help section, enter **`The Personal Information holds personal data that changes over time. To customize the fields, go to the Manage Business Configuration - personalInfo element.`** . Translations are optional.
   d) Save.
   e) Under the Personal Data category, select *Edit Biographical Information* .
   f) In the card help section, enter **`The Biographical Information holds personal data that never changes. To customize the fields, go to the Manage Business Configuration -personInfo element.`** . Translations are optional.
   g) Save.
   h) Navigate to People Profile to verify if the help texts are available in the cards.

© Copyright. All rights reserved.

Unit 3
Exercise 5

Exercise: Assign Employee Central permissions to a group of users

Business Example

The ACE Corporation wants its IT managers to be able to update all their employees' contact information. This information is stored in the Personal Contacts card of the Personal Information section of the People Profile. You will create a new IT manager permission group and role to meet the requirement.



Note:
This exercise is a standalone activity and is not required to complete other hands-on exercises for this course.

Watch the Assigning Employee Central Permissions video on how to create permission roles.

Task 1: Verify the current permission of an IT Manager

1. Proxy as Tammy Aberts, an IT Manager. Open Robert Allen's profile to verify if you can change an employee's contact information.

Task 2: Create a permission group

1. Go to Manage Permission Groups to create the "IT Managers" RBP Group. Include all employees with the Job Code: IT-MGR. Verify that Tammy Aberts is included in the group.

Task 3: Create a permission role

1. Go to Manage Permission Roles to create the "IT Manager Access" RBP Role. Use the RBP Group from the previous step as the granted group and assign the correct permissions based on the business example. Select everyone as the target population. Don't allow IT managers to have access to themselves.

Task 4: Verify the permission

1. Proxy as Tammy Aberts to verify if you can see and edit the Personal Contacts of Robert Allen's.

© Copyright. All rights reserved.

Unit 3
Solution 5

Exercise: Assign Employee Central permissions to a group of users

Business Example

The ACE Corporation wants its IT managers to be able to update all their employees' contact information. This information is stored in the Personal Contacts card of the Personal Information section of the People Profile. You will create a new IT manager permission group and role to meet the requirement.



Note:
This exercise is a standalone activity and is not required to complete other hands-on exercises for this course.

Watch the Assigning Employee Central Permissions video on how to create permission roles.

Task 1: Verify the current permission of an IT Manager

1. Proxy as Tammy Aberts, an IT Manager. Open Robert Allen's profile to verify if you can change an employee's contact information.
   a) Log in to your instance as an administrator.
   b) Proxy as Tammy Aberts, an employee who has the job classification of IT Manager (IT-MAN).
   c) Use the Action Search to go to Robert Allen's profile.
   d) The current permission doesn't allow Tammy to see Robert's personal contacts.
   e) Switch back to your administrator account with the *user menu* → *become self*.

Task 2: Create a permission group

1. Go to Manage Permission Groups to create the "IT Managers" RBP Group. Include all employees with the Job Code: IT-MGR. Verify that Tammy Aberts is included in the group.
   a) Navigate to *Manage Permission Groups*.
   b) Choose *Create New* → *In Group Name*, add *Granted: IT Managers*.
   c) Under *Choose Group Members*, choose *Pick a category* → *Job Code* → *IT Manager (IT-MGR)* → *Done*.
   d) In the upper-right box, select *Active Group Membership* → *Update*.
   e) Choose the number in the Active Group Membership bubble.
   f) Verify Tammy Aberts is a group member. Select *Close*.
   g) Choose *Done*.

© Copyright. All rights reserved.

Task 3: Create a permission role

1. Go to Manage Permission Roles to create the "IT Manager Access" RBP Role. Use the RBP Group from the previous step as the granted group and assign the correct permissions based on the business example. Select everyone as the target population. Don't allow IT managers to have access to themselves.
   a) Navigate to *Manage Permission Roles*.
   b) Select *Create*. Provide a name for the role. Select Next to add the permissions.
   c) Choose *Employee Data → HR Information → Personal Contacts → Edit*.
   d) Choose Next and Save.
   e) Select Yes to assign the role.
   f) Provide a name to the assignment. Select Next.
   g) Grant access to the "IT Managers" group. Select Next.
   h) Select "Everyone" in the target population. Exclude granted users from having the same access to themselves.
   i) Review and Save.
   j) Log out and log in.

Task 4: Verify the permission

1. Proxy as Tammy Aberts to verify if you can see and edit the Personal Contacts of Robert Allen's.
   a) Proxy into the system as Tammy Aberts.
   b) Navigate to Robert Allen's profile and choose *Personal Data*.
   c) Can you see the Personal Contacts card?
   d) Can you add or edit personal contacts?
   e) Switch back to your user account by selecting the *user menu → become self*.

© Copyright. All rights reserved.

Unit 4
Exercise 6

Exercise: Create Foundation Data

Business Example

Ace Corporation is growing. They need to update their organizational structure to reflect their new Berlin office and their entry into the storage business. They have also decided to enter into the Storage business in the United States and add a new job classification and two pay ranges in line with this growth. You'll then import the Cost Centers.

> Note:
> You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Creating Foundation Data video for a demo of how the foundation records are created.

Task 1: Create a new Business Unit

1. Go to Manage Data to create the Storage Business Unit using the details in the table.

   Table 3: Storage Business Unit

Field	Value
Start Date	January 1, 2025
Business Unit Code	ACE_STOR
Business Unit Name	Storage
Status	Active

Task 2: Create a new location

1. Go to Manage Organization, Pay and Job Structures to create the new Berlin location using the details in the table. Take note of the effective date. You won't be able to associate the location record with the legal entity if it's older than the legal entity record.

   Table 4: Berlin Location

Field	Value
Effective as of	January 1, 2025
Code	DU_BER
Name	Berlin
Status	Active

© Copyright. All rights reserved.

Field	Value
Location Group	EMEA
Timezone	Europe/Berlin
Geozone	Europe, Middle East, and Africa
Legal Entity	Ace Germany
Business Address	Rosenthaler Strasse 30, Berlin, 10178, Germany

Task 3: Import new Cost Centers

1. Go to Import and Export Data to create new Cost Centers 50000-51303 using the details in the table. Just like any other import process, you'll need to download a CSV template and ensure the formatting is correct before uploading the file.

   Table 5: Cost Centers Data

externalCode	End Date	Name	effectiveStartDate	Description	effectiveStatus	parentCostCenter.externalCode	costcenterManager
					Status	Parent Cost Center Code	Cost Center Manager
Code			Start Date				
500		Storage	January 1, 2025	Storage	A		
501		Storage EO	January 1, 2025	Storage Executive Office	A		
502		Storage Sales	January 1, 2025	Storage Sales	A		

Task 4: Create a new Job Classification

1. Go to Manage Data to create the new Storage Hardware Engineer Job Classification using the details in the table.

   Table 6: Job Classification Data

Start Date	January 1, 2025
Job Code	STHWEN
Job Title	Storage Hardware Engineer
Job Level	IC - NonManager
Regular/Temporary	Regular

© Copyright. All rights reserved.

Employee Class	Consultant
Is Full-time employee	Yes
Status	Active
Pay Grade	Salary Grade 16 (GR-16)

Task 5: Create a new Pay Range

1. Go to Manage Organization, Pay and Job Structures to create Pay Ranges using the details in the table.

Table 7: Pay Range Data

Effective Date	Pay Range ID	Name	Legal Entity	Minimum - Maximum Pay	Currency	Frequency	Pay Grade
January 1, 2025	US_ST_HD_ENG	Storage Hardware Engineer	ACE USA	85,000 - 95,000	USD	Annual	Salary Grade 16(GR-16)
January 1, 2025	DEU_ST_HD_ENG	Storage Hardware Engineer	ACE Germany	75,000 - 95,000	EUR	Annual	Salary Grade 16(GR-16)

© Copyright. All rights reserved.

Unit 4
Solution 6

Exercise: Create Foundation Data

Business Example

Ace Corporation is growing. They need to update their organizational structure to reflect their new Berlin office and their entry into the storage business. They have also decided to enter into the Storage business in the United States and add a new job classification and two pay ranges in line with this growth. You'll then import the Cost Centers.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Creating Foundation Data video for a demo of how the foundation records are created.

Task 1: Create a new Business Unit

1. Go to Manage Data to create the Storage Business Unit using the details in the table.

   Table 3: Storage Business Unit

Field	Value
Start Date	January 1, 2025
Business Unit Code	ACE_STOR
Business Unit Name	Storage
Status	Active

   a) Go to *Manage Data* → *Create New* → *Business Unit*.

   b) Add Storage Business Unit information to the record. Use the Storage Business Unit table for details.

   c) Select *Save*.

Task 2: Create a new location

1. Go to Manage Organization, Pay and Job Structures to create the new Berlin location using the details in the table. Take note of the effective date. You won't be able to associate the location record with the legal entity if it's older than the legal entity record.

© Copyright. All rights reserved.

Table 4: Berlin Location

Field	Value
Effective as of	January 1, 2025
Code	DU_BER
Name	Berlin
Status	Active
Location Group	EMEA
Timezone	Europe/Berlin
Geozone	Europe, Middle East, and Africa
Legal Entity	Ace Germany
Business Address	Rosenthaler Strasse 30, Berlin, 10178, Germany

a) Go to *Manage Organization, Pay and Job Structures → Create New → Location*.

b) Use the table for details. Select *Save*.

c) Verify that the new location was saved by searching Manage Organization, Pay and Job Structures.

Task 3: Import new Cost Centers

1. Go to Import and Export Data to create new Cost Centers 50000-51303 using the details in the table. Just like any other import process, you'll need to download a CSV template and ensure the formatting is correct before uploading the file.

Table 5: Cost Centers Data

external-Code	End Date	Name	effectiveStart-Date	Description	effectiveStatus	parentCostCenter.externalCode	costcenterManager
					Status	Parent Cost Center Code	Cost Center Manager
Code			Start Date				
500		Storage	January 1, 2025	Storage	A		
501		Storage EO	January 1, 2025	Storage Executive Office	A		
502		Storage Sales	January 1, 2025	Storage Sales	A		

© Copyright. All rights reserved.

a) Navigate to *Import and Export Data*.

b) Choose *Download Template* from *Action to Perform*.

c) Select *Cost Center* as the Generic Object.

d) Select *NO* for Include Dependencies.

e) Select *Download*.

> Note:
> You can use Microsoft Excel or OpenOffice to open the CSV file. Choose UTF-8 as character encoding and comma as the delimiter/ separator.

f) Transfer the information from Table 5: Cost Centers Data to the template and save the file locally. The order of the columns may not match your template. Use the headers to map which columns to transfer the data.

g) In Import and Export Data page, select *Import Data* in the *Action to Perform*.

h) Select the *Cost Center* as the Generic Object.

i) Browse for the file.

j) Use Unicode (UTF-8) as file encoding.

k) If necessary, choose the format that matches your locale.

l) Leave the rest of the import options to the default setting.

m) Select *Validate*.

n) In a separate tab, use action search to navigate to the *Scheduled Job Manager* . Check the validation results.

o) If there was no error, select *Import* in the Import and Export tool.

> Note:
> If you set the administrator's e-mail account as your own, you will receive an e-mail notification for import jobs.

Task 4: Create a new Job Classification

1. Go to Manage Data to create the new Storage Hardware Engineer Job Classification using the details in the table.

Table 6: Job Classification Data

Start Date	January 1, 2025
Job Code	STHWEN
Job Title	Storage Hardware Engineer
Job Level	IC - NonManager
Regular/Temporary	Regular

© Copyright. All rights reserved.

Employee Class	Consultant
Is Full-time employee	Yes
Status	Active
Pay Grade	Salary Grade 16 (GR-16)

a) Log in to your instance.

b) Navigate to *Manage Data*.

c) Choose *Create New* → *Job Classification*.
Use the data in the table, Job Classification Data.

d) Select *Save*.

e) Verify that the new Job Classification was saved.

Task 5: Create a new Pay Range

1. Go to Manage Organization, Pay and Job Structures to create Pay Ranges using the details in the table.

Table 7: Pay Range Data

Effective Date	Pay Range ID	Name	Legal Entity	Minimum - Maximum Pay	Currency	Frequency	Pay Grade
January 1, 2025	US_ST_HD_ENG	Storage Hardware Engineer	ACE USA	85,000 - 95,000	USD	Annual	Salary Grade 16(GR-16)
January 1, 2025	DEU_ST_HD_ENG	Storage Hardware Engineer	ACE Germany	75,000 - 95,000	EUR	Annual	Salary Grade 16(GR-16)

a) Go to *Manage Organization, Pay and Job Structures*.

b) Use the data in the table, Pay Range Data.

c) Select *Save* → *OK*.

d) Verify that the new Pay Range was saved.

e) Repeat the steps to create the second pay range record.

© Copyright. All rights reserved.

Exercise: Customize Foundation Objects

Business Example

ACE Corp wants to ensure that organizational changes align with its corporate data structure. You'll be customizing the Location, Job Classification and the Legal Entity objects to reflect ACE's new requirements.

> Note:
> You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Customizing Foundation Objects video for a demo of how to make changes to the Foundation Objects.

Task 1: Customize the Location Object

1. Export the Corporate Data Model to change the label of Standard Hours field in the Location Object to **`Standard Weekly Hours`**.

Task 2: Customize the Job Classification object

1. Go to the Configure Object Definition to update the Job Classification object. Use the image for details. Replace the original entry with the highlighted values. Leave other attributes unchanged.

Job Classification						
Fields			Details section			
Name	Max Length	Data Type	Label	Visibility	Required	Valid Values Source
externalCode	32	String	Job Code	Editable	Yes	
standardWeeklyHours	255	Decimal	Standard Hours	Not Visible	No	
name	32	Translatable	Title	Editable	Yes	
description	128	Translatable	Description	Not Visible	No	
workerCompCode	32	String	Workers'Comp Code	Not Visible	No	
parentJobClassification	38	Generic Object	Parent Job Classification	Not Visible	No	
defaultSupervisorLevel	38	Picklist	Management Level	Editable	No	supervisor-level
payGrade	38	Generic Object	Pay Grade	Editable	Yes	
jobFunction	38	Generic Object	Job Function	Not Visible	No	

2. Go to *Manage Data* → *Create New* → *Job Classification* to verify if the changes to the structure are applied.

Task 3: Customize the Legal Entity Object

Ace Corp wants to add two additional picklist fields when creating new legal entities: **Scope** and **Region**. The Scope picklist has two values that indicate the target market: **Global** and **Local**. The Region picklist is a child of the Scope picklist and has three values: **Americas, EMEA, APAC**.

Configure the picklist before editing the Legal Entity object. Use the Field Criteria to create the cascading relationship between the Scope and Region fields. Use the Condition and Condition Values to ensure the region picklist appears only when Global is selected from the Scope field.

© Copyright. All rights reserved.

1. Go to the Picklist Center (alternatively, you can use Import and Export Data) to create new picklists for your MDF Foundation Objects. Use the details from the tables: Scope Picklist and Region Picklist. As with any field, object, and record identifiers in SAP SuccessFactors, take note of the codes and external codes you use, as they are case- and space-sensitive. If you choose to import the data, ensure the legacy picklist ID matches the picklist code.

Table 8: Scope Picklist

Fields	Value
Code	SCOPE
parentPicklist	No Selection
Display Order	No Selection
Name	Scope
Status	Active
Effective Start Date	January 1, 1900
Picklist Values	
External Code	global
parentPickListValue	No Selection
Selection Label	Global
Status	Active
External Code	local
parentPickListValue	No Selection
Selection Label	Local
Status	Active

Table 9: Region Picklist

Field	Value
Code	REGION
parentPicklist	SCOPE
Display Order	No Selection
Name	Region
Status	Active
Effective Start Date	January 1, 1900
Picklist Values	
External Code	AMER
parentPickListValue	global
Selection Label	Americas

© Copyright. All rights reserved.

Field	Value
Status	Active
External Code	EMEA
parentPickListValue	global
Label	Europe, Middle East and Africa
Status	Active
External Code	APAC
parentPickListValue	global
Label	Asia and Pacific
Status	Active

2. Go to Configure Object Definition to update the Legal Entity object. Create custom fields for the Scope and Region fields. Place the fields before the countryOfRegistration field. Map the fields to the correct picklists. In the Region field, use Field Criteria to create the cascading relationship, and use Condition and Condition Values to ensure the region picklist only appears when the "Global" value is selected from the Scope field.
3. Create a new Legal Entity. Verify the cascading relationship and the condition of the Region field. Leave the country-specific fields blank for now.

Table 12: AXIS DEU Legal Entity

Fields	Value
Start Date	January 1, 2025
Currency	EUR
Legal Entity ID	AXIS_DEU
Legal Entity Name	Axis Germany
Standard Weekly Hours	40
Scope	Global
Region	EMEA
Country	Germany

© Copyright. All rights reserved.

Unit 4
Solution 7

Exercise: Customize Foundation Objects

Business Example

ACE Corp wants to ensure that organizational changes align with its corporate data structure. You'll be customizing the Location, Job Classification and the Legal Entity objects to reflect ACE's new requirements.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Customizing Foundation Objects video for a demo of how to make changes to the Foundation Objects.

Task 1: Customize the Location Object

1. Export the Corporate Data Model to change the label of Standard Hours field in the Location Object to **`Standard Weekly Hours`**.
   a) Navigate to Import/Export Corporate Data Model.
   Export the Corporate data model. Save the file in the folder containing the DTD files from the Course Files.
   b) Open the Corporate Data Model using an XML Editor.
   c) (Optional) If you are using an XML editor that validates versus a DTD, verify that line 4 is `"corporate-datamodel.dtd">`
   d) Go to `<hris-element id="location">`
   e) Go to `<hris-field id="standardHours"`
   f) Replace the label with Standard Weekly Hours.
   (Optional) If you are using an XML editor that validates versus a DTD, run validation and verify the changes validate properly.
   g) Save the data model.
   h) Go to Import/Export Corporate Data Model to upload the data model.
   i) Go to *Manage Organization, Pay and Job Structures* → *Create New* → *Location* to see if the label has changed.

Task 2: Customize the Job Classification object

1. Go to the Configure Object Definition to update the Job Classification object. Use the image for details. Replace the original entry with the highlighted values. Leave other attributes unchanged.

© Copyright. All rights reserved.

Job Classification						
Fields			Details section			
Name	Max Length	Data Type	Label	Visibility	Required	Valid Values Source
externalCode	32	String	Job Code	Editable	Yes	
standardWeeklyHours	255	Decimal	Standard Hours	Not Visible	No	
name	32	Translatable	Title	Editable	Yes	
description	128	Translatable	Description	Not Visible	No	
workerCompCode	32	String	Workers'Comp Code	Not Visible	No	
parentJobClassification	38	Generic Object	Parent Job Classification	Not Visible	No	
defaultSupervisorLevel	38	Picklist	Management Level	Editable	No	supervisor-level
payGrade	38	Generic Object	Pay Grade	Editable	Yes	
jobFunction	38	Generic Object	Job Function	Not Visible	No	

a) Navigate to *Configure Object Definition*.

b) Choose *Search* → *Object Definition* → *Job Classification*.

c) Choose *Take Action* → *Make Correction*.

d) Update the Job Classification Object Definition based on the requirements highlighted in gold in the figure, Job Classification.

e) Choose *Save* to save the object.

Only make the requested changes, highlighted in gold. The other fields in the object definition should be left alone.

2. Go to *Manage Data* → *Create New* → *Job Classification* to verify if the changes to the structure are applied.

Task 3: Customize the Legal Entity Object

Ace Corp wants to add two additional picklist fields when creating new legal entities: **Scope** and **Region**. The Scope picklist has two values that indicate the target market: **Global** and **Local**. The Region picklist is a child of the Scope picklist and has three values: **Americas, EMEA, APAC**.

Configure the picklist before editing the Legal Entity object. Use the Field Criteria to create the cascading relationship between the Scope and Region fields. Use the Condition and Condition Values to ensure the region picklist appears only when Global is selected from the Scope field.

1. Go to the Picklist Center (alternatively, you can use Import and Export Data) to create new picklists for your MDF Foundation Objects. Use the details from the tables: Scope Picklist and Region Picklist. As with any field, object, and record identifiers in SAP SuccessFactors, take note of the codes and external codes you use, as they are case- and space-sensitive. If you choose to import the data, ensure the legacy picklist ID matches the picklist code.

Table 8: Scope Picklist

Fields	Value
Code	SCOPE
parentPicklist	No Selection
Display Order	No Selection
Name	Scope
Status	Active
Effective Start Date	January 1, 1900
Picklist Values	

© Copyright. All rights reserved.

Fields	Value
External Code	global
parentPickListValue	No Selection
Selection Label	Global
Status	Active
External Code	local
parentPickListValue	No Selection
Selection Label	Local
Status	Active

Table 9: Region Picklist

Field	Value
Code	REGION
parentPicklist	SCOPE
Display Order	No Selection
Name	Region
Status	Active
Effective Start Date	January 1, 1900
Picklist Values	
External Code	AMER
parentPickListValue	global
Selection Label	Americas
Status	Active
External Code	EMEA
parentPickListValue	global
Label	Europe, Middle East and Africa
Status	Active
External Code	APAC
parentPickListValue	global
Label	Asia and Pacific
Status	Active

a) Navigate to Picklist Center.

b) Choose *Create a Picklist (+)*.

© Copyright. All rights reserved.

c) Fill in the information provided in the tables Scope Picklist and Region Picklist. Ensure that you change your Effective Start Dates to the ones shown.

2. Go to Configure Object Definition to update the Legal Entity object. Create custom fields for the Scope and Region fields. Place the fields before the countryOfRegistration field. Map the fields to the correct picklists. In the Region field, use Field Criteria to create the cascading relationship, and use Condition and Condition Values to ensure the region picklist only appears when the "Global" value is selected from the Scope field.

a) Go to *Configure Object Definition*.

b) Choose *Search* → *Object Definition* → *Legal Entity*.

c) Choose *Take Action* → *Make Correction*.

d) Add the Scope field. Move the field before the countryOfRegistration field.

Table 10: Scope Field

Attribute	Value
Field name	cust_scope
Data Type	Picklist
Valid Value Source	SCOPE
Label	Scope

e) Add the Region field. Move the field after the Scope field.

Table 11: Region Field

Attribute	Value
Field name	cust_region
Data Type	Picklist
Valid Value Source	REGION
Source Field Name	parentPickListValue
Destination Field Name	cust_scope
Condition Field ID	cust_scope
Condition Values	global

f) Choose *Save* to save the object.

3. Create a new Legal Entity. Verify the cascading relationship and the condition of the Region field. Leave the country-specific fields blank for now.

Table 12: AXIS DEU Legal Entity

Fields	Value
Start Date	January 1, 2025
Currency	EUR
Legal Entity ID	AXIS_DEU

© Copyright. All rights reserved.

Fields	Value
Legal Entity Name	Axis Germany
Standard Weekly Hours	40
Scope	Global
Region	EMEA
Country	Germany

© Copyright. All rights reserved.

Exercise: Create a generic object with an association

Business Example

ACE Corp is providing free parking spaces for employees in some locations but intends to expand this to all locations in the future. They would like to keep track of the parking spaces available at each location. The information is to be managed centrally and is effective dated. Each garage is associated with one or more locations. The record should reflect the garage ID, name, and number of cars that can be accommodated.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Create a new custom object

1. Go to Configure Object Definition to create the Garage object. Use the tables to define the object, fields and associations. Set the System Admin's role permissions to manage the garage records.

   Table 13: Object Definition

Field	Value
Code	Garage
Effective Dating	Basic
API Visibility	Editable
Label	Garage

   Table 14: Field Definitions

Fields	Data Type	Visibility	Label
externalCode	Autonumber	Not Visible	
externalName	String	Editable	Garage Name
carCapacity	Number	Editable	Car Capacity

© Copyright. All rights reserved.

Table 15: Association Properties

Name	Multiplicity	Destination Object	Type	Label
toLocation	One to Many	Location Wrapper	Composite	Location

Task 2: Create the MDF records

1. Create two garage records for testing.

Table 16: Garage Records

externalName	Effective Date	Car Capacity	Associated Location
Gala Garage	January 1, 2025	125	San Mateo/Francisco
Amidi Garage	January 1, 2025	60	Arlington



Note:
The step to align the association in the employee record is not covered in this activity. There is a separate hands-on exercise in the next unit to create a field criteria.

© Copyright. All rights reserved.

Unit 4
Solution 8

Exercise: Create a generic object with an association

Business Example

ACE Corp is providing free parking spaces for employees in some locations but intends to expand this to all locations in the future. They would like to keep track of the parking spaces available at each location. The information is to be managed centrally and is effective dated. Each garage is associated with one or more locations. The record should reflect the garage ID, name, and number of cars that can be accommodated.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Create a new custom object

1. Go to Configure Object Definition to create the Garage object. Use the tables to define the object, fields and associations. Set the System Admin's role permissions to manage the garage records.

   Table 13: Object Definition

Field	Value
Code	Garage
Effective Dating	Basic
API Visibility	Editable
Label	Garage

   Table 14: Field Definitions

Fields	Data Type	Visibility	Label
externalCode	Autonumber	Not Visible	
externalName	String	Editable	Garage Name
carCapacity	Number	Editable	Car Capacity

© Copyright. All rights reserved.

Table 15: Association Properties

Name	Multiplicity	Destination Object	Type	Label
toLocation	One to Many	Location Wrapper	Composite	Location

a) Go to Configure Object Definition using Action Search.

b) Select *Create New Object Definition*.

c) Fill out the object definition as described in the table

d) Fill out the field definition as described in the table.

e) Create the association as described in the table.

f) Set the security to *YES*.

g) Save the object. If a confirmation window appears, select yes.

h) Set the permissions in *Manage Permission Roles* → *System Admin* → *Miscellaneous Permissions* → *Garage* → *Select ALL*

Task 2: Create the MDF records

1. Create two garage records for testing.

Table 16: Garage Records

externalName	Effective Date	Car Capacity	Associated Location
Gala Garage	January 1, 2025	125	San Mateo/Francisco
Amidi Garage	January 1, 2025	60	Arlington



Note:
The step to align the association in the employee record is not covered in this activity. There is a separate hands-on exercise in the next unit to create a field criteria.

a) Go to *Manage Data* → *Create New* → *Garage*.

b) Use the table, Garage Records, for reference.

c) Save records.

© Copyright. All rights reserved.

Unit 4
Exercise 9

Exercise: Configure the Country-specific fields for Foundation Objects

Business Example

ACE wants to expand its operation in Portugal and open a satellite office in the country. In line with this planned expansion, they would like to store country-specific fields for legal entity and customize the corporate address format for Portugal. The company asks you to configure this based on these requirements.

When prompted to confirm warning messages (such as, "visibility of searchable field is set to not visible"), select *YES*.



Hint:
SAP SuccessFactors uses the standard three-letter country codes (ISO 3166-1 alpha-3) for the country names in the Country-Specific configuration files, for example, PRT for Portugal. If you do not see PRT in the list of countries in the CSF Corporate Data model, that means the country-specific fields have not been configured yet. You can copy the formatting of other countries and customize it to meet the requirements for Portugal.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Configuring Country-Specific Fields for Foundation Objects video to see how to can customize the country-specific fields for Foundation Objects.

Task 1: Customize the Legal Entity fields for Portugal

1. Create a new MDF object in Configure Object Definition to store the country-specific fields for Portugal.

   Table 17: Object Definition

Field	Value
Code	LegalEntityPRT
Effective Dating	From Parent
API Visibility	Editable
Label	Legal Entity Portugal

© Copyright. All rights reserved.

Table 18: Fields Definition

Field	Data Type	Visibility	Label
externalCode	Auto Number	Not Visible	Leave to default
externalName	Leave to default	Not Visible	Leave to default
NIPC	String	Editable	Corporate Tax Number
NISS	String	Editable	Social Security Number
CAEcode	String	Editable	CAE Code

2. Configure the association between the parent Legal Entity and the Legal Entity Portugal.

Table 19: Association Attributes

Field	Value
Name	toLegalEntityPRT
Multiplicity	One to One
Destination Object	Legal Entity Portugal
Type	Composite
Label	Portugal
Condition Field ID	countryOfRegistration.code
Condition Values	PRT

3. Add the new ACE_Portugal legal entity in Manage data.

Table 20: ACE_Portugal Legal Entity

Field	Value
Start Date	January 1, 2025
Legal Entity/Company ID	ACE_Portugal
Legal Entity/Company Name	Ace Portugal
Standard Weekly Hours	40
Country	Portugal
Corporate Tax Number	375-256-989
Social Security Number	23-222-526-774
CAE Code	52621

© Copyright. All rights reserved.

Task 2: Customize the Corporate Address for Portugal

1. Export the Country-Specific Corporate Data Model from Import/Export Country/Region-Specific XML for Corporate Data Model in the Admin Center or Provisioning to update the corporate address element for Portugal (PRT).
2. Enable the selected fields in the <hris-element id="corporateAddress"> for Portugal.

   Table 21: Corporate Address Fields

Field	Visibility	Required	Label
country	both	true	Country
address1	both		Address Line 1
address2	both		Address Line 2
address3	both		Address Line 3
city	both		City
state	both		State
zip-code	both		Postal Code

3. Add the new location in Manage Organization Pay and Job Structures.

   Table 22: Lisbon location

Field	Value
Effective date	January 1, 2025
Code	PT_LIS
Standard Hours	40
Timezone	Europe/Lisbon (GMT+00:00)
Legal Entity	Ace Portugal
Country	Portugal
Business Address	Lagoas Park, Edifício 14, Piso 0, 2740-262 Porto Salvo, Portugal

© Copyright. All rights reserved.

Unit 4
Solution 9

Exercise: Configure the Country-specific fields for Foundation Objects

Business Example

ACE wants to expand its operation in Portugal and open a satellite office in the country. In line with this planned expansion, they would like to store country-specific fields for legal entity and customize the corporate address format for Portugal. The company asks you to configure this based on these requirements.

When prompted to confirm warning messages (such as, "visibility of searchable field is set to not visible"), select *YES*.



Hint:
SAP SuccessFactors uses the standard three-letter country codes (ISO 3166-1 alpha-3) for the country names in the Country-Specific configuration files, for example, PRT for Portugal. If you do not see PRT in the list of countries in the CSF Corporate Data model, that means the country-specific fields have not been configured yet. You can copy the formatting of other countries and customize it to meet the requirements for Portugal.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Configuring Country-Specific Fields for Foundation Objects video to see how to can customize the country-specific fields for Foundation Objects.

Task 1: Customize the Legal Entity fields for Portugal

1. Create a new MDF object in Configure Object Definition to store the country-specific fields for Portugal.

   Table 17: Object Definition

Field	Value
Code	LegalEntityPRT
Effective Dating	From Parent
API Visibility	Editable
Label	Legal Entity Portugal

© Copyright. All rights reserved.

Table 18: Fields Definition

Field	Data Type	Visibility	Label
externalCode	Auto Number	Not Visible	Leave to default
externalName	Leave to default	Not Visible	Leave to default
NIPC	String	Editable	Corporate Tax Number
NISS	String	Editable	Social Security Number
CAEcode	String	Editable	CAE Code

a) Go to Configure Object Definition.

b) Go to *Create New* → *Object Definition* .

c) Use the details from the Object Definition and the Field Definition tables to create the country-specific structure.

d) Save.

2. Configure the association between the parent Legal Entity and the Legal Entity Portugal.

Table 19: Association Attributes

Field	Value
Name	toLegalEntityPRT
Multiplicity	One to One
Destination Object	Legal Entity Portugal
Type	Composite
Label	Portugal
Condition Field ID	countryOfRegistration.code
Condition Values	PRT

a) Go to *Configure Object Definition* → *Search* → *Object Definition* → *Legal Entity*.

b) Select *Take Action* → *Make Correction*

c) In the Associations section, add the association with the child object, **LegalEntityPRT**. Use the details from the Association Attributes table.

d) Save.

3. Add the new ACE_Portugal legal entity in Manage data.

Table 20: ACE_Portugal Legal Entity

Field	Value
Start Date	January 1, 2025

© Copyright. All rights reserved.

Field	Value
Legal Entity/Company ID	ACE_Portugal
Legal Entity/Company Name	Ace Portugal
Standard Weekly Hours	40
Country	Portugal
Corporate Tax Number	375-256-989
Social Security Number	23-222-526-774
CAE Code	52621

a) Use the Ace Portugal Legal Entity table to create the new legal entity in Manage data.

Task 2: Customize the Corporate Address for Portugal

1. Export the Country-Specific Corporate Data Model from Import/Export Country/Region-Specific XML for Corporate Data Model in the Admin Center or Provisioning to update the corporate address element for Portugal (PRT).
2. Enable the selected fields in the <hris-element id="corporateAddress"> for Portugal.

   Table 21: Corporate Address Fields

Field	Visibility	Required	Label
country	both	true	Country
address1	both		Address Line 1
address2	both		Address Line 2
address3	both		Address Line 3
city	both		City
state	both		State
zip-code	both		Postal Code

   a) Using an XML editor, open the CSF Corporate Data Model. Go to `<country id="DNK">`. Copy the entire tag. From the start-tag, `<country id="DNK">` to the end-tag, `</country>`.

   b) Paste it before the `<country id="GBR">` tag.

   c) Now you have two configurations for `<country id="DNK">`. Replace the new one with the country code "PRT", `<country id="PRT">`.

   d) Use the Corporate Address Fields table to customize the requirements for Portugal's Corporate Address element.

   e) Import the CSF Corporate Data Model back in the Admin Center or Provisioning.

3. Add the new location in Manage Organization Pay and Job Structures.

© Copyright. All rights reserved.

Table 22: Lisbon location

Field	Value
Effective date	January 1, 2025
Code	PT_LIS
Standard Hours	40
Timezone	Europe/Lisbon (GMT+00:00)
Legal Entity	Ace Portugal
Country	Portugal
Business Address	Lagoas Park, Edifício 14, Piso 0, 2740-262 Porto Salvo, Portugal

© Copyright. All rights reserved.

Exercise: Use features in the Employee Central instance

Business Example

ACE would like to see the Hire and Termination Processes for Employee Central. You will use various features in Employee Central to demonstrate this process.

The hiring process has a configured workflow trigger, while the termination does not. You will create additional workflow triggers later in the course.

Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch theUsing Hiring and Termination video to see how the features work in Employee Central.

Task 1: Hire a new employee with the Standard Hire Template

1. Go to *Add New Employee* to create a new user. Use the details in the table.

Table 23: New Employee

Field	Value
Hire Date	Today's Date
Company	Ace USA
Event Reason	New Hire
First Name	Michael
Last Name	Vorm
National ID Card	
Country	United States
Card Type	Social Security Number
Card Number	987654321
Is Primary	Yes
Email Information	
Email Type	Business
Email Address	mvorm@company.com

© Copyright. All rights reserved.

Field	Value
Is Primary	Yes
Address	
Address Type	Home
Address	123 Main St. Philadelphia Pennsylvania 19148 United States
Job Information	
Business Unit	Global Professional Services
Division	Professional Services
Department	Client Services
Location	Philadelphia
Job Classification	Analyst, Professional Services
Supervisor	Stephen Chan
Job Relationships	
Relationship Type	HR Manager
Name	Janice Jones

Task 2: Rehire an employee

1. Test how the duplicate check works. Go to *Add New Employee* to initiate rehire of Dennis Jackson. Use the details in the table.

   Table 24: Dennis Jackson Information

Field	Value
Hire Date	Today's date
Company	ACE USA
Event Reasons	New Hire
First Name	Dennis
Last Name	Jackson
National ID Section	
Country	United States
National ID Card Type	Social Security Number
National ID	064–60–0833
Is Primary	Yes

Task 3: Terminate an Employee for Early Retirement

1. Navigate to Larry Lindsley's employee file to initiate his termination. Use the table for details. When submitting the transaction, you'll notice that no workflow is triggered. This is

© Copyright. All rights reserved.

because the triggers have not been added for terminations yet. You will configure additional triggers for Job Information and Compensation Information transactions later in the course.

Field	Value
Termination Date	First day of the following month
Termination Reason	Early Retirement
OK to Rehire	Yes

Task 4: Report a No Show

1. The newly hired employee, Michael Vorm did not show at the start of their employment. Initiate a Report No Show action.
2. Go to Michael Vorm's profile. Use the Actions and select Report No Show.
3. Use the Report No Show event reason and set the Ok to rehire to NO.
4. Save.
5. A new job information record is available in the history and the employment information also indicates the termination.

© Copyright. All rights reserved.

Unit 5
Solution 10

Exercise: Use features in the Employee Central instance

Business Example

ACE would like to see the Hire and Termination Processes for Employee Central. You will use various features in Employee Central to demonstrate this process.

The hiring process has a configured workflow trigger, while the termination does not. You will create additional workflow triggers later in the course.

> Note:
> You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch theUsing Hiring and Termination video to see how the features work in Employee Central.

Task 1: Hire a new employee with the Standard Hire Template

1. Go to *Add New Employee* to create a new user. Use the details in the table.

Table 23: New Employee

Field	Value
Hire Date	Today's Date
Company	Ace USA
Event Reason	New Hire
First Name	Michael
Last Name	Vorm
National ID Card	
Country	United States
Card Type	Social Security Number
Card Number	987654321
Is Primary	Yes
Email Information	
Email Type	Business
Email Address	mvorm@company.com

© Copyright. All rights reserved.

Field	Value
Is Primary	Yes
Address	
Address Type	Home
Address	123 Main St. Philadelphia Pennsylvania 19148 United States
Job Information	
Business Unit	Global Professional Services
Division	Professional Services
Department	Client Services
Location	Philadelphia
Job Classification	Analyst, Professional Services
Supervisor	Stephen Chan
Job Relationships	
Relationship Type	HR Manager
Name	Janice Jones

a) Navigate to Add New Employee using Action Search

b) Enter the details as described in the table

c) After Job Relationships, skip the compensation details and submit.

d) Confirm to initiate the new hire workflow.

e) Proxy as Janice Jones (HR Manager) and Stephen Chan (Supervisor) to approve the workflow.

f) Stop Proxy to become self (Emily Clark) and search for Michael Vorm using Action Search to verify if the employee exists.

Task 2: Rehire an employee

1. Test how the duplicate check works. Go to *Add New Employee* to initiate rehire of Dennis Jackson. Use the details in the table.

Table 24: Dennis Jackson Information

Field	Value
Hire Date	Today's date
Company	ACE USA
Event Reasons	New Hire
First Name	Dennis
Last Name	Jackson

© Copyright. All rights reserved.

National ID Section	
Country	United States
National ID Card Type	Social Security Number
National ID	064–60–0833
Is Primary	Yes

a) Navigate to *Add New Employee* using Action Search

b) In the *Identity* section, add the information from the table, Dennis Jackson Information, and choose *Continue*.

c) A *Duplicate Check* window will appear. Consider the system's benefits of searching the database to find matches based on Employee Name, Birthdate, and National ID.

d) Select *Accept Match*.

e) Notice Dennis Jackson's Person ID is retained from the previous employment.

f) Select *Rehire* as Event Reason.

g) Select *Save Draft*.

h) Use the Action Search to navigate to *Manage Pending Hires*.

i) In the top right of the page, select the drop-down and select *Drafts*

j) Verify that Dennis Jackson appears.

Task 3: Terminate an Employee for Early Retirement

1. Navigate to Larry Lindsley's employee file to initiate his termination. Use the table for details. When submitting the transaction, you'll notice that no workflow is triggered. This is because the triggers have not been added for terminations yet. You will configure additional triggers for Job Information and Compensation Information transactions later in the course.

Field	Value
Termination Date	First day of the following month
Termination Reason	Early Retirement
OK to Rehire	Yes

a) In Action Search, search for Larry Lindsley.

b) Choose Larry Lindsley to navigate to the employee file.

c) Choose *All Actions*.

d) Select *Terminate*.

e) Fill out the termination screen according to the table.

f) Select *Save*.

© Copyright. All rights reserved.

Task 4: Report a No Show

1. The newly hired employee, Michael Vorm did not show at the start of their employment. Initiate a Report No Show action.
2. Go to Michael Vorm's profile. Use the Actions and select Report No Show.
3. Use the Report No Show event reason and set the Ok to rehire to NO.
4. Save.
5. A new job information record is available in the history and the employment information also indicates the termination.

© Copyright. All rights reserved.

Unit 5
Exercise 11

Exercise: Add new employees using the import process

Business Example

Ace Corporation is adding three employees. You will import the user information instead of using Add New Employee wizard. Just like any import process, a CSV template must be downloaded and prepared for all relevant entities.

Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Please watch the Working with CSV Files video to know how to avoid validation issues with CSV files.

Hint:
When referring to individuals in imports (Managers, HR, and so on) always use the **USERID**. To find codes and IDs for legal entities and job codes check *Manage Data*.

Task 1: Download the templates

1. Go to Import Employee Data to download the CSV templates for Basic Import, Biographical Information, Employment Details, Job History, Compensation Info, and Personal Information.

Task 2: Prepare and Import the Files

1. Open and complete the CSV templates with the data provided in the table. Use the codes or ids inside the parenthesis listed in the table. The system cannot read names or labels. Upload the employee import files in this order: Basic Import, Biographical Info, Employment Details, Job Information, Compensation Info, and Personal Info.

   Table 25: Import File Information

Used in:	Fields	Values		
All Import files	*UserID/User-name/Person ID*	jmctavish	ssautron	jclements
Basic	*Status*	active	active	active
Basic, persona-lInfo	*First Name*	**Jean**	**Stephen**	**John**

© Copyright. All rights reserved.

Used in:	Fields	Values		
Basic, personalInfo	*Last Name*	**McTavish**	**Sautron**	**Clements**
Basic	*Gender*	**F**	**M**	**M**
personInfo	*Date of Birth*	**March 26, 1991**	**October 21, 1987**	**August 30, 1995**
Basic,	*Email*	**(use your email)**	**(use your email)**	**(use your email)**
Basic, jobInfo	*Manager*	**Carla Grant – (cgrant1)**	**Carla Grant – (cgrant1)**	**Carla Grant – (cgrant1)**
Basic	*HR*	**Alan Chin – (achin1)**	**Alan Chin – (achin1)**	**Alan Chin – (achin1)**
jobInfo, compInfo	*Event Reason*	**New Hire** *(HIRNEW)*	**New Hire** *(HIRNEW)*	**New Hire** *(HIRNEW)*
Basic, employmentInfo, jobInfo, compInfo, personalInfo	*Hire Date/Event Date/Start Date*	**January 1, 2026**	**January 1, 2026**	**January 1, 2026**
jobInfo	*Company/Legal Entity*	**Ace USA – *(ACE_USA)***	**Ace USA – *(ACE_USA)***	**Ace USA – *(ACE_USA)***
Basic, jobInfo	*Job Code/Classification*	**Engineer – *(ENG)***	**Engineer – *(ENG)***	**Engineer – *(ENG)***
compInfo	*Pay Group*	**North America *(NA_GROUP)***	**North America *(NA_GROUP)***	**North America *(NA_GROUP)***
Basic, jobInfo	*Business Unit*	**Corporation Industries *(ACE_IND)***	**Corporation Industries *(ACE_IND)***	**Corporation Industries *(ACE_IND)***
Basic, jobInfo	*Division*	**Industries *(IND)***	**Industries *(IND)***	**Industries *(IND)***

Task 3: Validate the records

1. Validate your uploaded employees. Make sure you complete all six imports before searching for the users. There might be a delay before the employees are searchable or appear on the *Org Chart*.

© Copyright. All rights reserved.

Unit 5
Solution 11

Exercise: Add new employees using the import process

Business Example

Ace Corporation is adding three employees. You will import the user information instead of using Add New Employee wizard. Just like any import process, a CSV template must be downloaded and prepared for all relevant entities.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Please watch the Working with CSV Files video to know how to avoid validation issues with CSV files.



Hint:
When referring to individuals in imports (Managers, HR, and so on) always use the **USERID**. To find codes and IDs for legal entities and job codes check *Manage Data*.

Task 1: Download the templates

1. Go to Import Employee Data to download the CSV templates for Basic Import, Biographical Information, Employment Details, Job History, Compensation Info, and Personal Information.
   a) Log in to your instance.
   b) Navigate to *Employee Export*.
   c) Select *Export user file*.
   d) Save and unzip the Employee Data File. You can use this file to verify the employee ids for Carla Grant and Alan Chin is correct. Locate Carla Grant in the file and determine the User ID. Do the same for Alan Chin.
   e) Go to *Import Employee Data*.
   f) Select the action you want to perform: *Download Template*. Download blank templates by choosing each one under *Select an entity*. You can choose the correct data fields to populate your template. Go ahead and select all data fields by choosing the white check box next to *Available Data Fields*. You can then select the *Generate Template button* to create the import file.

© Copyright. All rights reserved.

g) Download the six import templates:

- Basic Import
- Biographical Information
- Employment Details
- Job Information
- Compensation Info
- Personal Information

Task 2: Prepare and Import the Files

1. Open and complete the CSV templates with the data provided in the table. Use the codes or ids inside the parenthesis listed in the table. The system cannot read names or labels. Upload the employee import files in this order: Basic Import, Biographical Info, Employment Details, Job Information, Compensation Info, and Personal Info.

Table 25: Import File Information

Used in:	Fields	Values		
All Import files	*UserID/Username/Person ID*	jmctavish	ssautron	jclements
Basic	*Status*	active	active	active
Basic, personalInfo	*First Name*	**Jean**	**Stephen**	**John**
Basic, personalInfo	*Last Name*	**McTavish**	**Sautron**	**Clements**
Basic	*Gender*	**F**	**M**	**M**
personInfo	*Date of Birth*	**March 26, 1991**	**October 21, 1987**	**August 30, 1995**
Basic,	*Email*	**(use your email)**	**(use your email)**	**(use your email)**
Basic, jobInfo	*Manager*	**Carla Grant – (cgrant1)**	**Carla Grant – (cgrant1)**	**Carla Grant – (cgrant1)**
Basic	*HR*	**Alan Chin – (achin1)**	**Alan Chin – (achin1)**	**Alan Chin – (achin1)**
jobInfo, compInfo	*Event Reason*	**New Hire** *(HIRNEW)*	**New Hire** *(HIRNEW)*	**New Hire** *(HIRNEW)*
Basic, employmentInfo, jobInfo, compInfo, personalInfo	*Hire Date/Event Date/Start Date*	**January 1, 2026**	**January 1, 2026**	**January 1, 2026**
jobInfo	*Company/Legal Entity*	**Ace USA – *(ACE_USA)***	**Ace USA – *(ACE_USA)***	**Ace USA – *(ACE_USA)***

© Copyright. All rights reserved.

Used in:	Fields	Values		
Basic, jobInfo	*Job Code/Classification*	**Engineer – (ENG)**	**Engineer – (ENG)**	**Engineer – (ENG)**
compInfo	*Pay Group*	**North America (NA_GROUP)**	**North America (NA_GROUP)**	**North America (NA_GROUP)**
Basic, jobInfo	*Business Unit*	**Corporation Industries (ACE_IND)**	**Corporation Industries (ACE_IND)**	**Corporation Industries (ACE_IND)**
Basic, jobInfo	*Division*	**Industries (IND)**	**Industries (IND)**	**Industries (IND)**

a) Use the information in the table, Import File Information, to fill out each of the six import files. Some fields will be used in multiple files.

b) Go to Import Employee Data.

c) Validate and upload each file in the order dictated by the course content.

d) If you need extra help, look in the Video Tutorial Library of the Employee Central Academy Learning Room.

Task 3: Validate the records

1. Validate your uploaded employees. Make sure you complete all six imports before searching for the users. There might be a delay before the employees are searchable or appear on the *Org Chart*.
   a) Log in to your instance.
   b) Search for your new users in the *People Search* tool.
   c) Do you see the three new team members? Can you access their Personal and Employment Information?

© Copyright. All rights reserved.

Exercise: Import Employee Updates

Business Example

You are going to import an update for two ACE Corp's employees.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Consider, where do you go in an employee's file to make corrections? Where do you go to import additional, new, or corrected records? When uploading a small number of records, should you choose *Full Purge* or *Incremental Load*?

Import Job Information updates

The updates for Penny Welsh and Patrick Seliger vary. Review the *Jobhistoryimport.csv* to see how to use &&NO_OVERWRITE&& to import partial information changes.

1. Go to Import Employee Data and upload the Jobhistoryimport (provided in the Course Files).

© Copyright. All rights reserved.

Unit 5
Solution 12

Exercise: Import Employee Updates

Business Example

You are going to import an update for two ACE Corp's employees.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Consider, where do you go in an employee's file to make corrections? Where do you go to import additional, new, or corrected records? When uploading a small number of records, should you choose *Full Purge* or *Incremental Load*?

Import Job Information updates

The updates for Penny Welsh and Patrick Seliger vary. Review the *Jobhistoryimport.csv* to see how to use &&NO_OVERWRITE&& to import partial information changes.

1. Go to Import Employee Data and upload the Jobhistoryimport (provided in the Course Files).
   a) Go to *Import Employee Data*.
   b) Select *Job Information* as the entity. Choose *Incremental load*.
   c) Browse for *Jobhistoryimport.csv* file and validate.
   d) Verify that your records were imported for Penny Welsh and Patrick Seliger . You'll see the most recent record in history with the Source: Import

© Copyright. All rights reserved.

Unit 5
Exercise 13

Exercise: Manage Succession Data Model with Manage Business Configuration (BCUI)

Business Example

ACE would like to be able to add an attachment in the Biographical Information block in People Profile. You will change the configuration in BCUI, then verify that the change is available in the employee profile. Watch the Managing Succession Data Model with Manage Business Configuration (BCUI) video to learn how to update hris-elements in BCUI instead of the data models.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Go to Manage Business Configuration (BCUI) to enable the *attachment-id field* in Biographical Information. Set the field to be labeled as Biographical Attachment and configured as editable. The entities are in view mode by default in BCUI. Select *Take Action* → *Make Correction* to initiate the Edit mode.
2. Go to Marcus Hoff's profile to verify if you can add an attachment in the Biographical Information block.

© Copyright. All rights reserved.

Unit 5
Solution 13

Exercise: Manage Succession Data Model with Manage Business Configuration (BCUI)

Business Example

ACE would like to be able to add an attachment in the Biographical Information block in People Profile. You will change the configuration in BCUI, then verify that the change is available in the employee profile. Watch the Managing Succession Data Model with Manage Business Configuration (BCUI) video to learn how to update hris-elements in BCUI instead of the data models.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Go to Manage Business Configuration (BCUI) to enable the *attachment-id field* in Biographical Information. Set the field to be labeled as Biographical Attachment and configured as editable. The entities are in view mode by default in BCUI. Select *Take Action* → *Make Correction* to initiate the Edit mode.
   a) Go to Manage Business Configuration using Action Search.
   b) Select the hris-element *personInfo*.
   c) At the bottom of the field list, select the *field identifier* drop-down list.
   d) Select *attachment-id*.
   e) Add the label, **Biographical Attachment**.
   f) Set Enabled to *Yes*.
   g) Select *Details* and check if visibility is set to Edit.
   h) Select *Done*, then save the element.
   i) If you are prompted to confirm other changes made to the data model by BCUI, select *Yes*.
2. Go to Marcus Hoff's profile to verify if you can add an attachment in the Biographical Information block.
   a) Using the Action Search, navigate to Marcus Hoff's profile.
   b) Go to *Personal Data* → *Biographical Information* → *Edit (pencil icon)*.
   c) Verify that the new field exists.
   d) Select *Cancel*.

© Copyright. All rights reserved.

Unit 5
Exercise 14

Exercise: Assign a generic object to the Succession Data Model

Business Example

ACE would like to add a field in the Job Information to reference the company's parking records. At the same time, the parking field must be filtered based on the employee's location.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. If you completed the Create a Generic Object with an Association exercise (Unit 4), you can use the Garage object instead of the Parking object. The same process could be used to assign it to the Succession Data Model. This exercise activity is not required for completing succeeding hands-on exercises for this course.



Note:
Determining the Destination Field Value and Source Field name is covered in the topic of Creating Associations.

1. Go to Manage Data to verify if parking records exist and are assigned to a location.
2. Go to Configure Object Definition and search for the Parking object. Take note of the values of the Object Code and the Association name.
3. Go to Manage Business Configuration to enable custom-string4. You will reference the object code and configure the filter criteria in this step. Use the table to define the field properties.

Table 26: Parking Field

Field Properties	Value
Field ID	custom-string4
Label/Default Label	Parking
Enabled	Yes
Mandatory	No
Type of Reference Object	Foundation Object
Reference Object	cust_parking
Visibility	Edit

© Copyright. All rights reserved.

Field Properties	Value
Destination Field Value	location
Source Field Name	cust_toLocation.externalCode

4. Go to Manage Permission Roles to set the permission of the newly enabled parking field for the System Admin role.
5. To verify the configuration, go to Marcus Hoff's profile to test if the field criteria works. The parking field value must only reflect the records associated with the selected location.

© Copyright. All rights reserved.

Unit 5
Solution 14

Exercise: Assign a generic object to the Succession Data Model

Business Example

ACE would like to add a field in the Job Information to reference the company's parking records. At the same time, the parking field must be filtered based on the employee's location.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. If you completed the Create a Generic Object with an Association exercise (Unit 4), you can use the Garage object instead of the Parking object. The same process could be used to assign it to the Succession Data Model. This exercise activity is not required for completing succeeding hands-on exercises for this course.



Note:
Determining the Destination Field Value and Source Field name is covered in the topic of Creating Associations.

1. Go to Manage Data to verify if parking records exist and are assigned to a location.
   a) Go to *Manage Data* → *Search* → *Parking*
   b) Review the two records that exist. Note the assigned location(s) for each record.
2. Go to Configure Object Definition and search for the Parking object. Take note of the values of the Object Code and the Association name.
   a) Go to *Configure Object Definition* → *Object Definition* → *Parking* .
   b) Go to the Code field of the object. The exact code is required at a later step. It is space and case-sensitive.
   c) Go to the association section. The exact name is required at a later step. It is space and case-sensitive.
3. Go to Manage Business Configuration to enable custom-string4. You will reference the object code and configure the filter criteria in this step. Use the table to define the field properties.

   Table 26: Parking Field

Field Properties	Value
Field ID	custom-string4

© Copyright. All rights reserved.

Field Properties	Value
Label/Default Label	Parking
Enabled	Yes
Mandatory	No
Type of Reference Object	Foundation Object
Reference Object	cust_parking
Visibility	Edit
Destination Field Value	location
Source Field Name	cust_toLocation.externalCode

a) Go to *Business Configuration UI*.

b) Go to *Job Information* element and add a custom string field. Follow the properties in the table titled **Parking Field**.

c) Save the element.

d) If prompted to confirm other changes made to the data model by BCUI, choose *Yes*.

4. Go to Manage Permission Roles to set the permission of the newly enabled parking field for the System Admin role.

a) Go to Manage Permission Roles using Action Search

b) Select *Edit* in the Actions column of the System Admin role. Select next.

c) Search for the Parking field in the Employee Central Effective Dated Entities category.

d) Select ALL level of permissions for the Parking Field.

e) Select next and save.

f) Log out and log back in.

5. To verify the configuration, go to Marcus Hoff's profile to test if the field criteria works. The parking field value must only reflect the records associated with the selected location.

a) Go to Marcus Hoff's profile and then go to *Job Data* → *Job Details* .

b) Select *Edit*.

c) Select today's date for the Start Date.

d) Change location to Arlington, Virginia.

e) Verify that you can see the associated parking record (Amidi Parking) in the Parking field.

f) Cancel the changes.

© Copyright. All rights reserved.

Unit 5
Exercise 15

Exercise: Configure the Succession Data Model using XML

Business Example

Ace Corp wants to make changes to the Job Information block. They want to enable and update the label of the Supervisor Level field. They also want to include a custom field to store Additional Job Details. The changes can be made either in the data model or Manage Business Configuration UI. Do not make any changes to hris-element IDs or hris-field IDs.

Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course. It is recommended to carry out the activity in the Succession Data Model as an additional XML practice.

Hint:
If you need to create a custom field (string, date, and so on), you can reference the XML examples in the Implementing Employee Central Core guide. If your custom field label does not appear correctly, you can add a line for English US: `<label xml:lang=”en-US”>Additional Job Details </label>`.

1. Go to Export the Succession Data Model to download the latest configuration and initiate the necessary XML changes.
2. (Optional) If you completed the Manage Succession Data Model with Manage Business Configuration (BCUI) exercise (Unit 5), verify if you can see the attachment-id field in the personInfo element. Changes made in BCUI are synced to the data model and vice versa.
3. Go to jobInfo element to enable the Supervisor Level field and update the field label to Management Level.
4. In jobinfo element, enable custom-string8 field to store the Additional Job Details. It is a common mistake to misplace and inadvertently add the field in another hris-element. Ensure that you are in jobInfo element. Place the custom-string8 AFTER the closing tag of supervisor-level field and BEFORE the opening tag of is-cross-border-worker field.

```
<hris-field id="custom-string8" visibility="both">
<label>Additional Job Details</label>
</hris-field>
```

5. Go to Provisioning to upload the updated version of the Succession Data Model.
6. Go to Manage Permission Roles to set the permissions for Management Level and Additional Job Details fields for System Admin role.

© Copyright. All rights reserved.

7. Go to Marcus Hoff's profile to test your configuration.

© Copyright. All rights reserved.

Unit 5
Solution 15

Exercise: Configure the Succession Data Model using XML

Business Example

Ace Corp wants to make changes to the Job Information block. They want to enable and update the label of the Supervisor Level field. They also want to include a custom field to store Additional Job Details. The changes can be made either in the data model or Manage Business Configuration UI. Do not make any changes to hris-element IDs or hris-field IDs.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course. It is recommended to carry out the activity in the Succession Data Model as an additional XML practice.



Hint:
If you need to create a custom field (string, date, and so on), you can reference the XML examples in the Implementing Employee Central Core guide. If your custom field label does not appear correctly, you can add a line for English US: `<label xml:lang=”en-US”>Additional Job Details </label>`.

1. Go to Export the Succession Data Model to download the latest configuration and initiate the necessary XML changes.
   a) Go to *Export Succession Data Model* using Action Search.
   b) Select *Export Succession Data Model*.
   c) Save the file with your other data models, rename the file to match the other files, and increment the version number on your file.
   d) Open the Succession Data Model in XML editor. (Optional) If you use an XML editor that validates versus a DTD, update row 4 to a value of “sf-form.dtd”.
2. (Optional) If you completed the Manage Succession Data Model with Manage Business Configuration (BCUI) exercise (Unit 5), verify if you can see the attachment-id field in the personInfo element. Changes made in BCUI are synced to the data model and vice versa.
   a) Search for personInfo to locate the hris-element.
   b) Scroll down to locate the hris-field attachment-id.
   c) Verify the field has the label (Biographical Attachment) and is set to editable (visibility = “both”).

© Copyright. All rights reserved.

3. Go to jobInfo element to enable the Supervisor Level field and update the field label to Management Level.
   a) Go to *HRIS Element → jobInfo* .
   b) Go to *hris-field → supervisor-level* .
   c) Change the visibility to "both".
   d) Change the label: *Supervisor Level → Management Level*.
   e) If necessary, to change the en-US label, go to*Supervisor Level → Management Level*.
4. In jobinfo element, enable custom-string8 field to store the Additional Job Details. It is a common mistake to misplace and inadvertently add the field in another hris-element. Ensure that you are in jobInfo element. Place the custom-string8 AFTER the closing tag of supervisor-level field and BEFORE the opening tag of is-cross-border-worker field.

```
<hris-field id="custom-string8" visibility="both">
<label>Additional Job Details</label>
</hris-field>
```

   a) Go to *HRIS Element → jobInfo* . Search for supervisor-level field.
   b) Place the custom-string8 right after the supervisor-level field end tag. Define the field attributes as follows.

```
<hris-field id="custom-string8" visibility="both">
<label>Additional Job Details</label>
</hris-field>
```

   c) (Optional) Validate your XML if supported by your XML editor.
   d) Save a new version of your data model.
5. Go to Provisioning to upload the updated version of the Succession Data Model.
   a) Log in to *Provisioning*.
   b) Go to *Succession Management → Import/Export Data Model* .
   c) Browse for the file in the local drive and enter a description/comment for the new version.
   d) Select *Submit*.
6. Go to Manage Permission Roles to set the permissions for Management Level and Additional Job Details fields for System Admin role.
   a) Log in to your instance. Go to Manage Permission Roles using Action Search.
   b) Select *Edit* in the Actions column of System Admin role. Select next.
   c) Search for the **Additional Job Details** and the **Management Level** fields in the Employee Central Effective Dated Entities category. Select all permission level for the fields.
   d) Select next and save.
7. Go to Marcus Hoff's profile to test your configuration.
   a) Log in to your instance.
   b) Using the Action Search, navigate to Marcus Hoff's profile. Go to *Job Data → Job Details → View all* . Select *Show empty fields* to display all fields.

© Copyright. All rights reserved.

c) Ensure that you can see your two changes:

- Management Level
- Additional Job Details

© Copyright. All rights reserved.

Unit 5
Exercise 16

Exercise: Configure global information in the CSF Succession Data Model

Business Example

The Ace Corporation has expanded operations into Germany. They want to add Ethnicity and Religion fields to Germany's *Global Info* The fields must be created as custom country-specific fields. You can configure this either in Manage Business Configuration or CSF Succession Data Model.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Go to Manage Business Configuration to enable the custom fields in *Global Information (globalInfo)* → *Germany (DEU)* . Use the table to define the fields. These will be displayed in the Global Information area of the Personal Information block.

Identifier	Label	Enabled	Visibility
custom-string1	Ethnicity	Yes	Edit
custom-string3	Religion	Yes	Edit

2. Go to Manage Permission Role to set the field permissions for the System Admin role.
3. Go to Paul Horn's profile to validate if the fields are available for a German employee. The fields must be editable in the Personal Information block.

© Copyright. All rights reserved.

Unit 5
Solution 16

Exercise: Configure global information in the CSF Succession Data Model

Business Example

The Ace Corporation has expanded operations into Germany. They want to add Ethnicity and Religion fields to Germany's *Global Info* The fields must be created as custom country-specific fields. You can configure this either in Manage Business Configuration or CSF Succession Data Model.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Go to Manage Business Configuration to enable the custom fields in *Global Information (globalInfo)* → *Germany (DEU)* . Use the table to define the fields. These will be displayed in the Global Information area of the Personal Information block.

Identifier	Label	Enabled	Visibility
custom-string1	Ethnicity	Yes	Edit
custom-string3	Religion	Yes	Edit

   a) Go to *Manage Business Configuration*.

   b) Select the hris-element `globalInfo`.

   c) Expand `globalInfo` with the triangle symbol.

   d) Select `globalInfo_DEU`.

   e) At the bottom of the field list, select the field identifier drop-down list.

   f) Select `custom-string1`.

   g) Add the label *Ethnicity*.

   h) Set Enabled to *Yes*.

   i) Select *Details* and check if visibility is set to *Edit*.

   j) Repeat the steps to enable `custom-string3` according to the table.

   k) Save the element.

2. Go to Manage Permission Role to set the field permissions for the System Admin role.

© Copyright. All rights reserved.

a) Go to *Manage Permission Roles* using Action Search.

b) Select Edit in the Actions menu for the System Admin role. Select next.

c) Search for the Ethnicity and Religion fields in the Personal Information section of the Employee Central Effective Dated Entities category. Select all level of permissions for both fields. The permission will be in the format "`DEU–field name`". For example `DEU-Ethnicity`

d) Select next and save.

3. Go to Paul Horn's profile to validate if the fields are available for a German employee. The fields must be editable in the Personal Information block.

a) Go to Paul Horn's *Personal Data* → *Personal Information* → *View All*.

b) Go to the Global Information section. Use *Show empty fields* to expand the field list.

c) Ensure that you can see the following two new fields for Germany:

- Ethnicity (Germany)
- Religion (Germany)

© Copyright. All rights reserved.

Unit 5
Exercise 17

Exercise: Configure employment details and job information in the CSF Succession Data Model

Business Example

Ace Corp needs to enable recording of travel distance for employees in Germany. They also wish to include some custom fields in the Employment Details for France and the United States. You can configure this either in Manage Business Configuration or CSF Succession Data Model.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Enable a Job Information field for Germany

1. Go to Manage Business Configuration to enable the standard field travel distance for employees in Germany. It will be displayed in the Job Information block for employees of ACE Germany. Use the table to define the field.

Identifier	Label	Enabled	Visibility
travel-distance	Travel Distance	Yes	Edit

Task 2: Set the Permission for the Country-Specific Job Info field

1. Go to Manage Permission Role to set the permissions of the newly enabled field for the System Admin role.
2. Go to Paul Horn's profile to verify that the field is available for a German employee. In contrast, go to Marcus Hoffs' profile to verify that the field doesn't appear for employees in the US.

Task 3: Enable Employment Info fields for France and USA

1. Go to Manage Business Configuration to add two custom fields for United States and France's employmentInfo element. You must add the country in BCUI (if it hasn't already) and enable it to add the fields. Sometimes, you may need to refresh the page before the country displays as active (with check mark). Use the details in the table to define the fields for both countries.

© Copyright. All rights reserved.

Table 27: US Fields

Identifier	Label	Enabled	Visibility	Type of Reference	Picklist
custom-string1	Probation Waived	Yes	Edit	Picklist	yesNo
custom-date1	End of Probation	Yes	Edit	No Selection	

Table 28: FR Fields

Identifier	Label	Enabled	Visibility	Type of Reference	Picklist
custom-string2	Hiring Initiative	Yes	Edit	No Selection	No Selection
custom-date2	Previous Service From	Yes	Edit	No Selection	No Selection



Note:
It is very common to forget to set the enabled field to *Yes* for newly created CSF elements.

Task 4: Set the Permission for the Country-Specific Employment Info fields

1. Go to Manage Permission Role to set the permissions of the newly enabled fields for the System Admin role.
2. Go to Robert Allen (USA) and Isabelle Genoit (FRA) profiles to verify if the fields are displayed for employees of different legal entities.

© Copyright. All rights reserved.

Unit 5
Solution 17

Exercise: Configure employment details and job information in the CSF Succession Data Model

Business Example

Ace Corp needs to enable recording of travel distance for employees in Germany. They also wish to include some custom fields in the Employment Details for France and the United States. You can configure this either in Manage Business Configuration or CSF Succession Data Model.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Enable a Job Information field for Germany

1. Go to Manage Business Configuration to enable the standard field travel distance for employees in Germany. It will be displayed in the Job Information block for employees of ACE Germany. Use the table to define the field.

Identifier	Label	Enabled	Visibility
travel-distance	Travel Distance	Yes	Edit

   a) Go to *Manage Business Configuration*.

   b) Select hris-element `jobInfo`.

   c) Verify that travel-distance is not enabled in the `jobInfo` base element.

   d) Expand `jobInfo` with the triangle symbol.

   e) Select `jobInfo_DEU`.

   f) At the bottom of the field list, select the field identifier drop-down list.

   g) Select *travel-distance*.

   h) Add the label *Travel Distance*.

   i) Set Enabled to *Yes*.

   j) Choose details and check if visibility is set to *Edit*.

   k) Select *Done*.

© Copyright. All rights reserved.

l) Save the element.

m) Confirm any changes required from BCUI with *Yes*.

Task 2: Set the Permission for the Country-Specific Job Info field

1. Go to Manage Permission Role to set the permissions of the newly enabled field for the System Admin role.
   a) Go to Manage Permission Roles using Action Search.
   b) Select *Edit* in the Actions column of the System Admin role. Select next.
   c) Search for the *DEU-Travel Distance* field in the Job Information of Employee Central Effective Dated Entities category.
   d) Select all level of permission for the field.
   e) Select next and save.
2. Go to Paul Horn's profile to verify that the field is available for a German employee. In contrast, go to Marcus Hoffs' profile to verify that the field doesn't appear for employees in the US.
   a) Go to Paul Horn's profile and go to *Job Data* → *Job Details* → *View All* . Select *Show empty fields* to expand and show all fields.
   b) Verify that Travel Distance is visible.
   c) Go to Marcus Hoff's profile and go to *Job Data* → *Job Details* → *View All* . Verify that Travel Distance is NOT available for US employees.

Task 3: Enable Employment Info fields for France and USA

1. Go to Manage Business Configuration to add two custom fields for United States and France's employmentInfo element. You must add the country in BCUI (if it hasn't already) and enable it to add the fields. Sometimes, you may need to refresh the page before the country displays as active (with check mark). Use the details in the table to define the fields for both countries.

Table 27: US Fields

Identifier	Label	Enabled	Visibility	Type of Reference	Picklist
customstring1	Probation Waived	Yes	Edit	Picklist	yesNo
customdate1	End of Probation	Yes	Edit	No Selection	

Table 28: FR Fields

Identifier	Label	Enabled	Visibility	Type of Reference	Picklist
customstring2	Hiring Initiative	Yes	Edit	No Selection	No Selection

© Copyright. All rights reserved.

Identifier	Label	Enabled	Visibility	Type of Reference	Picklist
custom-date2	Previous Service From	Yes	Edit	No Selection	No Selection

a) Go to *Manage Business Configuration*.

b) Select the hris-element `employmentInfo`.

c) Expand `employmentInfo` with the triangle symbol.

d) Select *Configure New Country/Region*.

e) Set Country/Region drop-down list value to *United States (USA)*.

f) Select *Save*.

g) Select *Take Action → Make Correction* to edit the `employmentInfo_USA` element.

h) Set the *Enabled* field to *Yes*.

i) Configure two localized HRIS fields according to the table titled **USA Updates**.

j) Save the element.

k) Confirm any changes required from BCUI with *Yes*.

l) Repeat the process to create a new `emplomentInfo_FRA` element and configure it with the fields according to the**FRA Updates** table.



Note:
It is very common to forget to set the enabled field to *Yes* for newly created CSF elements.

Task 4: Set the Permission for the Country-Specific Employment Info fields

1. Go to Manage Permission Role to set the permissions of the newly enabled fields for the System Admin role.
   a) Go to Manage Permission Roles using Action Search
   b) Select *Edit* in the Actions column of the*System Admin* role. Select next.
   c) Search for the new fields you created and set the field permissions to all.
   d) Select next and save.
2. Go to Robert Allen (USA) and Isabelle Genoit (FRA) profiles to verify if the fields are displayed for employees of different legal entities.
   a) Go to Robert Allen's profile and then go to *Job Data → Employment Details. → View All*
   b) Ensure that you can see your new fields for Ace USA.
   c) Go to Isabelle Geniot's profile and go to *Job Data → Employment Details. → View All*
   d) Ensure that you can see your new fields for Ace France.

© Copyright. All rights reserved.

e) Go to Paul Horn's profile (Germany) and go to *Job Data* → *Employment Details.* → *View All*

f) Since Paul is a German employee, you won't see the USA and FRA specific fields.

© Copyright. All rights reserved.

Unit 5
Exercise 18

Exercise: Create a Custom Synchronization Map

Business Example

ACE wants the Standard Weekly Hours of an employee to be reportable within Employee Profile reports. You will configure the mapping of Standard Weekly Hours field in Job Information with a standard field in Employee Profile. You can configure the mapping either in the HRIS Sync Mappings section or directly in the hris field in BCUI.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Create a Custom Sync Map

1. Go to Manage Business Configuration to update custom07 standard field label to **Standard Hours**.
2. Still in BCUI, go to HRIS Sync Mapping section to map the Standard Weekly Hours field in Job Information to the Standard Hours (custom07) standard field. Alternatively, you can create the mapping directly in the Standard Weekly Hours field in Job Information.
3. Go to Configure Latest People Profile to add the Standard Hours (custom07) field to *Talent Profile → Employee Information* block.
4. Trigger real-time synchronization. To avoid the extra steps of approval, test the real-time synch by going to Carla Grant's Job Information history to insert a record change of standard hours effective today. You can use Data Change for event and event reason.

Task 2: Create a HRIS Synchronization Job

Business Example

One HR intern in ACE Corp inadvertently uploaded the wrong version of Basic Import (UDF) resulting in data discrepancy between the talent management solutions and Employee Central. You will create a one-time job to synchronize the data from Employee Central.

1. Go to Scheduled Job Manager to submit a one-time Sync HRIS Data job request and run the job manually. Use the table to define the job request. Alternatively, you can create the job in Provisioning. Note that the sync job may take sometime to complete depending on the number of jobs queued in the backend.

Field	Value
Job Name	**`HRIS SYNC Custom`**

© Copyright. All rights reserved.

Field	Value
Job Type	*Sync HRIS Data*
Job Owner	**`Emily Clark`**
Sync Type	*Sync Changes Since the Last Successful HRIS Sync Job*
Job Occurrence	**`One-Time`**
Start Date	**`Tomorrow's date`**
Time: Hour / Minute	**`Any hour or minute`**
Notifications	*Select Send Emails When Job Starts*

© Copyright. All rights reserved.

Unit 5
Solution 18

Exercise: Create a Custom Synchronization Map

Business Example

ACE wants the Standard Weekly Hours of an employee to be reportable within Employee Profile reports. You will configure the mapping of Standard Weekly Hours field in Job Information with a standard field in Employee Profile. You can configure the mapping either in the HRIS Sync Mappings section or directly in the hris field in BCUI.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Create a Custom Sync Map

1. Go to Manage Business Configuration to update custom07 standard field label to **Standard Hours**.
   a) Login to your instance and go to *Business Configuration UI*.
   b) Expand the **Employee Profile** section on the left panel.
   c) Expand **Standard** section.
   d) Locate the **custom07** field.
   e) Update the Label, Default Label, and translations to **Standard Hours**.
   f) Select *Save*.
2. Still in BCUI, go to HRIS Sync Mapping section to map the Standard Weekly Hours field in Job Information to the Standard Hours (custom07) standard field. Alternatively, you can create the mapping directly in the Standard Weekly Hours field in Job Information.
   a) In BCUI, go to HRIS Sync Mapping section
   b) Select Add (+).
   c) For HRIS Element, select *Job Information*.
   d) For Field, select *Standard Weekly Hours*.
   e) For Target Field type, select *Standard Field*.
   f) For Target Field, select *Standard Hours* (custom07).
   g) Select *Save*.

© Copyright. All rights reserved.

3. Go to Configure Latest People Profile to add the Standard Hours (custom07) field to *Talent Profile* → *Employee Information* block.
   a) Log in to your instance and go to *Configure Latest People Profile*.
   b) Go to*Talent Profile* and choose *Edit Employee Information*.
   c) Select *Content Configuration* tab. Scroll down and select +Add. .
   d) Replace Middle Name with Standard Hours.
   e) Choose *Save*.
4. Trigger real-time synchronization. To avoid the extra steps of approval, test the real-time synch by going to Carla Grant's Job Information history to insert a record change of standard hours effective today. You can use Data Change for event and event reason.
   a) Navigate to Carla Grant's profile. Go to *Job Information* → *History* → *Insert a New Record* block.
   b) Use today's date as the effctive date..
   c) Use *Data Change* as event and event reason.
   d) Change the standard hours field value.
   e) Save.
   f) Refresh the profile page.
   g) The value in the Talent Profile should reflect the same value as that of Job Information.

Task 2: Create a HRIS Synchronization Job

Business Example

One HR intern in ACE Corp inadvertently uploaded the wrong version of Basic Import (UDF) resulting in data discrepancy between the talent management solutions and Employee Central. You will create a one-time job to synchronize the data from Employee Central.

1. Go to Scheduled Job Manager to submit a one-time Sync HRIS Data job request and run the job manually. Use the table to define the job request. Alternatively, you can create the job in Provisioning. Note that the sync job may take sometime to complete depending on the number of jobs queued in the backend.

Field	Value
Job Name	**`HRIS SYNC Custom`**
Job Type	*Sync HRIS Data*
Job Owner	**`Emily Clark`**
Sync Type	*Sync Changes Since the Last Successful HRIS Sync Job*
Job Occurrence	**`One-Time`**
Start Date	**`Tomorrow's date`**
Time: Hour / Minute	**`Any hour or minute`**

© Copyright. All rights reserved.

Field	Value
Notifications	*Select Send Emails When Job Starts*

a) Using Action Search, go to *Scheduled Job Manager* → *Job Scheduler* → *Create Job Request* .

b) In the *Job Definition* screen area, enter the appropriate data from the table provided.

c) Submit the Job.

d) Go to Job Scheduler tab and locate the job request you created.

e) In the Actions column, select Run it Now.

f) Select Ok to confirm.

g) You will see the job status in the Job Monitor tab. This may take sometime to complete, depending on how many jobs are queued in the system.

© Copyright. All rights reserved.

Exercise: Customize RBP for ESS

Business Example

ACE Corp wants to customize what employees can view and edit in their *Personal Information* section of the People Profile. You will adjust the permissions to fit their requirements.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Proxy as Larry Ye and test what changes Larry can perform on his Personal Data using the current self-service permissions.
2. Go to Manage Permission Roles and update the **Employee Self-Service** role. Update the permission role as presented in the table.

   Table 29: RBP for ESS

Permission Category	Permission Section	Permission Field	Permission
Employee Data	HR Information	National ID Card	View and Edit
Employee Central Effective Dated Entities	Personal Information	All fields	View Current and View History
Employee Central Effective Dated Entities	Personal Information	Edit Link	Edit/Insert

3. Proxy as Larry Ye and verify that the ESS permissions are configured correctly. Does it match the desired permission/level of access?

© Copyright. All rights reserved.

Unit 6
Solution 19

Exercise: Customize RBP for ESS

Business Example

ACE Corp wants to customize what employees can view and edit in their *Personal Information* section of the People Profile. You will adjust the permissions to fit their requirements.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Proxy as Larry Ye and test what changes Larry can perform on his Personal Data using the current self-service permissions.
   a) Proxy as Larry Ye
   b) Select *View My Profile* from the Quick Actions in the homepage.
   c) Go to *Personal Data* → *National Id card* . Can he add his National Id information?
   d) Go to *Personal Data* → *Personal Information* → *History (clock icon)* . Can he create a new historical record?
   e) Use *Become Self* to get out of proxy.
2. Go to Manage Permission Roles and update the **Employee Self-Service** role. Update the permission role as presented in the table.

   Table 29: RBP for ESS

Permission Category	Permission Section	Permission Field	Permission
Employee Data	HR Information	National ID Card	View and Edit
Employee Central Effective Dated Entities	Personal Information	All fields	View Current and View History
Employee Central Effective Dated Entities	Personal Information	Edit Link	Edit/Insert

   a) As an administrator, go to Manage Permission Roles using Action Search.
   b) Use the table to modify the Employee Self Service role.
   c) Save. Log out and Log back in.

© Copyright. All rights reserved.

3. Proxy as Larry Ye and verify that the ESS permissions are configured correctly. Does it match the desired permission/level of access?

   a) Proxy as Larry Ye

   b) Select *View My Profile* from the Quick Actions in the homepage.

   c) Go to *Personal Data* → *National Id card* . He can now add his national card information.

   d) Go to *Personal Data* → *Personal Information* → *History (clock icon)* . He can no longer create a historical record but he can edit the current information.

© Copyright. All rights reserved.

Unit 6
Exercise 20

Exercise: Customize and use Manager Self-Service (MSS)

Business Example

ACE Corp would like to update the permissions for their managers. They want to apply the following restrictions to their manager permission role.

- Managers can initiate Job Information updates except for Supervisor and Pay Grade fields.
- Managers can initiate Compensation Information updates except for Pay Type and Pay Group fields.
- Managers must not have access to Create (Insert New Record), Correct and Delete historical records.
- Managers can initiate Job Relationship updates.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Proxy as Carla Grant to verify the existing manager permissions.
2. Go to Manage Permission Roles and update the **Manager Role**. Update the permission role as presented in the table.

Table 30: RBP for Manager

Permission Category	Permission Section	Permission Field	Permission
Employee Central Effective Dated Entities	Job Information	Select all fields	View Current and View History
Employee Central Effective Dated Entities	Job Information	Select all fields except for Job Information Actions, Supervisor and Pay Grade	Edit/Insert
Employee Central Effective Dated Entities	Compensation Information	Select all fields	View Current and View History

© Copyright. All rights reserved.

Permission Category	Permission Section	Permission Field	Permission
Employee Central Effective Dated Entities	Compensation Information	Select all fields except for Compensation Information Actions , Pay type and Pay Group	Edit/Insert
Employee Central Effective Dated Entities	Job Relationships	Select all fields	View Current and View History
Employee Central Effective Dated Entities	Job Relationships	Select all fields except for Job Relationships Actions	Edit/Insert

3. Proxy as Carla Grant to verify the updated manager permissions.

© Copyright. All rights reserved.

Unit 6
Solution 20

Exercise: Customize and use Manager Self-Service (MSS)

Business Example

ACE Corp would like to update the permissions for their managers. They want to apply the following restrictions to their manager permission role.

- Managers can initiate Job Information updates except for Supervisor and Pay Grade fields.
- Managers can initiate Compensation Information updates except for Pay Type and Pay Group fields.
- Managers must not have access to Create (Insert New Record), Correct and Delete historical records.
- Managers can initiate Job Relationship updates.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

1. Proxy as Carla Grant to verify the existing manager permissions.
   a) Log in to your instance, proxy as Carla Grant.
   b) Go to Marcus Hoff's profile.
   c) Go to *Job Data* → *Job Details* → *History* . Does Carla have access to create new history records?
   d) Go to *Job Data* → *Job Relationships* → *History* . Does Carla have access to create new history records?
   e) Go to *Compensation* → *Compensation Information* → *History* . Does Carla have access to create new records?
   f) Use *Become Self* to get out of proxy.
2. Go to Manage Permission Roles and update the **Manager Role**. Update the permission role as presented in the table.

© Copyright. All rights reserved.

Table 30: RBP for Manager

Permission Category	Permission Section	Permission Field	Permission
Employee Central Effective Dated Entities	Job Information	Select all fields	View Current and View History
Employee Central Effective Dated Entities	Job Information	Select all fields except for Job Information Actions, Supervisor and Pay Grade	Edit/Insert
Employee Central Effective Dated Entities	Compensation Information	Select all fields	View Current and View History
Employee Central Effective Dated Entities	Compensation Information	Select all fields except for Compensation Information Actions , Pay type and Pay Group	Edit/Insert
Employee Central Effective Dated Entities	Job Relationships	Select all fields	View Current and View History
Employee Central Effective Dated Entities	Job Relationships	Select all fields except for Job Relationships Actions	Edit/Insert

a) As an administrator, go to Manage Permission Roles using Action Search.

b) Use the table to modify the Manager role.

c) Save. Log out and Log back in.

3. Proxy as Carla Grant to verify the updated manager permissions.

a) Log in to your instance, proxy as Carla Grant.

b) Go to Marcus Hoff's profile.

c) Go to *Job Data* → *Job Details* → *History* . Carla can no longer create a historical record but can edit the current information.

d) Go to *Job Data* → *Job Relationships* → *History* . Carla can no longer create a historical record but can edit the current information.

e) Go to *Compensation* → *Compensation Information* → *History* . Carla can no longer create a historical record but can edit the current information.

f) Use *Become Self* to get out of proxy.

© Copyright. All rights reserved.

Unit 6
Exercise 21

Exercise: Customize an existing workflow

Business Example

ACE Corporation wants to customize the existing hire and rehire workflow to include a Dynamic Group of HR representatives. You will enable the additional workflow fields in the Corporate Data Model, create the new dynamic group, and update the workflow record.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Customizing an Existing Workflow video to learn how to modify a workflow.

Task 1: Enable Workflow Fields in the Corporate Data Model

1. Export the Corporate Data Model from the Admin Center or Provisioning and enable the following fields:**Remind in Days, Is Delegate Supported, Escalation, and Days until Auto Approval** .

Task 2: Create a Dynamic Group

1. Go to Manage Workflow Groups to create a Dynamic Group that will be used as a hiring approver. Use the information in the table to define the group.

   Table 31: Dynamic Group Requirements

Group Name	HR
People Pool	Anyone with "HR" in the Job Code

Task 3: Update an existing workflow

1. Go to Manage Organization, Pay and Job Structure and update the existing Hire (New or Rehire) workflow. Use the information in the table to define the new approvers.

   Table 32: Workflow ID: Hire

Is Delegate Supported: Yes	
Approver 1 (Step 1)	
Approver Type	Dynamic Group
Approver Role	HR
All other attributes remain the same.	
Approver 2 (Step 2)	

© Copyright. All rights reserved.

Approver Type	Role
Approver Role	Manager
Context	Target
All other attributes remain the same.	
Approver 3 (Step 3)	
Approver Type	Role
Approver Role	Manager Manager
Context	Target
All other attributes remain the same.	

Task 4: Test the Workflow

1. A rule has already been assigned to trigger the workflow when a new hire is initiated. Go to Add New employee to test if the new approvers will appear in the workflow. Use the table to create a new user.

   Table 33: New Hire Information

Field	Values
Hire Date	Today's date
Company	Ace USA
Event Reason	New Hire
Name	Gillian Ray
Date of Birth	August 22, 1982
Email	<use your e-mail>
Manager/Supervisor	Carla Grant
Job Classification	Analyst
HR Manager	Nancy Nash

© Copyright. All rights reserved.

Exercise: Customize an existing workflow

Business Example

ACE Corporation wants to customize the existing hire and rehire workflow to include a Dynamic Group of HR representatives. You will enable the additional workflow fields in the Corporate Data Model, create the new dynamic group, and update the workflow record.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Customizing an Existing Workflow video to learn how to modify a workflow.

Task 1: Enable Workflow Fields in the Corporate Data Model

1. Export the Corporate Data Model from the Admin Center or Provisioning and enable the following fields:**Remind in Days, Is Delegate Supported, Escalation, and Days until Auto Approval** .
   a) Use the Action Search to export the Corporate Data Model.
   b) Open the XML and search for the hris-fields.
   c) Enable the fields by setting the field to **visibility="both"**
   d) Save and import the Corporate Data Model back in the Admin Center or Provisioning.

Task 2: Create a Dynamic Group

1. Go to Manage Workflow Groups to create a Dynamic Group that will be used as a hiring approver. Use the information in the table to define the group.

   Table 31: Dynamic Group Requirements

Group Name	HR
People Pool	Anyone with "HR" in the Job Code

   a) Log in to your instance.
   b) Navigate to *Manage Workflow Groups*.
   c) Select *Create New Group*.
   d) Use the information in the table, Customer Requirements, to define the group.
   e) Select *Update* in the Group Membership bubble.

© Copyright. All rights reserved.

f) Select the new number that is populated in the Group Membership bubble.

g) Verify Alex Anderson is an employee in the Dynamic Group.

h) Select *Close* → *Done*.

Task 3: Update an existing workflow

1. Go to Manage Organization, Pay and Job Structure and update the existing Hire (New or Rehire) workflow. Use the information in the table to define the new approvers.

Table 32: Workflow ID: Hire

Is Delegate Supported: Yes	
Approver 1 (Step 1)	
Approver Type	Dynamic Group
Approver Role	HR
All other attributes remain the same.	
Approver 2 (Step 2)	
Approver Type	Role
Approver Role	Manager
Context	Target
All other attributes remain the same.	
Approver 3 (Step 3)	
Approver Type	Role
Approver Role	Manager Manager
Context	Target
All other attributes remain the same.	

a) As an administrator, navigate to *Manage Organization, Pay and Job Structure* .

b) Choose *Workflow Configuration* → *Hire (New or Rehire) (HIRE)* → *Take Action* → *Make Correction* .

c) Update the Workflow using the provided information

d) Select *Save*.

e) Go to *BCUI* → *Job Information* → *Trigger Rules* section. Preview the **WF_Hire** rule to see that the wfConfig=Hire(New or Rehire) is set to be used when the conditions are met. No changes need to be made here.

Task 4: Test the Workflow

1. A rule has already been assigned to trigger the workflow when a new hire is initiated. Go to Add New employee to test if the new approvers will appear in the workflow. Use the table to create a new user.

© Copyright. All rights reserved.

Table 33: New Hire Information

Field	Values
Hire Date	Today's date
Company	Ace USA
Event Reason	New Hire
Name	Gillian Ray
Date of Birth	August 22, 1982
Email	<use your e-mail>
Manager/Supervisor	Carla Grant
Job Classification	Analyst
HR Manager	Nancy Nash

a) As an administrator, navigate to *Add New Employee* .

b) Hire in the employee using the information provided in the table, New Hire Information. Include any value for required fields in Job Information.

c) Select *Submit*.

d) Select *Show Workflow Participants*. The workflow should indicate the three-step approval (HR, Carla Grant, Alexander Thompson).

e) Select *Submit*.

f) Proxy as Alex Anderson.

g) On the home page, select *Approve Card*.

h) Locate the request for *Gillian Ray* → *Approve* .

© Copyright. All rights reserved.

Unit 7
Exercise 22

Exercise: Create an event reason and workflow derivation rule

Business Example

ACE Corp wants to automate the event reason and workflow derivation to streamline their business process. You will create a sample ERD rule and assign it to the Job Information. You will also create a new workflow that must be triggered when changes are made to the job relationships.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Creating Event Reason and Workflow Derivation Rules video to learn how to create derivation rules.

Task 1: Create an Event Reason Derivation Rule

1. Create a rule that will set the event reason to *Benefits Adjustment (PAYBEN)* when the *Is Eligible for Benefit* field is updated. Go to *Configure Business Rules* and use the table to define the rule.

   Table 34: Rule Details

Field	Value
Rule Scenario	Trigger Event Reason Derivation
Rule Name/ID	ERD_JOBINFO
Base Object	Job Information Model
Condition	If Event Reason Value ≠ Null
Action	No event reason derived
Condition	If Is Eligible for Benefit value ≠ previous value
Action	Set Event reason = Benefits Adjustment (PAYBEN)
Trigger/Event Type	onSave

2. Go to Manage Business Configuration. Assign the **ERD_JOBINFO** rule to the Job Information element.

© Copyright. All rights reserved.

Field	Value
HRIS Element	Job Information
Base Object	Job Information Model
Event Type	onSave
Rules	ERD_JOBINFO

Place the **ERD_JOBINFO** rule before the **jobInfoModel_ERD_migrated_rule** for the rule to be processed first.

3. Verify if the rule works. Go to Marcus Hoff's profile. Initiate a change to the *Is Eligible for Benefit* field in the Job Information using the information provided in the table.

Field	Value
Profile Category	Job Data
Profile Card	Job Details
Effective Date	Today's date
Is Eligible for Benefit	Set to either Yes or No

The transaction is saved without an approval process because there is no workflow derivation rule assigned for Job Information changes. Use the optional step below to assign a workflow rule to the Job Information element.

4. **OPTIONAL**: Assign the **WF_jobInfo** rule to the Job Information to see how workflow derivation rule works in conjunction with the event reason derivation rule.

Field	Value
HRIS Element	Job Information
Base Object	Job Information Model
Event Type	onSave
Rules	WF_jobInfo

Verify if both rules are working by initiating another change to Marcus Hoff's Is eligible for benefit field. The transaction should derive the**Benefits Adjustment** request with the **Data Change(DTACHNG)** workflow.

© Copyright. All rights reserved.



Note:
You can take the configuration a step further by modifying the **jobInfoModel_ERD_migrated_rule** to insert another*Else If* and *Then* expressions that will set the event reason to *Benefits Adjustment (PAYBEN)* instead of creating the ERD_JOBINFO rule. At the same time, you can modify the**WF_jobInfo** rule to include another *Else If* and *Then* expressions and set a separate workflow for the benefit adjustment request.

Task 2: Create a new Workflow and a Workflow Derivation Rule

1. Create a new workflow for changes in the Job Relationships. Use the information provided in the table to create the approval process.

   Table 35: Workflow Details

Workflow ID: JobRelWorkFlow	
Workflow Name: Job Relationship WF	
Is Delegate Supported: No	
Approver 1 (Step 1)	
Approver Type	Role
Approver Role	Manager Manager
Approver 2 (Step 2)	
Approver Type	Dynamic Role
Approver Role	HR Approval
All other attributes remain at default.	

2. Changes to job relationships can be initiated by managers, HR and administrators. Create a business rule that will trigger the **JobRelWorkFlow** when the transaction is submitted by users NOT included in the System Administrators permission group. Use the information provided in the table.

   Table 36: Rule Details

Field	Value
Rule Scenario	Trigger Workflows
Rule Name/ID	WF_JobRel
Base Object	Job Relationships Model
Condition	If Job Relationship Type or Name value ≠ previous value AND user is in Permission Group ≠ "System Administrators"
Action	Set wfConfig Value = JobRelWorkFlow
Condition	If Job Relationship Type or Name value ≠ previous value AND user is in Permission Group = "System Administrators"

© Copyright. All rights reserved.

Field	Value
Action	No workflow
Trigger/Event Type	onSave

3. Proxy as Sean Arnold. Go to Jennifer Fuller's profile and attempt to add a new job relationship. Do not submit the transaction. It's enough to see if the rule is triggered. Use the information provided in the table.

Field	Value
Effective Date	Today's date
Type	Matrix Manager
Name	Janet James

Use *Become Self* to get out of proxy. Attempt the same transaction as the admin. The transaction should be saved without approval.

© Copyright. All rights reserved.

Unit 7
Solution 22

Exercise: Create an event reason and workflow derivation rule

Business Example

ACE Corp wants to automate the event reason and workflow derivation to streamline their business process. You will create a sample ERD rule and assign it to the Job Information. You will also create a new workflow that must be triggered when changes are made to the job relationships.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Watch the Creating Event Reason and Workflow Derivation Rules video to learn how to create derivation rules.

Task 1: Create an Event Reason Derivation Rule

1. Create a rule that will set the event reason to *Benefits Adjustment (PAYBEN)* when the *Is Eligible for Benefit* field is updated. Go to *Configure Business Rules* and use the table to define the rule.

   Table 34: Rule Details

Field	Value
Rule Scenario	Trigger Event Reason Derivation
Rule Name/ID	ERD_JOBINFO
Base Object	Job Information Model
Condition	If Event Reason Value ≠ Null
Action	No event reason derived
Condition	If Is Eligible for Benefit value ≠ previous value
Action	Set Event reason = Benefits Adjustment (PAYBEN)
Trigger/Event Type	onSave

   a) Navigate to *Configure Business Rules*.

© Copyright. All rights reserved.

b) In *Business Rules Admin*, select + sign to add a new rule.

c) Use the screenshot as the guide.




Figure 2: ERD Rule

d) Save.

2. Go to Manage Business Configuration. Assign the **ERD_JOBINFO** rule to the Job Information element.

Field	Value
HRIS Element	Job Information
Base Object	Job Information Model
Event Type	onSave
Rules	ERD_JOBINFO

Place the **ERD_JOBINFO** rule before the **jobInfoModel_ERD_migrated_rule** for the rule to be processed first.

a) Navigate to *Manage Business Configuration*.

b) Choose *jobInfo* → *Take Action* → *Make Correction*.

c) Scroll down to the Trigger Rules section.

d) Add *Base object: Job Information Model* → *Event Type: onSave* → *Rules: ERD_JOBINFO* → *Enabled: Yes*

e) Using the up/down arrows on the right, place the rule on top of the *jobInfoModel_ERD_migrated_rule*

f) Select *Save*.

3. Verify if the rule works. Go to Marcus Hoff's profile. Initiate a change to the *Is Eligible for Benefit* field in the Job Information using the information provided in the table.

© Copyright. All rights reserved.

Field	Value
Profile Category	Job Data
Profile Card	Job Details
Effective Date	Today's date
Is Eligible for Benefit	Set to either Yes or No

The transaction is saved without an approval process because there is no workflow derivation rule assigned for Job Information changes. Use the optional step below to assign a workflow rule to the Job Information element.

4. **OPTIONAL**: Assign the **WF_jobInfo** rule to the Job Information to see how workflow derivation rule works in conjunction with the event reason derivation rule.

Field	Value
HRIS Element	Job Information
Base Object	Job Information Model
Event Type	onSave
Rules	WF_jobInfo

Verify if both rules are working by initiating another change to Marcus Hoff's Is eligible for benefit field. The transaction should derive the**Benefits Adjustment** request with the **Data Change(DTACHNG)** workflow.



Note:
You can take the configuration a step further by modifying the **jobInfoModel_ERD_migrated_rule** to insert another*Else If* and *Then* expressions that will set the event reason to *Benefits Adjustment (PAYBEN)* instead of creating the ERD_JOBINFO rule. At the same time, you can modify the**WF_jobInfo** rule to include another *Else If* and *Then* expressions and set a separate workflow for the benefit adjustment request.

Task 2: Create a new Workflow and a Workflow Derivation Rule

1. Create a new workflow for changes in the Job Relationships. Use the information provided in the table to create the approval process.

Table 35: Workflow Details

Workflow ID: JobRelWorkFlow
Workflow Name: Job Relationship WF
Is Delegate Supported: No
Approver 1 (Step 1)

© Copyright. All rights reserved.

Approver Type	Role
Approver Role	Manager Manager
Approver 2 (Step 2)	
Approver Type	Dynamic Role
Approver Role	HR Approval
All other attributes remain at default.	

a) Go to Manage Organization, Pay and Job Structures.

b) Use the details in the table to create the workflow configuration.

2. Changes to job relationships can be initiated by managers, HR and administrators. Create a business rule that will trigger the **JobRelWorkFlow** when the transaction is submitted by users NOT included in the System Administrators permission group. Use the information provided in the table.

Table 36: Rule Details

Field	Value
Rule Scenario	Trigger Workflows
Rule Name/ID	WF_JobRel
Base Object	Job Relationships Model
Condition	If Job Relationship Type or Name value ≠ previous value AND user is in Permission Group ≠ "System Administrators"
Action	Set wfConfig Value = JobRelWorkFlow
Condition	If Job Relationship Type or Name value ≠ previous value AND user is in Permission Group = "System Administrators"
Action	No workflow
Trigger/Event Type	onSave

a) Go to Configure Business Rules.

b) Create a new rule using the information provided in the screenshot.

© Copyright. All rights reserved.




Figure 3: Trigger Workflow Rule

c) Go to *Manage Business Configuration* → *Job Relationships* → *Trigger Rules section*. Add the WF_JobRel rule using the onSave event type.

3. Proxy as Sean Arnold. Go to Jennifer Fuller's profile and attempt to add a new job relationship. Do not submit the transaction. It's enough to see if the rule is triggered. Use the information provided in the table.

Field	Value
Effective Date	Today's date
Type	Matrix Manager
Name	Janet James

Use *Become Self* to get out of proxy. Attempt the same transaction as the admin. The transaction should be saved without approval.

© Copyright. All rights reserved.

Unit 7
Exercise 23

Exercise: Create a hire/rehire rule

Business Example

ACE Corp would like to streamline the New Hire process for its admins. Most new hires are in the United States and use a Social Security Number as their primary National ID. In this exercise, you will create a configurable rule that will, as a default, autofill the fields National ID Card Type, Is Primary, and Country.



Note:
You must have completed the Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on exercise. This exercise activity is not required for completing subsequent hands-on exercises for this course.

Task 1: Create a Hire/Rehire Rule

1. Go to Manage Business Rules to create a hire/rehire rule. Set the IF statement to "Always True". Set the THEN statement to default the Country, Card Type, and Is Primary fields. Use the table to define the rule.

Table 37: National ID Rule

Field	Value
Rule Scenario	**`Trigger OnInit Rules for Hire/ Rehire`**
Rule Name	**`USA National ID`**
Rule ID	**`INIT_NAT_ID`**

Table 38: THEN Statement

THEN STATEMENT				
Set	*National ID Information.Country .Value*	*to be equal to*	*Text*	*USA*
Set	*National ID Information. Is Primary.Value*	*to be equal to*	*Boolean*	*Yes*
Set	*National ID Information.National ID Card Type.Value*	*to be equal to*	*Text*	*ssn*

© Copyright. All rights reserved.



Note:
The order of the expressions in the rule matters. It should be Country, then Is Primary, then Card Type. The text values are also case-sensitive.

Task 2: Assign the Rule

Having created the rule, you will now associate the new rule with the HRIS field or element.

1. Go to Manage Business Configuration to assign/set the rule to trigger onInit in the National ID Card block.

Task 3: Test the Rule

Having created the configurable rule and associated it with the HRIS element, you will now need to test the rule.

1. Use the Add New Employee wizard to test if the National ID fields are prepopulated.

© Copyright. All rights reserved.

Unit 7
Solution 23

Exercise: Create a hire/rehire rule

Business Example

ACE Corp would like to streamline the New Hire process for its admins. Most new hires are in the United States and use a Social Security Number as their primary National ID. In this exercise, you will create a configurable rule that will, as a default, autofill the fields National ID Card Type, Is Primary, and Country.



Note:
You must have completed the Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on exercise. This exercise activity is not required for completing subsequent hands-on exercises for this course.

Task 1: Create a Hire/Rehire Rule

1. Go to Manage Business Rules to create a hire/rehire rule. Set the IF statement to "Always True". Set the THEN statement to default the Country, Card Type, and Is Primary fields. Use the table to define the rule.

Table 37: National ID Rule

Field	Value
Rule Scenario	**`Trigger OnInit Rules for Hire/ Rehire`**
Rule Name	**`USA National ID`**
Rule ID	**`INIT_NAT_ID`**

Table 38: THEN Statement

THEN STATEMENT				
Set	*National ID Information.Country .Value*	*to be equal to*	*Text*	*USA*
Set	*National ID Information. Is Primary.Value*	*to be equal to*	*Boolean*	*Yes*
Set	*National ID Information.National ID Card Type.Value*	*to be equal to*	*Text*	*ssn*

© Copyright. All rights reserved.

> Note:
> The order of the expressions in the rule matters. It should be Country, then Is Primary, then Card Type. The text values are also case-sensitive.

a) Go to *Configure Business Rules*.

b) Select *Create New Rule (+)*.

c) Expand Employee Central Core Scenarios and select *Trigger Rules for Hire/Rehire*.

d) Create the rule using the table, National ID Rule.

e) For the condition, set the IF statement to *Always True*.

f) For the action, follow the table, THEN Statement.

g) Enter each **SET** as separate expressions.

h) Delete extra entry lines from the collection filter.




Figure 4: National ID Rule

i) *Save*.

Task 2: Assign the Rule

Having created the rule, you will now associate the new rule with the HRIS field or element.

1. Go to Manage Business Configuration to assign/set the rule to trigger onInit in the National ID Card block.
   a) Navigate to *Manage Business Configuration*.
   b) In the HRIS Elements, select *nationalIdCard*.
   c) In the Trigger rules, select Base Object: Employee Information | Event Type: onInit | Rules: USA National ID
   d) Save the change. Accept the changes to the Data Model by BCUI by choosing **`Yes`**.

Task 3: Test the Rule

Having created the configurable rule and associated it with the HRIS element, you will now need to test the rule.

1. Use the Add New Employee wizard to test if the National ID fields are prepopulated.
   a) In your instance, go to *Add New Employee* and enter the following details:

Field	Value
Hire Date	**`[Today's date]`**
Company	**`ACE USA`**

© Copyright. All rights reserved.

Event Reason	**New Hire**

b) In the *National ID Information* screen area, verify that “United States” appears in the *Country* field and “Social Security Number” appears in the *National ID Card Type* field, as default.

c) Select *Cancel*.

© Copyright. All rights reserved.

Exercise: Create a propagation rule

Business Example

ACE Corp wants to use a business rule to propagate fields in Job Information. When updating Job Information, the Employee Class and Pay Grade must be auto-populated from the Job Classification record selected.

> Note:
> You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Verify existing configuration


1. Test the existing setup for Job Information. Update Wilma Sown's Job Classification to Senior Director, Sales and verify that the pay grade does NOT change. Do NOT save your transaction.

Task 2: Create a propagation rule

1. Create a propagation rule that copies the values of the Job Classification's Employee Class and Pay Grade fields to the Job Information's Employee Class and Pay Grade fields. Use the table and the image to define the rule:

   Table 39: Rule Parameters

Rule Scenario	Trigger onChange Rules for HRIS Elements
Rule Name	Propagate Job Classification to Job Info
Rule ID	Propagate_Job_Classification_to_Job_Info
Start Date	01/01/1900
Description	For configuring jobClassification to jobInfo field propagations
Base Object	Job Information Model



© Copyright. All rights reserved.

Task 3: Assign and test the rule

1. Go to Manage Business Configuration to assign/set the rule to trigger onChange in the job-code field.
2. Go to Wilma Sown's profile to test the rule to verify if the propagation works when the Job Code field value is changed.

© Copyright. All rights reserved.

Unit 7
Solution 24

Exercise: Create a propagation rule

Business Example

ACE Corp wants to use a business rule to propagate fields in Job Information. When updating Job Information, the Employee Class and Pay Grade must be auto-populated from the Job Classification record selected.



Note:
You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Verify existing configuration

1. Test the existing setup for Job Information. Update Wilma Sown's Job Classification to Senior Director, Sales and verify that the pay grade does NOT change. Do NOT save your transaction.
   a) Log in to your instance.
   b) Navigate to *Wilma Sown* → *Actions* → *Change Job and Compensation Info* .
   c) Select *Job Information* and set the effective date to **`Today`**.
   d) Change *Job Classification* → *Senior Director, Sales (SALES-SR_DIR)*.
   e) Verify that the pay grade does NOT change.
   f) Cancel your changes.

Task 2: Create a propagation rule


1. Create a propagation rule that copies the values of the Job Classification's Employee Class and Pay Grade fields to the Job Information's Employee Class and Pay Grade fields. Use the table and the image to define the rule:

   Table 39: Rule Parameters

Rule Scenario	Trigger onChange Rules for HRIS Elements
Rule Name	Propagate Job Classification to Job Info
Rule ID	Propagate_Job_Classification_to_Job_Info
Start Date	01/01/1900
Description	For configuring jobClassification to jobInfo field propagations

© Copyright. All rights reserved.

Base Object	Job Information Model



a) Go to *Configure Business Rules*.

b) Select + to add a new rule.

c) Select *Trigger onChange Rules for HRIS Elements* rule scenario.

d) Complete the rule properties on the right side of the page according to the table and choose *Continue*.

e) Complete the IF and THEN statements of the rule according to the Image.

f) Choose *Save*

Task 3: Assign and test the rule

1. Go to Manage Business Configuration to assign/set the rule to trigger onChange in the job-code field.
   a) Navigate to Manage Business Configuration.
   b) Under HRIS Elements, choose jobInfo.
   c) Locate the **job-code** field.
   d) Select *Details*.
   e) Go to the *Trigger Rules* section. Set the Base Object to **`Job Information Model`** . Set the event type to **`onChange`**.
   f) Select the rule **`Propagate Job Classification to Job Info`**.
   g) Select *Done* and *Save*.
   h) If required, choose *Yes* if a confirmation box appears for required adjustments to the data model.
2. Go to Wilma Sown's profile to test the rule to verify if the propagation works when the Job Code field value is changed.
   a) Log in to your instance.
   b) Navigate to *Wilma Sown* → *Actions* → *Change Job and Compensation Info* .
   c) Select *Job Information* and set the effective date to Today.
   d) Change *Job Classification* to *Senior Director, Sales (SALES-SR_DIR)* .
   e) Verify that the pay grade DOES change.
   f) Cancel your changes.

© Copyright. All rights reserved.

Exercise: Create a cross-entity rule

Business Example

ACE Corporation wants to leverage the auto-population function of Employee Central by adding an HR Manager to the Employee based on the Business Unit selected.

In this example, you will configure individuals assigned to the Corporate Industries Business Unit in the Ace USA legal entity to have Nancy Nash as their HR Manager.

> Note:
> You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Create the rule

1. Go to Manage Business Rules to create a cross entity rule that adds Nancy Nash as the HR Manager when the Employees are assigned to the Legal Entity (Company) Ace USA and Business Unit Corporate Industries in their Employee File. Use the table and image to define the rule:

Rule Scenario	Trigger Cross-Entity Rules
Rule Name	Assign Corporate Industries HR Manager
Rule ID	Assign_Corporate_Industries_HR_Manager
Start Date	01/01/1900
Description	
Base Object	Job Information Model



Figure 5: Cross-Entity Rule for Nancy Nash

Task 2: Assign and test the rule

1. Go to Manage Business Configuration to assign/set the rule to trigger onSave in the Job Information block.

© Copyright. All rights reserved.

2. Go to Susan Shue's profile to test your rule. To test the rule without the approval process, you can disable the WF_jobinfo rule in Manage Business Configuration temporarily or initiate the transaction in the Job Information History using Transfer event and Department Change as event reason.

© Copyright. All rights reserved.

Unit 7
Solution 25

Exercise: Create a cross-entity rule

Business Example

ACE Corporation wants to leverage the auto-population function of Employee Central by adding an HR Manager to the Employee based on the Business Unit selected.

In this example, you will configure individuals assigned to the Corporate Industries Business Unit in the Ace USA legal entity to have Nancy Nash as their HR Manager.

> Note:
> You must have completed Prepare an Instance (Unit 1) and Prepare the Data Models (Unit 2) exercises before completing this hands-on. This exercise activity is not required for completing succeeding hands-on exercises for this course.

Task 1: Create the rule

1. Go to Manage Business Rules to create a cross entity rule that adds Nancy Nash as the HR Manager when the Employees are assigned to the Legal Entity (Company) Ace USA and Business Unit Corporate Industries in their Employee File. Use the table and image to define the rule:

Rule Scenario	Trigger Cross-Entity Rules
Rule Name	Assign Corporate Industries HR Manager
Rule ID	Assign_Corporate_Industries_HR_Manager
Start Date	01/01/1900
Description	
Base Object	Job Information Model



Figure 5: Cross-Entity Rule for Nancy Nash

a) Go to *Configure Business Rules*.

b) Select + to add a new rule.

c) Select *Employee Central Core* → *Trigger Cross-Entity Rules* rule scenario.

© Copyright. All rights reserved.

d) Complete the rule properties on the right side of the page according to the table and choose *Continue*.

e) Complete the IF and THEN statements of the rule according to the image.

f) Choose *Save*.

Task 2: Assign and test the rule

1. Go to Manage Business Configuration to assign/set the rule to trigger onSave in the Job Information block.
   a) Navigate to Manage Business Configuration.
   b) Under HRIS Elements, choose jobInfo.
   c) Under *Trigger Rules*, set the last trigger Base Object to Job Information Model.
   d) Under *Trigger Rules*, set the event type to **`onSave`**.
   e) Under *Trigger Rules*, select the rule **`Assign Corporate Industries HR Manager`**.
   f) Select *Save*.
   g) If required, choose *Yes* if a confirmation box appears for required adjustments to the data model.
2. Go to Susan Shue's profile to test your rule. To test the rule without the approval process, you can disable the WF_jobinfo rule in Manage Business Configuration temporarily or initiate the transaction in the Job Information History using Transfer event and Department Change as event reason.
   a) Log in to your instance.
   b) Navigate to *Susan Shue* → *Job relationships* .
   c) Verify that no Job Relationship Entries exist.
   d) Choose *Actions* → *Change Job and Compensation Info* .
   e) Select *Job Information* and set the effective date to **`Today`**.
   f) Change *Department* to **`Sales`**. Note the Legal Entity and Business Unit match the IF criteria in the rule.
   g) Save the changes. Select Submit to go through the approval process.
   h) There are three approval steps. Use proxy to approve each step.
      The approvers are:
      i. Step 1: Darlene Sharp
      ii. Step 2: Sid Morton
      iii. Step 3: Talent Approval (you can proxy as Alex Anderson)
   i) Once the workflow has been completed, refresh the Employee File Page.
   j) Verify that a new entry appears for Nancy Nash in Job Relationships.

© Copyright. All rights reserved.

Unit 8
Exercise 26

Optional Exercise: Create a new custom hire template

Business Example

ACE would like to test a custom hire template if it meets their hiring needs.

1. Go to Manage Data to create a custom New Hire template for testing purposes. Use the information provided in the table. If you do not see an option to create a Hire Template in Manage Data, you might have missed setting the permissions in Manage Business Configuration in RBP Unit 1.

Table 40: New Hire Template

Template ID	ACE Hires
Effective Start Date	1/1/1990
Status	Active
Name	ACE Hires
Template Type	Employee

Table 41: Section Configuration

Hire Block Type	EC Block Type	MDF Block Type	Show in Workflow
Name: Legal Info			
HRIS Element	Employment ID Information	No Selection	No
HRIS Element	Name Information	No Selection	No
HRIS Element	National ID Information	No Selection	No
Name: Personal Info			
HRIS Element	Personal Information	No Selection	No
HRIS Element	Biographical Information	No Selection	No
HRIS Element	Address Information	No Selection	No
HRIS Element	Email Information	No Selection	No
Name: Employment Info			
HRIS Element	Job Information	No Selection	No

© Copyright. All rights reserved.

HRIS Element	Employment Information	No Selection	No
HRIS Element	Job Relationships	No Selection	No
HRIS Element	Compensation Information	No Selection	No

© Copyright. All rights reserved.

Optional Exercise: Create a new custom hire template

Business Example

ACE would like to test a custom hire template if it meets their hiring needs.

1. Go to Manage Data to create a custom New Hire template for testing purposes. Use the information provided in the table. If you do not see an option to create a Hire Template in Manage Data, you might have missed setting the permissions in Manage Business Configuration in RBP Unit 1.

Table 40: New Hire Template

Template ID	ACE Hires
Effective Start Date	1/1/1990
Status	Active
Name	ACE Hires
Template Type	Employee

Table 41: Section Configuration

Hire Block Type	EC Block Type	MDF Block Type	Show in Workflow
Name: Legal Info			
HRIS Element	Employment ID Information	No Selection	No
HRIS Element	Name Information	No Selection	No
HRIS Element	National ID Information	No Selection	No
Name: Personal Info			
HRIS Element	Personal Information	No Selection	No
HRIS Element	Biographical Information	No Selection	No
HRIS Element	Address Information	No Selection	No
HRIS Element	Email Information	No Selection	No
Name: Employment Info			
HRIS Element	Job Information	No Selection	No

© Copyright. All rights reserved.

HRIS Element	Employment Information	No Selection	No
HRIS Element	Job Relationships	No Selection	No
HRIS Element	Compensation Information	No Selection	No

a) Go to *Manage Data* → *Create New* → *Hire Template*.

b) Use the information from the New Hire Template table to complete the Hire Template fields.

c) Select *Details* in the *Section Configurations* to enter block configurations as described in the table.

d) Select *Done* and then *Save*.

e) Go to *Add New Employee* using Action Search. You now see the *Basic Data* pop-up window where the selection of *Hire Template* is available.

© Copyright. All rights reserved.