Courier Management System (CMS)

User Story:

Courier and logistics companies often struggle to efficiently manage shipments and deliveries due to reliance on manual processes and disconnected systems. The absence of a centralized shipment tracking mechanism makes it difficult to monitor parcel movement in real time, resulting in delayed delivery updates and poor visibility for customers. Delivery agent assignments are performed manually, increasing the chances of scheduling conflicts and operational delays. Furthermore, the lack of automated notifications prevents timely communication with customers, while the absence of performance analytics limits managerial insight into operational efficiency. Managing multiple branches becomes complex without an integrated platform, leading to coordination issues across locations. Collectively, these challenges result in customer dissatisfaction, reduced productivity, operational inefficiencies, and ultimately revenue loss for the organization.

1. INTRODUCTION

1.1 Project Overview :

Courier and logistics companies face challenges in efficiently managing shipments and deliveries due to manual operations and disconnected systems. These issues lead to delayed updates, poor customer visibility, and operational inefficiencies.

The Courier Management System (CMS) is a Salesforce-based cloud solution that centralizes shipment booking, tracking, delivery agent assignment, automated status updates, billing, and analytics. The system improves operational efficiency, enhances customer satisfaction, and provides real-time business insights.


1.2 Purpose :

The purpose of the Courier Management System (CMS) is to automate and centralize courier and logistics operations using the Salesforce platform. The system aims to replace manual and fragmented processes with an integrated digital solution that enables efficient shipment booking, real-time tracking, delivery agent assignment, automated notifications, billing, and performance reporting. By providing a single, unified platform for managing shipments across multiple branches, CMS improves operational visibility, enhances customer communication, reduces delays and errors, and supports faster decision-making through analytics. Ultimately, the system is designed to increase service efficiency, customer satisfaction, and overall business profitability.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)


PS	**I am (Customer)**	**I'm trying to**	**But**	**Because**	**Which makes me feel**
PS-1	Branch Manager	manage shipments efficiently	tracking is manual	systems are disconnected	stressed
PS-2	Customer	track parcels	updates are delayed	no centralized system	uncertain



2.2 Empathy Map Canvas

User Persona: Branch Manager

- **Think & Feel:** Concerned about delays & errors
- **Hear:** Customer complaints
- **See:** Registers & spreadsheets
- **Say & Do:** Manual follow-ups
- **Pain:** Delivery conflicts & missed updates
- **Gain:** Automated tracking & dashboards



2.3 Brainstorming & Idea Prioritization


Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone portal
- Salesforce CRM

Final Selection

Salesforce CRM selected due to:

- Automation
- Scalability
- Real-time visibility




3.REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stages:

- Booking → Shipment Creation → Agent Assignment → Transit → Delivery Update → Invoice → Reporting



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Customer management
FR-2	Shipment booking
FR-3	Delivery agent assignment
FR-4	Real-time status updates
FR-5	Invoice generation

FR-6	Reports & dashboards


Non-Functional Requirements

NFR	**Description**
Usability	Easy Lightning interface
Security	Role-based access control
Reliability	Error-free automation
Performance	Fast tracking updates
Availability	24/7 cloud access
Scalability	Supports growing branches

3.3 Data Flow Diagram

Flow:

Customer Input → Shipment Creation → Validation → Agent Assignment → Delivery Update → Invoice → Reports



3.4 Technology Stack

Layer	**Technology**
UI	Salesforce Lightning
Logic	Salesforce Flows
Database	Salesforce Objects
Automation	Validation Rules, Flows
Security	Profiles, Roles
Reporting	Reports & Dashboards

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

CMS eliminates fragmented courier operations by automating shipment tracking, delivery assignment, billing, and reporting within a centralized Salesforce platform.



4.2 Proposed Solution

Functional Requirements


Parameter	Description

Problem	Manual shipment management
Solution	Salesforce CMS
Innovation	Automated tracking & billing
Impact	Faster deliveries
Business Model	Courier services
Scalability	Multi-branch ready

4.3 Solution Architecture

Components:

- Customer Object
- Shipment Object
- Delivery Agent Object
- Branch Object
- Delivery Update Object
- Invoice Object
- Flows
- Reports
- Dashboards



5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create and configure a Salesforce developer account so that I can set up and deploy the Courier Management System.	3	High	Member1
Sprint-2	Data Modeling	USN-2	As an admin, I want to create Customer, Shipment, Delivery	5	High	Member2

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
			Agent, Branch, and Invoice objects with proper relationships so that courier data is stored and managed efficiently.			
Sprint-2	Data Modeling	USN-3	As a staff member, I want tabs and a Lightning App for all courier modules so that I can easily navigate and perform daily operations.	5	High	Member3
Sprint-3	Automation	USN-4	As a system, I want to validate shipment details such as delivery dates, addresses, and mandatory fields so that incorrect or incomplete records are prevented.	3	High	Member4
Sprint-3	Automation	USN-5	As a dispatcher, I want automated flows for shipment status updates and agent assignment so that deliveries are processed faster without manual intervention.	3	High	Member4
Sprint-4	Security	USN-6	As an administrator, I want role-based access control for managers, agents, and staff so that sensitive shipment and billing data is secure.	5	High	Member2
Sprint-5	Reports	USN-7	As a branch manager, I want reports showing delivery performance, shipment status, and revenue so that I can monitor operations and make informed decisions.	4	High	Member3
Sprint-6	Dashboards	USN-8	As a branch manager, I want dashboards showing delivery performance, shipment status, and revenue so that I can monitor operations and make informed decisions.	4	Medium	Member4

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	3	6 Days	17 Aug 2026	22 Aug 2026	3	22 Aug 2026


Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-2	10	6 Days	24 Aug 2026	29 Aug 2026	10	29 Aug 2026
Sprint-3	6	6 Days	31 Aug 2026	05 Sep 2026	6	05 Sep 2026
Sprint-4	5	6 Days	07 Sep 2026	12 Sep 2026	5	12 Sep 2026
Sprint-5	4	6 Days	14 Sep 2026	19 Sep 2026	4	19 Sep 2026
Sprint-6	4	6 Days	21 Sep 2026	26 Sep 2026	4	26 Sep 2026
Total	32	36 Days	17 Aug 2026	26 Sep 2026	32	26 Sep 2026

Velocity Calculation

Average velocity = total story points ÷ number of sprints = 32 ÷ 6 ≈ 5.33 story points per sprint (sprint duration: 6 days). All six sprints delivered their planned story points, so the project was completed as scheduled.

Burndown Chart

The chart below compares the remaining story points after each sprint with the ideal burndown line.



6. Project Development Phase:

What you'll learn

1. Real-time Salesforce project implementation
2. Designing custom objects and relationships
3. Creating page layouts and tabs
4. Writing validation rules
5. Building automation with flows
6. Developing reports & dashboards
7. Setting up security with profiles, roles, and sharing settings
8. End-to-end application testing

Milestone 1: Salesforce Account

Introduction:

New to Salesforce and unsure where to start? Curious how real business applications—like shipment booking, parcel tracking, and delivery management—can be built on the platform? You're in the right place.

Welcome to the Courier Management System project!

Salesforce offers powerful tools that help automate processes, improve accuracy, and manage customer operations with ease. In this project, you'll learn how Salesforce can streamline courier operations—from customer registration and shipment booking to delivery agent assignment, real-time status tracking, invoicing, and performance dashboards.

What Is Salesforce ?


Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships

with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.

Activity 1: Creating Developer Account

Creating a developer org in salesforce.

1. Go to https://developer.salesforce.com/signup
2. On the sign up form, enter the following details :
3. First name & Last name
4. Email




1) First name & Last name
2) Email
3) Job Title: Developer
4) Company: College Name
5) Country: India


Click on sign me up after filling these.

Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 10-30 mins and sometimes 2 hours.



2. Click on Verify Account
3.Give a password and answer a security question and click on change password.
4.Then you will redirect to your salesforce setup page.



Milestone 2- Object:

What is an object?

Salesforce objects are database tables that permit you to store data that is specific to an organization. It consists of fields (columns) and records (rows).

Custom Objects Created:

1. **Customer__c** – stores customer personal and contact information
2. **Shipment__c** – manages parcel details, source, destination, and tracking information
3. **Delivery_Agent__c** – maintains delivery agent profiles and branch details
4. **Branch__c** – represents courier branch offices
5. **Delivery_Update__c** – stores status updates for each shipment
6. **Invoice__c** – manages billing details for delivered shipments

Relationships:

Customer → Shipment (Lookup)

Shipment → Delivery_Agent (Lookup)

Delivery_Agent → Branch (Lookup)


Delivery_Update → Shipment (Master-Detail)

Invoice → Shipment (Lookup)

Steps to Implement :

Activity 1: Create Customer Object

1. Click Setup → Object Manager → Create → Custom Object




2. Enter the following details:

- Label: Customer
- Plural Label: Customers
- Record Name: Customer Name (Text)

3. Under Optional Features:

- Enable Allow Reports
- Enable Track Field History
- In Search Status check the box Allow Search
- In Object Creation Options check the box Add Notes and Attachments related list to default page layout

4. Click Save.



Activity 2: Create Shipment Object

1. Go to Setup → Object Manager → Create → Custom Object

2. Enter:

- Label: Shipment

- Plural Label: Shipments

- Record Name: Tracking Number (Auto Number)

3. Example Format: SHP-{00000}
   Starting Number: 0
4. Enable:

- Allow Reports

- Track Field History

5. Click Save

Activity 3: Create Delivery_Agent Object

1. Setup → Object Manager → Create → Custom Object

2. Enter:

- Label: Delivery Agent

- Plural Label: Delivery Agents

- Record Name: Agent Name (Text)

3. Enable:

- Allow Reports

- Track Field History

4. Click Save

Activity 4: Create Branch Object

1. Setup → Object Manager → Create → Custom Object

2. Enter:

- Label: Branch

- Plural Label: Branches

- Record Name: Branch Name (Text)

3. Enable:

- Allow Reports

4. Click Save.

Activity 5: Create Delivery_Update Object

1. Setup → Object Manager → Create → Custom Object

2. Enter:

- Label: Delivery Update

- Plural Label: Delivery Updates

- Record Name: Update Number (Auto Number)

3. Example Format: UPD-{0000}
   Enter Starting number : 0
4. Enable:

- Allow Reports

- Track Field History

5. Click Save.

Activity 6: Create Invoice Object

1. Setup → Object Manager → Create → Custom Object

2. Enter:

- Label: Invoice

- Plural Label: Invoices

- Record Name: Invoice Number (Auto Number)

3. Example Format: INV-{0000}
   Enter Starting number: 0
4. Enable:

- Allow Reports

- Track Field History

5. Click Save


Milestone 3 - Tabs

Tab:

Tabs in Salesforce help users view the information at a glance. It displays the data of objects and other web content in the application.

Activity 1: Creating a Tab for Customer Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.



3. For Object, select Customer.
4. For Tab Style, choose any icon.

5. Leave all default settings as they are.
6. Click Next, Next, and Save.

Activity 2: Creating a Tab for Shipment Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.
3. For Object, select Shipment.
4. Choose any Tab Style.
5. Keep defaults unchanged.
6. Click Next, Next, and Save.

Activity 3: Creating a Tab for Delivery Agent Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.
3. For Object, select Delivery Agent.
4. Pick any Tab Style.
5. Leave default settings.
6. Click Next, Next, and Save.

Activity 4: Creating a Tab for Branch Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.
3. For Object, select Branch.

4. Choose any Tab Style.
5. Keep all defaults.
6. Click Next, Next, and Save.

Activity 5: Creating a Tab for Delivery Update Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.
3. For Object, select Delivery Update.
4. Select any Tab Style.
5. Keep default configurations.
6. Click Next, Next, and Save.

Activity 6: Creating a Tab for Invoice Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.
3. For Object, select Invoice.
4. Select any Tab Style.
5. Leave defaults unchanged.
6. Click Next, Next, and Save.

Milestone 4: Fields & Relationships

What are fields ?

Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record.

Activity 1: Creation of fields for the Customer Object

Field Name	API Name	Data Type	Required	Description
Customer Name	Name	Text	Yes	Full name of customer
Email	Email__c	Email	Yes	Customer email
Phone	Phone__c	Phone	Yes	Customer contact number
Address	Address__c	Text Area	Yes	Customer address
Customer Type	Customer_Type__c	Picklist	Yes	Regular / Business
City	City__c	Text	No	Customer city
State	State__c	Text	No	Customer state
Pincode	Pincode__c	Text	No	Postal code
Is Active	Is_Active__c	Checkbox	No	Active status

1. Email (Email Field)

- Go to Setup → Object Manager → Customer__c
- Click Fields & Relationships → New
- Select Email → Next
- Field Label: Email
- Check the Required box
- Click Next → Next → Save

2. Phone (Phone Field)

- Setup → Object Manager → Customer__c
- Fields & Relationships → New
- Select Phone → Next
- Field Label: Phone
- Check Required
- Click Next → Next → Save

3. Address (Text Area)

- Setup → Object Manager → Customer__c
- Fields & Relationships → New
- Select Textarea → Next
- Field Label: Address
- Check Required
- Save

4. Customer Type (Picklist)

- Setup → Customer__c → Fields → New
- Picklist → Next
- Field Label: Customer Type
- Enter values:
    - Regular
    - Business
- Check Required
- Save

5. City (Text)

- Setup → Customer__c → Fields → New
- Text → Next
- Field Label: **City**
- Save

6. State (Text)

- Setup → Customer__c → Fields → New
- Text → Next
- Field Label: **State**
- Save

7. Pincode (Text)

- Setup → Customer__c → Fields → New
- Text → Next
- Field Label: **Pincode**
- Save

8. Is Active (Checkbox)

- Setup → Customer__c → Fields → New
- Checkbox → Next
- Field Label: **Is Active**
- Save

Activity 2: Creation of fields for the Shipment Object

Field Name	API Name	Data Type	Required	Description
Tracking Number	Name	Auto Number	Yes	Unique ID
Customer	Customer__c	Lookup(Customer)	Yes	Related customer
Source Address	Source_Address__c	Text Area	Yes	Pickup location

Destination Address	Destination_Address__c	Text Area	Yes	Delivery location
Weight	Weight__c	Number	Yes	Parcel weight
Price	Price__c	Currency	Yes	Shipping charge
Status	Status__c	Picklist	Yes	Shipment status
Expected Date	Expected_Date__c	Date	Yes	Delivery estimate
Assigned Agent	Assigned_Agent__c	Lookup(Delivery_Agent)	No	Delivery agent
Shipment Type	Shipment_Type__c	Picklist	Yes	Domestic/International
Branch Name	Branch_Name__c	Formula (Text)	No	Branch of the assigned agent

1. Source Address (Text Area)

- Setup → Shipment__c → Fields → New
- Textarea → Next
- Field Label: **Source Address**
- Required → Save

2. Destination Address (Text Area)

- Setup → Shipment__c → Fields → New

- Textarea → Next
- Field Label: **Destination Address**
- Required → Save

3. Weight (Number)

- Setup → Shipment__c → Fields → New
- Number → Next
- Field Label: **Weight**
- Required → Save

4. Price (Currency)

- Setup → Shipment__c → Fields → New
- Currency → Next
- Field Label: **Price**
- Required → Save

5. Status (Picklist)

Values:

- Booked
- In Transit

- Out for Delivery
- Delayed
- Delivered
- Cancelled

Required → Save

6. Expected Date (Date)

- Setup → Shipment__c → Fields → New
- Date → Next
- Field Label: **Expected Date**
- Required → Save

7. Shipment Type (Picklist)

Values:

- Domestic
- International

Required → Save

8. Branch Name (Formula)

- Setup → Shipment__c → Fields → New
- Formula → Next
- Field Label: Branch Name

- Formula Return Type: Text → Next
- Formula: Assigned_Agent__r.Branch__r.Name
- Click Check Syntax → Next → Next → Save

Activity 3: Creation of fields for Delivery_Agent Object

Field Name	API Name	Data Type	Required
Agent Name	Name	Text	Yes
Email	Email__c	Email	Yes
Phone	Phone__c	Phone	Yes
Branch	Branch__c	Lookup	Yes
Status	Status__c	Picklist	Yes
Joining Date	Joining_Date__c	Date	No

1. Email

- Setup → Delivery_Agent__c → Fields → New
- Email → Next
- Field Label: Email
- Required → Save

2. Phone

- Setup → Delivery_Agent__c → Fields → New
- Phone → Next
- Field Label: Phone
- Required → Save

3. Status (Picklist)

Values:

- Active
- Inactive
- On Leave

Required → Save

4. Joining Date

- Setup → Delivery_Agent__c → Fields → New
- Date → Next
- Field Label: Joining Date
- Save

Activity 4: Creation of fields for Branch Object

Field Name	API Name	Data Type	Required

Branch Name	Name	Text	Yes
Branch Code	Branch_Code__c	Text	Yes
City	City__c	Text	Yes
State	State__c	Text	Yes
Manager Name	Manager_Name__c	Text	No

Create each field using:

- Setup → Branch__c → Fields → New
- Select respective Data Type
- Enter Field Label
- Save

(Repeat for all fields)

Activity 5: Creation of fields for Delivery_Update Object

Field Name	API Name	Data Type	Required
Update Number	Name	Auto Number	Yes
Shipment	Shipment__c	Master-Detail	Yes
Status	Status__c	Picklist	Yes
Update Date	Update_Date__c	DateTime	Yes

Remarks	Remarks__c	Text	No

Status Picklist Values:

- In Transit
- Out for Delivery
- Delivered
- Delayed

Required → Save

Activity 6: Creation of fields for Invoice Object

Field Name	API Name	Data Type	Required
Invoice Number	Name	Auto Number	Yes
Shipment	Shipment__c	Lookup	Yes
Amount	Amount__c	Currency	Yes
Invoice Date	Invoice_Date__c	Date	Yes
Payment Status	Payment_Status__c	Picklist	Yes

Payment Status Values

- Paid
- Unpaid
- Pending

Required → Save

Relationships :

Child Object	Field	Parent Object	Type
Shipment	Customer__c	Customer	Lookup
Shipment	Assigned_Agent__c	Delivery_Agent	Lookup
Delivery_Agent	Branch__c	Branch	Lookup
Delivery_Update	Shipment__c	Shipment	Master-Detail
Invoice	Shipment__c	Shipment	Lookup

Relationship Creation Steps :

Activity 1 – Shipment → Customer

- Setup → Shipment__c → Fields → New
- Lookup Relationship
- Related Object: **Customer__c**
- Field Label: **Customer**

- Save

Activity 2 – Shipment → Delivery Agent

- Setup → Shipment__c
- New → Lookup
- Object: **Delivery_Agent__c**
- Label: **Assigned Agent**
- Save

Activity 3 – Delivery Agent → Branch

- Setup → Delivery_Agent__c
- New → Lookup
- Related Object: **Branch__c**
- Label: **Branch**
- Save

Activity 4 – Delivery Update → Shipment

- Setup → Delivery_Update__c
- New → **Master-Detail**
- Related Object: **Shipment__c**
- Save

Activity 5 – Invoice → Shipment

- Setup → Invoice__c
- New → Lookup
- Object: **Shipment__c**
- Save

Milestone 5-Validation Rules :

Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

Activity 1: Create Validation Rules on Customer__c

1. Validation Rule: Email Must Not Be Blank

Steps:

- Click the Gear icon → Setup
- Go to Object Manager
- Search and select Customer__c
- From the left menu, click Validation Rules
- Click New
- Rule Name: Email_Required

- Check Active

In Error Condition Formula, paste:

ISBLANK(Email__c)

- Click Check Syntax
- Error Message: Email is required.
- Error Location: Field → Email
- Click Save.

2. Validation Rule: Phone Must Be 10 Digits

Steps:

- Setup → Object Manager → Customer__c
- Validation Rules → New
- Rule Name: Validate_Phone_Number
- Check Active

Formula:

LEN(Phone__c) <> 10

- Check Syntax
- Error Message: **Phone number must be 10 digits.**
- Error Location: Field → Phone
- Save

3. Validation Rule: Pincode Must Be 6 Digits

Steps:

- Setup → Object Manager → Customer__c
- Validation Rules → New
- Rule Name: Validate_Pincode
- Active → Yes

Formula:

LEN(Pincode__c) <> 6

- Error Message: **Pincode must be 6 digits.**
- Location: Field → Pincode
- Save

Activity 2: Create Validation Rules on Shipment__c

1. Validation Rule: Weight Must Be Greater Than Zero

Steps:

- Setup → Object Manager → Shipment__c
- Click Validation Rules → New
- Rule Name: Validate_Weight
- Active → Checked

Formula:

Weight__c <= 0

- Check Syntax
- Error Message: **Weight must be greater than zero.**
- Location: Field → Weight
- Save

2. Validation Rule: Price Must Be Greater Than Zero

Steps:

- Setup → Object Manager → Shipment__c
- Validation Rules → New
- Rule Name: Validate_Price
- Active → Yes

Formula:

Price__c <= 0

- Error Message: **Price must be greater than zero.**
- Location: Field → Price
- Save

3. Validation Rule: Expected Date Cannot Be in the Past

Steps:

- Setup → Object Manager → Shipment__c
- Validation Rules → New

- Rule Name: Validate_Expected_Date

Formula:

AND(ISNEW(), Expected_Date__c < TODAY())
Note: ISNEW() applies the rule only when a shipment is first created, so the status flows can still update an existing shipment after its expected date has passed.

- Check Syntax
- Error: **Expected delivery date cannot be in the past.**
- Location: Field → Expected Date
- Save

Activity 3: Create Validation Rules on Delivery_Agent__c

1. Validation Rule: Email Must Be Valid

Steps:

- Setup → Object Manager → Delivery_Agent__c
- Validation Rules → New
- Rule Name: Validate_Agent_Email
- Active → Yes

Formula:

NOT(CONTAINS(Email__c, "@"))

- Error Message: **Enter a valid email address.**
- Location: Field → Email
- Save

Activity 4: Create Validation Rules on Branch__c

1. Validation Rule: Branch Code Must Not Be Blank

Steps:

- Setup → Object Manager → Branch__c
- Validation Rules → New
- Rule Name: Branch_Code_Required

Formula:

ISBLANK(Branch_Code__c)

- Error Message: **Branch Code is mandatory.**
- Location: Field → Branch Code
- Save

Activity 5: Create Validation Rules on Delivery_Update__c

1. Validation Rule: Remarks Required If Status is Delayed

Steps:

- Setup → Object Manager → Delivery_Update__c
- Validation Rules → New
- Rule Name: Remarks_Required_For_Delay

Formula:

```
AND(
 ISPICKVAL(Status__c, "Delayed"),
 ISBLANK(Remarks__c)
)
```

- Error Message: **Remarks are required when status is Delayed.**
- Location: Field → Remarks
- Save

Milestone 6 - Page Layouts :

Page Layouts in Salesforce control what a user sees on a record page and how information is organized.
They help structure fields, sections, buttons, related lists, and other components in a clean and user-friendly way.
By customizing page layouts, we ensure that users can easily enter, update, and view the required data.

Activity 1: Edit Page Layout for Customer__c

Steps:

- Setup → Object Manager → Customer__c

- Click Page Layouts
- Click the default layout (usually Customer Layout)

Sections to Add & Arrange:

- Open the default layout
- In the top palette, click “Section”
- Drag the Section and drop it anywhere on the layout

A pop-up appears → Fill details:

- Section Name: “Customer Information”
- Layout:
    - 1-Column or
    - 2-Column (recommended)
- Tab-Key Order: Top-Down
- Click OK

The new section will appear on the layout.

- Drop fields inside the section (it will highlight).
- Repeat the same for each field.

Section 1: Customer Information

- Customer Name
- Customer Type
- Email
- Phone

- Is Active

Section 2: Address Details

- Address
- City
- State
- Pincode

9. Edit the layout as needed
10. Click Save.

Activity 2: Edit Page Layout for Shipment__c

Steps:

- Setup → Object Manager → Shipment__c
- Click Page Layouts
- Open the default Shipment Layout

Sections to Add:

Section 1: Shipment Details

- Tracking Number

- Customer
- Shipment Type
- Weight
- Price
- Status

Section 2: Address Information

- Source Address
- Destination Address

Section 3: Delivery Information

- Expected Date
- Assigned Agent
- Arrange fields properly
- Click Save

Activity 3: Edit Page Layout for Delivery_Agent__c

Steps:

- Setup → Object Manager → Delivery_Agent__c
- Page Layouts
- Open default Delivery Agent Layout

Arrange Fields:

Agent Details

- Agent Name
- Email
- Phone
- Branch
- Status
- Joining Date

Additional Information

- Related Shipments
- Related Delivery Updates
- Edit → Save

Activity 4: Edit Page Layout for Branch__c

Steps:

- Setup → Object Manager → Branch__c
- Page Layouts
- Open default Branch Layout

Sections:

Branch Information

- Branch Name
- Branch Code
- City
- State
- Manager Name
- Arrange fields
- Click Save

Activity 5: Edit Page Layout for Delivery_Update__c

Steps:

- Setup → Object Manager → Delivery_Update__c
- Page Layouts
- Open default Delivery Update Layout

Sections:

Update Information

- Update Number
- Shipment
- Status
- Update Date

- Remarks
- Arrange properly
- Click **Save**

Activity 6: Edit Page Layout for Invoice__c

Steps:

- Setup → Object Manager → Invoice__c
- Page Layouts
- Open default Invoice Layout

Sections:

Invoice Details

- Invoice Number
- Shipment
- Amount
- Invoice Date
- Payment Status
- Arrange fields as needed
- Click Save

Milestone 7 - Flows

In Salesforce, a flow is a powerful tool that allows you to automate business processes, collect and update data, and guide users through a series of screens or steps. Flows are built using a visual interface and can be created without any coding knowledge.

Activity 1: Auto-Update Shipment Status When Delivery Update is Created


Scenario:

Whenever a Delivery_Update__c record is created, automatically update the related Shipment__c Status with the latest status from Delivery Update.

Part 1: Create the Record-Triggered Flow


Step 1: Open Flow Builder

- Click the Gear Icon → Click Setup
- In the Quick Find box (left side), type Flows
- Click Flows
- Click the New Flow button



- Select Record-Triggered Flow

- Click Create



Step 2: Configure the Start (Trigger)

On the Start panel on the right:

- Object: select Delivery_Update__c
- Trigger the Flow When:
    - Select A record is created
- Condition Requirements:
    - Choose: None (Always Run the Flow)
- Optimize the Flow For:
    - Select Actions and Related Records
- Click Done

Part 2: Update Related Shipment Record

Step 3: Add “Update Records” Element

- Click the + icon under the Start element
- Select Update Records

Configure the Update Records Element:

- Label: Update_Shipment_Status
- How to Find Records to Update:
    - Select Specify conditions to identify records

Set Filter Conditions:

- Object: Shipment__c
- Field: Id
- Operator: Equals
- Value: {!$Record.Shipment__c}

(This means update the Shipment linked to the Delivery Update)

Set Field Values to Update

Add field mapping:

Shipment Field	Value Source
Status__c	{!$Record.Status__c}

(This copies status from Delivery Update to Shipment)

- Click Done

Part 3: Save and Activate


Step 4: Save Flow

- Click Save (top-right)
- Flow Label: Auto_Update_Shipment_Status
- API Name will auto-fill
- Click Save

Step 5: Activate Flow

- Click Activate
- Flow status should show Active

Final Flow Layout:



Activity 2: Auto-Assign a Delivery Agent When a Shipment is Booked

Scenario:

Whenever a new Shipment__c record is created without an Assigned Agent, automatically assign an Active delivery agent so that dispatchers do not have to assign every parcel manually. This is a simple assignment rule and can be extended later to consider branch and workload.

Part 1: Create the Record-Triggered Flow

Step 1: Open Flow Builder

- Click the Gear Icon → Click Setup
- In Quick Find, type Flows and click Flows
- Click New Flow → select Record-Triggered Flow → click Create

Step 2: Configure the Start (Trigger)

- Object: Shipment__c
- Trigger the Flow When: A record is created
- Condition Requirements: All Conditions Are Met (AND)
- Field: Assigned_Agent__c | Operator: Is Null | Value: True
- Optimize the Flow For: Fast Field Updates
- Click Done

Part 2: Find an Available Agent and Assign

Step 3: Add "Get Records" Element

- Label: Get_Available_Agent

- Object: Delivery_Agent__c
- Condition: Status__c Equals Active
- Sort Order: Joining_Date__c, Ascending
- How Many Records to Store: Only the first record
- Click Done

Step 4: Add "Decision" Element

- Label: Agent_Found
- Outcome Label: Yes | Condition: {!Get_Available_Agent} Is Null Equals False
- Default Outcome: No (shipment stays unassigned)

Step 5: Add "Assignment" Element (on the Yes outcome)

- Label: Set_Assigned_Agent
- Variable: {!$Record.Assigned_Agent__c} | Operator: Equals | Value: {!Get_Available_Agent.Id}
- Click Done

Part 3: Save and Activate

- Click Save → Flow Label: Auto_Assign_Delivery_Agent → Save
- Click Activate

Activity 3: Auto-Generate Invoice When a Shipment is Delivered

Scenario:

Whenever the Status of a Shipment__c record changes to Delivered, automatically create an Invoice__c record for that shipment. The invoice amount is the shipment price and the payment status is set to Unpaid.

Part 1: Create the Record-Triggered Flow

Step 1: Configure the Start (Trigger)

- Setup → Flows → New Flow → Record-Triggered Flow → Create
- Object: Shipment__c
- Trigger the Flow When: A record is updated
- Condition Requirements: All Conditions Are Met (AND)
- Field: Status__c | Operator: Equals | Value: Delivered
- When to Run the Flow for Updated Records: Only when a record is updated to meet the condition requirements
- Optimize the Flow For: Actions and Related Records
- Click Done

Part 2: Create the Invoice

Step 2: Add "Create Records" Element

- Label: Create_Invoice
- How Many Records to Create: One
- How to Set the Record Fields: Use separate resources, and literal values
- Object: Invoice__c
- Set the field values as shown below:

Invoice Field	Value
Shipment__c	{!$Record.Id}
Amount__c	{!$Record.Price__c}
Invoice_Date__c	{!$Flow.CurrentDate}
Payment_Status__c	Unpaid

Click Done.

Part 3: Save and Activate

- Click Save → Flow Label: Auto_Create_Invoice_On_Delivery → Save
- Click Activate

Note: when a Delivery Update with the status Delivered is created, the flow in Activity 1 first updates the Shipment status, and this flow then generates the invoice automatically.

Activity 4: Notify the Customer When a Delivery Update is Created

Scenario:

Whenever a Delivery_Update__c record is created, send an email to the shipment's customer with the latest status, so that customers receive timely updates without manual follow-ups.

Prerequisite: Enable Email Delivery

- Setup → Quick Find → Deliverability
- Set Access level to All email → Save

Part 1: Create the Record-Triggered Flow

Step 1: Configure the Start (Trigger)

- Setup → Flows → New Flow → Record-Triggered Flow → Create
- Object: Delivery_Update__c
- Trigger the Flow When: A record is created
- Condition Requirements: None (Always Run the Flow)
- Optimize the Flow For: Actions and Related Records

- Click Done

Part 2: Find the Shipment and Customer

Step 2: Add "Get Records" Element (Shipment)

- Label: Get_Shipment
- Object: Shipment__c
- Condition: Id Equals {!$Record.Shipment__c}
- How Many Records to Store: Only the first record → Done

Step 3: Add "Get Records" Element (Customer)

- Label: Get_Customer
- Object: Customer__c
- Condition: Id Equals {!Get_Shipment.Customer__c}
- How Many Records to Store: Only the first record → Done

Part 3: Send the Email

Step 4: Add "Action" Element

- Click the + icon → select Action → search and select Send Email (Core action)
- Label: Send_Status_Email
- Recipient Address List: {!Get_Customer.Email__c}
- Subject: Shipment {!Get_Shipment.Name} – Status Update
- Body: Dear {!Get_Customer.Name}, your shipment {!Get_Shipment.Name} is now {!$Record.Status__c}. Remarks: {!$Record.Remarks__c}. Thank you for choosing the Courier Management System.
- Click Done

Part 4: Save and Activate

- Click Save → Flow Label: Notify_Customer_On_Status_Update → Save
- Click Activate

Milestone 8 - The Lightning App :

What is an App ?


Apps in Salesforce are a group of tabs that help the application function by working together as a unit. It has a name, a logo, and a particular set of tabs. The simplest app usually has just two tabs.

Activity 1: Create a Lightning App

Create the Courier Management System App

1. From Setup, enter App Manager in the Quick Find and select App Manager.
2. Click New Lightning App.
    - Enter the Courier Management System as the App Name.


3. Upload an image or icon for the app, then click Next.



4. Under App Options, leave the default selections and click Next.
5. Under Utility Items, leave as it is and click Next.
6. From Available Items, select the following and move them to Selected Items:
    - Customer
    - Shipment
    - Delivery Agent
    - Branch
    - Delivery Update
    - Invoice
    - Reports

- Dashboards

7. Click Next.
8. From Available Profiles, select System Administrator and move it to Selected Profiles.
9. Click Save & Finish.



Milestone 9- Profile:

What is a profile?


A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges.

A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1: Create a Custom Profile – Courier Admin


Create a Custom Profile:

1. From Setup, enter Profiles in the Quick Find box.
2. Click Profiles.
3. Click New Profile.



4. Select Existing Profile as: System Administrator.
5. Enter Profile Name: Courier Admin.

6. Click Save.



Why use System Administrator as Base?

It already has:

- Modify All Data
- Customize Application
- Full CRUD access on all objects

By cloning it, the **Courier Admin profile automatically inherits full access**.
You can later restrict permissions if required.

Activity 2: Create a Custom Profile – Branch Manager

Steps:

1. From Setup, enter Profiles in the Quick Find box.
2. Click Profiles.
3. Click New Profile.
4. Select Existing Profile as: Standard Platform User.

5. Enter Profile Name: Branch Manager.
6. Click Save.
7. Click Edit on the Branch Manager profile.

Set App & Tab Settings

Under Assigned Apps / Custom App Settings, set the default app to:

Courier Management System App

Ensure Visible Tabs Include:

Set these tabs as Default On or Visible:


- Customers
- Shipments
- Delivery Agents
- Branches
- Delivery Updates
- Invoices
- Reports
- Dashboards

Custom Object Permissions

Scroll to Custom Object Permissions and set access as follows:

Object	Permissions to Grant
Customer__c	Create, Read, Edit

Shipment__c	Create, Read, Edit
Delivery_Agent__c	Read, Edit
Branch__c	Read, Edit
Delivery_Update__c	Create, Read, Edit
Invoice__c	Read



Session & Password Settings

Under Session Settings:

- Session Timeout: 2 Hours of Inactivity

Under Password Policies:

- User passwords expire in: Never Expires
- Minimum Password Length: 8

Click Save.

Activity 3: Create a Custom Profile – Delivery Agent

Steps:

1. Setup → Quick Find → Profiles
2. Click New Profile
3. Existing Profile: Standard Platform User
4. Profile Name: Delivery Agent
5. Click Save

App & Tab Access

Default App: Courier Management System

Visible Tabs:

- Shipments
- Delivery Updates

Object Permissions :

Object	Permissions
Shipment__c	Read, Edit
Delivery_Update__c	Create, Read, Edit
Customer__c	Read
Invoice__c	Read

Restrictions

- No access to Branch editing
- No delete permissions
- Limited reporting access

Click Save.

Activity 4: Create a Custom Profile – Customer Support

Steps:

- Setup → Profiles → New Profile
- Base Profile: Standard User
- Profile Name: Customer Support

Access Configuration

Tabs Visible:

- Customers
- Shipments
- Delivery Updates

Object Permissions :

Object	Access
Customer__c	Read, Edit
Shipment__c	Read, Edit
Delivery_Update__c	Read
Invoice__c	Read

Session Settings

- Session Timeout: 2 Hours
- Password Length: 8

Click Save

Final Profiles Created in Project :

Profile Name	Purpose

Courier Admin	Full system control
Branch Manager	Manage shipments and agents
Delivery Agent	Update delivery status
Customer Support	Handle customers and tracking

Milestone 10- Role:


In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Courier Admin Role


Creation of Role:

1. From the Quick Find box, search for Roles and click on the Roles option.

2. Select Set Up Roles.



3. Click on Expand All and click Add Role under CEO.



4. Give Label as “Courier Admin”.
    - The Role Name will auto-populate.

5. Click Save.

Activity 2: Creating Branch Manager Role Under Courier Admin Role

Create another role:

1. Create a role with the name “Branch Manager”.
2. Below the Courier Admin, click on Add Role.
3. Enter the label name as “Branch Manager” and the Role Name will automatically populate.
4. Click Save.

Activity 3: Creating Delivery Agent Role Under Branch Manager Role

Steps:

1. Below the Branch Manager role, click on Add Role.
2. Enter Label as “Delivery Agent”.
    - Role Name will auto-populate.
3. Click Save.

Activity 4: Creating Customer Support Role Under Branch Manager

Steps:

1. Under the Branch Manager role, click on Add Role.
2. Enter Label as “Customer Support”.
3. Role Name will automatically populate.

4. Click Save.

Purpose of This Hierarchy :

- **Courier Admin** – Highest level access to all data
- **Branch Manager** – Manages branch-level operations
- **Delivery Agent** – Access to active shipments and related records only
- **Customer Support** – Limited access to customer and shipment tracking

This hierarchy ensures proper data sharing and security in the Courier Management System.

Milestone 11- User :

What is a user?

A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales,reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access.


NOTE- As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

Activity 1: To Create a User

Steps:

1. From Setup, enter Users in the Quick Find box, then select Users.

2. Click New User.



Fill in the Fields:

Field Name	Value
First Name	Enter first name (Example: Ravi)
Last Name	Enter last name (Example: Kumar)
Alias	Give an alias name
Email ID	Enter your personal email ID
Username	Must be in the format: text@text.text and must be unique
Nickname	Give a nickname
Role	Select **Courier Admin**
User License	Salesforce
Profile	**Courier Admin**

3. Click Save.

Activity 2: Creating Other Users

Repeat the same steps as **Activity 1** for creating additional users.

Use the following details:

User Type	Role	User License	Profile
Branch Manager	Branch Manager	Salesforce	Branch Manager
Delivery Agent	Delivery Agent	Salesforce Platform	Delivery Agent
Customer Support	Customer Support	Salesforce Platform	Customer Support

Example:

To create a Branch Manager User:

- Go to Setup → Users → New User
- Fill details like:

Field	Example Value
First Name	Arjun
Last Name	Reddy
Email	arjun@gmail.com
Username	arjun.manager@cms.com

Role	Branch Manager
Profile	Branch Manager

- Click Save

\

To Create Delivery Agent User:

Follow same steps with:

- Role: Delivery Agent
- Profile: Delivery Agent

To Create Customer Support User:

- Role: Customer Support
- Profile: Customer Support

Important Points

- Every user must have:
    - Unique username
    - Valid email
    - Assigned Role
    - Assigned Profile
- Profiles control permissions
- Roles control data visibility

Milestone 12 - Sharing Settings :

Organization-Wide Defaults (OWD) define the baseline access users have to records they do not own. Because customer, shipment, and billing data is sensitive, the default access is set to Private and is then opened selectively through the role hierarchy and sharing rules. Profiles control what a user can do (Milestone 9); roles and sharing settings control which records the user can see.

Activity 1: Set Organization-Wide Defaults

- Setup → Quick Find → Sharing Settings
- Under Organization-Wide Defaults, click Edit
- Set the Default Internal Access as shown below
- Keep Grant Access Using Hierarchies checked, then click Save

Object	Default Internal Access
Customer__c	Private
Shipment__c	Private
Delivery_Agent__c	Public Read Only
Branch__c	Public Read Only
Delivery_Update__c	Controlled by Parent (Shipment)
Invoice__c	Private

Activity 2: Create Sharing Rules

- Setup → Sharing Settings → scroll to the object's Sharing Rules section → click New
- Rule Type: Based on criteria
- Enter the Label, Rule Name, and the criteria given in the table below
- Share with: Roles → select the role
- Access Level: as given in the table → Save

Object	Rule Name	Criteria	Share With	Access
Shipment__c	Agents_Active_Shipments	Status equals Booked, In Transit, Out for Delivery	Role: Delivery Agent	Read/Write
Shipment__c	Support_All_Shipments	Shipment Type equals Domestic, International	Role: Customer Support	Read/Write
Customer__c	Support_Customers	Customer Type equals Regular, Business	Role: Customer Support	Read/Write
Customer__c	Agents_Customers	Customer Type equals Regular, Business	Role: Delivery Agent	Read Only
Invoice__c	Support_Invoices	Payment Status equals Paid, Unpaid, Pending	Role: Customer Support	Read Only
Invoice__c	Agents_Invoices	Payment Status equals Paid, Unpaid, Pending	Role: Delivery Agent	Read Only

Result of Sharing Configuration:

- Courier Admin and Branch Manager see all records below them through the role hierarchy
- Delivery Agents see only active shipments, their customers, and related invoices (read only)
- Customer Support sees customers and shipments needed for tracking queries
- Delivery Updates automatically follow the access of their parent Shipment

Milestone 13 : Reports & Dashboards

Reports and Dashboards help analyze business data and track courier operations efficiently.

Activity 1: Create Report Types

Step 1: Open Report Types

1. Click Gear Icon → Select Setup.

2. In Quick Find search Report Types.
3. Click New Custom Report Type.

Step 2: Create Shipment Report Type

- Primary Object: Shipment__c
- Label: Shipment Tracking Report
- Category: Reports
- Deployment Status: Deployed
- Click Next, then relate a second object: Invoices (Shipments with or without Invoices)
- Click Next → Save

Step 3: Create Customer Report Type

- Primary Object: Customer__c
- Label: Customer Summary Report
- Category: Reports
- Deployment Status: Deployed
- Click Next → Save

Step 4: Create Agent Performance Report Type

- Primary Object: Delivery_Agent__c
- Label: Agent Performance Report
- Category: Reports
- Deployment Status: Deployed

- Click Next, then relate a second object: Shipments (Delivery Agents with or without Shipments)
- Click Next → Save

Activity 2: Create Reports

Report 1: Shipment Status Summary Report

Step 1: Create the Report

1. Click App Launcher (9 dots) → Search Reports
2. Click New Report
3. Choose Shipment Tracking Report
4. Click Continue

Step 2: Add Columns

Add these fields:

- Tracking Number
- Customer
- Status
- Expected Date
- Assigned Agent

Step 3: Add Filters

- Show Me: All Shipments
- Date Filter: This Month
- Status Filter: Select specific Status (Optional)

Step 4: Group & Summarize

- Group rows by Status__c
- Add summary on Price

Step 5: Save Report

- Click Save & Run
- Name: Shipment Status Summary
- Folder: CMS Reports

Report 2: Agent Performance Report

Step 1: Create Report

- New Report → Choose Agent Performance Report
- Click Continue

Step 2: Add Columns

- Agent Name
- Branch
- Number of Shipments
- Status

Step 3: Group Data

- Group by Delivery_Agent__c

Step 4: Save Report

- Name: Agent Performance Report

- Folder: CMS Reports
- Save & Run

Report 3: Revenue Report

Steps

- Create report using Shipment Tracking Report Type

Add fields:

- Tracking Number
- Customer
- Price
- Payment Status (from Invoice)

Group by:

- Branch Name (formula field on Shipment)
- Invoice Date (by Month)

Save as: Revenue by Branch Report

Activity 3: Create Dashboard

Step 1: Open Dashboards

1. Click App Launcher (9 dots)
2. Search Dashboards
3. Click New Dashboard

Step 2: Enter Dashboard Details

- Name: Courier Management Dashboard
- Folder: CMS Reports
- Click Create

Activity 4: Add Dashboard Components

Component 1: Shipment Status Overview (Donut Chart)

1. Click + Component
2. Choose report: Shipment Status Summary
3. Visual Type: Donut Chart
4. Click Add

Component 2: Agent Performance (Bar Chart)

- Select report: Agent Performance Report
- Chart Type: Bar Chart
- Click Add

Component 3: Revenue by Branch (Column Chart)

- Choose report: Revenue by Branch Report
- Chart Type: Column Chart
- Click Add

Activity 5: Save & Activate Dashboard

1. Click Save
2. Click Done

Share Dashboard With:

- Courier Admin
- Branch Managers
- Customer Support Team

Final Layout :



7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to verify record creation, validation rule enforcement, delivery status updates, flow automation, invoice generation, and dashboard visualization. All scenarios were validated to ensure correct performance and reliability.

Functional Test Cases

ID	Scenario	Action	Expected Result	Result
TC-01	Customer creation	Create a customer with all required fields	Record is saved and listed in the Customers tab	
TC-02	Phone validation	Enter a 9-digit phone number	Error: Phone number must be 10 digits.	

ID	Scenario	Action	Expected Result	Result
TC-03	Pincode validation	Enter a 5-digit pincode	Error: Pincode must be 6 digits.	
TC-04	Shipment booking	Create a shipment with valid details	Tracking number (SHP-xxxxx) is generated and an active agent is auto-assigned	
TC-05	Weight and price validation	Enter weight or price as 0	Error: Weight / Price must be greater than zero.	
TC-06	Expected date validation	Create a shipment with a past expected date	Error: Expected delivery date cannot be in the past.	
TC-07	Agent email validation	Enter an agent email without @	Error: Enter a valid email address.	
TC-08	Delay remarks validation	Create a Delivery Update with status Delayed and no remarks	Error: Remarks are required when status is Delayed.	
TC-09	Status update flow	Create a Delivery Update with status In Transit	Shipment status changes to In Transit	
TC-10	Invoice generation	Create a Delivery Update with status Delivered	Invoice is created with amount = shipment price and payment status Unpaid	
TC-11	Customer notification	Create a Delivery Update	Customer receives an email with the new status	
TC-12	Role-based access	Log in as a Delivery Agent user	Only permitted tabs are visible; records cannot be deleted	
TC-13	Dashboard	Open Courier Management Dashboard	Donut, bar, and column charts display shipment, agent, and revenue data	

Each test case was executed in the Salesforce Developer Org, and the Result column records Pass or Fail together with the screenshots captured during testing.

8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized data
- Automated workflows
- Real-time reporting
- Role-based security for sensitive data
- Scalable for multiple branches

Disadvantages

- Salesforce dependency
- Requires initial configuration effort
- Requires internet connectivity
- Licensing cost for production use

9. Conclusion:

The Courier Management System successfully digitizes courier operations using Salesforce automation, improving efficiency, accuracy, and customer satisfaction.

10. FUTURE SCOPE

- Mobile tracking app
- GPS integration
- SMS notifications
- AI-based delivery optimization
- Customer self-service tracking portal
- Online payment gateway integration

11. APPENDIX

- Source Code: Salesforce Configuration
- Dataset: Salesforce Objects
- GitHub / Demo: Salesforce Developer Org

Thank You