

DOCUMENTATION PLAN

CCS Software User Manual

A DITA-based outline: one source, MIL-STD-498 structure, per-platform builds.

Nathan B. Smith • September 2026

No CUI, classified, proprietary, or export-controlled information is contained in this document. Provided as a technical writing sample — Nathan B. Smith.

References

Each source and its purpose in this outline

REFERENCE	PURPOSE
MIL-STD-498 DI-IPSC-81443A	Sets the required SUM section structure (Sections 1–6)
OASIS DITA 1.3	Topic types, bookmap, keys, conref, filtering attributes
DITA Open Toolkit	Reference build engine for PDF and HTML5 outputs
DoDI 5200.48 (CUI)	CUI banners, designation block, portion markings in templates
ASD-STE100 (optional)	Controlled-language rules for procedures, if adopted
NAVAIR — CCS	System context: common framework, UI, components across platforms

The approach in one sentence

One DITA bookmap that follows the MIL-STD-498 SUM section for section, built from reusable topics and filtered per platform and audience at build time.

ASSUMPTIONS

Deliverable

SUM per DI-IPSC-81443A unless the CDRL tailors it

One core manual

Platform content (MQ-25, MQ-4C, UUV) filtered, not separate books

Program network

CUI: PDF for the formal SUM, offline HTML5 for operators

Build toolchain


DITA-OT or a DITA-aware editor such as Oxygen, run on the program network

Classified content

Separate map and repository. Filtering is not a security boundary.

DITA architecture

Bookmap → section submaps → shared topic pool → reuse library



Topic types

What each one actually is, and where it's used

concept

Explains what something is and why

USED FOR

System overview, operating concepts, modes

task

Numbered steps to do one job

USED FOR

Every operator procedure

reference

Look-up facts in tables

USED FOR

Menus, fields, messages, shortcuts

troubleshooting

Condition → cause → remedy

USED FOR

Errors, malfunctions, recovery

glossentry

One term, one definition

USED FOR

Acronyms and terms

Filtering, keys, and reuse

How one source becomes many manuals

ATTRIBUTE	VALUES	CONTROLS
@platform	mq25 · mq4c · uuv · all	Platform steps, screens, limits
@audience	operator · supervisor · admin	Role-specific tasks
@product	station-land · -ship · -sub	Control-station differences
@otherprops	release-x.y	Change bars and VDD input

File names: <type>_<function>_<object>.dita — e.g. t_mplan_create-route.dita

keydefs.ditamap

ccs-version, ccs-build, release date

reuse/warnings.dita

Every WARNING, CAUTION, NOTE

reuse/ui-steps.dita

Log in, open a function, save a plan

reuse/markings.dita

CUI designation block, notices

SUM Sections 1–4

Orientation and access: who, what, and how to get in

1 Scope

- 1.1 Identification [ref, keys]
- 1.2 System overview [concept]
- 1.3 Document overview [concept]

2 Referenced documents

Government docs: SRS/IRS, VDD, related SUMs
Standards and handbooks [reference]

3 Software summary

- 3.1 Application • 3.2 Inventory (from build manifest)
- 3.3 Environment • 3.4 Organization & operation
- 3.5 Contingencies/modes • 3.6 Security • 3.7 Help

4 Access to the software

- 4.1 First-time user: equipment, accounts, install (admin)
- 4.2 Initiating a session [task]
- 4.3 Stopping and suspending work [task]

Section 5 — Processing reference guide

The largest section: one submap per CCS function, nearly all task topics

5.3.1 Mission Planning

Create mission, build route, waypoints and tasks, timing, deconfliction, validate, save/load, re-plan

5.3.2 Vehicle Management

Establish link, preflight, launch, monitor health, change mode, maneuver, recover, transfer control

5.3.3 Mission Management

Task sensors, set priorities, monitor collection, route products

5.3.4 Airspace ops · 5.3.5 Messaging & comms · 5.3.6 Sensor PED

@platform tags carry most of the platform differences here.

ALSO IN SECTION 5

5.1 Capabilities map

5.2 Conventions

5.4 Related processing

5.5 Data backup

5.6 Errors & emergencies

5.7 Messages

5.8 Quick-reference cards

Front matter, notes, and appendixes

What wraps around the core sections

Front matter

- Cover: CUI block, distribution, version key
- Record of changes from release attributes
- Safety summary conref'd from warnings
- Generated TOC and lists

6 Notes

- Acronyms and glossary (glossentry)
- Background notes

Appendixes

- A — Platform supplements
- B — Configuration file reference (admin)
- C — Worked mission example
- Index from indexterms

One source, five builds

Same bookmap, different DITAVAL file

BUILD	DITAVAL	INCLUDES	OUTPUT
Core SUM	core.ditaval	all platforms; operator + supervisor	PDF (CDRL)
MQ-25 edition	mq25.ditaval	all + mq25; operator	PDF + HTML5
MQ-4C edition	mq4c.ditaval	all + mq4c; operator	PDF + HTML5
UUV edition	uuv.ditaval	all + uuv; operator	PDF + HTML5
Site admin guide	admin.ditaval	4.1.3, 5.4, 5.5, App. B	PDF

Build rules: version keys must match the CM tag • change bars flag the current release • untagged topics are shared • CUI markings live in the templates, not the topics.

Open questions for the program

1

Which DID and tailoring does the CDRL specify?

2

Which authoring and build tools are approved on the program network?

3

One core SUM plus supplements, or per-platform editions?

4

PDF only, or offline HTML5 on the station too?

5

Where does the build manifest for 3.2 come from?

6

Is ASD-STE100 or another controlled language required?