

A large, glowing green and white C++ logo (consisting of a circle and two plus signs) set against a background of blurred green code text.

Algorithmic Trading & Quant Research Hub



C++ Set-Up for Algo Quant Trading
By Nicholas Burgess

C++ Set-Up for Algo Quant Trading



➤ Part 1 – Visual Studio for Windows

- Online C++ Emulators & Code Snippets
- Visual Studio Projects & Solutions
- C++ Building, Compilation & Linking

➤ Part 2 – CMake for Cross-platform Builds

- The CMake Build System
- How to use CMake
- Build Environments & Compilers



Example: Visual Studio & CMake

[https://github.com/nburgessx/QuantResearch
tree/main/CMake%20Examples](https://github.com/nburgessx/QuantResearch/tree/main/CMake%20Examples)

Algorithmic Trading & Quant Research Hub




YouTube






Application Binary Interface (ABI)

- ABI defines how project binaries are linked and how they manage memory
- Projects sharing runtime resources e.g. std::vector or FILE* **must** use the same C++ Runtime library (CRT), which handles memory, I/O and startup support
- Dynamic Linkage (**/MD**) links against a shared C++ Runtime DLL (CRT)
- Static Linkage (**/MT**) embeds a private CRT into each binary
- Mixing /MD and /MT is unsafe – such code often builds successfully but fails and crashes at runtime



Rule of thumb:

/MD → DLLs & large apps (shared runtime, one-heap)
/MT → Fully self-contained tools (no shared ownership)





Visual Studio

➤ Solution File

- Start-Up Project
- Project Dependencies (Build Order)
- Configuration
 - Debug, Release, Custom
 - Can Include/Exclude Projects

➤ Project Files

- Independent Code Project Groups

➤ Features

- Source Control – Git Integration
- Command Line – Dev Command Prompt
- External Tools – Custom Tools / Scripts
- Extensions – e.g. Incredibuild

The screenshot shows the Visual Studio IDE interface. The Solution Explorer on the left displays a solution named 'MathLibrary' containing five projects: Addition, ALL_BUILD, Analytics (which is currently selected), Subtraction, and ZERO_CHECK. The Output window in the center shows the contents of main.cpp, which includes headers for iostream, add.h, and subtract.h, and defines a main function that adds and subtracts two double values (a=10, b=3) and prints the results to the console. The main.cpp code is as follows:

```
#include <iostream>
#include "add.h"
#include "subtract.h"

int main()
{
    double a = 10;
    double b = 3;

    std::cout << "Add: " << a << " + " << b
    << " = " << add(a, b) << std::endl;

    std::cout << "Subtract: " << a << " - " << b
    << " = " << subtract(a, b) << std::endl;

    system("PAUSE");
}


return 0;
}
```

The status bar at the bottom indicates 'No issues found'.




Visual Studio Solution & Projects Files

These are XML files in disguise – Try opening them in notepad!



Visual Studio Project Properties



Output type

- Configuration Type (.lib | .exe | .dll)

Where outputs go



- Intermediate Directory (.obj)
- Output Directory (.lib | .exe | .dll)

Solution and Project Files [TOP TIP]

- These are XML files that can be opened in Notepad
- XML supports extra features e.g. recursive file paths



VS Project Properties – C/C++ Compiler





File Path Macros [TOP TIP]

- Click the down arrow on any directory folder, then in the window pop-up press the “**Macros**” button
- View existing file path variables (macros) and/or add new ones e.g. \$(SolutionDir), \$(ProjectDir), ...





VS Project Properties – C/C++ Compiler





VS Project Properties – Linker/Librarian





Summary – Key Project Properties



➤ General

- **Output Directory** – Specify output path
- **Configuration Type** – Specify the output file type .lib, .exe or .dll
- **C++ Language Standard** – C++14, C++17, C++20 ...

➤ C/C++ → General

- **Additional Include Directories** – To link projects, add include folder(s) here
- **Debug Information Format** – Edit and Continue (/ZI) this allows us to make minor modifications without rebuilding the project
- **Multi-processor Compilation (Yes /MP)** – allows parallel building of .cpp files

➤ C/C++ → Code Generation

- **Enable C++ Exceptions** – /Ehsc allows structured exception handling and helps prevent crashes
- **Runtime Library** – Here we must specify dynamic or static linking of CRT (/MD or /MT), defaults to /MD

➤ Linker → General:

- **Additional Library Directories** - To link projects, add path to .lib files here

➤ Linker → Input:

- **Additional Dependencies** – To link projects, specify .lib path here

➤ Linker → Debugging

- **Generate Debug Info** – To test and debug a release project select /DEBUG



More Info ...





CMake Cross-Platform Build System

CMake – What it is and what it does

- A **cross-platform** build system – not a compiler
- It uses platform-independent configuration files, **CMakeLists.txt**
- Generates native build files e.g. Visual Studio Solutions, Linux Make files, Ninja files, macOS Xcode projects
- Available as part of Visual Studio, see Tools -> Command line -> Developer Command Prompt

How to generate a solution File for Visual Studio?

- Create the necessary CMakeLists.txt files
- Open Visual Studio command line and type:

```
cmake -G "Visual Studio 17 2022" <path-to-project-root>
```



CMake Config Files – CMakeLists.txt

CMake Commands for CMakeLists.txt

➤ Solution Config File

- Name the solution file ([project](#))
- Specify what projects to include ([add_subdirectory](#))

➤ Project Config Files

- Name the project ([project](#))
- Specify the project type and list the headers and source files to include ([add_library](#) | [add_executable](#))
- Provide the path to the include folder(s) and header files ([target_include_directories](#))
- List any dependency projects to include ([target_link_libraries](#))



Example: Create Solution File

- Consider a simple C++ maths library where the main project is called **Analytics** that depends on two projects named **Addition** and **Subtraction**. The folder structure looks as follows,

MathLibrary (Root Folder)

CMakeLists.txt

Analytics

CMakeLists.txt | Main.cpp

Addition

CMakeLists.txt | Add.h | Add.cpp

Subtraction

CMakeLists.txt | Subtract.h | Subtract.cpp

- The solution root folder and each project folder requires a **CMakeLists.txt** config file
- The config file defines the **project type** and specifies the **include paths** and **project dependencies**



Solution Config File, CMakeLists.txt

```
1  cmake_minimum_required(VERSION 3.20)
2
3  project(MathLibrary LANGUAGES CXX)
4
5  # ---- Language standard ----
6  set(CMAKE_CXX_STANDARD 17)
7  set(CMAKE_CXX_STANDARD_REQUIRED ON)
8
9  # ---- Targets ----
10 add_subdirectory(Addition)
11 add_subdirectory(Subtraction)
12 add_subdirectory(Analytics)
```

- `project` – Name of the solution file
- `add_subdirectory` – List project folders to include

Main Project Config File, CMakeLists.txt

```
1 add_executable(Analytics
2           main.cpp
3 )
4
5 target_link_libraries(Analytics
6           PRIVATE
7           Addition
8           Subtraction
9 )
```

➤ [add_executable](#)

- Creates project that outputs an executable called Analytics.
- List all the .h and .cpp files to include.

➤ [target_link_libraries](#)

- List the project name then the dependency projects to include
- Here we add the addition and subtraction projects to the analytics project



Dependency Project Config File, CMakeLists.txt

```
1 add_library(Addition STATIC
2     add.h
3     add.cpp
4 )
5
6 target_include_directories(Addition
7     PUBLIC
8     ${CMAKE_CURRENT_SOURCE_DIR}
9 )
```

➤ add_library

- Creates a project named Addition. Use **STATIC** to generate a .lib and **SHARED** to generate a .dll
- List all the .h and .cpp files to include.

➤ target_include_directories

- List the include directories for the Addition project
- **\$(CMAKE_CURRENT_SOURCE_DIR)** means use the current folder



Generating the Visual Studio Solution File

How to generate the Visual Studio solution and project files?

- After creating the necessary CMakeLists.txt configuration files
- Open Visual Studio command prompt and navigate to the solution root folder
- Type **mkdir build** to create a folder called ‘build’
- Navigate to the build folder **cd build**

```
cmake -G "Visual Studio 17 2022" <path-to-project-root>
```

- To generate the solution file type: **cmake –G “Visual Studio 17 2022” ..**
- Note “..” means the root project is up one folder level

How to generate the native build projects for Linux, macOS and other platforms and compilers?

- Change the name of the compiler from “**Visual Studio 17 2022**” to the compiler of your choice
- Examples: For Linux “**Unix Makefiles**” or “**Ninja**” and for macOS use “**Xcode**”



CMake Resources





Getting Started with CMake

AlgoQuantHub Weekly Deep Dive



Professional C++ with CMake

- Outlines how professional Quants use CMake
- Includes canonical stylized working examples
- Intentionally simple and easy to follow

Professional C++ with CMake for
Quants & Algo Trading

Link: <https://algoquanthub.beehiiv.com/p/professional-c-with-cmake-for-quants-algo-trading>

Examples: <https://github.com/nburgessx/QuantResearch/tree/main/CMake%20Examples>



CMake Tutorial – cmake.org

The CMake tutorial provides a step-by-step guide that covers common build system issues that CMake helps address. Seeing how various topics all work together in an example project can be very helpful.

Steps

The tutorial source code examples are available in [this archive](#). Each step has its own subdirectory containing code that may be used as a starting point. The tutorial examples are progressive so that each step provides the complete solution for the previous step.


- Step 0: Before You Begin
 - Getting the Tutorial Exercises
 - Getting CMake
 - CMake Generators
 - Single and Multi-Configuration Generators
 - Other Usage Basics
 - Try It Out
 - Getting Help and Additional Resources
- Step 1: Getting Started with CMake
 - Background
 - Exercise 1 - Building an Executable
 - Exercise 2 - Building a Library
 - Exercise 3 - Linking Together Libraries and Executables
 - Exercise 4 - Subdirectories

- [CMake Tutorial – cmake.org](https://cmake.org/cmake/help/book/mastering-cmake/cmake/Help/guide/tutorial/index.html)
- Provides a step-by-step guides and tutorials on how to use CMake
- Link: <https://cmake.org/cmake/help/book/mastering-cmake/cmake/Help/guide/tutorial/index.html>



Professional CMake

- Professional CMake – A Practical Guide
 - Free Book
 - By Craig Scott
 - <https://crascit.com/professional-cmake/>





More Info ...






Subscribe to my Quant Newsletter
<https://algoquanthub.beehiiv.com/subscribe>

Subscribe to my Quant YouTube Channel
<https://www.youtube.com/@algoquanthub>

Algo Trading & Quant Store
<https://payhip.com/AlgoQuantHub>

Follow me on LinkedIn
<https://www.linkedin.com/in/nburgessx>



Have questions or want further info?

Contact

LinkedIn: www.linkedin.com/in/nburgessx