

多层实木复合地板

耐磨层 3mm-6mm



名称: Denver

编码: BXE3005

耐磨层: 3mm

规格: 16*190*1900mm/16*198*1930mm(厚×宽×长)



产品: Silver River

编码: EBE077

耐磨层: 3mm

规格: 14*190*1900mm



产品: Natural

编码: EBE079

耐磨层: 3mm

规格: 14*190*1900mm



产品: Milky

编码: EBE075

耐磨层: 3mm

规格: 14*190*1900mm



产品: Millville

编码: EBE076

耐磨层: 3mm

规格: 14*190*1900mm

多层实木复合地板

耐磨层 4mm



产品: Harvard
编码: EBE089
耐磨层: 4mm
规格: 15*190*1900mm(厚×宽×长)



产品: Desert
编码: EBE087
耐磨层: 4mm
规格: 15*190*1900mm



产品: Reno
编码: EBE094
耐磨层: 4mm
规格: 18*190*1900mm



产品: Cream
编码: BXE003
耐磨层: 4mm
规格: 18*190*1900mm

多层实木复合地板

耐磨层 4mm



产品: Kingman

编码: EBE095

耐磨层 4mm

规格: 18*190*1900mm(厚×宽×长)



产品: Silver Gray-2

编码: EBE019

耐磨层: 4mm

规格: 18*190*1900mm



产品: Guasave

编码: EBE083

耐磨层: 4mm

规格: 18*190*1900mm



产品: Newark

编码: EBE074

耐磨层: 4mm

规格: 18*190*1900mm



产品: Hilo

编码: TE 2001

耐磨层: 4mm

规格: 15*190*1900mm

多层实木复合地板

耐磨层 4mm



产品: Poland

编码: EBE3007(BXE3007)

耐磨层: 4mm

规格: 18*260*2200mm(厚×宽×长)



产品: Chicago

编码: BXE001

耐磨层: 4mm

规格: 18*260*2200mm



产品: Sbianca

编码: TE 2003

耐磨层: 4mm

规格: 18*260*2200mm



产品: Miami

编码: TE 2004

耐磨层: 4mm

规格: 18*260*2200mm

多层实木复合地板

耐磨层 4mm



产品: Duke

编码: BXE012

耐磨层: 4mm

规格: 16*260*2400mm(厚×宽×长)



产品: Netherlands

编码: BXE010

耐磨层: 4mm

规格: 18*240*2400mm
18*240*2200mm



产品: Mayrhofen

编码: EBE010

耐磨层: 4mm

规格: 18*240*2200mm



产品: Toffee

编码: EBE099

耐磨层: 4mm

规格: 18*240*2200mm



产品: Potomac

编码: EBE011

耐磨层: 4mm

规格: 18*240*2200mm

多层实木复合地板

耐磨层 6mm



产品: The Arctic Ocean
编码: EBE085
耐磨层: 6mm
规格: 18*260*2200mm



产品: Bordeaux
编码: EBE050
耐磨层: 6mm
规格: 18*190*71900mm



产品: Denver
编码: BXE3005-1
耐磨层: 6mm
规格: 18*260*2200mm



多层实木复合地板

耐磨层 6mm




产品: Camel
编码: EBE090
耐磨层: 6mm
规格: 18*190*1900mm



产品: Toscana
编码: EBE004
耐磨层: 6mm
规格: 18*190*1900mm



产品: Antique windsor
规格: EBE008
耐磨层: 6mm
规格: 18*190*1900mm



产品: Cronton
编码: BXE011
耐磨层: 6mm
规格: 18*190*1900mm



Healthy, Eco-Responsible Manufacturing

From FSC-certified logs to CARB Phase 2-compliant adhesives and FloorScore®-certified finishes, every component meets the world's strictest environmental and indoor-air standards. Our water-based UV coating locks in low VOCs, so your floors are as safe in the nursery as they are in the kitchen.


健康、环保的生产理念

我们所有产品的原材料——从通过FSC 认证的原木，到符合 CARB 第二阶段标准的黏合剂，再到通过 FloorScore® 认证的涂饰剂，每一款产品的原材料均符合全球最严苛的环保与室内空气质量标准。

我们采用的水性 UV 涂料能锁定低挥发性有机化合物 (VOCs)，让您的地板无论用于婴儿房，还是厨房，都同样安全。

三层实木复合地板

三层实木复合地板由三层实木单板交错层压,采用3+9+3组合方式,全部使用无醛胶热压而成。其优点是稳定性强,木材纤维纵横交错成网状叠压组合,使木材的各种内应力在层板之间相互适应,在遇热、遇潮的情况下,不易出现干裂和变形现象;易打理清洁,耐磨性好,护理简洁,不嵌污垢,易于打扫;色泽美观,表面采用珍贵木材,木纹具有自然形成的深浅直线条或山纹、波浪纹线条,纹理清晰、顺畅,富有立体感和动感。




三层实木复合地板

耐磨层 3mm



产品: New York
编码: BXE3006
耐磨层: 3mm
规格: 14*190*1900mm(厚×宽×长)



产品: Karin
编码: BXE007
耐磨层: 3mm
规格: 14*190*1900mm(厚×宽×长)

三层实木复合地板

耐磨层 4mm



产品: Melbourne
编码: BXE002
耐磨层: 4mm
规格: 18*190*1900mm



产品: Berkeley
编码: TE2002
耐磨层: 4mm
规格: 15*190*1900mm

