Power Query (M):
Descriptive statistics using Table.Profile and custom functions

We can get some descriptive statistics of a table using Table.Profile

```
let
    //a query of AdventureWorksDW2019
    Source = InternetSales,

    /*
    a table with columns {Column,Min,Max,Average,StandardDeviation,Count,NullCount,DistinctCount}
    */
    initial = Table.Profile(Source),
```

= Table.Profile(Source)

	Column	Min	Max	Average	StandardDeviation	Count	NullCount	DistinctCount
1	Category.EnglishProductCategoryName	Accessories	Clothing	null	null	60398	0	3
2	CurrencyAlternateKey	AUD	USD	null	null	60398	0	6
3	DiscountAmount	0	0	0	0	60398	0	1
4	EnglishProductSubcategoryName	Bike Racks	Vests	null	null	60398	0	17
5	ExtendedAmount	2.29	3578.27	486.0869105	928.489892	60398	0	42
6	FactCurrencyRate	null	null	null	null	60398	0	null
7	Freight	0.0573	89.4568	12.15221711	23.21224823	60398	0	42
8	OrderDate	12/29/2010 12:00:00 AM	1/28/2014 12:00:00 AM	6/9/2013 12:21:39 PM	null	60398	0	1124
9	OrderDate.CalendarQuarter	Q1	Q4	null	null	60398	0	4
10	OrderDate.CalendarYear	2010	2014	2012.902298	0.477665847	60398	0	5
11	OrderDate.DateKey	20101229	20140128	20129734.93	4745.050338	60398	0	1124
12	OrderDate.EnglishMonthName	April	September	null	null	60398	0	12
13	OrderDate.MonthNumberOfYear	1	12	6.96301202	3.410798661	60398	0	12
14	OrderQuantity	1	1	1	0	60398	0	1
15	Product.EnglishDescription	AWC logo water bottle - hold...	Washes off the toughest road...	null	null	60398	0	40
16	Product.EnglishProductName	AWC Logo Cap	Women's Mountain Shorts, S	null	null	60398	0	130
17	ProductStandardCost	0.8565	2171.2942	286.0656574	552.4576409	60398	0	45
18	SalesAmount	2.29	3578.27	486.0869105	928.489892	60398	0	42
19	SalesOrderLineNumber	1	8	1.886320739	1.016328421	60398	0	8
20	SalesOrderNumber	SO43697	SO75123	null	null	60398	0	27659
21	TaxAmt	0.1832	286.2616	38.88695371	74.27919255	60398	0	42
22	Territory.SalesTerritoryCountry	Australia	United States	null	null	60398	0	6
23	Territory.SalesTerritoryRegion	Australia	United Kingdom	null	null	60398	0	10
24	TotalProductCost	0.8565	2171.2942	286.0656574	552.4576409	60398	0	45
25	UnitPrice	2.29	3578.27	486.0869105	928.489892	60398	0	42
26	UnitPriceDiscountPct	0	0	0	0	60398	0	1

If we want additional statistics, we can add them using List.Accumulate

A list of {function, result column name} pairs where the function accepts a column name from the source table and produces some result from it

```
    //the additional functions we want to apply to each column as {function, column name}
    funcs = {
                {
                    (c as text) => Table.Group(Source, {c}, {{"Frequency",Table.RowCount}}), //a custom function
                    "Frequency" //the column name for the function result
                }
            },


    Accumulate = List.Accumulate(
        funcs, //the list of {function, column name} to iterate through
        initial, //the starting point - Table.Profile(Source)

        //this function will add a column for each {function, column name} in the 'funcs' list
        (a,b) => Table.AddColumn(
            a, //the accumulated table
            b{1},//the name of the new column for your function
            each b{0}([Column]) //pass the column name into the function
        )
    )
in
    Accumulate
```

This function groups the Source data by column represented by the parameter c and calculates the row count of each unique item in that column, producing a frequency table for that column

Starting from the result of Table.Profile – initial -, iterate through the list of {function, result column name} and apply the function in the first element – b{0} - to each column in Source, whose name is in [Column] and give the new column the name in the second element – b{1}

We now have a frequency table for each column

```
    //the additional functions we want to apply to each column as {function, column name}
    funcs = {
                {
                    (c as text) => Table.Group(Source, {c}, {{"Frequency",Table.RowCount}}), //a custom function
                    "Frequency" //the column name for the function result
                }
            },


    Accumulate = List.Accumulate(
        funcs, //the list of {function, column name} to iterate through
        initial, //the starting point - Table.Profile(Source)

        //this function will add a column for each {function, column name} in the 'funcs' list
        (a,b) => Table.AddColumn(
            a, //the accumulated table
            b{1},//the name of the new column for your function
            each b{0}([Column]) //pass the column name into the function
        )
    )
in
    Accumulate
```

	Column	Min	Max	Average	StandardDeviation	Count	NullCount	DistinctCount	Frequency
1	Category.EnglishProductCategoryName	Accessories	Clothing	null	null	60398	0	3	Table
2	CurrencyAlternateKey	AUD	USD	null	null	60398	0	6	Table
3	DiscountAmount	0	0	0	0	60398	0	1	Table
4	EnglishProductSubcategoryName	Bike Racks	Vests	null	null	60398	0	17	Table
5	ExtendedAmount	2.29	3578.27	486.0869105	928.489892	60398	0	42	Table
6	FactCurrencyRate	null	null	null	null	60398	0	null	Table
7	Freight	0.0573	89.4568	12.15221711	23.21224823	60398	0	42	Table
8	OrderDate	12/29/2010 12:00:00 AM	1/28/2014 12:00:00 AM	6/9/2013 12:21:39 PM	null	60398	0	1124	Table

Category.EnglishProductCategoryName	Frequency
Bikes	15205
Accessories	36092
Clothing	9101

We can add as many functions as we want

Apply Table.Profile to each unique item in column with name in the parameter c

```
10    funcs = {
11                {(c as text) => Table.Group(Source,{c},{{"Frequency",Table.RowCount}}), "Frequency"},
12
13                {(c as text) => Table.Group(Source,{c},{{"Profile",Table.Profile}})  , "ItemProfiles"}
14            },
```



Column	Min	Max	Average	StandardDeviation	Count	NullCount	DistinctCount	ItemProfiles
1 Category.EnglishProductCate...	Accessories	Clothing	null	null	60398	0	3	Table
2 CurrencyAlternateKey	AUD	USD	null	null	60398	0	6	Table
3 DiscountAmount	0	0	0	0	60398	0	1	Table
4 EnglishProductSubcategoryN...	Bike Racks	Vests	null	null	60398	0	17	Table
5 ExtendedAmount	2.29	3578.27	486.0869105	928.489892	60398	0	42	Table
6 FactCurrencyRate	null	null	null	null	60398	0	null	Table
7 Freight	0.0573							
8 OrderDate	12/29/2010 12:00:00 AM	1/28/2014 1...						

Category.EnglishProductCategoryName	Profile
Bikes	Table
Accessories	Table
Clothing	Table

Column	Min	Max	Average	StandardDeviation	Count	NullCount	DistinctCount
Category.EnglishProductCategoryName	Bikes	Bikes	null	null	15205	0	1
CurrencyAlternateKey	AUD	USD	null	null	15205	0	6
DiscountAmount	0	0	0	0	15205	0	1
EnglishProductSubcategoryName	Mountain Bikes	Touring Bikes	null	null	15205	0	3
ExtendedAmount	539.99	3578.27	1862.423193	944.1160647	15205	0	20
FactCurrencyRate	null	null	null	null	15205	0	null
Freight	13.4998	89.4568	46.56062551	23.60290305	15205	0	20
OrderDate	12/29/2010 12:00:00 AM	12/28/2013 12:00:00 AM	1/18/2013 5:14:20 AM	null	15205	0	1093
OrderDate.CalendarQuarter	Q1	Q4	null	null	15205	0	4
OrderDate.CalendarYear	2010	2013	2012.49076	0.739566191	15205	0	4
OrderDate.DateKey	20101229	20131228	20125645.99	7419.938798	15205	0	1093
OrderDate.EnglishMonthName	April	September	null	null	15205	0	12
OrderDate.MonthNumberOfYear	1	12	7.227556725	3.370432723	15205	0	12
OrderQuantity	1	1	1	0	15205	0	1
Product.EnglishDescription	All-occasion value bike with our basic comfort and safety features. Offers	Value-priced bike with many features of our top-of-the-line models. Has tl	null	null	15205	0	13
Product.EnglishProductName	Mountain-100 Black, 38	Touring-3000 Yellow, 62	null	null	15205	0	88
ProductStandardCost	294.5797	2171.2942	1105.711815	560.4764738	15205	0	22
SalesAmount	539.99	3578.27	1862.423193	944.1160647	15205	0	20
SalesOrderLineNumber	1	2	1.006445248	0.080025797	15205	0	2
SalesOrderNumber	SO43697	SO74147	null	null	15205	0	15205

Defined however we want

This function counts rows in the column whose value is greater than 1000

```
20
21                  {(c as text) => try List.Count( List.Select( Table.Column(Source,c), each _>1000)) otherwise null, "GreaterThan1000"}
22              },
```

	Column	Min	Max	Average	StandardDeviation	Count	NullCount	DistinctCount	GreaterThan1000
1	Category.EnglishProductCategoryName	Accessories	Clothing	null	null	60398	0	3	null
2	CurrencyAlternateKey	AUD	USD	null	null	60398	0	6	null
3	DiscountAmount	0	0	0	0	60398	0	1	0
4	EnglishProductSubcategoryName	Bike Racks	Vests	null	null	60398	0	17	null
5	ExtendedAmount	2.29	3578.27	486.0869105	928.489892	60398	0	42	11348
6	FactCurrencyRate	null	null	null	null	60398	0	null	null
7	Freight	0.0573	89.4568	12.15221711	23.21224823	60398	0	42	0
8	OrderDate	12/29/2010 12:00:00 AM	1/28/2014 12:00:00 AM	6/9/2013 12:21:39 PM	null	60398	0	1124	null
9	OrderDate.CalendarQuarter	Q1	Q4	null	null	60398	0	4	null
10	OrderDate.CalendarYear	2010	2014	2012.902298	0.477665847	60398	0	5	60398
11	OrderDate.DateKey	20101229	20140128	20129734.93	4745.050338	60398	0	1124	60398
12	OrderDate.EnglishMonthName	April	September	null	null	60398	0	12	null
13	OrderDate.MonthNumberOfYear	1	12	6.96301202	3.410798661	60398	0	12	0
14	OrderQuantity	1	1	1	0	60398	0	1	0
15	Product.EnglishDescription	AWC logo water bottle - hold...	Washes off the toughest road...	null	null	60398	0	40	null
16	Product.EnglishProductName	AWC Logo Cap	Women's Mountain Shorts, S	null	null	60398	0	130	null
17	ProductStandardCost	0.8565	2171.2942	286.0656574	552.4576409	60398	0	45	9586
18	SalesAmount	2.29	3578.27	486.0869105	928.489892	60398	0	42	11348
19	SalesOrderLineNumber	1	8	1.886320739	1.016328421	60398	0	8	0
20	SalesOrderNumber	SO43697	SO75123	null	null	60398	0	27659	null
21	TaxAmt	0.1832	286.2616	38.88695371	74.27919255	60398	0	42	0
22	Territory.SalesTerritoryCountry	Australia	United States	null	null	60398	0	6	null
23	Territory.SalesTerritoryRegion	Australia	United Kingdom	null	null	60398	0	10	null
24	TotalProductCost	0.8565	2171.2942	286.0656574	552.4576409	60398	0	45	9586
25	UnitPrice	2.29	3578.27	486.0869105	928.489892	60398	0	42	11348
26	UnitPriceDiscountPct	0	0	0	0	60398	0	1	0

Takeaways

1. Table.Profile quickly creates basic descriptive statistics of every column in a table

2. We can use List.Accumulate and a list of {function, result column name} pairs to add custom profiling

3. We can also use Table.Profile in the custom function to profile the table grouped by the items within within each column