•	123 generate_series	T‡
1		0
2		5
3		10
4		15
5		20

```
dates 1
2022-10-19
2 2022-10-20
3 2022-10-21
4 2022-10-22
5 2022-10-23
6 2022-10-24
```

```
* generate_series( start , stop , step )
--1: A series of integers
--ex. Return 5 rows with 0, 5, 10, 15, 20
SELECT *
FROM generate series(0, 20, 5);
--2: A series of intervals
--ex. Return 6 rows - 1 for each day between today and 5 days from now
SELECT dates::date
FROM generate_series(current_date,
                    current date + interval '5 days',
                    interval '1 day') dates;
--3: Cross-join of examples above
SELECT dates::date, step
FROM generate series (0, 20, 5) step,
    generate series(current date,
                    current date + interval '5 days',
                    interval '1 day') dates
ORDER BY dates::date, step;
```

```
dates 123 step
       2022-10-19
       2022-10-19
       2022-10-19
                            10
       2022-10-19
       2022-10-19
                            20
       2022-10-20
       2022-10-20
       2022-10-20
       2022-10-20
       2022-10-20
       2022-10-21
       2022-10-21
       2022-10-21
       2022-10-21
15
       2022-10-21
16
       2022-10-22
17
       2022-10-22
       2022-10-22
19
       2022-10-22
       2022-10-22
       2022-10-23
       2022-10-23
       2022-10-23
                            10
24
       2022-10-23
       2022-10-23
                            20
       2022-10-24
       2022-10-24
       2022-10-24
       2022-10-24
       2022-10-24
                           20
```