Redes de Computadores II

Universidade do Algarve

Semana 6

https://github.com/ncatanoc/redes_algarve

Néstor Cataño

nestor.catano@gmail.com

UDP (User Datagram Protocol)

Goal:

To understand the basic underpinnings of UDP and its role in data transfer

Roadmap

- I. UDP (User Datagram Protocol)
- 2. UDP security

introduction to UDP

- UDP (User Datagram Protocol) is a transport layer protocol
- UDP passes data between the application layer and the network layer
- UDP is connectionless, it does not establish a connection between the Source and the Destination, e.g. through a handshake protocol (e.g. TLS)
- UDP's simplicity: ideal for audio streaming

Application
HTTP, DNS, ...


Transport
TCP, UDP

Internetwork
IP

Link
Ethernet

application transport network link physical


UDP packets




- Payload: Application Data
- Source Port: port message comes from
- Destination Port: arrival port

Connecting programs

How do we connect programs on your device to IP traffic from the network?



Connecting programs



A socket is an end-point in a two-way communication channel


Port numbers

- 16-bit numbers (range from 0 to 65535)
- Ports 0 to 1023 well-known ports by IANA
- Ephemeral ports
 - Range of ports that the IP Stack software can allocate automatically from
 - IANA suggests 49152 to 65535
 - In practice, range is OS-dependent

What are the attributes of UDP?

- I. UPD is connectionless
 - I. There is no handshake protocol between the Source and the Destination.
- 2. Port-to-Port
- 3. Process-to-Process communication
- 4. No ordering No retry

How does UDP work?



What does UDP give you?

- Finer application level control over what data is sent, and when
- No handshake; it reduces delays
- No connection state; it can support more applications
- Small packet overhead


Roadmap

- I. UDP (User Datagram Protocol)
- 2. UDP security


UDP security

- IP spoofing
 - Injecting a false Source IP address
- Reflection attacks
 - Response to a target machine
- Traffic amplification
 - Denial of service attack to a target machine

Reflection attack



Amplification attack



UDP summary

- Lightweight protocol that allows for greater control over delivery and timing of the content.
- Does not keep track of the ordering
- Less overhead makes it preferable for streaming.
- The lack of guarantees makes it less preferable for applications that would suffer from missing data, like Web pages