


Commando LLC - PROD	BRA209_Butter Bralette	BRA209_Butter Bralette Approved Production Domestic- 03.09.26	Monday, March 9, 2026 at 8:51:09 PM Coordinated Universal Time
------------------------	---------------------------	--	--

Properties

Brand	Commando LLC	Season	CORE	Gender (MG3)	WOMENS
Style Name	Butter Bralette	Sizes	XS-XL	Pattern #	7227-05-27-20
Code	BRA209	Default Size	S		



Commando LLC - PROD	BRA209_Butter Bralette	BRA209_Butter Bralette V3 Pattern #7227-05-27-20 Domestic	Approved-Production 3/3/2026, 8:01 PM
------------------------	---------------------------	--	---------------------------------------

Multi-level Placements

Placement	Product	Code	Supplier Code	Common Size	Composition	Supplier	Purchasing Type	Black MDN	
								Color	Color Specification Vendor Color Code
Fabric (1)									
BRA	Butter MODAL001	MODAL001	12678 / 12678-D	MT	79% MODAL, 21% ELASTANE	Willy Hermann-SUPERFINE	Commando Supplied	Black BLK4W 	9136 color level 4 (dark) black lycra base
Hardware & Trim (4)									
NECKLINE	7mm Nylon Woven Elastic ELASTIC018	ELASTIC018	M618-007		71% POLYAMIDE, 29% ELASTANE	Mab	Commando Supplied	Black BLK 	42125
WAISTBAND	16mm Elastic ELASTIC011	ELASTIC011	NF1282	16mm	90% NYLON, 10% SPANDEX	NARROWFLEX, INC.	Commando Supplied	Black BLK 	BLK
STRAPS	12" 10mm Pre-Made w/ Hardware Strap STRAP09	STRAP09	K75-00402		78% NYLON, 22% ELASTANE	Edge Fastener	Commando Supplied	Black BLK 	BLK
NEEDLE AND LOOPERS	Excell THREAD027	THREAD027			100% POLYESTER	American & Efird	Commando Supplied	A&E Black 32002 	32002
Hybrid (1)									
ARMHOLE	1 3/16" Butter Binding BINDING09	BINDING09			79% MODAL, 21% SPANDEX	Willy Hermann-SUPERFINE	Commando Supplied	Black BLK 	BLK
TRIM	Butter MODAL001	MODAL001			79% MODAL, 21% ELASTANE			Black BLKWF 	9136 color level 4 (dark) white lycra base

Displaying 1 - 7 of 11 results

Commando LLC - PROD	BRA209_Butter Bralette	BRA209_Butter Bralette V3 Pattern #7227-05-27-20 Domestic	Approved-Production 3/3/2026, 8:01 PM
------------------------	---------------------------	--	---------------------------------------

Multi-level Placements

Beige TNU		Cinnamon CIN		Toffee TOF		White WHT		UOM	Qty(Common)	Non-Linear Qty
Color	Color Specification Vendor Color Code	Color	Color Specification Vendor Color Code	Color	Color Specification Vendor Color Code	Color	Color Specification Vendor Color Code			
Beige TNUWF 	4491 color level 3 (medium) white lycra base	Cinnamon CINWF 9356 	9356 color level 4 (dark) white lycra base	Toffee TOFWF 	9094 color level 3 (medium) white lycra base	White WHT4W 9449 	9449 White = level 1 (white)	Meter	0.1939	0.0000
Beige TNU 	3980	Beige TNU 	3980	Beige TNU 	3980	White WHT 	00105	Meter	0.3683	0.0000
Beige TNU 	TNU	Cinnamon CIN 	CIN	Toffee TOF 	TOF	White WHT 	WHT	Yard	0.8611	0.0000
Beige TNU 	TNU	Cinnamon CIN 	CIN	Toffee TOF 	TOF	White WHT 	WHT	Each	2	0.0000
A&E Tan 2 45956 W45956 Tan 2 	45956	A&E Chestnut 32067 W32067 Chestnut 	32067	A&E Bark Tan 32221 W32221 Bark Tan 	32221	A&E White 32001 W32001 White 	32001	Yard	0	0.0000
Beige TNU 	TNU	Cinnamon CIN 	CIN	Toffee TOF 	TOF	White WHT4 		Yard	0.6667	0.0145
Beige TNUWF 	4491 color level 3 (medium) white lycra base	Cinnamon CINWF 9356 	9356 color level 4 (dark) white lycra base	Toffee TOFWF 	9094 color level 3 (medium) white lycra base	White WHT4W 9449 	9449 White = level 1 (white)		0.0206	0.0000
Displaying 1 - 7 of 11 results										

Commando LLC - PROD	BRA209_Butter Bralette	BRA209_Butter Bralette V3 Pattern #7227-05-27-20 Domestic	Approved-Production 3/3/2026, 8:01 PM
------------------------	---------------------------	--	---------------------------------------

Multi-level Placements

Placement	Product	Code	Supplier Code	Common Size	Composition	Supplier	Purchasing Type	Black MDN	
								Color	Color Specification Vendor Color Code
Label (1)									
BACK	Heat Seal Label TR34-2	TR34-2	COMMA182	S		Subli Inc.	Commando Supplied	Champagne CHP 	Warm Grey 1C
Tag (3)									
WEARER'S LEFT SIDE	Commando Hangtag T-COMBLANK	T-COMBLANK				Queen City Printers INC.	Commando Supplied	White/Black Text WBK 	WBK
WEARER'S LEFT SIDE	UPC Sticker STKRUPC01	STKRUPC01				COMMANDO LLC	Commando Supplied	White/Black Text WBK 	WBK
WEARER'S LEFT SIDE	Clear 3" Barb Fasteners / Swift Tack TACK01	TACK01				COMMANDO LLC	Commando Supplied	Clear CLR	CLR
Displaying 8 - 11 of 11 results									




Commando LLC - PROD	BRA209_Butter Bralette	BRA209_Butter Bralette V3 Pattern #7227-05-27-20 Domestic	Approved-Production 3/3/2026, 8:01 PM
------------------------	---------------------------	--	---------------------------------------

Multi-level Placements

Beige TNU		Cinnamon CIN		Toffee TOF		White WHT		UOM	Qty(Common)	Non-Linear Qty
Color	Color Specification Vendor Color Code	Color	Color Specification Vendor Color Code	Color	Color Specification Vendor Color Code	Color	Color Specification Vendor Color Code			
Champagne CHP 	Warm Grey 1C	Champagne CHP 	Warm Grey 1C	Champagne CHP 	Warm Grey 1C	Champagne CHP 	Warm Grey 1C	Each	1	0.0000
White/Black Text WBK commando®	WBK	White/Black Text WBK commando®	WBK	White/Black Text WBK commando®	WBK	White/Black Text WBK commando®	WBK	Each	1	0.0000
White/Black Text WBK 	WBK	White/Black Text WBK 	WBK	White/Black Text WBK 	WBK	White/Black Text WBK 	WBK	Each	1	0.0000
Clear CLR	CLR	Clear CLR	CLR	Clear CLR	CLR	Clear CLR	CLR	Each	1	0.0000
Displaying 8 - 11 of 11 results										


Commando LLC - PROD		BRA209_Butter Bralette		Cutters Must-Pattern #7227-05-27-20		Approved 9/28/2020, 5:07 PM	
Season	CORE	Code	BRA209	Pattern #	7227-05-27-20		
Base Product	BRA209_Butter Bralette						

Items

Piece Name	Pattern Image	Fabric Code	Quantity	Cutting Note	Comment
Fabric 1 (4)					
Outer Front		MODAL001	1	Face up	
Inner Front		MODAL001	1	Face up	
Back		MODAL001	1	Face up	
					MODAL001 has a cuttable width of 152 cm (60"). Please contact Commando if the cuttable width of production fabric varies significantly.
Fabric 2 (1)					
Binding		BINDING09	as needed	Face up	cut 1 3/16" MODAL001 binding as needed
Displaying 2 groups and 5 results					

Commando LLC - PROD		BRA209_Butter Bralette		Placement Details-Pattern #7227-05-27-20 - Domestic		Approved 3/9/2026, 8:47 PM	
Season	CORE	Code	BRA209	Pattern #	7227-05-27-20		
Base Product	BRA209_Butter Bralette						

Items


Code	Placement	Image
Main Label Placement (7)		
MLP015	Place back piece facedown.	
ADD01	Set the label 1/2" down from center back neck edge to center top of the label.	
Displaying 1 - 2 of 11 results		

Items

Code	Placement	Image
HSP002	Center of label is right side of the second "m".	Center of label is right side of second "m" 
MLP004	Label must be straight and parallel to edge.	
HSP003	Peel labels while still hot, labels should be matte, not shiny.	
STM01	Heatseal area must be steamed after application to remove marks from heat press	
TR34-2	Artwork for TR34-2	


Displaying 3 - 7 of 11 results

Items

Code	Placement	Image
Hang Tag Placement (4)		
HT033	Hangtags should be placed at the top of the side seam allowance. TAG OVERLOCK SEAM ONLY- MUST GO THROUGH SEAM AND MUST NOT PUNCTURE FABRIC. Insert tag approximately 1/2"-3/4" down from top of side seam.	
HT034	Hang tags should hang from the wearer's left side.	

Displaying 8 - 9 of 11 results

Items

Code	Placement	Image
HT044	UPC sticker is placed 3/8" up from the bottom edge and centered left to right	
T-COMBLANK	Artwork for T-COMBLANK	


Displaying 10 - 11 of 11 results

Commando LLC - PROD		BRA209_Butter Bralette		Sewing Operations-Pattern #7227-05-27-20		Approved 2/3/2022, 5:03 PM	
Season	CORE	Code	BRA209	Pattern #	7227-05-27-20		
Base Product	BRA209_Butter Bralette		Description				

Items

Operation #	Operation	Description	Image	Created
Operations (9)				
		Zig Zag (304), 13-15 SPI Single Needle Lockstitch (301), 13-15 SPI Single Needle Chainstitch (401), 13-15 SPI 3 Thread Overedge (504), 15-18 SPI		2/3/2022, 5:02 PM
OP 1	Apply Label	See label placement page for details.		2/3/2022, 5:02 PM
OP 2	Close front neck edge, attaching 7mm elastic in seam	Align top neck edge as follows- front lining face up, outer front face down with elastic on top. 3 Thread Overedge (504) along neck edge with slight tension. Turn front assembly right side out.		2/3/2022, 5:02 PM
OP 3	Make shirring on sides of front.	Line up side notches of outer front and lining. Single Needle Lockstitch (301) basting stitch two layers together across side edges between notches. Pull stitches to fit the measurements: XS=2", S=2 1/4", M=2 1/2", L=2 3/4", XL=3".		2/3/2022, 5:02 PM
OP 4	Join side seams	Using 3 Thread Overedge (504), join side seams.		2/3/2022, 5:02 PM
OP 5	Attach 16mm elastic to bottom underbust edge	Cut elastic to finish to spec. See inspection page for finished half measurements. Close elastic with Zig Zag (304), back tack back and forth. Then overlap elastic 1/4" onto body face up and elastic with brushed side face up, stepping off edge of elastic onto body. Turn elastic to inside of bralette and Zig Zag (304) at other edge overlapping 1".		2/3/2022, 5:02 PM
OP 6	Bind Armholes	With Single Needle Chainstitch (401) and binder to finish at 5/16" wide, start binding 1", and then attach binding to armhole, making sure seam allowance at side seams is pressed to front of garment. Repeat for other side.		2/3/2022, 5:02 PM
OP 7	Back of Bra Straps	Insert rings of straps through back binding tails. MAKE SURE STRAPS ARE RIGHT FACE (SHINY SIDE) OUT. Fold tails in and back tack or bartack to secure as close to ring as possible. Backtack at least 4 times. Trim excess binding		2/3/2022, 5:02 PM
Displaying 1 - 8 of 9 results				


Items

Operation #	Operation	Description	Image	Created
OP 8	Front binding to bra straps	Line up width of strap to width of binding at neckline intersection edge, making sure the outside of the binding lines up with the outside edge of the strap. Topstitch or bartack bra strap at 1/4" from edge of elastic and 1/2" from edge of binding. Make sure seam is perpendicular to edges off straps.Then fold back strap and topstitch at approximately 3/8" on top of strap itself. Backtack at least 4 times or bartack.The end of elastic strap should be sandwiched between both layers of binding and strap. Trim excess binding.		2/3/2022, 5:02 PM

Displaying 9 - 9 of 9 results

Season	CORE	Code	BRA209
Style	BRA209_Butter Bralette	Pattern #	7227-05-27-20

Inspection



Binding must be secured on the garment, especially where the straps begin.

Shirring at side seam must be even on each side.

Hardware must be installed properly; straps need to be tacked within 1/4" of hardware.

Pre-made straps must be attached securely and sewn right-side out.

Shirring at both sides must be evenly distributed.

Underbust elastic must not show on outside of garment.

There must be no space between front strap connection to binding.

Lockstitch used to shirr front side seam after front & back have been over locked together must be broken, stray threads must be removed.

POMs

Final Inspection	POM	POM Name	POM Description	Tol (-)	Tol (+)	XS	S	M	L	XL
	N001.1	Neck Width- Standard	along edge end to end including binding	-1/4	1/4	10 3/4	11	11 5/8	12 5/8	13 5/8
	W001.1	Bust Height	Strap/Binding intersection to bottom edge	-1/4	1/2	6 1/4	6 3/4	7 1/2	8 1/4	9
✓	ADD01	Bottom Opening	half, edge to edge	-1/4	1/4	10 3/4	11 1/4	12 1/4	13 1/2	14 3/4

Displaying 1 - 3 of 11 results

Units: Fractions of inches Grade Rule Display: Absolute

POMs

Final Inspection	POM	POM Name	POM Description	Tol (-)	Tol (+)	XS	S	M	L	XL
✓	ADD04	Sweep- Minimum Stretch	Bottom Opening half, with Elastic Fully Extended	-1/4	1/4	18 3/4	19 1/4	20 1/4	21 1/2	22 3/4
✓	L006	Center Front Height	Neckline to edge	-1/4	1/4	2 5/8	2 7/8	3 3/8	3 7/8	4 3/8
	S009	Strap Length		-1/8	1/8	12	12	12	12	12
	L007	Center Back Height	Neckline to edge	-1/4	1/4	2 1/8	2 5/8	3 1/8	3 5/8	4 1/8
✓	AH001.1	Armhole- front and back	Along armhole Binding	-1/4	1/4	7 1/2	7 3/4	8 5/8	9 1/2	10 1/8
	ADD02	Side Seam Shirring Placement	From Armhole	-1/8	1/8	7/8	1	1 1/8	1 1/4	1 1/4
	ADD03	Shirring Length	On Side Seam	-1/8	1/8	2	2 1/4	2 1/2	2 3/4	3
	LP001	Label Placement	Centered, Down from Back Edge	-1/8	1/8	1/2	1/2	1/2	1/2	1/2
Displaying 4 - 11 of 11 results				Units: Fractions of inches		Grade Rule Display: Absolute				