

COUNTRY ROAD		MJA148M562		Country Road Clothing Pty Ltd Purchase Order Number :	
Group	2010 JFM				
Style	MJA148M562	Description	FSHN FINE STRP JKT		
Season	2010 JFM	Range Month	January; February; March		
Division	Mens Apparel	Item Type	Woven - Mens Jacket		
Garment Type	Jacket - Career	Team	Career		
Vendor	04059 Trinity Textiles Limited (HK)	Product Status	Product Signed Off		
Sourcing Agent	04481 Li & Fung Trading Co Ltd - HK				
Sizes	36, 38, 40, 42, 44, 46	Date Created	5/2/2009		
Number of Colors	1	Trims Sign Off	8/9/2009		
Colors	1 Black, 9205 Black Ash	Garment Sign Off Deadline			
Comments		Garment Sign Off	29/9/2009		
F/G Vendor Cost	USD - US Dollar 1.00	Pattern # / Manuf. Ref.			
F/G Vendor Cost	USD - US Dollar 1.00	Country of Origin	CN China Peoples Rep		
AUD RRP	399.00	Ticket Type	Swing Ticket - Formal		
Minimum		Vendor Product Number			
Pack Size		Hemisphere	Southern		
Cross-Costing Vendor		Cross-Costing Agent			
Material Type	Fabric	Description	y/d fine stripe		
Material	M562	Composition	100% Wool		
Country of Origin	IT Italy	Quality	Super 110's Art 93395 Design: 0560		
Width/Size	148cm	Weight	170gsm		
Garment Wash		Mill	03329 Marzotto S.P.A.		
Raw Material Sign Off					

Section	Title
1	Materials All Colors
2	Product Sketch
3	Detail Sketch
4	Measures Full Grade 36 38 40 42 44 46 Measures
5	Measures Full Grade 36 38 40 42 44 46 Verification
6	Measures Full Grade 36 38 40 42 44 46 Proto 1
7	Measures Full Grade 36 38 40 42 44 46 Proto 2
8	Measures Full Grade 36 38 40 42 44 46 Pre Production
9	Measures Full Grade 36 38 40 42 44 46 Top of Production
10	Fit Comments Proto 1 comment from LF on 26-Aug / ***CR comments 1-Sept
11	Fit Comments Proto2 comments from LF on 22/Sep / ***CR comments 29-Sept / ***CR Added comments 1-Oct
12	Fit Comments PP comment from LF on 23-Nov.
13	Fit Comments Top of Production / ***CR comments 22-Dec

14	Construction - Woven - Mens Jacket
15	Detail Sketch
16	FG Samples

COUNTRY ROAD**Materials All Colors**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Colorways 1 to 2

Material	Type	Code	Description	Construction	Placement	Wth	UOM	Qty	Supplier	All	CW1	CW2
										All	1 Black	9205 Black Ash
Trim	Button	UNT 2	Scotch button		CF OPENING+SPARE	20mm	each	3.0000	Factory to source		09 - BLACK	
Trim	Button	UNT 2	Scotch button		MOCK CUFF,INTERNAL POCKETS+SPARE sleeve buttons to be stacked	15mm	each	11.0000	Factory to source		09 - BLACK	
Trim	Hangers	CR500	CR Jacket Hanger - no bar	High Impact Styrene	Sizes 36 - 40		each	1.0000	TAC	Bitter Chocolate		
Trim	Hangers	CR600	CR Jacket Hanger - no bar	High Impact Styrene	Sizes 42-46		each	1.0000	TAC	Bitter Chocolate		
Trim	Interlining	Large parts - BVM60	Interlining	N/A	Front Fusing - To be approved from drycleaned proto and fuse report	N/A	N/A	0.0000	FTS0001 Factory to Supply - tba	best suited		
Trim	Interlining	Small parts - ME9113	Interlining	N/A	Facing, bottom - To be approved from drycleaned proto and fuse report		N/A	0.0000	FTS0001 Factory to Supply - tba	best suited		
Trim	Interlining	Small parts - ME9113	Interlining	N/A	Cuff - To be approved from drycleaned proto and fuse report		N/A	0.0000	FTS0001 Factory to Supply - tba	best suited		
Trim	Labels	CCSI	Super 110's Fabric Woven In Italy	N/A	Attach as per manual		N/A	1.0000	FTS0001 Factory to Supply			
Trim	Labels	CRCISWM	Care W49+W57/W2010fabric composition:100% woolbody lining composition: 100% cupro rayonssleeve lining composition; 59% viscose, 41% Polyester	100% Polyester	Attach inside WRS internal pocket	N/A	each	1.0000	00612 Cash's	White		
Trim	Labels	D/BK4	Tailored jacket label	100% Polyester	1x inside chest wearer's right side	62 x 48mm attached	each	1.0000	00612 Cash's	Bitter chocolate		
Trim	Lining & Pocketing	AK1880	Bemberg lining	100% cupro	body lining	112cm	metre	0.0000	Factory to supply	3305		
Trim	Lining & Pocketing	AK1880	Bemberg lining	100% Cupro	Internal contrast piping and Jetted Pkts		metre	0.0000	Factory to supply	BLACK		
Trim	Lining & Pocketing	CANTON	Stripe lining	59% viscose 41% polyester	Striped sleeve lining	108cm		0.0000	Cervotessile	203		
Trim	Lining & Pocketing	Melton Under Collar	Melton Under Collar	100% Wool	Under collar		metre	0.0000	FTS0001 Factory to Supply	TO MATCH		
Trim	Lining & Pocketing	SHANGHAI	Herringbone Pocketing	Polyester /Cotton	POCKETING		metre	0.0000	CERVOTESSILE	BLACK - 59		
Trim	Packaging	Packaging	Packaging	N/A	Hanger pack	N/A	N/A	0.0000	FTS0001 Factory to Supply			

Trim	Shoulder Pads	Shoulder Pads	Shoulder Pads	N/A	shoulders	N/A	pair	0.0000	FTS0001 Factory to Supply as per sample sent by CR	To Match		
Trim	Sleeve Rolls	Sleeve Roll	Sleeve Roll	N/A	sleeve head	N/A	N/A	0.0000	FTS0001 Factory to Supply as per sample sent by CR	To Match		
Trim	Tape	Tape	Tape	N/A	7cm HANGER LOOP CB NECK	N/A	N/A	0.0000	FTS0001 Factory to Supply		black	
Trim	Tape	Tape	Tape	N/A	SHOULDER,ARMHOLE,BREAKLINE	N/A	N/A	0.0000	FTS0001 Factory to Supply	To Match		
Trim	Thread	Thread 120's	120's weight	N/A	General and external pickstiching			0.0000	FTS0001 Factory to Supply	TO MATCH		
Trim	Tickets	APBK4/42	Suiting	Fine Cardboard	Attach above price tickets	One size	each	1.0000	00612 Cash's	Bitter chocolate		
Trim	Tickets	APBK4/7	Italian fabric, Pure new wool	Fine Cardboard	Attach as per manual		each	1.0000	00612 Cash's			
Trim	Tickets	CR/BB1	CR button bag	Fine Cardboard	Attach as per manual	N/A	each	1.0000	00612 Cash's			

Comments :



Section 1

Date Posted - 25/08/2010

COUNTRY ROAD

Product Sketch

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT




Comment:

	Section 2	Date Posted - 25/08/2010
--	------------------	--------------------------

COUNTRY ROAD

Detail Sketch

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT



Comment:

Section 3

Date Posted - 25/08/2010

COUNTRY ROAD**Measures Full Grade 36 38 40 42 44 46 Measures**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Image:

Comment:

Sample Size:

40

Unit of Measure :

CM

Sort	Code	Description	Tol-	Tol+	Sample	36	38	40	42	44	46						
	MNJ01	Back neck length - Along seam			19.2	18	18.6	19.2	19.8	20.4	21						
	MNJ03	Shoulder breadth - straight across			46.6	44	45.3	46.6	47.9	49.2	50.5						
	MNJ04	Chest total at 2.5cm below underarm			107	97	102	107	112	117	122						
	MNJ05	Waist total at 18cm below underarm			97	87	92	97	102	107	112						
	MNJ07	Hem total (vents wrap closed)			113	103	108	113	118	123	128						
	MNJ08	Armhole total circumference			57.4	52.4	54.9	57.4	59.9	62.4	64.9						
	MNJ09	Across back at 15cm below CB neck			43.8	41.2	42.5	43.8	45.1	46.4	47.7						
	MNJ10	CB body length			74	72	73	74	75	76	77						
	MNJ11	Front body length from HSP			78	76	77	78	79	80	81						
	MNJ12	Sleeve length from top shoulder			66.5	65.1	65.8	66.5	67.2	67.9	68.6						
	MNJ13	Overarm length - CB neck to cuff hem			89.8	87.2	88.5	89.8	91.1	92.4	93.7						
	MNJ14	Sleeve girth total at 2.5cm below underarm			41.4	38.8	40.1	41.4	42.7	44	45.3						
	MNJ15	Elbow circumference at 33cm up from cuff edge			37.1	35.1	36.1	37.1	38.1	39.1	40.1						
	MNJ16	Sleeve opening total			30	28.8	29.4	30	30.6	31.2	31.8						
	MNJ17	Collar depth at CB			6.8	6.8	6.8	6.8	6.8	6.8	6.8						
	MNJ18	Collar stand depth at CB			1.8	1.8	1.8	1.8	1.8	1.8	1.8						
	MNJ19	Collar peak length			2.8	2.8	2.8	2.8	2.8	2.8	2.8						
	MNJ20	Lapel peak length			3.3	3.3	3.3	3.3	3.3	3.3	3.3						
	MNJ21	Lapel width at widest from neck fold			6	6	6	6	6	6	6						
	MNJ22	Chest welt depth			2	2	2	2	2	2	2						
	MNJ23	Chest welt width			9.7	9.7	9.7	9.7	9.7	9.7	9.7						
	MNJ24	Chest welt position down from HSP to high point of welt edge			22.7	21.5	22.1	22.7	23.3	23.9	24.5						
	MNJ25	Chest welt position in from			4	3.4	3.7	4	4.3	4.6	4.9						

		armhole														
	MNJ26	Lower pocket flap depth			4.8	4.8	4.8	4.8	4.8	4.8	4.8					
	MNJ27	Lower pocket flap width			16	16	16	16	16	16	16					
	MNJ28	Lower pocket flap position down from HSP to lowest flap inside corner			52.5	50.5	51.5	52.5	53.5	54.5	55.5					
	MNJ29	Lower pocket flap position in from front edge			12.8	11.4	12.1	12.8	13.5	14.2	14.9					
	MNJ30	Back vent opening length			22	22	22	22	22	22	22					
	MNJ31	Cuff vent opening length			10.2	10.2	10.2	10.2	10.2	10.2	10.2					
	MNJ32	Top button position from HSP to centre button			43.5	42.3	42.9	43.5	44.1	44.7	45.3					
	MNJ33	CF wrap depth			3.2	3.2	3.2	3.2	3.2	3.2	3.2					
	MNJ35	Distance between CF buttons (centre to centre)			11	11	11	11	11	11	11					

IMPORTANT NOTE: THESE SPECIFICATIONS ARE FOR DEVELOPMENT & COSTING ONLY *PRODUCTION CANNOT BEGIN UNTIL PRE-PRODUCTION HAS BEEN APPROVED*

Section 4

Date Posted - 25/08/2010

COUNTRY ROAD**Measures Full Grade 36 38 40 42 44 46 Verification**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Image:

Comment:

Sample Size:

40

Unit of Measure :

CM

Sort	Code	Description	Tol-	Tol+	Original Measure	Proto 1	Var 1	Revised Measure	Proto 2	Var 2	Revised Measure	Pre Production	Var 3	Revised Measure	Top of Production	Var 4	Revised Measure	Fit Test 5	Var 5	Revised Measure	Fit Test 6	Var 6
	MNJ01	Back neck length - Along seam			19.2	18.7	-.5	19.2	19.2		19.2				19.2		19.2					
	MNJ03	Shoulder breadth - straight across			47.6	46.8	-.8	46.6	46.6		46.6				46	-.6	46.6					
	MNJ04	Chest total at 2.5cm below underarm			110	109	-1	107	106	-1	107				106	-1	107					
	MNJ05	Waist total at 18cm below underarm			97	97		97	96.5	-.5	97				98.5	1.5	97					
	MNJ07	Hem total (vents wrap closed)			117	117		114	113	-1	113				116	3	113					
	MNJ08	Armhole total circumference			57.4	58	0.6	57.4	56.4	-1	57.4				57	-.4	57.4					
	MNJ09	Across back at 15cm below CB neck			44.8	44.5	-.3	43.8	43.8		43.8				43.5	-.3	43.8					
	MNJ10	CB body length			76	75	-1	74	73.5	-.5	74				73.5	-.5	74					
	MNJ11	Front body length from HSP			80	79.2	-.8	78	78		78				77.5	-.5	78					
	MNJ12	Sleeve length from top shoulder			66.5	66	-.5	66.5	66.5		66.5				66	-.5	66.5					
	MNJ13	Overarm length - CB neck to cuff hem			90.3	89.3	-1	89.8	89.8		89.8				90.1	0.3	89.8					
	MNJ14	Sleeve girth total at 2.5cm below underarm			41.4	40	-1.4	41.4	41	-.4	41.4				41	-.4	41.4					
	MNJ15	Elbow circumference at 33cm up from cuff edge			37.1	37.1		37.1	37.5	0.4	37.1				37.1		37.1					
	MNJ16	Sleeve opening total			30	30		30	30		30				30		30					
	MNJ1	Collar depth at CB			6.8	7.1	0.3	6.8	6.8		6.8				7	0.2	6.8					

7																				
MNJ1 8	Collar stand depth at CB			1.8	2	0.2	1.8	1.8		1.8				1.8		1.8				
MNJ1 9	Collar peak length			3	3		2.8	2.6	-.2	2.8				2.8		2.8				
MNJ2 0	Lapel peak length			4	3.8	-.2	3.3	3.5	0.2	3.3				3.3		3.3				
MNJ2 1	Lapel width at widest from neck fold			6.5	6.8	0.3	6	6		6				6		6				
MNJ2 2	Chest welt depth			2.2	2.2		2.2	2.2		2				2		2				
MNJ2 3	Chest welt width			11	11		10.5	10.5		9.7				9.7		9.7				
MNJ2 4	Chest welt position down from HSP to high point of welt edge			23	22.5	-.5	22.5	22.5		22.7				22.7		22.7				
MNJ2 5	Chest welt position in from armhole			4	4		4	4		4				4.2	0.2	4				
MNJ2 6	Lower pocket flap depth			4.8	4.6	-.2	4.8	4.5	-.3	4.8				4.8		4.8				
MNJ2 7	Lower pocket flap width			16	16.2	0.2	16	16		16				16		16				
MNJ2 8	Lower pocket flap position down from HSP to lowest flap inside corner			52.5	52	-.5	52.5	52.5		52.5				52.5		52.5				
MNJ2 9	Lower pocket flap position in from front edge			12.8	13	0.2	12.8	12.4	-.4	12.8				12.8		12.8				
MNJ3 0	Back vent opening length			22.2	22	-.2	22.2	22	-.2	22				22		22				
MNJ3 1	Cuff vent opening length			10.2	10.2		10.2	10.4	0.2	10.2				10.2		10.2				
MNJ3 2	Top button position from HSP to centre button			39.7	39.4	-.3	43.5	43.5		43.5				43.5		43.5				
MNJ3 3	CF wrap depth			3.2	3.2		3.2	3	-.2	3.2				3.2		3.2				
MNJ3 5	Distance between CF buttons (centre to centre)			12	12		11.5	11.5		11				11		11				

IMPORTANT NOTE: THESE SPECIFICATIONS ARE FOR DEVELOPMENT & COSTING ONLY *PRODUCTION CANNOT BEGIN UNTIL PRE-PRODUCTION HAS BEEN APPROVED*

Section 5

Date Posted - 25/08/2010

COUNTRY ROAD**Measures Full Grade 36 38 40 42 44 46 Proto 1**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Image:

Comment:

Sample Size:

40

Unit of Measure :

CM

	Code	Description	Tol-	Tol+	Current Sample	Test Sample	Test Result	Var	Rev Measure	Fit Test Comment
	MNJ01	Back neck length - Along seam			19.2	19.2	18.7	-.5		
	MNJ03	Shoulder breadth - straight across			46.6	47.6	46.8	-.8	46.6	
	MNJ04	Chest total at 2.5cm below underarm			107	110	109	-1	107	
	MNJ05	Waist total at 18cm below underarm			97	97	97		97	
	MNJ07	Hem total (vents wrap closed)			113	117	117		114	
	MNJ08	Armhole total circumference			57.4	57.4	58	0.6		
	MNJ09	Across back at 15cm below CB neck			43.8	44.8	44.5	-.3	43.8	
	MNJ10	CB body length			74	76	75	-1	74	
	MNJ11	Front body length from HSP			78	80	79.2	-.8	78	
	MNJ12	Sleeve length from top shoulder			66.5	66.5	66	-.5		
	MNJ13	Overarm length - CB neck to cuff hem			89.8	90.3	89.3	-1		
	MNJ14	Sleeve girth total at 2.5cm below underarm			41.4	41.4	40	-1.4		
	MNJ15	Elbow circumference at 33cm up from cuff edge			37.1	37.1	37.1			
	MNJ16	Sleeve opening total			30	30	30			
	MNJ17	Collar depth at CB			6.8	6.8	7.1	0.3		
	MNJ18	Collar stand depth at CB			1.8	1.8	2	0.2		
	MNJ19	Collar peak length			2.8	3	3		2.8	
	MNJ20	Lapel peak length			3.3	4	3.8	-.2	3.3	
	MNJ21	Lapel width at widest from neck fold			6	6.5	6.8	0.3	6	
	MNJ22	Chest welt depth			2	2.2	2.2			
	MNJ23	Chest welt width			9.7	11	11		10.5	
	MNJ24	Chest welt position down from			22.7	23	22.5	-.5	22.5	

		HSP to high point of welt edge							
	MNJ25	Chest welt position in from armhole			4	4	4		
	MNJ26	Lower pocket flap depth			4.8	4.8	4.6	-.2	
	MNJ27	Lower pocket flap width			16	16	16.2	0.2	
	MNJ28	Lower pocket flap position down from HSP to lowest flap inside corner			52.5	52.5	52	-.5	
	MNJ29	Lower pocket flap position in from front edge			12.8	12.8	13	0.2	
	MNJ30	Back vent opening length			22	22.2	22	-.2	
	MNJ31	Cuff vent opening length			10.2	10.2	10.2		
	MNJ32	Top button position from HSP to centre button			43.5	39.7	39.4	-.3	43.5
	MNJ33	CF wrap depth			3.2	3.2	3.2		
	MNJ35	Distance between CF buttons (centre to centre)			11	12	12		11.5

IMPORTANT NOTE: THESE SPECIFICATIONS ARE FOR DEVELOPMENT & COSTING ONLY *PRODUCTION CANNOT BEGIN UNTIL PRE-PRODUCTION HAS BEEN APPROVED*

Section 6

Date Posted - 25/08/2010

COUNTRY ROAD**Measures Full Grade 36 38 40 42 44 46 Proto 2**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Image:

Comment:

Sample Size:

40

Unit of Measure :

CM

	Code	Description	Tol-	Tol+	Current Sample	Test Sample	Test Result	Var	Rev Measure	Fit Test Comment
	MNJ01	Back neck length - Along seam			19.2	19.2	19.2			
	MNJ03	Shoulder breadth - straight across			46.6	46.6	46.6			
	MNJ04	Chest total at 2.5cm below underarm			107	107	106	-1		
	MNJ05	Waist total at 18cm below underarm			97	97	96.5	-.5		
	MNJ07	Hem total (vents wrap closed)			113	114	113	-1	113	
	MNJ08	Armhole total circumference			57.4	57.4	56.4	-1		
	MNJ09	Across back at 15cm below CB neck			43.8	43.8	43.8			
	MNJ10	CB body length			74	74	73.5	-.5		
	MNJ11	Front body length from HSP			78	78	78			
	MNJ12	Sleeve length from top shoulder			66.5	66.5	66.5			
	MNJ13	Overarm length - CB neck to cuff hem			89.8	89.8	89.8			
	MNJ14	Sleeve girth total at 2.5cm below underarm			41.4	41.4	41	-.4		
	MNJ15	Elbow circumference at 33cm up from cuff edge			37.1	37.1	37.5	0.4		
	MNJ16	Sleeve opening total			30	30	30			
	MNJ17	Collar depth at CB			6.8	6.8	6.8			
	MNJ18	Collar stand depth at CB			1.8	1.8	1.8			
	MNJ19	Collar peak length			2.8	2.8	2.6	-.2		
	MNJ20	Lapel peak length			3.3	3.3	3.5	0.2		
	MNJ21	Lapel width at widest from neck fold			6	6	6			
	MNJ22	Chest welt depth			2	2.2	2.2		2	
	MNJ23	Chest welt width			9.7	10.5	10.5		9.7	
	MNJ24	Chest welt position down from			22.7	22.5	22.5		22.7	

		HSP to high point of welt edge								
	MNJ25	Chest welt position in from armhole			4	4	4			
	MNJ26	Lower pocket flap depth			4.8	4.8	4.5	-.3		
	MNJ27	Lower pocket flap width			16	16	16			
	MNJ28	Lower pocket flap position down from HSP to lowest flap inside corner			52.5	52.5	52.5			
	MNJ29	Lower pocket flap position in from front edge			12.8	12.8	12.4	-.4		
	MNJ30	Back vent opening length			22	22.2	22	-.2		
	MNJ31	Cuff vent opening length			10.2	10.2	10.4	0.2		
	MNJ32	Top button position from HSP to centre button			43.5	43.5	43.5			
	MNJ33	CF wrap depth			3.2	3.2	3	-.2		
	MNJ35	Distance between CF buttons (centre to centre)			11	11.5	11.5		11	

IMPORTANT NOTE: THESE SPECIFICATIONS ARE FOR DEVELOPMENT & COSTING ONLY *PRODUCTION CANNOT BEGIN UNTIL PRE-PRODUCTION HAS BEEN APPROVED*

Section 7

Date Posted - 25/08/2010

COUNTRY ROAD**Measures Full Grade 36 38 40 42 44 46 Pre Production**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Image:

Comment:

Sample Size:

40

Unit of Measure :

CM

	Code	Description	Tol-	Tol+	Current Sample	Test Sample	Test Result	Var	Rev Measure	Fit Test Comment
	MNJ01	Back neck length - Along seam			19.2					
	MNJ03	Shoulder breadth - straight across			46.6					
	MNJ04	Chest total at 2.5cm below underarm			107					
	MNJ05	Waist total at 18cm below underarm			97					
	MNJ07	Hem total (vents wrap closed)			113					
	MNJ08	Armhole total circumference			57.4					
	MNJ09	Across back at 15cm below CB neck			43.8					
	MNJ10	CB body length			74					
	MNJ11	Front body length from HSP			78					
	MNJ12	Sleeve length from top shoulder			66.5					
	MNJ13	Overarm length - CB neck to cuff hem			89.8					
	MNJ14	Sleeve girth total at 2.5cm below underarm			41.4					
	MNJ15	Elbow circumference at 33cm up from cuff edge			37.1					
	MNJ16	Sleeve opening total			30					
	MNJ17	Collar depth at CB			6.8					
	MNJ18	Collar stand depth at CB			1.8					
	MNJ19	Collar peak length			2.8					
	MNJ20	Lapel peak length			3.3					
	MNJ21	Lapel width at widest from neck fold			6					
	MNJ22	Chest welt depth			2					
	MNJ23	Chest welt width			9.7					
	MNJ24	Chest welt position down from			22.7					

		HSP to high point of welt edge								
	MNJ25	Chest welt position in from armhole			4					
	MNJ26	Lower pocket flap depth			4.8					
	MNJ27	Lower pocket flap width			16					
	MNJ28	Lower pocket flap position down from HSP to lowest flap inside corner			52.5					
	MNJ29	Lower pocket flap position in from front edge			12.8					
	MNJ30	Back vent opening length			22					
	MNJ31	Cuff vent opening length			10.2					
	MNJ32	Top button position from HSP to centre button			43.5					
	MNJ33	CF wrap depth			3.2					
	MNJ35	Distance between CF buttons (centre to centre)			11					

IMPORTANT NOTE: THESE SPECIFICATIONS ARE FOR DEVELOPMENT & COSTING ONLY *PRODUCTION CANNOT BEGIN UNTIL PRE-PRODUCTION HAS BEEN APPROVED*

Section 8

Date Posted - 25/08/2010

COUNTRY ROAD**Measures Full Grade 36 38 40 42 44 46 Top of Production**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Image:

Comment:

Sample Size:

40

Unit of Measure :

CM

	Code	Description	Tol-	Tol+	Current Sample	Test Sample	Test Result	Var	Rev Measure	Fit Test Comment
	MNJ01	Back neck length - Along seam			19.2	19.2	19.2			
	MNJ03	Shoulder breadth - straight across			46.6	46.6	46	-.6		
	MNJ04	Chest total at 2.5cm below underarm			107	107	106	-1		
	MNJ05	Waist total at 18cm below underarm			97	97	98.5	1.5		
	MNJ07	Hem total (vents wrap closed)			113	113	116	3		
	MNJ08	Armhole total circumference			57.4	57.4	57	-.4		
	MNJ09	Across back at 15cm below CB neck			43.8	43.8	43.5	-.3		
	MNJ10	CB body length			74	74	73.5	-.5		
	MNJ11	Front body length from HSP			78	78	77.5	-.5		
	MNJ12	Sleeve length from top shoulder			66.5	66.5	66	-.5		
	MNJ13	Overarm length - CB neck to cuff hem			89.8	89.8	90.1	0.3		
	MNJ14	Sleeve girth total at 2.5cm below underarm			41.4	41.4	41	-.4		
	MNJ15	Elbow circumference at 33cm up from cuff edge			37.1	37.1	37.1			
	MNJ16	Sleeve opening total			30	30	30			
	MNJ17	Collar depth at CB			6.8	6.8	7	0.2		
	MNJ18	Collar stand depth at CB			1.8	1.8	1.8			
	MNJ19	Collar peak length			2.8	2.8	2.8			
	MNJ20	Lapel peak length			3.3	3.3	3.3			
	MNJ21	Lapel width at widest from neck fold			6	6	6			
	MNJ22	Chest welt depth			2	2	2			
	MNJ23	Chest welt width			9.7	9.7	9.7			
	MNJ24	Chest welt position down from			22.7	22.7	22.7			

		HSP to high point of welt edge								
	MNJ25	Chest welt position in from armhole			4	4	4.2	0.2		
	MNJ26	Lower pocket flap depth			4.8	4.8	4.8			
	MNJ27	Lower pocket flap width			16	16	16			
	MNJ28	Lower pocket flap position down from HSP to lowest flap inside corner			52.5	52.5	52.5			
	MNJ29	Lower pocket flap position in from front edge			12.8	12.8	12.8			
	MNJ30	Back vent opening length			22	22	22			
	MNJ31	Cuff vent opening length			10.2	10.2	10.2			
	MNJ32	Top button position from HSP to centre button			43.5	43.5	43.5			
	MNJ33	CF wrap depth			3.2	3.2	3.2			
	MNJ35	Distance between CF buttons (centre to centre)			11	11	11			

IMPORTANT NOTE: THESE SPECIFICATIONS ARE FOR DEVELOPMENT & COSTING ONLY *PRODUCTION CANNOT BEGIN UNTIL PRE-PRODUCTION HAS BEEN APPROVED*

Section 9

Date Posted - 25/08/2010

COUNTRY ROAD**Fit Comments Proto 1 comment from LF
on 26-Aug / ***CR comments 1-Sept**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Test Name: Proto 1 comment from LF on 26-Aug / ***CR comments 1-Sept

Comments**Comments/Remarks on “Measurement”**

Pls reference the attached size spec

Comments/Remarks on “Workmanship”

1. Break line is too low, needs to press it with 2cm distance to 1st button
2. The collar shape is not nice/ too wide as below photo, factory needs to correct it on the next sample

Ref.sample

current sample



The collar is too wide
lead to the shape is not
nice, needs to follow
ref sample to correct it

Comments/Remarks on “Trims”

Care label was substituted

Mill label was used 120's instant of 110's
Undercollar used UCK30
Pocketing (Article# & Color)--Requested by CR: Shanghai Herringbone#59 Used on Sample: Shanghai Herringbone #59
Lining (Article#)--Requested by CR: AK1880 #Col.3305 Used on Sample: AK1880 #Col. 3305
Interlining (Article#)--Requested by CR: TBA Used on Sample: BVM60 #98
Interlining Small parts (Article#)--Requested by CR: Used on Sample: ME9113 #98
Button (Article# & Color)--Requested by UNT2 #Col. 09 Used on Sample: UNT2 #Col. 09
Rivet (Article# & Color)--Requested by CR: Used on Sample:
Labels (Article#)--Requested by CR: Care Used on Sample: W49+W57/W2009
Labels (Article#)--Requested by CR: D/BK4 Used on Sample: D/BK4
Labels (Article#)--Requested by CR: Used on Sample:
Zipper (Article#) – Requested by CR: Used on Sample:
Sewing thread (Quality & Color)--Requested by CR: to match Used on Sample: King 777
Hanging tape (Article#, Size, Color)--Requested by CR: Used on Sample:

CR comments 1-Sept

- 1) Reduce the shoulder breadth by 1cm total.
- 2) Reduce the chest and waist circ by 3cm total each.
- 3) Collar, lapel and breakline shape and measurements to be as per reference sample Spec has been updated.
- 4) Reduce the body length by 2cm. Hem to be level as per reference sample (our sample dips lower in the front).
- 5) Reduce the chest welt depth by 2mm and length by 0.5cm. Position to sit same distance from armhole.
- 6) Sleeve hem buttons must not be stacked.
- 7) Sleeve head is collapsing slightly. Please ensure the correct amount of seam allowance is take from sleeve head and sleeve pitch is correct
- 8) External lower pockets look good.
- 9) We would like the piping in facing seam to be 1mm wide. Please advise if this is possible. (Noted 3mm width is the narrowest)
- 10) Please change the CF button spacing to be 11.5cm.
- 11) Issue Proto 2 and marketing samples.

Thanks,
Monica

ADDED COMMENTS 2-Sept

- Dryclean test is approved.
Materials page has been updated with the correct large parts and small parts fusings
Thanks,
Monica

COUNTRY ROAD

**Fit Comments Proto2 comments from LF
on 22/Sep / ***CR comments 29-Sept /
***CR Added comments 1-Oct**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Test Name: Proto2 comments from LF on 22/Sep / ***CR comments 29-Sept / ***CR Added comments 1-Oct

Comments**LI & FUNG (TRADING) LIMITED****Comments/Remarks on “Workmanship”**

Pls reference the attached size spec

Comments/Remarks on “Workmanship”

1. Melton at under collar of both ends is easy to visible, factory needs to improve it on the next sample
2. Slightly over pressing for collar and lapel point, needs to avoid it on the coming sample.
3. Break line is a little low, needs to keep 2cm distance to 1st button
4. Pls review and confirm the piping effect if it is OK as this sample

Comments/Remarks on “Trims”

Sleeve lining: Canton#203

Lining: AK1880#black

Mill label: Use 120's instead of 110's.

Care label was substituted

Pocketing (Article# & Color)--Requested by CR: Shanghai Herringbone#59 Used on Sample: Shanghai Herringbone #59

Lining (Article#)--Requested by CR: AK1880 #Col.3305

Used on Sample: AK1880 #Col. 3305

Interlining (Article#)--Requested by CR: BVM60	Used on Sample: BVM60 #98
Interlining Small parts (Article#)--Requested by CR: ME9113	Used on Sample: ME9113 #98
Button (Article# & Color)--Requested by UNT2 #Col. 09	Used on Sample: UNT2 #Col. 09
Rivet (Article# & Color)—Requested by CR:	Used on Sample:
Labels (Article#)--Requested by CR: Care	Used on Sample: W49+W57/W2009
Labels (Article#)--Requested by CR: D/BK4	Used on Sample: D/BK4
Labels (Article#)--Requested by CR:	Used on Sample:
Zipper (Article#) – Requested by CR:	Used on Sample:
Sewing thread (Quality & Color)--Requested by CR: to match	Used on Sample: King Black
Hanging tape (Article#, Size, Color)--Requested by CR:	Used on Sample:

CR comments 29-Sept

- 1) Back hem vent is kicking out and not sitting flat against the body. Please improve for bulk.
 - 2) Please raise the bottom CF button/hole up by 0.5cm. Top CF button to stay in same position. CF buttons will now be 11cm apart.
 - 3) Front lower pocket flaps are kicking out in the bottom corners. Please amend for bulk.
 - 4) Collar edge at back is very curved. Please ensure this shape is amended as per our standard shape.
 - 5) Melton under collar is showing slightly at collar edges. Please improve.
 - 6) Please reduce the chest pocket depth to finish 2cm. Position at bottom edge to stay the same.
 - 7) Please shorten the length of the chest pocket by 0.8cm at inside edge to be 9.7cm finished length. This will keep the outside edge same distance from armhole.
 - 8) I have deleted the mock buttonhole on the lapel from the construction page.
 - 9) This fabric is Super 110's however the Proto 2 sample has Super 120's label on it. Please ensure the correct label is used for bulk.
 - 10) There is slight ease on the back sleeve head. Please improve.
 - 11) The sleeve head is collapsing slightly. Please amend for bulk.
 - 12) Ensure melton #UCK30 quality is used for bulk.
 - 13) As we have already approved the fuse and dryclean tests we will not do again.
 - 14) Internal pocket welts are different widths. Ensure they are the same all along.
 - 15) Internal piping effect is approved.
 - 16) Ensure all measurements are brought back on spec.
 - 17) This style is signed off. Issue PreProduction sample and Top samples. Please note we are requesting a PP sample also because this is a new block in the business and would like to ensure all changes are corrected.
- Thanks,
Monica

CR Added comments 1-Oct

- 1) Please see photos below of the back hem vent sitting too far out from body. It looks like the outer fabric also CB seam is too tight and lining is too long. Please suggest different ways to amend this issue. If we need to reduce the Hem circ a little or let out of the back waist please advise. Note that Proto sample was measuring 1cm under spec in the hem and I have amended the spec to be as per the Proto sample.



Thanks,
Monica

COUNTRY ROAD**Fit Comments PP comment from LF on
23-Nov.**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Test Name: PP comment from LF on 23-Nov.

Comments**1. Price Quotes**

Yield: mts/pc

CMT: USD /pc

FOB: USD /pc

2. Comments/Remarks on “Measurements”

Pls reference the attached size spec

3. Comments/Remarks on “Workmanship”

1. Shoulder seam is slightly over pressed, will improve it on the next sample
2. Melton under collar still slightly showing at collar edges, factory needs to avoid it on the next sample
3. Internal jet is uneven, factory needs to improve it on the coming sample
3. 2layer back vent is inconsistent and back body is not smooth when the collar is turn down after fit on KI40, pls review on your life model and comments.



It is not smooth
enough at this area,
factory needs to
improve it on the
next sample



Comments/Remarks on “Trims”

Care label was substituted

Pocketing (Article# & Color)--Requested by CR: Shanghai Herringbone#59 Used on Sample: Shanghai Herringbone #59

Lining (Article#)--Requested by CR: AK1880 #Col.3305 Used on Sample: AK1880 #Col. 3305

Interlining (Article#)--Requested by CR: BVM60 Used on Sample: BVM60 #98

Interlining Small parts (Article#)--Requested by CR: ME9113 Used on Sample: ME9113 #98

Button (Article# & Color)--Requested by UNT2 #Col. 09 Used on Sample: UNT2 #Col. 09

Rivet (Article# & Color)--Requested by CR: Used on Sample:

Labels (Article#)--Requested by CR: Care Used on Sample: W49+W57/W2009

Labels (Article#)--Requested by CR: D/BK4 Used on Sample: D/BK4

Labels (Article#)--Requested by CR: Used on Sample:

Zipper (Article#) – Requested by CR: Used on Sample:

Sewing thread (Quality & Color)--Requested by CR: to match Used on Sample: King Black

Hanging tape (Article#, Size, Color)--Requested by CR: Used on Sample:

COUNTRY ROAD**Fit Comments Top of Production / ***CR
comments 22-Dec**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Test Name: Top of Production / ***CR comments 22-Dec

Comments

CR comments 22-Dec

1) We have fitted all the Top sample jackets on the body and also tried the different sizes on different body shapes and found that the sleeve head is collapsing very bad. Our G/S sample does not look this bad and even then when making Proto2 comments we asked for this to be amended for bulk. Please see below photos for your reference. Please advise if there is any way this can be fixed for bulk.
Please note that sleeve length is 5mm over spec and this is the amount we would want taken out of the sleeve head height at the back.



2) We also found that the shoulder is bubbling and does not it as nice and flat as all our other jackets and even our Proto 2 green seal looks much better than this. Please see below 2x photos of Top sample:



Please see below photo of our Proto 2 green seal sample looking very good. Please check bulk and confirm if all bulk looks like the Top samples or the G/S sample.



3) The waist circ is measuring from 1.5cm to 2cm over spec on this full size set. Please confirm what all bulk looks like.

4) Rest of garment looks good.

5) Please note I will get dryclean test back tomorrow and will advise comments asap.

Please confirm on all above comments before the bulk is released.

Thanks,
Monica

COUNTRY ROAD**Construction - Woven - Mens Jacket**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Block and Briefing

Pattern / Block: Fit as per M562 jacket

Styling: as per below:

- 1 x vent on centre back hem required.
- Notch lapel - new shape as per spec and sent sample.
- Pickstitching as specified.
- Non sculpted lining with piping
- 2 x lower front single welt pockets - welts to sit under the pocket flap.
- 1 x WLS single welt chest pocket.

Loops

Centre back neck plain 7cm hanger loop 7mm X 7cm to be bar tacked securely at each end. Loop to be made from tape.

Cutting Notes

Do not rotate within a size.

Internal flaps to be cut on straight in lining fabric

Sleeve

- Stretch front forearm sleeve seam onto under sleeve seam.
 Striped lining in sleeves. Sleeve lining edges to be overlocked
 4 button sleeve vent with standard mock buttonholes. Sleeve buttons to be flat not stacked.
 Armhole seam to be open seam 5cm either side of shoulder - Press armhole seam open at sleeve head.
 Shoulder pads and sleeve head roll to be as per richmond block

Wash

Non wash.

Vent / Split

1x blind stitched Vent in centre back, 6cm wide x 22cm long. Cross tack stitch back hem vent closed for delivery.

Seams

Body Hem: 3.5cm

Sleeve Hem: 5cm

General: 1cm

Sleeve lining seams to be overlocked.

Armhole seam to be open seam 5cm either side of shoulder - press seam open.

Zipper

Not applicable.

Top Stitching

Stitch roll line on undercollar.

- Pickstitch collar. lapel, front edges, lower pocket flaps, chest welt.
- 1cm long Bartack all internal pocket ends in DTM thread colour.
- 2.2cm long bartack each end of WLS chest pocket in DTM thread colour.
- Zig Zag stitch melton under collar at collar leaf edge and neck edge

General

- Lash (blindstitch) facing to front for full front length.
- Lining should be attached at armhole to outer body.
- Hem must be sewn to seam points not fused.
- All functional buttons must be shanked and keyhole buttonholes bartacked
- Buttons must be securely attached.
- 2 buttons on CF (11cm spacing)
- Natural shoulder seam required - follow pattern.
- Ease back shoulder onto taped front shoulder.
- Sleeves to be lined with striped lining
- All sleeve lining seams to be overlocked

	- Lining construction to be pickstitched along facing edge. - 3mm wide flat piping in front facing seams - 1.5cm pleat depth in CB lining at neck to nothing at hem - Melton Undercollar -DTM - please provide a pattern for melton under collar.
Tape Tape front shoulder seams and armholes. Tape lapel roll line and back neck	Press and Present Do not overpress this garment. Any overpressing, seam impressions, shinning, bruising or crushing will not be accepted by Country Road Sleeve head must be pressed smoothly rounded.
Darts / Tucks - Follow pattern for finished dart lengths - Add holland canvas to back of front body darts.	Packaging Hanger packed. Polybag each garment
Pockets - 2 x 1cm single welt pockets with flaps x 16cm long. Flaps to be 4.8cm wide. Flaps to be pickstitched and to sit ontop of the welt Under flap and pocket bags to be in lining fabric cut on straight - Tack outer pockets closed for delivery - leave 2.5cm gap at each end. - WLS pocket - 2cm wide angled breast welt x 9.7cm long, position as per spec. Pickstitched along top edge. - 2 x 1cm double jet inbreast pockets x13.5cm with button closure and straight cut triangle flaps in lining. Triangle flaps to be 9cm wide total and 4cm depth from top of welt. Triangle flap to be centred on pocket opening - Pen pocket positioned 5cm below WLS inbreast pocket. 1cm double jet pocket x 7cm wide and 13cm pocket bag depth. Inside corner to be aligned with jet pocket inside corner. - 1cm double jet mobile phone pocket in WLS front lining 20cm up from hem and 1.2cm overlap onto facing. Mobile phone pocket bag to be 11cm wide and 13cm pocket bag depth.	Label Information Care/Country of Origin/Size label in wearers right inside pocket Brand label on wearers right inside 5cm below pocket. Fabric Mill label required inside wearers left below pocket
- Shoulder pads and sleeve head roll to be as per richmond block Follow depth and size of sleeve head roll and shoulder pad as per richmond block - Block fuse: Fronts, front facings, collar, melton collar, top and under collar stand, pocket flaps and WLS chest welt. - Floating canvas and chest felt. - Bridal fuse for lapel roll line - Holland canvas in sleeve hems. - All vents to be fused. - All body hems to be fused. Interlining	Special grading requirements - Front body panel at hem grade 1cm. - Side body panel at hem grade 0.6cm - Back body panel at hem grade 0.9cm.
Images:	

COUNTRY ROAD

Detail Sketch

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT



A small, rectangular, grayscale image that has been redacted, showing only a dark, indistinct shape.

Comment:

Section 15

Date Posted - 25/08/2010

COUNTRY ROAD**FG Samples**

Division	Mens Apparel	Season	2010 JFM
Group	2010 JFM		
Style	MJA148M562	Description	FSHN FINE STRP JKT

Sample Type	Color	Size	Request Date	Qty	CR Required Date	Art Received / Cfmd	Est. Send Date	Actual Send Date	Received Date	Qty	Tech. Received	Qty	Sample Room Received	Qty	Comments	Strike Off Approval Date
Proto 1	available	40	31/07/2009	1	21/08/2009		26/08/2009	26/08/2009			28/08/2009	2			6-Aug.: receive Ref. sample and photo	
Proto 2	available	40	1/09/2009	2	11/09/2009		22/09/2009	22/09/2009			25/09/2009	2			4-Sep.: receive the REF sample 30-Sep.: receive the G/S sample	
Marketing	1 Black	40	1/09/2009	2	16/10/2009		20/10/2009	23/09/2009			25/09/2009	2				
Pre Production	1 Black	40	29/09/2009	1	13/10/2009		23/11/2009	23/11/2009			25/11/2009	1				
Top of Production	1 Black	36	1/10/2009	1			22/12/2009	18/12/2009			21/12/2009	1				
Top of Production	1 Black	38	1/10/2009	1			22/12/2009	18/12/2009			21/12/2009	1				
Top of Production	1 Black	40	1/10/2009	1			22/12/2009	18/12/2009			21/12/2009	1				
Top of Production	1 Black	42	1/10/2009	1			22/12/2009	18/12/2009			21/12/2009	1				
Top of Production	1 Black	44	1/10/2009	1			22/12/2009	18/12/2009			21/12/2009	1				
Top of Production	1 Black	46	1/10/2009	1			22/12/2009	18/12/2009			21/12/2009	1				