

SetuCredit

Complete Handbook

Borrowers - Lenders - Operators
RBI & Aadhaar rules - System glossary

Consent first - Pass-through by default - Data never stored

Contents

Part A - Borrowers: 5-step visual walkthrough

Part B - Lenders (NBFCs): integration guide

Part C - Operators: run, configure, monitor

Part D - RBI rules that shape this system

Part E - Aadhaar rules: what you may and may not do

Part F - System-wide glossary

NOTE: This handbook is guidance, not legal advice. Confirm Parts D-E with counsel before production; regulations change.

PART A

Borrowers

What you need

- Your Aadhaar-linked mobile phone, switched on.
- About two minutes and the web app open in Chrome or Edge.
- Volume up: every step is spoken aloud in your language.

Step 1 - Choose language, start

Pick from Hindi, Bengali, Tamil, Telugu, Marathi or English, then tap 'Start onboarding'. Buttons, instructions and voice switch instantly.

The image shows the SetuCredit web application interface. At the top, there's a navigation bar with the SetuCredit logo and links for 'How it works' and 'Trust'. Below this is a progress bar with five steps: 1. Language, 2. OTP, 3. Consent, 4. Appraise, and 5. Result. The 'Language' step is currently active.

The main content area features the text 'VOICE-FIRST • DPI-POWERED' and 'Your records are already a credit history.' Below this, it explains that land ownership, electricity bills, and bank activity can be used to create a Borrower Readiness Index. There are three buttons: 'Consent first', 'Data never stored', and '6 languages'.

On the right, there's an illustration of a bridge over water, with a smartphone on the left and a building with a rupee symbol on the right. The bridge represents the connection between the user's data and the lender.

Below the illustration, there's a 'Get started' section with a language selection dropdown (currently set to 'English') and a 'Start onboarding' button. A note below the button says 'Takes about two minutes. Keep your Aadhaar-linked phone handy.'

On the right side, there's a 'HOW IT WORKS' section titled 'Four steps, one bridge to a lender'. It lists four steps: 1. 'Speak or type in your language' (Six Indian languages, guided one step at a time), 2. 'Verify once with an OTP' (Sent to your Aadhaar-linked number and checked in seconds), 3. 'Consent, then and only then' (Tick exactly what you share. Consent expires on its own), and 4. 'Get your Borrower Readiness Index' (Passed straight to a partner lender — funds arrive by UPI/IMPS). A note at the bottom says 'Pass-through by design — borrower records are never written to our database'.

Step 2 - Verify with OTP

Type the 6-digit OTP from your Aadhaar-linked number, tap 'Verify OTP'. This proves the session is yours; nothing else is collected.

SetuCredit

Start over

1

2

3

4

5

Language

OTP

Consent

Appraise

Result

Verify your number

Enter the 6-digit OTP sent to your Aadhaar-linked number.

Dev mode OTP: 390654

1 2 3 4 5 6

Verify OTP



GOOD TO KNOW

Why we verify

- ✓ The OTP goes only to your Aadhaar-linked number.
- ✓ It proves the session is yours — nothing else is collected.
- ✓ Wrong number? Go back and start a fresh session.

 Pass-through by design — record contents are never stored.

SetuCredit

The middleware bridge between consented data and lenders.

Consent first · Pass-through by default · Data never stored

Step 3 - Grant consent

Tick ONLY the records you will share (land, electricity, bank, lending history). Consent is time-bound and revocable; every pull is audit-logged.

SetuCredit

Start over

1Language

2OTP

3Consent

4Appraise

5Result

Grant consent

SetuCredit reads these records once, only with your consent. Nothing is stored on our servers.

☒ Land registry records

☒ Electricity bill payments

☒ Bank account summary

☒ Lending history (RBI ULI)

Grant consent



GOOD TO KNOW

You hold the pen

☒ Tick only the records you are comfortable sharing.

☒ Consent is time-bound and revocable under DPDP.

☒ Every pull is logged in the audit ledger — no record contents.

 Pass-through by design — record contents are never stored.

SetuCredit

The middleware bridge between consented data and lenders.

Consent first · Pass-through by default · Data never stored

Step 4 - Check readiness

Tap 'Check my readiness'. Records are pulled in parallel and your Borrower Readiness Index (0-100) is computed in seconds.

SetuCredit

Start over

1

2

3

4

5

Language

OTP

Consent

Appraise

Result

Check readiness

We will pull your records in parallel and compute your BRI score.

✓ Land registry records

✓ Electricity bill payments

✓ Bank account summary

✓ Lending history (RBI ULI)

Check my readiness

GOOD TO KNOW

Four sources, one pass

✓ Land, electricity, bank and lending records are pulled in parallel.

✓ Features are computed in memory and never written to disk.

✓ Your score is handed to the partner lender as a signed package.

Pass-through by design — record contents are never stored.

SetuCredit

The middleware bridge between consented data and lenders.

Consent first · Pass-through by default · Data never stored

Step 5 - Read your result

Bands: Strong 80+ (larger loans), Good 60+ (likely qualifies), Fair 40+ (smaller loans), Building below 40 (retry later). The signed package goes to the partner lender; approved funds arrive via UPI/IMPS.



Analysis report · generated Oct 2, 2026, 9:41 PM

Print / Save as PDF

BORROWER READINESS INDEX

Good

Likely to qualify with most partner lenders

SUGGESTED LOAN AMOUNT

₹50,000 – ₹2,00,000

Indicative range for the partner lender — the final amount is set by the lender after their assessment.

4
RECORDS ANALYSED4/4
SOURCES VERIFIEDsimulated
LENDER HANDOFF

Score breakdown

Points earned against the maximum available per source.

Land registry		11.6 / 25 pts
Electricity utility		16.3 / 25 pts
Bank account (Account Aggregator)		21.6 / 30 pts
Lending history (RBI ULI)		16.6 / 20 pts

Contribution mix

Share of the points you earned from each record type.



Data sources checked



Land registry

OK

1 record



Electricity utility

OK

1 record



Bank account (Account Aggregator)

OK

1 record



Lending history (RBI ULI)

OK

1 record

Detailed analysis

● LAND REGISTRY

- 1.35 acres of land holding
- Ownership records clear
- Held for 3 years

● ELECTRICITY UTILITY

- 65% of bills paid on time
- 20 months of bills paid
- ~₹1425 average monthly bill

● BANK ACCOUNT (ACCOUNT AGGREGATOR)

- ~₹36719 average balance
- 98% income inflow consistency
- Banking for 45 months
- 39% of inflow committed to EMIs

● LENDING HISTORY (RBI ULI)

- 0 existing loans
- 21 months of regular repayment
- 2 late payments in the last 12 months

Next steps

Your pre-underwritten package (034b3e0b) has been shared with the partner lender. After their approval, funds disburse instantly via UPI/IMPS.

This assessment used the records you consented to share. They were processed in memory for this request only — nothing was stored on our servers.

Report details

Appraisal ID	034b3e0bbce844a4baad59d8bafcc011	Scoring model	bri-heuristic-0.1.0
Generated	Oct 2, 2026, 9:41 PM	Handoff status	simulated

Print / Save as PDF

New session

PART B

Lenders (NBFCs / Banks)

What you receive

Per appraisal, an HMAC-signed POST to your PARTNER_WEBHOOK_URL carries appraisal_id, session_id, BRI, model_version and the suggested loan_range. Verify X-Signature with the shared WEBHOOK_SECRET before trusting it.

What you do

- Run your own credit decision on the package (BRI is advisory).
- Disburse directly to the borrower over UPI/IMPS on your rails - SetuCredit never touches funds (matches RBI digital-lending norms).
- POST back to /v1/webhooks/disbursal with {appraisal_id, ...}, same HMAC scheme, to flip the appraisal to 'disbursed'.

If you lack ULI access

Onboard to RBI ULI via RBIH (see the companion ULI Integration Guide PDF): application, VAPT + docs, IP whitelisting, sandbox keys, API subscriptions, then MSA and production keys. Or pull via the borrower's DigiLocker/AA consent artefacts your own stack already holds.

NOTE: Test locally: leave PARTNER_WEBHOOK_URL unset and handoff returns 'simulated' - full flow works with no lender attached.

PART C

Operators

Run it

```
docker compose -f infra/docker-compose.yml up -d postgres redis # infra
docker compose -f infra/docker-compose.yml --profile app up --build # all
# PWA :8080 | backend :8000 | scoring :8001
```

Configure (env, never committed)

ENV, DATABASE_URL, REDIS_URL, SCORING_SERVICE_URL, PARTNER_WEBHOOK_URL, WEBHOOK_SECRET | OTP_MODE + SMS_* for live texts | ULI_MODE + ULI_* for live ULI. Stubs are default everywhere, so empty credentials boot a working demo.

Operate

- Watch per-source ok-rate/latency; ULI/SMS are metered per call - log usage.
- Rotate webhook/SMS/ULI secrets and mTLS certs on schedule; keep VAPT current.
- Postgres holds audit/consent/appraisal metadata only; Redis holds TTL sessions. Back up Postgres; Redis is ephemeral by design.

PART D

RBI Rules

IMPORTANT: High-level themes as of 2026 - confirm each with counsel against current RBI circulars at rbi.org.in before production.

Digital lending (2022 guidelines + updates)

- Money moves directly between the Regulated Entity and the borrower - intermediaries must not handle or pool funds. This is why SetuCredit only passes data and the NBFC disburses.
- Borrowers get a Key Fact Statement, cooling-off option, and grievance redress details from the lender - your handoff package should carry what the lender needs to produce them.
- Collect only need-based data with explicit consent, with audit trails - mirrored by the consent gate (403) and audit ledger in this codebase.

ULI (Unified Lending Interface)

RBIH-run consent-based API gateway to 100+ data services (land, bureaus, eKYC). Lender onboarding: application, CERT-IN VAPT, IP whitelisting, sandbox keys, per-API subscriptions, MSA, then production. Metered per call. Full steps: companion ULI Integration Guide PDF.

PART E

Aadhaar Rules

IMPORTANT: High-level summary only - UIDAI rules are detailed and change. Take legal advice before touching Aadhaar data in production.

Do not capture Aadhaar numbers

Since the 2018 Supreme Court judgment, private entities cannot mandate or warehouse Aadhaar numbers. Only UIDAI-licensed requesters (AUA/KUA via an ASA) may run Aadhaar authentication, and numbers at rest must sit in an encrypted Aadhaar Data Vault referenced by token - never in app tables. That is why this system verifies the Aadhaar-LINKED mobile by OTP and never asks for the number.

Compliant identity paths

- Mobile OTP on the linked number (possession proof) - what the app does today.
- DigiLocker eKYC (the HLD path): masked-Aadhaar XML via user-PIN consent.
- Offline paperless options with explicit consent: masked e-Aadhaar, QR code, or Virtual ID (VID) - never the raw 12 digits.
- Licensed AUA/KUA route only if a regulated partner owns eligibility, vaulting, ASA connectivity and UIDAI audit.

PART F

Glossary

System-wide glossary

Appraisal	One scored assessment (BRI + sources + loan range), stored as metadata only.
AA (Account Aggregator)	Consent-based bank-data sharing framework; one DPI source here.
Aadhaar OTP	OTP on the Aadhaar-linked mobile; not the 12-digit number.
Audit ledger	Postgres event log: metadata, consent records, outcomes. No record contents.
BRI	Borrower Readiness Index, 0-100. Bands: Strong 80+, Good 60+, Fair 40+, Building <40.
Consent gate	Code-enforced 403: no consent, no data pull. Time-bound + revocable (DPDP).
Dev OTP	OTP shown in UI only when ENV=dev; never in production.
Digilocker	Govt document wallet; HLD path for Aadhaar-seeded eKYC with masked number.
Disbursal	Lender-only money movement over UPI/IMPS; reported back via webhook.
DLT	Telecom registration mandatory for SMS in India (sender ID + templates).
DPDP	Digital Personal Data Protection Act: consent, purpose limit, revocation.
DPI	Digital Public Infrastructure (Aadhaar, UPI, ULI, AA, DigiLocker...).
Handoff	Signed appraisal package POSTed to the partner lender (sent/simulated/failed).
HMAC webhook	X-Signature header (shared secret) on both lender webhooks.
mTLS	Mutual TLS: client certificates for ULI gateway auth.
NBFC	Non-Banking Financial Company; the lending partner in this design.
OAuth2	Token flow used by ULI auth service and DigiLocker.
OTP cap	Max 5 wrong guesses per code; resend resets. Hashes only in Redis.
Pass-through	Borrower data processed in memory, never persisted - even as features.
RBI ULI	Unified Lending Interface: RBIH consent-based lending-data gateway.
Session	Redis TTL object tracking Language > OTP > Consent > Appraise > Result.
SMS provider	Live text sender behind OTP_MODE flag; stub default.
UPI / IMPS	Instant payment rails the lender uses for payout.
VAPT / CERT-IN	Security audit by an empanelled auditor, required for ULI onboarding.
VID	Virtual ID: revocable 16-digit alias for Aadhaar; use instead of the number.