

Branching point selection

☒ Auto ☐ Manual ☐ None

Each newly added monomer will be automatically linked through a peptide bond to the current selected branching point. If no C-/N- terminus is available, the monomer will be added as an independent fragment.

Branching point selection

☐ Auto ☒ Manual ☐ None

Please select the branching point you want a monomer to be added to.

Branching point selection

☐ Auto ☐ Manual ☒ None

The monomer will be added as an independent fragment

Branching point selection



Auto



Manual

Please select the branching point you want a monomer to be added to.

Branching point selection



Auto



Manual

Each newly added monomer will be automatically linked through a peptide bond to the current selected branching point. If no C-/N- terminus is available, the monomer will be added as an independent fragment.

Branching point selection




Auto



Manual

Each newly added monomer will be automatically linked through a peptide bond to the current selected branching point. If no C-/N- terminus is available, the monomer will be added as an independent fragment.



Branching point selection




Auto



Manual

Newly added monomers will automatically be linked through a peptide bond to the selected branching point



Branching point selection




Auto



Manual

No more peptidic bonds are possible. Please select a branching point to continue editing your peptide.



Branching point selection




Auto



Manual

No more peptidic bonds are possible. Please select a branching point to continue editing your peptide.



Branching point selection




Auto



Manual

Newly added monomers will automatically be linked through a peptide bond to the selected branching point



Branching point selection




Auto



Manual

Newly added monomers will automatically be linked through a peptide bond to the selected branching point



View as table






Items per page

5















< 1 2 3 ... 1998 1999 2000 >

	Name	Synonyms	Type	Molecular Weight	AlogP	Polar Surface Area	HBA	HBD	#RO5 Violations	#Rotatable Bonds	Passes Ro3	QED Weighted
	---	---	Small molecule	317.52	6.61	9.23	1	0	1	16	N	0.23
	---	---	Small molecule	549.85	9.03	33.42	3	0	2	19	N	0.11
	---	---	Small molecule	234.10	0.56	124.29	4	4	0	3	N	0.56
	---	---	Small molecule	422.79	7.71	0.00	0	0	1	19	N	0.15
	---	---	Small molecule	469.59	3.06	118.36	6	4	0	9	N	0.28

Showing 1-5 out of 1944 977 records

< 1 2 3 ... 1998 1999 2000 >



Search text fields





Attachment group


☒ R1 ☐ R2 ☐ R2

Show only

- ☐ Naturals
- ☐ Non-naturals
- ☐ Capped




D_Phe_4ureido




M



A




D_Phe_4ureido




M



A




D_Phe_4ureido




M



A




D_Phe_4ureido



M



A



Name: Methionine

Symbol: M

Type: Natural

Molecular formula: C₅H₁₁NO₂S

Molecular weight: 149,21

Branching points: 2

SMILES: CSCC[C@H](N)C(=O)O

aLogP: 0,15

HBD: 2

HBA: 3

Rotatable bonds: 4

Polar Surface Area: 63,32

RO5 Violations: 0

Filters

Search text fields



Custom




Show only

- ☐ Naturals
- ☐ Non-naturals
- ☐ Capped

Attachment group

Click on an R group. Monomers will be linked to the growing peptide through the selected group.



Filters

Search text fields



Custom




Show only


- ☐ Naturals
- ☐ Non-naturals
- ☐ Capped

Attachment group

Click on an R group. Monomers will be linked to the growing peptide through the selected group.



D_Phe_4ureido	M	A
D_Phe_4ureido	M	A
D_Phe_4ureido	M	A
D_Phe_4ureido	M	A



Name: Methionine

Symbol: M

Type: Natural

Molecular formula: C₅H₁₁NO₂S

Molecular weight: 149,21

Branching points: 2

SMILES: CSCC[C@H](N)C(=O)O

aLogP: 0,15

HBD: 2

HBA: 3

Rotatable bonds: 4



Polar Surface Area: 63,32

RO5 Violations: 0

Attachment group

☒ Auto ☐ Manual ☐ None

Each newly added monomer will be automatically linked through a peptide bond to the current selected branching point. If no C-/N- terminus is available, the monomer will be added as an independent fragment.



Filters

Search text fields



Custom




Show only



- ☐ Naturals
- ☐ Non-naturals
- ☐ Capped

Attachment group


Click on an R group. Monomers will be linked to the growing peptide through the selected group.



C(1,2).M(1,1)




D_Phe_4ureido




M



A




D_Phe_4ureido




M



A




D_Phe_4ureido




M



A




D_Phe_4ureido



M



A



Name: Methionine

Symbol: M

Type: Natural

Molecular formula: C₅H₁₁NO₂S

Molecular weight: 149,21

Branching points: 2

SMILES: CSCC[C@H](N)C(=O)O

aLogP: 0,15

HBD: 2

HBA: 3

Rotatable bonds: 4

Polar Surface Area: 63,32

RO5 Violations: 0

Peptide properties

Molecular formula: C₅H₁₁NO₂S

Molecular weight: 149,21

Net Charge (pH 7): -1,03

Hydrophobicity: -2,04

Isoelectric point: 3,74

SMILES: CSCC[C@H](N)C(=O)O

aLogP: 0,15

HBD: 2

HBA: 3

Rotatable bonds: 4

Polar Surface Area: 63,32

RO5 Violations: 0

Generate 3D conformers

