Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

Student: Nikola Ciganović

Broj indeksa: 40/18

4.12.2019

Nikola Ciganović

Contents

1.Uvod	5
1.1Korišćeni programski jezici	5
2.2Opis funkcionalnosti	5
3.3Template	5
2.Organizacija	5
2.1Organizaciona šema	5
2.2Mapa sajta	6
2.3Slike stranica i opis fukcionalnosti	6
2.3.1Slider(#mu-slider)	6
2.3.2About us(#mu-about-us)	7
2.3.3Counter (#mu-counter)	7
2.3.4 Our Menu (#mu-restaurant-menu)	8
2.3.5 Reservation section(#mu-reservation)	9
2.3.6 Gallery section (#mu-gallery)	10
2.3.7 Client tesetmonials(#mu-client-testemonial)	10
2.3.8 Master chefs (#mu-chef)	11
2.3.9 Contact us (#mu-contact)	11
2.3.10 Author (#mu-author)	12
2.3.11 Footer (#mu-footer)	12
2.3.12 Navbar (#mu-header)	12
3.Kodovi	13
3.1Slider	13
3.1.1 HTML	13
3.1.2 Css	14
3.1.3 Javascript	18
3.2 About us	20
3.2.1 HTML	20
3.2.2 CSS	21
3.2.3 Javascript	22
3.3 Counter	23
3.3.1 HTML	23
3.3.2 CSS	23
3.3.3 Javascript	25
3 / Restourant menu	26

3.4.1 HTML	26
3.4.2 CSS	27
3.4.3 Javascript	30
3.5 Reservation	32
3.5.1 HTML	32
3.5.2 CSS	34
3.5.3 Javascript	38
3.6 Gallery	40
3.6.1 HTML	40
3.6.2 CSS	41
3.6.3 Javascript	42
3.7 Testemonials	43
3.7.1 HTML	43
3.7.2 CSS	44
3.7.3 Javascript	46
3.8 Master chefs	47
3.8.1 HTML	47
3.8.2 CSS	47
3.8.3 Javascript	50
3.9 Contact us	51
3.9.1 HTML	51
3.9.2 CSS	53
3.9.3 Javascript	55
3.10 Author	57
3.10.1 HTML	57
3.10.2 CSS	58
3.10.3 Javascript	59
3.11 Footer	59
3.11.1 HTML	59
3.11.2 CSS	60
3.11.3 Javascript	61
3.12 Header	61
3.12.1 HTML	61
3.12.2 CSS	62
3.12.3 Javascript	65
3.13 Ostatk koda	66
3.13.1 Javascript dinamični podaci	

1.Uvod

1.1 Korišćeni programski jezici

Za izradu ovog sajta korišćeni su programski jezici: HTML, CSS, Javascript, XML. Takođe su korišćene biblioteke Bootstrap i jQuery.

2.2 Opis funkcionalnosti

Sadržaji glavnog menija i hamburger menija su dinamički ispisani. Klikom na hamburger meni se stvara lista elementa menija za telefone. Slider section je dinamički slajder na kome se slike i tekst smenjuju na 5 sekundi ili pritiskom na neka od tri žuta dugmeta. Tekst About us sekcije je dinamički ispisan, Counter section je brojač koji se automatski inkrementira svakih 10ms čim div postane vidljiv na ekranu. Kompletan our menu sadržaj je dinamički ispisan sem naslova. Klikom na određeni element liste u sekciji Our Menu ispisuje se određeni sadržaj. Reservation section sarži regex koji proverava validnost podataka i reaguje na iste. Slike u Start Gallery sekciji su dinamički ispisane i tu je iskorišćen jQuery plugin 'smartphoto' koji omogućava lepši prikaz pojedinačnih slika. U Client Testemonial sekciji se svakih 3s smenjuje tekst sa efektom. Chef section je dinamiči ispisana galerija zaposlenih za tekstom. Contact section sadrži regex koji proverava validnost unetih informacija i reagije na iste. Tekst o autoru je dinamički ispisan. U futeru je lista društvenih mreža dinamički ispisana.

3.3 Template

Ovaj websajt je single-page, tako da nema saržaj koji je ponavlja na više stranica.

2. Organizacija

2.1 Organizaciona šema

Websajt je single page tako da jedina stranica kojoj se može pristupiti je index.html

index.html

2.2 Mapa sajta


Robots.txt:

```
User-agent:*
Disallow:
```

2.3 Slike stranica i opis fukcionalnosti

Pošto je ovaj websajt sigle page ja ću svaku sekciju zasebno izdvojiti i tako opisati sa slikama. **HTML i CSS su preuzeti se web-a kao template** dok sam Javascript ja uradio sam sem nekoliko linija koda koje su posebno označene.

2.3.1Slider(#mu-slider)



U slider sekciji se nalazi slajder. Nakon 3s slika se polako menja tako što se menja src slike. Tekst se takođe menja zajedno sa slikom. U koliko se klinkne neki od kruzića onda se odredjeni tekst i slika pojavljuje i tajmer od 5s se resetuje. U koliko se klikne na 'Book a table' odlazi se na deo stranice gde se rezervise sto.

2.3.2About us(#mu-about-us)



U sekciji about us tekst sa desne strane je dinamički ispisan.

2.3.3 Counter (#mu-counter)



Kada u korisnikov display upadne sekcija counter dolazi do automatskog pokretanja brojaca. Brojac functionise tako sto se na svakih 10ms određeni broj poveća za n. Ovde je kod za detekciju (kada korisniku sekcija upadne u displej) preuzet sa interneta.

2.3.4 Our Menu (#mu-restaurant-menu)



U our menu sekciji lista mogućih jela je dinamički ispisana(breakfast, meals, snacks, itd..). Takođe sadržaj tih lista je dinamički ispisan(Pancakes with lato creame, Triangle sandwich itd..). Klikom na neki od linkova gornje liste menja se sadržaj donje liste (Ako se klikne na Meals izaćiće odgovarajući sadržaj za Meals.)

2.3.5 Reservation section(#mu-reservation)



U reservation section se nalazi forma za validaciju podataka. U koliko se neki od polja neispravno unese izaćiće greška iznad dugmeta submit i ukazati na grešku. U koliko su podaci ispravno uneseni pojaviće se poruka koja obavestava korisnika da je uspesno uneo podatke.

2.3.6 Gallery section (#mu-gallery)



U sekciji galerija se dinamički prikazuju slike. Klikom na sliku pokreće se jQuery plugin smartphoto koji prikazuje uvećano pojedinačnu sliku i na dnu ekrana mogu da se vide ostale slike iz galerije.

2.3.7 Client tesetmonials(#mu-client-testemonial)




U sekciji client testemonial dinamički se ispisuje tekst(donji zeleni pravougaonik). Postoji tri različita teksta koji se smenjuju na 5s. Takođe postoji efekat koji postepeno menja jedan tekst u drugi.

2.3.8 Master chefs (#mu-chef)




U sekciji master chefs slike i tekstovi ispod slika se dinamički generišu.

2.3.9 Contact us (#mu-contact)




U sekciji contact us sa desne strane postoji forma u kojoj se proveravaju podaci. Klikom na dugme send message ili na blur pojedinačnog polja vrši se provera unesenih podataka. U koliko podaci nisu ispravno uneseni pojaviće se greška pored pojedinačnog lable-a i iznad dugmenta za submit. U slučaju da su podaci ispravno uneti pojavljuje se porku koja obaveštava korisnika da je uspešno poslao mejl i brišu se svi podaci u poljima.

2.3.10 Author (#mu-author)



U sekciji author je sa desne strane dinamički ispisan tekst.

2.3.11 Footer (#mu-footer)



U sekciji footer je lista sa društvenim mrežama dinamički ispisana.

2.3.12 Navbar (#mu-header)





Sekcija navabar je fiksirana za vrh strane. U koliko se smanji browser prozor pojavice se hamurger ikonica na koju kada se klikne pojavljuje se transparentni menu kao na donjoj slici. Meni se gasi klikom na x ili klikom na neki od elemenata liste.

3.Kodovi

*database je objekat u koji sam skladištio sve tekstualne podatke za sajt, možete ga pronaći na delu 3.13.1 Javascript dinamični podaci. Ovaj kod se nalazi u main.js fajlu sa svim ostalim kodovim koje sam pisao.

3.1Slider

3.1.1 HTML

```
<div class="mu-slider-area">
      <!-- Top slider -->
      <div class="mu-top-slider">
        <!-- Top slider single slide -->
        <div class="mu-top-slider-single">
          <div class="mu-top-slider-content">
            <h1><span class="mu-slider-small-
title">Welcome to Imperial</span></h1>
            <h2 class="mu-slider-title"></h2>
            <a href="#mu-reservation" class="mu-readmore-btn mu-reservation-</pre>
btn mt-5">BOOK A TABLE</a>
          </div>
          <div class="dot-div">
           <span class="dot bg-yellow"></span>
            <span class="dot"></span>
            <span class="dot"></span>
          </div>
          <!-- / Top slider content -->
        </div>
        <!-- / Top slider single slide -->
      </div>
    </div>
  </section>
```

3.1.2 Css

```
#mobile-navbar{
  position: fixed;
  top: 100px;
  left:0px;
  width: 100%;
  height: 100vh;
  background-color: rgba(0, 0, 0, 0.9);
  z-index: 998;
}
#mobile-navbar ul{
  float: right;
  margin: 10%;
}
#mobile-navbar ul li{
  color: white;
```

```
margin-top:20px;
  margin-bottom:20px;
  font-size: 2rem;
#mu-slider {
  display: inline;
  float: left;
  margin-top: 90px;
  width: 100%;
  position: relative;
.mu-slider-area {
 display: inline;
  float: left;
  width: 100%;
.mu-top-slider {
  display: inline;
 float: left;
  width: 100%;
#mobile-navbar-list{
  z-index: 999;
.mu-top-slider-single {
  background-image: url(../img/slider/1.jpg);
  background-attachment: fixed;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
  display: inline;
  float: left;
  position: relative;
  width: 100%;
  height: 100vh;
  position: relative;
.dot-div{
  position: absolute;
  bottom: 20%;
  left: 0;
  display: flex;
  justify-content: center;
  width: 100%;
```

```
z-index: 900;
.dot{
   width: 17px;
   height: 17px;
   border: 1px solid #fff700;
   border-radius: 50%;
   margin: 1%;
.bg-yellow{
 background-color: yellow;
.mu-top-slider .mu-top-slider-single:after {
 background-color: rgba(0, 0, 0, 0.8);
 bottom: 0;
 content: "";
 left: 0;
 position: absolute;
 right: 0;
 top: 0;
 z-index: 9;
.mu-top-slider .mu-top-slider-single img {
 width: 100%;
.mu-top-slider .mu-top-slider-single .mu-top-slider-content {
 position: absolute;
 left: 15%;
 top: 30%;
 right: 15%;
 text-align: center;
 z-index: 99;
.mu-top-slider .mu-top-slider-single .mu-top-slider-content .mu-slider-small-
title {
 font-family: "Tangerine", cursive;
 font-size: 100px;
 font-weight: 400;
 line-height: 40px;
.mu-top-slider .mu-top-slider-single .mu-top-slider-content .mu-slider-title {
 color: #fff;
 font-size: 70px;
```

```
line-height: 90px;
.mu-top-slider .mu-top-slider-single .mu-top-slider-content p {
  color: #fff;
  font-size: 20px;
  margin-bottom: 30px;
  margin-top: 10px;
  padding: 0 30px;
.mu-top-slider .slick-prev::before {
  content: "\f177";
  font-family: fontAwesome;
.mu-top-slider .slick-next::before {
  content: "\f178";
  font-family: fontAwesome;
.mu-top-slider .slick-prev,
.mu-top-slider .slick-next {
  background-color: transparent;
  border: 2px solid #888;
  height: 60px;
  top: 50%;
  width: 70px;
  -webkit-transition: all 0.5s;
  -moz-transition: all 0.5s;
  -ms-transition: all 0.5s;
  -o-transition: all 0.5s;
  transition: all 0.5s;
.mu-top-slider .slick-prev::before,
.mu-top-slider .slick-next::before {
  color: #888;
.mu-top-slider .slick-prev:hover,
.mu-top-slider .slick-prev:focus,
.mu-top-slider .slick-next:hover,
.mu-top-slider .slick-next:focus {
  color: #fff;
.mu-top-slider .slick-prev:hover::before,
.mu-top-slider .slick-prev:focus::before,
```

```
.mu-top-slider .slick-next:hover::before,
.mu-top-slider .slick-next:focus::before {
 color: #fff;
.mu-top-slider .slick-prev {
 left: 20px;
.mu-top-slider .slick-next {
 right: 20px;
.mu-top-slider .slick-dots {
 bottom: 20px;
.mu-top-slider .slick-dots li button {
 border-radius: 50%;
.mu-top-slider .slick-dots li button::before {
 color: transparent;
 background: transparent;
 border-radius: 50%;
 -webkit-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-top-slider .slick-dots li.slick-active button::before {
 color: transparent;
 border-radius: 50%;
 opacity: 1;
```

3.1.3 Javascript

```
var dot = document.getElementsByClassName('dot');
var sliderHeadline = document.querySelector('.mu-top-slider-content h2');
var sliderDescription = document.querySelector('.mu-top-slider-content p');
var bgImageHolder = document.querySelector('.mu-top-slider-single');
var currentSlide = 0;
sliderHeadline.innerText = database.slider.first.title;
sliderDescription.innerText = database.slider.first.desc;
```

```
dot[0].addEventListener('click', changeToSlide1);
dot[1].addEventListener('click', changeToSlide2);
dot[2].addEventListener('click', changeToSlide3);
function changeToSlide1(){
    clearInterval(timer);
    window.timer = setInterval(changeSlideAuto, 5000);
    dot[0].classList.add('bg-yellow');
    dot[1].classList.remove('bg-yellow');
    dot[2].classList.remove('bg-yellow');
    sliderHeadline.innerText = database.slider.first.title;
    sliderDescription.innerText = database.slider.first.desc;
    bgImageHolder.style.backgroundImage = database.slider.first.imgUrl;
    bgImageHolder.style.transition = 'background 1s linear';
    currentSlide = 1;
function changeToSlide2(){
    clearInterval(timer);
    window.timer = setInterval(changeSlideAuto, 5000);
    dot[0].classList.remove('bg-yellow');
    dot[1].classList.add('bg-yellow');
    dot[2].classList.remove('bg-yellow');
    sliderHeadline.innerText = database.slider.second.title;
    sliderDescription.innerText = database.slider.second.desc;
    bgImageHolder.style.backgroundImage = database.slider.second.imgUrl;
    bgImageHolder.style.transition = 'background 1s linear';
    currentSlide = 2;
function changeToSlide3(){
    clearInterval(timer);
    window.timer = setInterval(changeSlideAuto, 5000);
    dot[0].classList.remove('bg-yellow');
    dot[1].classList.remove('bg-yellow');
    dot[2].classList.add('bg-yellow');
    sliderHeadline.innerText = database.slider.third.title;
    sliderDescription.innerText = database.slider.third.desc;
    bgImageHolder.style.backgroundImage = database.slider.third.imgUrl;
    bgImageHolder.style.transition = 'background 1s linear';
    currentSlide = 3;
```

```
var timer = setInterval(changeSlideAuto, 5000);

function changeSlideAuto(){
    currentSlide += 1;

    if(currentSlide > 3){
        currentSlide = 1;
    }

    if(currentSlide == 1){
        changeToSlide1();
    }
    else if(currentSlide == 2){
        changeToSlide2();
    }
    else if(currentSlide == 3){
        changeToSlide3();
    }
}
```

3.2 About us

3.2.1 HTML

```
<section id="mu-about-us">
   <div class="container">
     <div class="row">
       <div class="col-md-12">
         <div class="mu-about-us-area">
           <div class="mu-title">
             <span class="mu-subtitle">Discover</span>
             <h2>ABOUT US</h2>
           </div>
           <div class="row">
             <div class="col-md-6">
              <div class="mu-about-us-left">
               <img src="assets/img/about-us.jpeg" alt="img">
               </div>
             </div>
             <div class="col-md-6">
                <div class="mu-about-us-right">
```

3.2.2 CSS

```
#mu-about-us {
  display: inline;
  float: left;
  width: 100%;
  padding: 100px 0;
.mu-about-us-area {
  display: inline;
 float: left;
  width: 100%;
.mu-about-us-right {
  display: inline;
 float: left;
  margin-top: 20px;
  padding-top: 30px;
  padding-left: 15px;
  width: 100%;
.mu-about-us-right ul {
  margin-bottom: 20px;
  padding-left: 25px;
.mu-about-us-right ul li {
  line-height: 24px;
  margin-bottom: 10px;
.mu-about-us-right ul li:before {
  content: "\f0da";
  font-family: fontAwesome;
```

```
margin-right: 10px;
.mu-about-us-left {
  display: inline;
 float: left;
  margin-top: 20px;
  padding-top: 30px;
  padding-right: 15px;
  width: 100%;
.mu-title {
  display: inline;
 float: left;
  width: 100%;
  margin-bottom: 20px;
  text-align: center;
.mu-title .mu-subtitle {
 font-size: 50px;
  font-family: "Tangerine", cursive;
  line-height: 30px;
.mu-title h2 {
  color: #000;
  font-size: 35px;
  margin-bottom: 5px;
```

3.2.3 Javascript

```
Za database.aboutUs.intro.pText možete detaljnije pogledati na delu 3.13.1

var aboutUsP = document.querySelectorAll('.mu-about-us-right p');
var aboutUsUl = document.querySelector('.mu-about-us-right ul');

aboutUsP[0].innerText = database.aboutUs.intro.pText;

var obj = database.aboutUs.list;

for(var i in obj){
   var li = document.createElement('li');
   li.innerText = obj[i];
```

```
aboutUsUl.appendChild(li);
}
```

3.3 Counter

3.3.1 HTML

3.3.2 CSS

```
#mu-counter {
  background-attachment: fixed;
  background-image: url("assets/img/counter-bg.jpeg");
  background-size: cover;
  display: inline;
  float: left;
  width: 100%;
.mu-counter-overlay {
  background-color: rgba(0, 0, 0, 0.8);
  display: inline;
  padding: 100px 0;
  float: left;
  width: 100%;
.mu-counter-area {
  display: inline;
  float: left;
  width: 100%;
```

```
.mu-counter-nav {
 display: inline-block;
 width: 100%;
.mu-counter-nav li {
 display: inline-block;
.mu-counter-nav li:last-child {
 border-right: none;
.mu-counter-nav li .mu-single-counter {
 color: #fff;
 display: inline;
 float: left;
 padding: 25px 0;
 text-align: center;
 width: 100%;
.mu-counter-nav li .mu-single-counter span {
 font-family: "Tangerine", cursive;
 font-size: 40px;
.mu-counter-nav li .mu-single-counter h3 {
 font-size: 50px;
 font-weight: bold;
 line-height: 40px;
 margin-bottom: 15px;
 margin-top: 10px;
.mu-counter-nav li .mu-single-counter h3 span {
 font-family: "Open Sans", sans-serif;
 font-size: 35px;
 font-weight: bold;
 line-height: 40px;
.mu-counter-nav li .mu-single-counter h3 sup {
 font-weight: normal;
 display: inline-block;
 font-size: 35px;
```

```
.mu-counter-nav li .mu-single-counter p {
  font-size: 18px;
  letter-spacing: 1.5px;
  margin-bottom: 0;
}
```

3.3.3 Javascript

```
/*Kod koji je preuzet sa interneta*/
var observer = new IntersectionObserver(function(entries) {
    // isIntersecting is true when element and viewport are overlapping
    // isIntersecting is false when element and viewport don't overlap
    if(entries[0].isIntersecting === true)
       setInterval(increaseItem1, 10);
       setInterval(increaseItem2, 10);
       setInterval(increaseItem3, 10);
       setInterval(increaseItem4, 1);
}, { threshold: [0] });
observer.observe(document.querySelector("#mu-counter"));
/* Kraj koda koji je preuzet sa interneta */
var counerListHolder = document.querySelector('.mu-counter-nav');
var counerLength = 4;
for(let i = 0; i < counerLength; i++){</pre>
    var liTag = `
                   <div class="mu-single-counter">
                   <span>${database.counter.description[i]}</span>
                   <h3><span class="counter-value">0</span><sup>+</sup></h3>
                   ${database.counter.name[i]}
                   </div>
               counerListHolder.innerHTML += liTag;
var item1 = document.getElementsByClassName('counter-value')[0];
var item2 = document.getElementsByClassName('counter-value')[1];
var item3 = document.getElementsByClassName('counter-value')[2];
var item4 = document.getElementsByClassName('counter-value')[3];
var t1 = 0;
var t2 = 0;
var t3 = 0;
var t4 = 0;
function increaseItem1(){
```

```
if(t1 < 125){
     t1++;
}
item1.innerText = t1;
}

function increaseItem2(){
    if(t2 < 245){
        t2++;
}
    item2.innerText = t2;
}

function increaseItem3(){
    if(t3 < 86){
        t3++;
}
    item3.innerText = t3;
}

function increaseItem4(){
    if(t4 < 578){
        t4 += 1;
}
    item4.innerText = t4;
}</pre>
```

3.4 Restourant menu

3.4.1 HTML

```
<div class="mu-tab-content-area">
              <div class="row">
               <div class="col-md-6">
                 <div class="mu-tab-content-left">
                  </div>
               </div>
               <div class="col-md-6">
                <div class="mu-tab-content-right">
                  </div>
              </div>
             </div>
           </div>
          </div>
         </div>
       </div>
      </div>
    </div>
   </div>
 </div>
</section>
```

3.4.2 CSS

```
#mu-restaurant-menu {
    display: inline;
    float: left;
    width: 100%;
    padding: 100px 0;
}

.mu-restaurant-menu-area {
    display: inline;
    float: left;
    width: 100%;
}

.mu-restaurant-menu-content {
    display: inline;
    float: left;
    margin-top: 30px;
    width: 100%;
}
```

```
.mu-restaurant-menu {
 display: inline-block;
 width: 100%;
 text-align: center;
 border: none;
.mu-restaurant-menu li {
 display: inline-block;
 float: none;
.mu-restaurant-menu li a {
 font-family: "Open Sans", sans-serif;
 font-size: 18px;
 border-radius: 0;
 border: 1px solid orange !important;
 color: #fff;
 font-size: 18px;
 margin: 0 15px;
 -webkit-transition: all 0.5s;
 -moz-transition: all 0.5s;
 -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-restaurant-menu li a:hover,
.mu-restaurant-menu .active a,
.mu-restaurant-menu .active a:hover,
.mu-restaurant-menu .active a:focus {
 background-color: #FFF;
.mu-tab-content-area {
 display: inline;
 float: left;
 width: 100%;
 padding: 50px 0;
.mu-tab-content-left {
 display: inline;
 float: left;
 padding-right: 15px;
 width: 100%;
```

```
.mu-tab-content-right {
 display: inline;
 float: left;
 /*padding-left: 15px;*/
 width: 100%;
.mu-menu-item-nav li {
 border-bottom: 1px dashed #ccc;
 display: inline;
 float: left;
 margin-bottom: 20px;
 padding-bottom: 15px;
 width: 100%;
.mu-menu-item-nav li:last-child {
 border-bottom: none;
 margin-bottom: 0;
.mu-menu-item-nav li .media .media-left {
 width: 110px;
 height: 110px;
.mu-menu-item-nav li .media .media-left a,
.mu-menu-item-nav li .media .media-left a img {
 display: block;
 width: 110px;
 height: 110px;
.mu-menu-item-nav li .media .media-body .media-heading {
 font-size: 20px;
 margin-bottom: 10px;
.mu-menu-item-nav li .media .media-body .media-heading a {
 -webkit-transition: all 0.5s;
 -moz-transition: all 0.5s;
 -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-menu-item-nav li .media .media-body .mu-menu-price {
 font-size: 16px;
 font-weight: bold;
```

```
letter-spacing: 1.5px;
line-height: 20px;
}
.mu-menu-item-nav li .media .media-body p {
  margin-top: 10px;
  font-size: 14px;
}
```

3.4.3 Javascript

```
var menuListHolder = document.getElementsByClassName('mu-menu-item-nav');
var menuHolder = document.querySelector('.mu-restaurant-menu');
var allMeals = database.ourMenu;
var data = database.ourMenu.Breakfast;
for(m in allMeals){
    var newLiTag = document.createElement('li');
    var aTag = document.createElement('a');
    aTag.innerText = m;
    aTag.setAttribute('href', ' ');
    if(m == 'Breakfast'){
        newLiTag.setAttribute('class', 'active');
    menuHolder.appendChild(newLiTag);
    newLiTag.appendChild(aTag);
for(i in data){
    var liTag = `
                    <div class="media">
                        <div class="media-left">
                            <a href="#img">
                                <img class="media-</pre>
object" src="${data[i].src}" alt="img-110x110">
                            </a>
                        </div>
                        <div class="media-body">
                            <h4 class="media-
heading"><a href="#">${data[i].title}</a></h4>
                            <span class="mu-menu-</pre>
price">${data[i].price}</span>
                            ${data[i].desc}
```

```
</div>
                    </div>
                `;
    if(Number(i) % 2 == 0){
        menuListHolder[0].innerHTML += liTag;
    else{
        menuListHolder[1].innerHTML += liTag;
    }
var allMenuHolderTags = document.querySelectorAll('.mu-restaurant-menu li');
allMenuHolderTags[0].addEventListener('click', setBreakfast);
allMenuHolderTags[1].addEventListener('click', setMeals);
allMenuHolderTags[2].addEventListener('click', setSnacks);
allMenuHolderTags[3].addEventListener('click', setDesserts);
allMenuHolderTags[4].addEventListener('click', setDrinks);
var menuListHolderImage = document.querySelectorAll('.media-object');
var menuListHolderTitle = document.querySelectorAll('.media-heading a');
var menuListHolderPrice = document.querySelectorAll('.mu-menu-price');
var menuListHolderDesc = document.querySelectorAll('.media-body p');
function setData(x, y){
    var currentData = x;
    var i = 0;
    for(cd in currentData){
        menuListHolderImage[i].src = currentData[cd].src;
        menuListHolderTitle[i].innerText = currentData[cd].title;
        menuListHolderPrice[i].innerText = currentData[cd].price;
        menuListHolderDesc[i].innerText = currentData[cd].desc;
        i++;
    for(al of allMenuHolderTags){
        if(y == al){}
            al.classList.add('active');
        else{
            al.classList.remove('active');
function setBreakfast(event){
    event.preventDefault();
    setData(database.ourMenu.Breakfast, this);
```

```
function setMeals(){
    event.preventDefault();
    setData(database.ourMenu.Meals, this);
}
function setSnacks(){
    event.preventDefault();
    setData(database.ourMenu.Snacks, this);
}
function setDesserts(){
    event.preventDefault();
    setData(database.ourMenu.Desserts, this);
}
function setDrinks(){
    event.preventDefault();
    setData(database.ourMenu.Drinks, this);
}
```

3.5 Reservation

3.5.1 HTML

```
<section id="mu-reservation">
    <div class="container">
      <div class="row">
        <div class="col-md-12">
          <div class="mu-reservation-area">
            <div class="mu-title">
              <span class="mu-subtitle">Make A</span>
              <h2>Reservation</h2>
            </div>
            <div class="mu-reservation-content">
              <div class="col-md-6">
                <div class="mu-reservation-left">
                  <form class="mu-reservation-form">
                    <div class="row">
                      <div class="col-md-12">
                        <div class="form-group">
                          <input type="text" class="form-</pre>
control" id="fullNameRes" placeholder="Full Name">
                        </div>
                      </div>
                      <div class="col-md-12">
                      <div class="form-group">
```

```
<input type="email" class="form-</pre>
control" id="emailRes" placeholder="Email">
                       </div>
                     </div>
                     <div class="col-md-12">
                       <div class="form-group">
                         <input type="text" class="form-</pre>
control" id="numberRes" placeholder="Phone Number">
                       </div>
                     </div>
                     <div class="col-md-12">
                       <div class="form-group">
                         <select id="howManyRes" class="form-control">
                         </select>
                       </div>
                     </div>
                     <div class="col-md-12">
                       <div class="form-group">
                         <input type="text" class="form-</pre>
control" id="datepicker" placeholder="Date dd-mm-yyyy">
                       </div>
                     </div>
                     <div class="col-md-12">
                       <div class="form-group">
                         <textarea id="messageRes" class="form-
control" cols="30" rows="10" placeholder="Your Message"></textarea>
                       </div>
                     </div>
                     <button type="button" id="btnRes" class="mu-readmore-</pre>
btn">Make Reservation</putton>
                   </div>
                   <div id="formResErrors"></div>
                 </form>
               </div>
             </div>
              <div class="col-md-5 col-md-offset-1">
               <div class="mu-reservation-right">
                 <div class="mu-opening-hour">
                   <h2>Opening Hours</h2>
                     <1i>>
                           Monday & Tuesday
                           >9:00 AM - 4:00 PM
                       <1i>>
                           Wednesday & Thursday
                           9:00 AM - Midnight
```

```
<1i>>
                    Friday & Saturday
                    9:00 AM - Midnight
                 <1i>>
                    Sunday
                    9:00 AM - 11:00 PM
                 </div>
           </div>
         </div>
       </div>
      </div>
    </div>
   </div>
 </div>
</section>
```

3.5.2 CSS

```
#mu-reservation {
  background-color: #222;
  display: inline;
  float: left;
  padding: 100px 0;
  width: 100%;
.mu-reservation-area {
  display: inline;
  float: left;
  width: 100%;
.mu-reservation-area .mu-title h2 {
  color: #fff;
.mu-reservation-content {
  display: inline;
 float: left;
  margin-top: 20px;
  padding: 0 100px;
  width: 100%;
.mu-reservation-content h3 {
 color: #fff;
```

```
display: inline-block;
 padding-bottom: 10px;
 font-weight: bold;
.mu-reservation-content p {
 color: #fff;
 letter-spacing: 0.5px;
 padding: 0 50px;
 text-align: center;
.mu-reservation-left {
 display: inline;
 float: left;
 margin-top: 30px;
 width: 100%;
.mu-reservation-form .form-control {
 margin-bottom: 20px;
.mu-reservation-form input[type="text"],
.mu-reservation-form input[type="email"] {
 border-radius: 0;
 color: #000;
 height: 40px;
.mu-reservation-form input[type="text"]:focus,
.mu-reservation-form input[type="email"]:focus {
 box-shadow: none;
.mu-reservation-form input[type="text"]::-webkit-input-placeholder,
.mu-reservation-form input[type="email"]::-webkit-input-placeholder {
 color: #555;
.mu-reservation-form input[type="text"]:-moz-placeholder,
.mu-reservation-form input[type="email"]:-moz-placeholder {
 color: #555;
.mu-reservation-form input[type="text"]::-moz-placeholder,
.mu-reservation-form input[type="email"]::-moz-placeholder {
 color: #555;
```

```
.mu-reservation-form input[type="text"]:-ms-input-placeholder,
.mu-reservation-form input[type="email"]:-ms-input-placeholder {
 color: #555;
.mu-reservation-form select {
 border-radius: 0;
 height: 40px;
.mu-reservation-form select:focus {
 box-shadow: none;
.mu-reservation-form select option {
 margin-bottom: 10px;
 color: #000;
.mu-reservation-form textarea {
 border-radius: 0;
 color: #000;
 padding: 10px;
.mu-reservation-form textarea:focus {
 box-shadow: none;
.mu-reservation-form textarea::-webkit-input-placeholder {
 color: #555;
 .mu-reservation-form textarea:-moz-placeholder {
 color: #555;
.mu-reservation-form textarea::-moz-placeholder {
 color: #555;
.mu-reservation-form textarea:-ms-input-placeholder {
 color: #555;
.mu-reservation-form button[type="submit"] {
 border: none;
 margin-top: 20px;
```

```
margin-left: 15px;
.datepicker {
  border-radius: 0;
  padding: 6px 10px;
.datepicker .datepicker-switch,
.datepicker .prev,
.datepicker .next,
.datepicker tfoot tr th {
  font-size: 20px;
.table-condensed > thead > tr > th,
.table-condensed > tbody > tr > th,
.table-condensed > tfoot > tr > th,
.table-condensed > thead > tr > td,
.table-condensed > tbody > tr > td,
.table-condensed > tfoot > tr > td {
  padding: 6px;
.datepicker table tr td.day:hover {
  color: #fff;
.mu-reservation-right {
  background-color: #fff;
  display: inline;
  float: left;
  margin-top: 40px;
  width: 100%;
  padding: 10px;
.mu-opening-hour {
  display: inline;
 float: left;
  width: 100%;
  padding: 10px;
.mu-opening-hour h2 {
  font-family: "Tangerine", cursive;
  font-size: 50px;
  margin: 10px 15px 20px;
  padding-bottom: 15px;
```

```
text-align: center;
}
.mu-opening-hour ul li {
  margin-bottom: 25px;
  letter-spacing: 2px;
}
.mu-opening-hour ul p{
  color: #000;
  margin-bottom: 0;
  text-transform: uppercase;
  font-size: 14px;
  font-weight: 600;
}
#formResErrors ul{
  margin-top: 5%;
  list-style-type: none;
}
#formResErrors ul li{
  color: white;
}
```

3.5.3 Javascript

```
var reservationDesc = document.querySelector('.mu-reservation-content p');
var formRes = document.querySelector('.mu-reservation-form');
var formResErrors = document.getElementById('formResErrors');
var isFullNameValid = false;
var isEmailValid = false;
var isNumberValid = false;
var isSelectValid = false;
var isDateValid = false;
for(let i = 0; i < 10; i++){
    var optionTag = document.createElement('option');
    optionTag.setAttribute('value', i);
    if(i == 0){
        optionTag.innerText = 'How many persons?';
    else if (i == 1){
        optionTag.innerText = '1 Person';
    else{
        optionTag.innerText = i + ' Persons';
    formRes.howManyRes.appendChild(optionTag);
```

```
formRes.btnRes.addEventListener('click', submitReservetionFrom);
function submitReservetionFrom(){
   var firstNameRgx = /^[A-zšdč枊ĐČĆŽ]{1,15}(\s[A-zšdč枊ĐČĆŽ]{1,15})?$/;
   isFullNameValid = firstNameRgx.test(formRes.fullNameRes.value);
   console.log(formRes.fullNameRes.value);
   console.log(isFullNameValid);
   var emailRgx = /^[a-z]{1}[a-z0-9\.\_-]{1,30}@[a-z\.]{3,10}\.[a-z]{2,3}$/;
   isEmailValid = emailRgx.test(formRes.emailRes.value);
   console.log(formRes.emailRes.value);
   console.log(isEmailValid);
   var numberRgx = /^[0-9]{7,9}$/;
   isNumberValid = numberRgx.test(formRes.numberRes.value);
   console.log(formRes.numberRes.value);
   console.log(isNumberValid);
   if(formRes.howManyRes.selectedIndex != 0){
       isSelectValid = true;
   else{
       isSelectValid = false;
   2019$/;
   isDateValid = dateRgx.test(formRes.datepicker.value);
   console.log(formRes.datepicker.value);
   console.log(isDateValid);
   if(isFullNameValid && isEmailValid && isNumberValid && isSelectValid && is
DateValid){
       formResErrors.innerHTML = "";
       alert('Your reservation has been sent!');
       formRes.fullNameRes.value = "";
       formRes.emailRes.value = "";
       formRes.numberRes.value = "";
       formRes.howManyRes.selectedIndex = 0;
       formRes.datepicker.value = "";
       formRes.messageRes.value = "";
   else{
       formResErrors.innerHTML = "";
       var ulTag = document.createElement('ul');
       if(!isFullNameValid){
```

```
ulTag.innerHTML += 'Full name is invalid';
}
if(!isEmailValid){
    ulTag.innerHTML += 'Email is invalid';
}
if(!isNumberValid){
    ulTag.innerHTML += 'Phone number is invalid';
}
if(!isSelectValid){
    ulTag.innerHTML += 'Select is invalid';
}
if(!isDateValid){
    ulTag.innerHTML += 'Date is invalid';
}
formResErrors.appendChild(ulTag);
}
reservationDesc.innerText = database.reservation.desc;
```

3.6 Gallery

Za galeriju je pored ovog koda korišćen i smartphoto.js i smartphoto.min.css kao plugin.

3.6.1 HTML

```
<section id="mu-gallery">
    <div class="container">
      <div class="row">
        <div class="col-md-12">
          <div class="mu-gallery-area">
            <div class="mu-title">
              <span class="mu-subtitle">Discover</span>
              <h2>Our Gallery</h2>
            </div>
            <div class="mu-gallery-content">
              <!-- Start gallery image -->
              <div class="mu-gallery-body">
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>
```

3.6.2 CSS

```
#mu-gallery {
  display: inline;
  float: left;
  padding: 100px 0;
  width: 100%;
.mu-gallery-area {
  display: inline;
  float: left;
  width: 100%;
.mu-gallery-content {
  display: inline;
 float: left;
  width: 100%;
.mu-gallery-body {
  display: inline;
  float: left;
  width: 100%;
  margin-top: 50px;
.mu-single-gallery {
  display: inline;
 float: left;
  margin-bottom: 30px;
  width: 33.33%;
.mu-single-gallery:last-child {
  margin-bottom: 0px;
.mu-single-gallery .mu-single-gallery-item {
  display: inline;
 float: left;
  width: 100%;
  position: relative;
.mu-single-gallery .mu-single-gallery-item:hover .mu-single-gallery-info {
  background-color: rgba(0, 0, 0, 0.8);
  opacity: 1;
```

```
.mu-single-gallery .mu-single-gallery-item .mu-single-gallery-img {
 display: inline;
 float: left;
 overflow: hidden;
 width: 100%;
.mu-single-gallery .mu-single-gallery-item .mu-single-gallery-img img {
 -webkit-transition: all 0.8s;
 -moz-transition: all 0.8s;
 -ms-transition: all 0.8s;
 -o-transition: all 0.8s;
 transition: all 0.8s;
.mu-single-gallery .mu-single-gallery-item .mu-single-gallery-info {
 background-color: rgba(0, 0, 0, 0.8);
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 text-align: center;
 padding-top: 28%;
 opacity: 0;
 -webkit-transition: all 0.8s;
 -moz-transition: all 0.8s;
 -ms-transition: all 0.8s;
 -o-transition: all 0.8s;
 transition: all 0.8s;
```

3.6.3 Javascript

3.7 Testemonials

3.7.1 HTML

```
<section id="mu-client-testimonial">
  <div class="mu-overlay">
    <div class="container">
      <div class="row">
        <div class="col-md-12">
          <div class="mu-client-testimonial-area">
           <div class="mu-title">
             <span class="mu-subtitle">Testimonials</span>
             <h2>What Customers Say</h2>
            </div>
            <!-- testimonial content -->
            <div class="mu-testimonial-content">
             <!-- testimonial slider -->
             <1i>>
                 <div class="mu-testimonial-single">
                   <div class="mu-testimonial-info">
                     This resourant is amazing. I was never disappointed
in food they provide.
                   </div>
                   <div class="mu-testimonial-bio">
                     Mike Scott
                   </div>
                 </div>
              </div>
          </div>
        </div>
      </div>
    </div>
  </div>
```

3.7.2 CSS

```
#mu-client-testimonial {
  background-image: url("assets/img/testimonial-bg.jpg");
  background-size: cover;
  background-attachment: fixed;
  display: inline;
  float: left;
  width: 100%;
#mu-client-testimonial .mu-overlay {
  background-color: rgba(0, 0, 0, 0.8);
  display: inline;
 float: left;
  padding: 70px 0 100px;
  width: 100%;
#mu-client-testimonial .mu-title h2 {
  color: #fff;
.mu-client-testimonial-area {
  display: inline;
 float: left;
  width: 100%;
.mu-testimonial-content {
 display: inline;
 float: left;
  width: 100%;
.mu-testimonial-slider {
 display: inline;
 float: left;
  width: 100%;
.mu-testimonial-slider li {
  display: inline;
 float: left;
  width: 100%;
```

```
.mu-testimonial-slider li .mu-testimonial-single {
  display: inline;
  float: left;
  padding: 0 150px;
  position: relative;
  width: 100%;
.mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-info {
  display: inline;
 float: left;
  width: 100%;
  text-align: center;
.mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-info p {
  color: #fff;
  font-size: 20px;
  letter-spacing: 0.5px;
  line-height: 35px;
  margin-top: 30px;
  padding: 0;
  position: relative;
  z-index: 20;
.mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-
info p:before {
 /*content: '\f10e';*/
 font-family: fontAwesome;
  font-size: 50px;
  left: 1%;
  position: absolute;
  text-align: center;
  top: 20%;
  opacity: 0.6;
  width: 100%;
  z-index: -10;
.mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-bio {
  color: #fff;
  display: inline-block;
  float: left;
  margin-top: 5px;
  margin-bottom: 25px;
  position: relative;
  text-align: center;
  width: 100%;
```

```
z-index: 30;
.mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-bio p {
 display: inline-block;
 font-size: 18px;
 font-weight: bold;
 font-family: "Open Sans", sans-serif;
 letter-spacing: 1px;
 margin-bottom: 0;
 min-width: 175px;
 padding-top: 10px;
.mu-testimonial-slider .slick-dots {
 text-align: center;
.mu-testimonial-slider .slick-dots li {
 border-radius: 50%;
 width: 20px;
 display: inline-block;
 float: none;
 -webkit-transition: all 0.5s;
 -moz-transition: all 0.5s;
 -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-testimonial-slider .slick-dots li button {
 display: none;
```

3.7.3 Javascript

```
var testemonialData = database.testemonials;

$(document).ready(function(){
    setInterval(changeTestemonial, 2500);
    var i = 0;
    function changeTestemonial(){
        i++;
        if(i > 2){
            i = 0;
        }
}
```

```
$('.mu-testimonial-
info p').animate({'opacity': 0}, 2500, function () {
    $(this).text(testemonialData[i].text);
}).animate({'opacity': 1}, 2500);

$('.mu-testimonial-bio p').animate({'opacity': 0}, 2500, function () {
    $(this).text(testemonialData[i].name);
}).animate({'opacity': 1}, 2500);

}
}
```

3.8 Master chefs

3.8.1 HTML

```
<section id="mu-chef">
   <div class="container">
     <div class="row">
       <div class="col-md-12">
        <div class="mu-chef-area">
          <div class="mu-title">
            <span class="mu-subtitle">Our Professionals
            <h2>MASTER CHEFS</h2>
          </div>
          <div class="mu-chef-content container-fluid">
            </div>
        </div>
       </div>
     </div>
   </div>
 </section>
```

3.8.2 CSS

```
#mu-chef {
   display: inline;
   float: left;
   padding: 100px 0;
   width: 100%;
}
.mu-chef-area {
```

```
display: inline;
 float: left;
 width: 100%;
.mu-chef-content {
 display: inline;
 float: left;
 margin-top: 30px;
 padding-bottom: 60px;
 width: 100%;
.mu-chef-nav {
 display: inline;
 float: left;
 text-align: center;
 width: 100%;
.mu-chef-nav .slick-list li {
 background-color: #f8f8f8;
 display: inline-block;
 margin: 0 5px;
 width: 22%;
 overflow: hidden;
.mu-chef-nav .slick-list li:first-child {
 margin-left: 0;
.mu-chef-nav .slick-list li:last-child {
 margin-right: 0;
.mu-chef-nav .slick-list li .mu-single-chef {
 display: inline;
 float: left;
 width: 100%;
 position: relative;
.mu-chef-nav .slick-list li .mu-single-chef:hover .mu-single-chef-social {
 bottom: 0;
 opacity: 1;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-img {
```

```
display: inline;
 float: left;
 width: 100%;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-img img {
 width: 100%;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-info {
 display: inline;
 float: left;
 padding: 10px 10px 20px;
 width: 100%;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-info h4 {
 margin-bottom: 5px;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-info span {
 font-size: 14px;
 letter-spacing: 0.5px;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-social {
 background-color: #000;
 position: absolute;
 bottom: -100%;
 left: 0;
 right: 0;
 padding: 23px 20px;
 text-align: center;
 opacity: 0;
 -webkit-transition: all 0.5s;
  -moz-transition: all 0.5s;
 -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-social a {
 display: inline-block;
 margin: 0 5px;
 padding: 5px;
 text-align: center;
 width: 35px;
 -webkit-transition: all 0.5s;
  -moz-transition: all 0.5s;
```

```
-ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-social a:hover,
.mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-social a:focus {
 color: #fff;
.mu-chef-nav .slick-dots {
 text-align: center;
 margin-bottom: -30px;
.mu-chef-nav .slick-dots li {
 border-radius: 50%;
 width: 20px;
 display: inline-block;
 float: none;
 -webkit-transition: all 0.5s;
 -moz-transition: all 0.5s;
  -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-chef-nav .slick-dots li button {
 display: none;
```

3.8.3 Javascript

3.9 Contact us

3.9.1 HTML

```
<section id="mu-contact">
    <div class="container">
      <div class="row">
        <div class="col-md-12">
          <div class="mu-contact-area">
            <div class="mu-title">
              <span class="mu-subtitle">Get In Touch</span>
              <h2>Contact Us</h2>
            </div>
            <div class="mu-contact-content">
              <div class="row">
                <div class="col-md-6">
                   <div class="mu-contact-left">
                     <div id="form-messages"></div>
                     <!-- Start contact form -->
                     <form id="mu-contact-form">
                       <div class="form-group">
                         <label for="name">Your Name <small class="col-</pre>
red" id="nameErr"></small></label>
                         <input type="text" class="form-</pre>
control" id="name" name="name" placeholder="Name" required>
                       <div class="form-group">
                         <label for="email">Email address <small class="col-</pre>
red" id="emailErr"></small></label>
                         <input type="email" class="form-</pre>
control" id="email" name="email" placeholder="Email" required>
                       </div>
                       <div class="form-group">
                         <label for="subject">Subject <small class="col-</pre>
red" id="subjectErr"></small></label>
```

```
<input type="text" class="form-</pre>
control" id="subject" name="subject" placeholder="Subject" required>
                     </div>
                     <div class="form-group">
                       <label for="message">Message</label>
                       <textarea class="form-
control" id="message" name="message" cols="30" rows="10" placeholder="Type Yo
ur Message" required></textarea>
                     </div>
                     <button type="button" id="btnContactUs" class="mu-send-</pre>
btn">Send Message</button>
                     <div class="col-red" id="contactUsErrMessages"></div>
                   </form>
                 </div>
               </div>
               <div class="col-md-6">
                 <div class="mu-contact-right">
                   <div class="mu-contact-widget">
                     <h3>Office Address</h3>
                     There are many ways to contact us. You can choose mob
ile, email or our offical address. Either way we will make sure to answer the
best way we can in shortest possible amout of time.
                     <address>
                       <i class="fa fa-phone"></i> (850) 457 6688
                       <i class="fa fa-envelope-
o"></i>contact@imperial.com
                       <i class="fas fa-map-marker-
alt"></i>368 St. Panama City, Florida, USA
                     </address>
                   </div>
                   <div class="mu-contact-widget">
                     <h3>Open Hours</h3>
                     <address>
                       <span>Monday - Friday</span> 9.00 am to 12 pm
                       <span>Saturday</span> 9.00 am to 10 pm
                       <span>Sunday</span> 10.00 am to 12 pm
                     </address>
                   </div>
                 </div>
               </div>
             </div>
           </div>
         </div>
       </div>
      </div>
    </div>
```

3.9.2 CSS

```
#mu-contact {
  background-color: #f8f8f8;
  display: inline;
  float: left;
  padding: 100px 0;
  width: 100%;
.mu-contact-area {
  display: inline;
  float: left;
  width: 100%;
.mu-contact-content {
  display: inline;
  float: left;
  margin-top: 30px;
  width: 100%;
.mu-contact-left {
  display: inline;
  float: left;
  font-family: "Open Sans", sans-serif;
  width: 100%;
.mu-contact-left .form-group {
  margin-bottom: 25px;
.mu-contact-left .form-group label {
 font-size: 16px;
  margin-bottom: 8px;
  letter-spacing: 0.5px;
.mu-contact-form input[type="text"],
.mu-contact-form input[type="email"] {
  color: #000;
  border-radius: 0;
  height: 40px;
```

```
.mu-contact-form input[type="text"]:focus,
.mu-contact-form input[type="email"]:focus {
 box-shadow: none;
.mu-contact-form textarea {
 color: #000;
 border-radius: 0;
 padding: 10px;
.mu-contact-form textarea:focus {
 box-shadow: none;
.mu-contact-right {
 display: inline;
 float: left;
 padding: 0 30px;
 width: 100%;
.mu-contact-right .mu-contact-widget {
 display: inline;
 float: left;
 margin-bottom: 25px;
 width: 100%;
.mu-contact-right .mu-contact-widget h3 {
 margin-top: 0px;
 padding-bottom: 10px;
 display: inline-block;
.mu-contact-right .mu-contact-widget > p {
 letter-spacing: 0.5px;
 line-height: 26px;
.mu-contact-right .mu-contact-widget address {
 margin-top: 20px;
.mu-contact-right .mu-contact-widget address p {
 letter-spacing: 0.5px;
.mu-contact-right .mu-contact-widget address p i {
```

```
margin-right: 10px;
 width: 20px;
 text-align: center;
.mu-contact-right .mu-contact-widget address p span {
 display: inline-block;
 margin-right: 20px;
 min-width: 130px;
#form-messages {
 margin-bottom: 10px;
    background-color: #fff;
.success {
 padding: 1em;
 margin-bottom: 0.75rem;
 text-shadow: 0 1px 0 rgba(255, 255, 255, 0.5);
 color: #468847;
 background-color: #dff0d8;
 border: 1px solid #d6e9c6;
 -webkit-border-radius: 4px;
   -moz-border-radius: 4px;
        border-radius: 4px;
.error {
 padding: 1em;
 margin-bottom: 0.75rem;
 text-shadow: 0 1px 0 rgba(255, 255, 255, 0.5);
 color: #b94a48;
 background-color: #f2dede;
 border: 1px solid rgba(185, 74, 72, 0.3);
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
        border-radius: 4px;
```

3.9.3 Javascript

```
var contactFrom = document.getElementById('mu-contact-form');

var ContactUsisNameValid = false;
var ContactUsisEmailValid = false;
var ContactUsisSubjectValid = false;
```

```
contactFrom.name.addEventListener('blur', checkNameContactUs);
contactFrom.email.addEventListener('blur', checkEmailContactUs);
contactFrom.subject.addEventListener('blur', checkSubjectContactUs);
contactFrom.btnContactUs.addEventListener('click', SubmitFormContactUs);
function checkNameContactUs(){
    var nameErr = document.getElementById('nameErr');
    var nameRgx = /^[A-zšđč枊ĐČĆŽ]\{1,15\}(\s[A-zšđč枊ĐČĆŽ]\{1,15\})?$/;
    ContactUsisNameValid = nameRgx.test(contactFrom.name.value);
    console.log(ContactUsisNameValid);
    if(ContactUsisNameValid){
        nameErr.innerText = '';
   else{
        nameErr.innerText = 'Please enter valid name';
function checkEmailContactUs(){
    var emailErr = document.getElementById('emailErr');
    var emailRgx = /^[a-z]{1}[a-z0-9\.\_-]{1,30}@[a-z\.]{3,10}\.[a-z]{2,3}$/;
    ContactUsisEmailValid = emailRgx.test(contactFrom.email.value);
    console.log(ContactUsisEmailValid);
    if(ContactUsisEmailValid){
        emailErr.innerText = '';
    else{
        emailErr.innerText = 'Please enter valid email';
function checkSubjectContactUs(){
    var subjectErr = document.getElementById('subjectErr');
    var subjectRgx = /[\w 0-9]/;
    ContactUsisSubjectValid = subjectRgx.test(contactFrom.subject.value);
    console.log(ContactUsisSubjectValid);
    if(ContactUsisSubjectValid){
        subjectErr.innerText = '';
    else{
        subjectErr.innerText = 'Please enter valid subject';
function SubmitFormContactUs(){
    var errorMsg = document.getElementById('contactUsErrMessages');
    if(!ContactUsisNameValid || !ContactUsisEmailValid || !ContactUsisSubjectV
alid){
```

```
errorMsg.innerText = 'Make sure all of the fields are entered and vali
d';
}
else{
    errorMsg.innerText = '';
    alert('Message sent successfully!');
    contactFrom.name.value = '';
    contactFrom.email.value = '';
    contactFrom.subject.value = '';
    contactFrom.message.value = '';

    ContactUsisNameValid = false;
    ContactUsisEmailValid = false;
    ContactUsisSubjectValid = false;
}
```

3.10 Author

3.10.1 HTML

```
<section id="mu-author">
     <div class="container">
       <div class="row">
         <div class="col-md-12">
           <div class="mu-about-us-area">
             <div class="mu-title">
               <span class="mu-subtitle">Read about</span>
               <h2>AUTHOR</h2>
             </div>
             <div class="row">
               <div class="col-md-6">
               <div class="mu-about-us-left">
                 <img src="assets/img/author.jpg" alt="img">
                 </div>
               </div>
               <div class="col-md-6">
                 <div class="mu-about-us-right mu-author-right">
                  <l
                  </div>
               </div>
             </div>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

3.10.2 CSS

```
#mu-author{
  display: inline;
  float: left;
  width: 100%;
  padding: 100px 0;
.mu-about-us-area {
  display: inline;
  float: left;
  width: 100%;
.mu-about-us-right {
  display: inline;
 float: left;
  margin-top: 20px;
  padding-top: 30px;
  padding-left: 15px;
  width: 100%;
.mu-about-us-right ul {
  margin-bottom: 20px;
  padding-left: 25px;
.mu-about-us-right ul li {
  line-height: 24px;
  margin-bottom: 10px;
.mu-about-us-right ul li:before {
  content: "\f0da";
 font-family: fontAwesome;
  margin-right: 10px;
.mu-about-us-left {
  display: inline;
  float: left;
  margin-top: 20px;
```

```
padding-top: 30px;
 padding-right: 15px;
 width: 100%;
.mu-title {
 display: inline;
 float: left;
 width: 100%;
 margin-bottom: 20px;
 text-align: center;
.mu-title .mu-subtitle {
 font-size: 50px;
 font-family: "Tangerine", cursive;
 line-height: 30px;
.mu-title h2 {
 color: #000;
 font-size: 35px;
 margin-bottom: 5px;
```

3.10.3 Javascript

```
var authorP = document.querySelector('.mu-author-right p')
var authorUl = document.querySelector('.mu-author-right ul')
authorP.innerHTML = database.author.info;
for(s in database.author.social){
   var liTag = document.createElement('li');
   liTag.innerHTML = database.author.social[s];
   authorUl.appendChild(liTag);
}
```

3.11 Footer

3.11.1 HTML

3.11.2 CSS

```
#mu-footer {
  background-color: #444;
  display: inline;
  float: left;
  padding: 50px 0;
  width: 100%;
.mu-footer-area {
  display: inline;
 float: left;
  width: 100%;
  text-align: center;
.mu-footer-social {
  display: inline;
  float: left;
  width: 100%;
  text-align: center;
  margin-bottom: 10px;
.mu-footer-social a {
  background-color: #555;
  border-radius: 50%;
  color: #fff;
  display: inline-block;
  font-size: 20px;
  height: 45px;
  line-height: 47px;
  margin: 5px;
  text-align: center;
  width: 45px;
```

```
-webkit-transition: all 0.5s;
 -moz-transition: all 0.5s;
 -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-footer-copyright {
 display: inline;
 float: left;
 width: 100%;
.mu-footer-copyright p {
 font-family: "Open Sans", sans-serif;
 font-size: 16px;
 letter-spacing: 0.5px;
 color: #fff;
.mu-footer-copyright p a {
 color: #fff;
```

3.11.3 Javascript

```
var socailMediaIconHolder = document.querySelector('.mu-footer-social');

for(i in database.footer){
    console.log(database.footer[i].link)
    console.log(database.footer[i].icon)

    var aTag = `<a href="${database.footer[i].link}" target="_blank"><i class=
"${database.footer[i].icon}"></i></a>`;
    socailMediaIconHolder.innerHTML += aTag;
}
```

3.12 Header

3.12.1 HTML

```
<!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
         <button type="button" class="navbar-toggle collapsed b-0" data-</pre>
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
          <i class="fas fa-bars font-15"></i></i>
         </button>
        <!-- LOGO -->
         <!-- Text based logo -->
         <a class="navbar-brand" href="index.html"><span id="nav-</pre>
title">Imperial</span></a>
       </div>
       <div id="navbar" class="navbar-collapse collapse">
         </div><!--/.nav-collapse -->
     </div>
   </nav>
 </header>
```

3.12.2 CSS

```
#mu-header {
  background-color: #fff;
  border-bottom: 1px solid #ddd;
  position: fixed;
  left: 0;
  top: 0;
  right: 0;
  width: 100%;
  z-index: 999;
 NAVBAR SECTION
.mu-main-navbar {
  background-color: transparent;
  border: none;
  padding: 20px 0;
  border-radius: 0;
  margin-bottom: 0;
  -webkit-transition: all 0.5s;
  -moz-transition: all 0.5s;
```

```
-ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-main-navbar .mu-main-nav {
 font-family: "Open Sans", sans-serif;
.mu-main-navbar .mu-main-nav li a {
 color: #333;
 -webkit-transition: all 0.5s;
 -moz-transition: all 0.5s;
 -ms-transition: all 0.5s;
 -o-transition: all 0.5s;
 transition: all 0.5s;
.mu-main-navbar .mu-main-nav .dropdown-menu {
 background-color: #fff;
 border-radius: 0;
.mu-main-navbar .mu-main-nav .dropdown-menu li a {
 padding: 10px 20px;
.navbar-brand{
 line-height: 31px;
.b-0{
 border: 0px;
.display-none{
 display: none;
.display-block{
 display: block;
.mt-5{
 margin-top: 5%;
.mu-main-navbar .navbar-header .navbar-brand {
 color: #333;
 display: inline-block;
 font-weight: 700;
 font-size: 35px;
 padding: 0;
 margin-top: 16px;
```

```
height: 34px;
  width: 180px;
  -webkit-transition: all 0.5s;
  -moz-transition: all 0.5s;
  -ms-transition: all 0.5s;
  -o-transition: all 0.5s;
  transition: all 0.5s;
.mu-main-navbar .navbar-header .navbar-brand img {
  margin-top: -10px;
.mu-main-navbar .navbar-header .navbar-brand-small {
  height: 20px;
  margin-top: 16px;
  width: 105px;
.mu-main-navbar .navbar-header .navbar-brand-small span {
  margin-top: -4px;
.navbar-default .navbar-nav > .active > a,
.navbar-default .navbar-nav > .active > a:hover,
.navbar-default .navbar-nav > .active > a:focus {
  background-color: transparent;
#nav-title{
 font-family: "Tangerine", cursive;
  font-size: 7rem !important;
/*scrol to top*/
.scrollToTop {
  bottom: 60px;
  color: #fff;
  display: none;
  font-size: 30px;
  line-height: 50px;
  position: fixed;
  right: 20px;
  text-align: center;
  text-decoration: none;
  width: 55px;
  z-index: 999;
```

```
-webkit-transition: all 0.5s ease 0s;
-moz-transition: all 0.5s ease 0s;
-ms-transition: all 0.5s ease 0s;
-o-transition: all 0.5s ease 0s;
transition: all 0.5s ease 0s;
height: 55px;
border-radius: 50%;
}
.scrollToTop:hover,
.scrollToTop:focus {
  color: #fff;
}
```

3.12.3 Javascript

```
var desktopMenu = document.getElementById('top-menu');
var mobileMenu = document.getElementById('mobile-navbar-list');
for(let i = 0; i < 8; i++){
    var liTagDesktop = `<a href="${database.menu.href[i]}">${database.menu
.name[i]}</a>`;
    var liTagMobile = `<a href="${database.menu.href[i]}">${database.menu.
name[i]}</a>`;
    desktopMenu.innerHTML += liTagDesktop;
    mobileMenu.innerHTML += liTagMobile;
/* Navbar mobile menu */
var navbarBtn = document.querySelector('.navbar-toggle');
var nabarMobile = document.getElementById('mobile-navbar');
var navbarIcon = document.querySelector('.fas');
var navbarMobileLinks = document.querySelectorAll('#mobile-navbar-list a');
var isOpenNavbar = false;
navbarBtn.addEventListener('click', openOrCloseNavbar);
function openOrCloseNavbar(){
    $(document).ready(function(){
       $('#mobile-navbar').slideToggle();
    navbarIcon.classList.toggle('fa-times');
    navbarIcon.classList.toggle('fa-bars');
for(n of navbarMobileLinks){
```

```
n.addEventListener('click', openOrCloseNavbar);
}
```

3.13 Ostatk koda

3.13.1 Javascript dinamični podaci

```
var database = {
    menu:{
        name:{
            0: "ABOUT US",
            1: "MENU",
            2: "RESERVATION",
            3: "GALLERY",
            4:"OUR CHEFS",
            5:"CONTACT",
            6: "AUTHOR",
            7: "DOCUMENTATION",
        },
        href:{
            0:"#mu-about-us",
            1:"#mu-restaurant-menu",
            2:"#mu-reservation",
            3:"#mu-gallery",
            4:"#mu-chef",
            5: "#mu-contact",
            6:"#mu-author",
            7: "assets/Dokumentacija.pdf",
    },
    slider:{
        first:{
            title: "Special place for special people",
            desc: "Place for only those people who are ready to experience bes
t things in life.",
            imgUrl:"url('assets/img/slider/1.jpg')"
        },
        second:{
            title: "High quality food",
            desc: "Experience what is like to eat highest quallity food on pla
net.",
            imgUrl:"url('assets/img/slider/2.jpg')"
        },
        third:{
            title: "Incredible service",
            desc: "With our incredeble service you will feel like you are Prin
ce of Saudi Arabia",
            imgUrl:"url('assets/img/slider/3.jpg')"
```

```
},
    aboutUs:{
        intro:{
            pText: `Imperial restaurant exist since 1978. A former castle of K
ing Arthur and inlaid with colorful Moroccan mosaic tiles, the restaurant is a
labor of love overseen by the husband-and-
wife team of Christophe Gourdain (formerly of Jean Georges in Manhattan) and S
ylma Pérez, a former Ralph Lauren designer. Chef Juan Peña, sticks close to Fr
ench tradition with dishes like escargot in puff pastry, duck magret roasted w
ith honey. Restorant is famous for often beign eating place for many celebrite
s. One of the most iconic foods are:`
        },
        list:{
            0: "Black Label Burger",
            1: "Black Cod With Miso, Nobu",
            2: "Biscuits and Gravy, Loveless Café",
            3: "Mozzarella and mango pizza",
            4: "Corn and vanilla bread",
        },
    },
    counter:{
        description:{
            0:"Fresh",
            1: "Delicius",
            2:"Hot",
            3: "Satisfied",
        },
        name:{
            0: "Breakfast",
            1:"Lunches",
            2: "Coffes",
            3:"Customers",
    },
    ourMenu:{
        Breakfast:{
            1:{
                src:"assets/img/menu/menu2.jpg",
                title: "Burger with eggs",
                price:"$153.59",
                desc: "Beaf burger that also has eggs."
            },
            2:{
                src:"assets/img/menu/menu7.jpg",
                title: "Pancakes with lato creame",
                price:"$123.59",
                desc: "One pancake with option of lato creame on top."
```

```
3:{
        src:"assets/img/menu/menu8.jpg",
        title: "Big pancake with vanilla",
        price: "$125.89",
        desc: "Pancake 200g with option of vannila on top."
    },
    4:{
        src:"assets/img/menu/menu12.jpg",
        title: "Traingle sandwich",
        price:"$46.49",
        desc: "Sandwich with ham, cheese and vegtables."
    },
    5:{
        src:"assets/img/menu/menu27.jpg",
        title: "Heart bread eggs",
        price: "$54.59",
        desc: "Egg inside bread with shape of heart"
    },
    6:{
        src:"assets/img/menu/menu23.jpg",
        title: "Baken sandwich",
        price: "$205.59",
        desc: "Baken sandwich with origano, cheese and ham"
},
Meals:{
    1:{
        src:"assets/img/menu/menu6.jpg",
        title: "Prune and squash salad",
        price: "$99.59",
        desc: "Famous Chinees meal with eggs, vegies and noodles"
    2:{
        src:"assets/img/menu/menu5.jpg",
        title: "Sosa soup",
        price:"$115.46",
        desc: "Soup with white meat"
    },
    3:{
        src:"assets/img/menu/menu3.jpg",
        title: "Tofu and falafel sausages",
        price: "$234.59",
        desc: "Sausages with potato and pinckles"
    },
    4:{
        src:"assets/img/menu/menu25.jpg",
        title: "Pizza Capricciosa",
        price:"$87.89",
        desc: "Whole pizza with Italian recepies"
```

```
},
    5:{
        src:"assets/img/menu/menu1.jpg",
        title: "Chicken meat with sauce",
        price: "$75.59",
        desc: "250g of chicken meat with ruzi sauce"
    },
    6:{
        src:"assets/img/menu/menu13.jpg",
        title: "Total Frenzy Meal",
        price: "$35.59",
        desc: "Mixed eggs with veggies and bread"
},
Snacks:{
    1:{
        src:"assets/img/menu/menu28.jpg",
        title: "French fries",
        price: "$67.86",
        desc: "Fries with options of ketchup"
    },
    2:{
        src:"assets/img/menu/menu26.jpg",
        title: "Goat cheese and caper salad",
        price: "$34.75",
        desc: "Salad with broccoli, meat, peas"
    },
    3:{
        src:"assets/img/menu/menu20.jpg",
        title: "Long wreck pie",
        price: "$32.19",
        desc: "Pie with salad and meat inside"
    },
    4:{
        src:"assets/img/menu/menu8.jpg",
        title:"Fat pancakes",
        price: "$45.86",
        desc: "1cm tall pancakes with options on top"
    },
    5:{
        src:"assets/img/menu/menu17.jpg",
        title: "Lemon and zabagilone salad",
        price: $63.49,
        desc: "Vegtable salad with noodles and meat"
    },
    6:{
        src:"assets/img/menu/menu21.jpg",
        title: "Yuzu wing",
        price: "$64.78",
```

```
desc: "Chiken wing with onion on top"
},
Desserts:{
    1:{
        src:"assets/img/menu/menu4.jpg",
        title: "Fruits on stick",
        price:"$22.99",
        desc: "Orange, apple, banana, avocado and pear on stick"
    },
    2:{
        src:"assets/img/menu/menu16.jpg",
        title: "Sweet pancake",
        price: $65.89,
        desc: "Pakcakes with strawberries and sugar"
    },
    3:{
        src:"assets/img/menu/menu15.jpg",
        title: "Rainbow donut",
        price: "$13.59",
        desc: "Donut with chocolate and sugar"
    },
    4:{
        src:"assets/img/menu/menu14.jpg",
        title: "Rosemary and peach cookies",
        price: "$45.99",
        desc: "Baked cake with chocolate inside"
    },
    5:{
        src:"assets/img/menu/menu19.jpg",
        title: "Rosemary and aubergine gyoza",
        price: "$21.39",
        desc: "Multiple pancakes with cheese and ham in between"
    },
    6:{
        src:"assets/img/menu/menu22.jpg",
        title: "Yuzu pie",
        price:"$54.89",
        desc: "Small pie in cup that tasted like pizza"
    }
},
Drinks:{
    1:{
        src:"assets/img/menu/drink5.jpg",
        title: "Lasko beer",
        price: "$7.59",
        desc: "0.51 of Lasko beer"
    2:{
```

```
src:"assets/img/menu/drink4.jpg",
               title: "Carlsberg beer",
               price:"$8.79",
               desc: "0.81 of Carlsberg beer"
           },
           3:{
               src:"assets/img/menu/drink6.jpg",
               title:"Jack Daniels",
               price: "$34.64",
               desc: "0.021 of Wiskey Jack Daniels"
           },
           4:{
               src:"assets/img/menu/drink3.jpg",
               title: "Lion beer",
               price: "$7.99",
               desc: "0.51 of Lion beer"
           },
           5:{
               src:"assets/img/menu/drink2.jpg",
               title: "Purple juice",
               price: "$5.59",
               desc: "0.31 of Purpule juice"
           },
           6:{
               src:"assets/img/menu/drink1.jpg",
               title: "Orange juice",
               price:"$4.59",
               desc: "0.31 of Orange juice"
   },
   reservation:{
       desc: "Since we have a lots of guests every day it is smart to reserver
your table with email. Reservation needs to be done at least 24h before order
   },
   gallery:{
       img1:"assets/img/gallery/1.jpg",
       img2:"assets/img/gallery/2.jpg",
       img3:"assets/img/gallery/3.jpg",
       img4:"assets/img/gallery/4.jpg",
       img5:"assets/img/gallery/5.jpg",
       img6:"assets/img/gallery/6.jpg",
       img7:"assets/img/gallery/7.jpg",
       img8:"assets/img/gallery/8.jpg",
       img9:"assets/img/gallery/9.jpg",
   },
   testemonials:{
       0:{
```

```
text:"This resourant is amazing. I was never disappointed in food
they provide.",
            name:"Mike Scott"
        },
        1:{
            text:"Food is really the highest quallity. Chefs are almost like m
agicians.",
            name:"Tom Brady"
        },
        2:{
            text: "Service was really on top. I can't belive someone is treatin
g customers this great.",
            name:"Ashley Michels"
    },
    chefs:{
        0:{
            name:"John Taylor",
            job:"Head Chef",
            src:"assets/img/chef/chef1.jpg",
        1:{
            name: "Adriana Castillo",
            job:"Sous Chef",
            src:"assets/img/chef/chef2.jpg",
        },
        2:{
            name:"Laurel Kelley",
            job:"Sous Chef",
            src:"assets/img/chef/chef3.jpg",
        },
        3:{
            name:"Cory Carson",
            job:"Butcher chef",
            src:"assets/img/chef/chef4.jpg",
        4:{
            name: "Susan Hale",
            job: "Pantry chef",
            src:"assets/img/chef/chef5.jpg",
        },
        5:{
            name: "Alexander Garcia",
            job:"Vegetable chef",
            src:"assets/img/chef/chef6.jpg",
        6:{
            name:"Manuel Schwartz",
            job:"Kitchen Porter",
```

```
src:"assets/img/chef/chef7.jpg",
        },
        7:{
            name:"Julio Jennings",
            job: "Kitchen Porter",
            src:"assets/img/chef/chef8.jpg",
        },
        8:{
            name: "Van Barber",
            job:"Dishwasher",
            src:"assets/img/chef/chef9.jpg",
        },
    },
    author:{
        info:`Hi, my name is Nikola Ciganovic and i am web developer from Belg
rade, Serbia.
        I am currently attending ICT Collage of vocational studies in Belgrade
where i study Web devlopment and Software development in general.
        My passion is creating websites and web applications.
        If you are interesed, there are number of ways to contact me:`,
        social:{
            0: "Send email to <u>nciganovic99@gmail.com</u>",
            1:`Send message via <a href="https://www.linkedin.com/in/nikola-
ciganovi%C4%87-938255167/"><u>LinkedIn</u></a>`,
            2:`Visit my <a href="https://nikolaciganovic.netlify.com/"><u> off
ical webstie </u></a> and see all the work that i've done`
    },
    footer:{
        0:{
            link:"https://www.facebook.com/",
            icon:"fab fa-facebook",
        },
        1:{
            link:"https://twitter.com/",
            icon:"fab fa-twitter",
        },
        2:{
            link: "https://www.linkedin.com/in/nikola-ciganovi%C4%87-
938255167/",
            icon:"fab fa-linkedin-in",
        },
        3:{
            link:"https://www.youtube.com/",
            icon:"fab fa-youtube",
        4:{
            link:"https://github.com/nciganovic/Restaurant",
            icon:"fab fa-github",
```

```
}
}
}
```

3.13.2 Media CSS

```
/*========
RESPONSIVE DESIGN
@media (max-width: 1199px) {
    .mu-main-navbar .mu-main-nav li a {
      padding-left: 10px;
     padding-right: 10px;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content {
      position: absolute;
      left: 5%;
     top: 15%;
     right: 5%;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content .mu-slider-
small-title {
      font-size: 80px;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content .mu-slider-
title {
     font-size: 55px;
      line-height: 70px;
    .mu-reservation-content {
     padding: 0;
    .mu-testimonial-slider li .mu-testimonial-single {
      padding: 0 50px;
    .mu-chef-nav .slick-list li .mu-single-chef .mu-single-chef-social {
      padding: 23px 5px;
```

```
.mu-single-gallery .mu-single-gallery-item .mu-single-gallery-info {
    padding-top: 26%;
  @media (max-width: 991px) {
    .mu-main-navbar .mu-main-nav li a {
      padding-left: 5px;
      padding-right: 5px;
      font-size: 14px;
    .mu-about-us-left,
    .mu-reservation-form {
      text-align: center;
    .mu-reservation-right {
      margin-top: 60px;
    #mu-contact .mu-contact-area .mu-contact-content .mu-contact-right {
      margin-top: 50px;
      padding: 0;
    #mu-gallery .mu-gallery-area .mu-gallery-content .mu-gallery-body .mu-
single-gallery .mu-single-gallery-item .mu-single-gallery-info {
      padding-top: 22%;
    #mu-client-testimonial .mu-client-testimonial-area .mu-testimonial-
content .mu-testimonial-slider li .mu-testimonial-single {
      padding: 0 60px;
    #mu-client-testimonial .mu-client-testimonial-area .mu-testimonial-
content .mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-
info p::before {
     top: 40%;
```

```
@media (max-width: 767px) {
   #mu-header {
     padding: 0 15px;
   .navbar-default .navbar-toggle {
     border-radius: 0px;
   .navbar-default .navbar-toggle:hover,
   .navbar-default .navbar-toggle:focus {
     background-color: #fff;
   .mu-main-navbar .mu-main-nav {
     background-color: #fff;
     text-align: center;
   .navbar-default .navbar-nav .open .dropdown-menu > li > a:hover,
   .navbar-default .navbar-nav .open .dropdown-menu > li > a:focus {
     background-color: #fff;
   #mu-counter .mu-counter-overlay .mu-counter-area .mu-counter-nav li {
     margin-top: 10px;
     margin-bottom: 10px;
     border-right: none;
 @media (max-width: 640px) {
   .navbar-default .navbar-toggle:hover,
   .navbar-default .navbar-toggle:focus {
     background-color: #fff;
   #mu-slider .mu-slider-area .mu-top-slider .mu-top-slider single .mu-top-
slider-content .mu-slider-title {
```

```
font-size: 50px;
      line-height: 75px;
   .mu-top-slider .mu-top-slider-single .mu-top-slider-content {
      top: 18%;
    #mu-restaurant-menu .mu-restaurant-menu-area .mu-restaurant-menu-
content .mu-restaurant-menu li a {
     font-size: 16px;
     margin: 0 5px;
    #mu-gallery .mu-gallery-area .mu-gallery-content .mu-gallery-body .mu-
single-gallery .mu-single-gallery-item .mu-single-gallery-info {
      padding-top: 18%;
    #mu-client-testimonial .mu-client-testimonial-area .mu-testimonial-
content .mu-testimonial-slider li .mu-testimonial-single {
     padding: 0;
    .mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-info p {
      font-size: 16px;
      line-height: 30px;
    #mu-chef .mu-chef-area .mu-chef-content .mu-chef-nav .slick-list li .mu-
single-chef .mu-single-chef-social a {
     margin: 0 3px;
     padding: 3px 0;
     width: 30px;
    .mu-top-slider .slick-dots {
     display: none !important;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content .mu-slider-
small-title {
     font-size: 45px;
      line-height: 35px;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content p {
      font-size: 14px;
      margin-bottom: 0;
```

```
margin-top: 0px;
     padding: 0 5px;
   #mu-slider .mu-slider-area .mu-top-slider .mu-top-slider-single .mu-top-
slider-content .mu-slider-title {
     font-size: 30px;
     line-height: 50px;
 @media (max-width: 480px) {
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content {
    top: 20%;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content p {
     display: none;
    .mu-reservation-content p {
     padding: 0;
   .mu-title {
     margin-bottom: 0;
   #mu-client-testimonial .mu-client-testimonial-area .mu-testimonial-
content .mu-testimonial-slider li .mu-testimonial-single {
     padding: 0;
   #mu-subscription .mu-subscription-area .mu-subscription-
form input[type="text"] {
     width: 100%;
     margin-bottom: 20px;
   #mu-subscription .mu-subscription-area {
     padding: 0;
     text-align: center;
```

```
#mu-subscription .mu-subscription-area .mu-subscription-form .mu-readmore-
btn {
     width: auto;
    #mu-gallery .mu-gallery-area .mu-gallery-content .mu-gallery-body .mu-
single-gallery {
     width: 100%;
     -mu-gallery .mu-gallery-area .mu-gallery-content .mu-gallery-body .mu-
single-gallery .mu-single-gallery-item .mu-single-gallery-info {
      padding-top: 30%;
    #mu-map {
     height: 350px;
    #mu-restaurant-menu .mu-restaurant-menu-area .mu-restaurant-menu-
content .mu-restaurant-menu li {
      margin-bottom: 10px;
  @media (max-width: 360px) {
    #mu-slider .mu-slider-area .mu-top-slider .mu-top-slider-single .mu-top-
slider-content .mu-slider-title {
      font-size: 22px;
      line-height: 30px;
    .mu-top-slider .mu-top-slider-single .mu-top-slider-content .mu-slider-
small-title {
      font-size: 30px;
      line-height: 25px;
    #mu-restaurant-menu .mu-restaurant-menu-area .mu-restaurant-menu-
content .mu-restaurant-menu li {
      margin-bottom: 12px;
    #mu-about-us {
      padding: 100px 0 50px;
```

```
#mu-restaurant-menu {
      padding-bottom: 0px;
    #mu-reservation .mu-reservation-area .mu-reservation-content {
     padding: 0;
    .mu-opening-hour h2 {
     font-size: 42px;
     padding-bottom: 10px;
    .mu-title h2 {
     font-size: 28px;
    #mu-client-testimonial .mu-client-testimonial-area .mu-testimonial-
content .mu-testimonial-slider li .mu-testimonial-single .mu-testimonial-
info p {
     font-size: 16px;
      line-height: 24px;
    #mu-contact .mu-contact-area .mu-contact-content .mu-contact-right {
     text-align: center;
    #mu-contact .mu-contact-area .mu-contact-content .mu-contact-right .mu-
contact-widget address {
     text-align: left;
    #mu-contact {
      padding: 100px 0 50px;
    #mu-gallery .mu-gallery-area .mu-gallery-content .mu-gallery-body .mu-
single-gallery .mu-single-gallery-item .mu-single-gallery-info {
     padding-top: 27%;
    #mu-footer .mu-footer-area .mu-footer-social a {
     font-size: 18px;
    .mu-menu-item-nav li {
     text-align: center;
```

```
#mu-restaurant-menu .mu-restaurant-menu-area .mu-restaurant-menu-
content .mu-tab-content-area .mu-menu-item-nav li .media .media-left {
      height: auto;
     width: 100%;
     margin-right: 0;
     float: left;
    #mu-restaurant-menu .mu-restaurant-menu-area .mu-restaurant-menu-
content .mu-tab-content-area .mu-menu-item-nav li .media .media-left a{
      display: inline-block;
     margin-bottom: 10px;
    #mu-restaurant-menu .mu-restaurant-menu-area .mu-restaurant-menu-
content .mu-tab-content-area .mu-menu-item-nav li .media .media-left a img {
     display: inline-block;
    #mu-map {
     height: 250px;
    .mu-contact-form .mu-send-btn {
     width: 100%;
 @media (max-width: 320px) {
    #mu-gallery .mu-gallery-area .mu-gallery-content .mu-gallery-body .mu-
single-gallery .mu-single-gallery-item .mu-single-gallery-info {
      padding-top: 25.5%;
 @media (min-width: 1200px){
    #mobile-navbar{
      display: none !important;
```