Visoka škola strukovnih studija za informacione i komunikacione tehnologije
n.·
Biznews
http://biznewsnc7.infinityfreeapp.com

Modul: Web programiranje

Predmet: Web programiranje PHP 1

Sadržaj

1.	Uvo	d	. 1
	1.1	Korišćeni programski jezici i tehnologije	. 1
	1.2	Opis funkcionalnosti	. 1
	1.3	Template	. 2
2.	Orga	nizacija	. 2
	2.1	Organizaciona šema baze podataka	. 2
	2.2	Mapa sajta	. 3
	2.3	Organizacija sajta i funkcionalnosti na tim djelovima	. 4
	2.3.1	index.php	. 4
	2.3.2	views/pages/category.php	. 7
	2.3.3	3 views/pages/all-news.php	. 8
	2.3.4	views/pages/contact.php	12
	2.3.5	views/pages/single-new.php	14
	2.3.6	views/pages/registration.php	17
	2.3.7	views/pages/login.php	20
	2.3.8	3 views/pages/survey.php	22
	2.3.9	views/pages/user.php	23
	2.3.1	.0 views/pages/admin.php	25
	2.3.1	1 views/pages/add-new.php	26
	2.3.1	2 views/pages/message.php	29
	2.3.1	3 views/pages/results.php	30
	2.3.1	4 views/pages/categories-admin.php	32
	2.3.1	5 views/pages/stat.php	33
3.	Kodo	ovi	34
	3.1	PHP	34
	3.1.1	index.php	34
	3.1.2	views/pages/category.php	36
	3.1.3	B all-news.php	37
	3.1.4	contact.php	39
	3.1.5	registration.php	40
	3.1.6	5 login.php	41
	3.1.7	single.php	43
	3.1.8	3 user.php	46
	3.1.9	survery.php	48
	3.1.1	LO admin.php	49

3.1	.11	messages.php	50
3.1	.12	manage-survey.php	51
3.1	.13	add-new.php	53
3.1	.14	categories-admin.php	55
3.1	.15	views/pages/stat.php	56
3.1	.16	models/add-category.php	59
3.1	.17	models/add-new.php	60
3.1	.18	models/add-survey.php	61
3.1	.19	models/admin.php	62
3.1	.20	models/category-export.php	63
3.1	.21	models/change-password.php	63
3.1	.22	models/delete-category.php	64
3.1	.23	models/delete-comment.php	65
3.1	.24	models/delete-message.php	65
3.1	.25	models/delete-new.php	66
3.1	.26	models/delete-survey.php	67
3.1	.27	models/edit-category.php	68
3.1	.28	models/edit-new.php	68
3.1	.29	expot/author.php	70
3.1	.30	models/login.php	70
3.1	.31	models/messages.php	72
3.1	.32	models/photo-manipulation.php	73
3.1	.33	models/post-comment.php	74
3.1	.34	models/post-survey.php	75
3.1	.35	models/registration2.php	76
3.1	.36	models/sign-out.php	78
3.1	.37	models/functions.php	79
3.1	.38	models/survey-status.php	90
3.1	.39	models/pagination.php	91
3.2	CSS.		92
3.2	.1	css/style2.css	92
3.3	Java	Script	92
3.3	.1	js/main2.js	92

1. Uvod

1.1 Korišćeni programski jezici i tehnologije

Za potrebe sajt korišćene su sledeće tehnologije

- HTML 5
- CSS 3/SASS
- Bootstrap
- Adobe Photoshop
- jQuery
- JavaScript
- XML(sitemap)
- PHP
- JavaScript
- Xampp
- MySQL

1.2 Opis funkcionalnosti

Sadržaj svih stranica na sajtu je dinamički ispisan na osnovu podataka učitanih iz baze, izuzev stranica login.php i registration.php. Sve stranice se učitavaju iz index stranice. Funkcionalnosti sajta su:

- Dinamičko učitavanje navigacije iz baze, kao i poseban odjeljak za ulogovane korisnike koji je različit u zavisnosti od uloga ulogovanog korisnika
- Slajder sa slikama koje su dinamički učitane iz baze
- Export fajlova kategorije(excel), biografija(word)
- Upisivanje podataka u log fajlove, zaključavanje naloga ukoliko se unese pogrešna lozinka više
 3 puta u roku od 5 minuta i slanje aktivacionog linka za aktiviranje naloga
- Sve stranice se učitavaju iz index stranice
- Dinamičko učitavanje najnovijih, najpopularnijih i svih vijesti učitanih iz baze
- Učitavanje zasebnih PHP fajlova sav sadržaj koji se ponavlja na svakoj stranici je smješten u posebne PHP fajlove, nav, footer, sidebar...
- Logovanje i registracija korisnika, prilikom registracije i logovanje vrši se i klijentska i serverska provjera podataka regularnim izrazima, svaka stranica za korisnike/administratore zaštićena je od neovlašćenog pristupa preko url adrese
- Učitavanje komentara u realnom vremenu, svi postovani komentari se učitavaju u realnom vremenu bez potrebe za osvježavanjem stranice
- Filtriranje, sortiranje i paginacija vijesti putem AJAX-a, sva filtriranja i sortiranja su uparena
- Kontakt forma, svako može poslati svoju poruku, ukoliko je korisnik ulogovan polje za ime i email su automatski popunjeni

- User panel panel namijenjen autorizovanim korisnicima sa ulogom korisnika, korisnici mogu dodavati komentare, odgovarati na komentare, mogu vidjeti svoj profil, promijeniti ili obrisati svoju profilnu sliku, promijeniti svoju lozinku, popuniti anketu, obrisati svoj komentar
- Admin panel panel namijenjen autorizovanim korisnicima sa ulogom administratora, pored ostalih uloga kao i obični korisnici administrator ima i druge mogućnosti kao što su: pregled svih korisnika sa mogućnošću da im promijeni uloge i deaktivira ili aktivira nalog, dodavanje, izmjena i brisanje vijesti, brisanje komentara, pregled poruka, pregled rezultata ankete, dodavanja ankete, brisanje ankete kao i mijenjanje njenog statusa, brisanje, dodavanje i editovanje kategorija, statistika pristupa stranicama, logovanjima korisniku u poslednja 24 sata


1.3 Template

Za izradu sajta korišćeno je gotovo rješenje – CSS template, preuzeto sa https://technext.github.io/biznews/index.html, uz modifikaciju CSS-a , JavaScripta-a i PHP-a od strane autora. JavaScript kod autora nalazi se u fajlu js/main2.js.

2. Organizacija

2.1 Organizaciona šema baze podataka

Gotovo svakoj stranici je se može pristupiti sa bilo koje stranice izuzev stranice single-new.php kojoj je moguće pristupiti samo klikom na neku vijest.



2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8" ?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=index</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>daily</changefreq>
        <priority>1.0</priority>
    </url>
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=category</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>weekly</changefreq>
        <priority>0.6</priority>
    </url>
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=all-news</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>daily</changefreq>
        <priority>0.8</priority>
    </url>
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=contact</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>yearly</changefreq>
        <priority>0.5</priority>
    </url>
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=registration</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>mountly</changefreq>
        <priority>0.6</priority>
    </url>
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=login</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>mountly</changefreq>
        <priority>0.6</priority>
    </url>
    <url>
        <loc>http://biznewsnc6.infinityfreeapp.com?page=user</loc>
        <lastmod>2022-05-05</lastmod>
        <changefreq>mountly</changefreq>
        <priority>0.6</priority>
```

```
</url>
       <loc>http://biznewsnc6.infinityfreeapp.com?page=admin</loc>
       <lastmod>2022-05-05</lastmod>
       <changefreq>mountly</changefreq>
       <priority>0.6</priority>
  </url>
       <loc>http://biznewsnc6.infinityfreeapp.com?page=add-new</loc>
       <lastmod>2022-05-05</lastmod>
       <changefreq>mountly</changefreq>
       <priority>0.7</priority>
   </url>
       <loc>http://biznewsnc6.infinityfreeapp.com?page=messages</loc>
       <lastmod>2022-05-05</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.5</priority>
  </url>
       <loc>http://biznewsnc6.infinityfreeapp.com?page=manage-survey</loc>
       <lastmod>2022-05-05</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.5</priority>
  </url>
       <loc>http://biznewsnc6.infinityfreeapp.com?page=categories-admin</loc>
       <lastmod>2022-05-05</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.5</priority>
  </url>
       <loc>http://biznewsnc6.infinityfreeapp.com?page=stat</loc>
       <lastmod>2022-05-05</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.5</priority>
   </url>
/urlset>
```

- 2.3 Organizacija sajta i funkcionalnosti na tim djelovima
- 2.3.1 index.php







Nav meni dinamički se učitava iz baze. Ukoliko je korisnik ulogovan u gornjem desnom uglu će mu se profilna slika sa odjeljkom za opcije.




Slajder sa najnovijim vijestima prikazuje najnovije vijesti, svi podaci vezani za najnovije vijesti su dinamički učitani iz baze.



Nakon slajdera se nalaze još 4 najnovije vijesti koje su takođe dinamički učitane iz baze. ima dinamički učitane društvene mreže, 3 najpopularnije novisti i listu kategorija. Klik na naslov bilo koje vijesti vodi na tu konkretnu vijest, dok klik na kategoriju vodi na sve vijesti iz te kategorije. Tu je i sidebar koji je isti na svakoj stranici. Sam sidebar se nalazi u posebnom PHP fajlu, kao i ostali djelovi sajta i on



U zavisnisti od uloge biće prikazane i različite opcije za administratore i korisnike.




Kao i sidebar i footer je isti na svakoj stranici i nalazi se u posebnom fajlu. Dinamički je učitan i sadrži listu društvenih mreža, najpopularnije vijesti i kategorije.



Klikom na dugme about author vrši se rxport u word, sakratkom biografijom autora. Export se vrši u formatu doc zato što format docx iz nekog razloga prijavljuje grešku.

2.3.2 views/pages/category.php




Na stranici category.php se nalaze po dvije vijesti iz svih kategorija. Sadržaj stranice je dinamički učitan iz baze. Klik na link View All korisnika vodi na stranicu sa svim vijestima iz te kategorije. Kao i sve ostale stranice i ova stranica ima dinamički učitan nav, footer i sidebar koji su opisani na prethodnoj stranici.


2.3.3 views/pages/all-news.php



Na stranici all-news.php se nalaze sve novosti. Prikazuju se po 4 novosti po stranici, za pregled ostalih novosti odrađena je pagijacija koja je realizovana korišćenjem AJAX-a.




Druga stranica novosti.



Pored navedenih funkcionalnosti omogućeno je filtriranje i sortiranje novisti. Sva filtriranja i sortiranja su uparena. Broj strana se automatski izračunava na osnovu broja samih vijesti za zadate filtere. Filtriranja i sortiranja su serverska, zahtjev se šalje putem AJAX-a.

2.3.4 views/pages/contact.php


BIZNEWS



Na stranici contact.php je moguće poslati poruku. Svi posjetioci sajta mogu da šalju poruke.









Ukoliko je korisnik ulogovan polje za ime i email će biti automatski popunjeni.

CONTACT US




Prilikom klika na dugme za slanje podataka vršli se klijentska provjera podataka. Ukoliko korisnik ne popuni formu pravilo biće mu ispisana poruka sa uputstvima za popunjavanje ispod polja koja nisu pravilno popunjena.




Ukoliko je forma pravilno popunjena korisniku će biti ispisana poruka da je poruka poslata. Podaci iz forma se šalju putem AJAX-a. Validacija same forma se vrši upotrebom regularnih izraza koji se provjeravaju sa klijentske i sa serverske strane.

2.3.5 views/pages/single-new.php




Stranici single-new.php je jedino moguće pristupiti klikom na naslov neke novosti. Zaštićena je od pristupa preko url adrese. Sav sadržaj ove stranice je dinamički ispisan.





Administratori mogu obrisati vijest.



Na ovoj stranici omogućeni su komentari. Učitavanje komentara se odvija u realnom vremenu preko AJAX-a, tako da nije potrebno ponovo učitati čitavu stranicu da bi se vidio svoj ili nečiji drugi komentar. Pored običnog komentarisanja omogućemo je i odgovaranje na komentare klikom na dugme reply.



Administrator može da obriše komentare klikom na putaču na desnoj strani komentara. Administrator može da obriše sve komentare dok korisnik može da obriše samo svoje komentare.

LEAVE A	COMMENT				
Comment					
Please enter co	mment				li
Leave a com	ment				
REPLY					
Comment					
					li.
Leave a com	ment				"
lanje podataka iz fo lijentske i serversk	orme se vrši putem A e strane.	JAX-a, klikom n	a dugme za post v	vrši se validacija p	oodataka s
	Comment				

You seccessfuly posted a comment


Ukoliko su podaci validni korisnik će biti obaviješten porukom.

You want to post comment please login or register

Komentare mogu da vide svi, dok je komentarisanje omogućeno samo autorizovanim korisnicima.

2.3.6 views/pages/registration.php

BIZNEWS



Ovo je stranica za registraciju korisnika. Korisnik ovdje unosi svoje podatke za registracija.

REGISTRATION

Name
Name
Please enter your name ex. David
Last name
Last name
Please enter your last name ex. James
Email
Email
Please enter your email ex. email@gmail.com
Password
Password
Password length has to be at least 6, and it has to have at least one number and no special characters
Confirm Password
Confirm Password
Password do not match
Register kom na dugme za registraciju vrši se klijentska proviera podataka. Ukoliko podaci nisu prav

Klikom na dugme za registraciju vrši se klijentska provjera podataka. Ukoliko podaci nisu pravilno ispunjeni korisniku će biti prikazane poruke sa uputstvima za pravilno popunjavanje. Ukoliko je forma pravilno popunjena, podaci se šalju puta AJAX-a nakon čega se vrši serverska provjera.

Email

marko@gmail.com

This email is already in use, please enter another email


Daccialoro

Svaki korisnik ima jedinstven email, što se provjerava na serverskoj strani, ukoliko korisnik unese email koji je već u upotrebi biće obaviješten adekvatnom porukom. Ukoliko je forma prošla klijentske i serverske provjere korisnik će biti obaviješten adektavnom porukom.

We've sent you activational link on email.

You have successefuly logged in, thank you for joining

Ok let's go



Sama registracija se obavlja slanjem aktivacionog linka na mejl putem PHP mailera. Klikom na link koji se šalje korisniku nalog će biti aktiviran. MEJL ĆE BITI U **SPAM** FOLDERU!!!

Email
Email
Password
Password
Login You have successfully registered, please log in
⊏IIIdII
Email
Password
Password
Login
You have already registered

Nalog se može aktivirati samo jednom, ukoliko korisnik više puta klikne na link biće obaviješten.

2.3.7 views/pages/login.php



Stranica za logovanje sadrži formu za unos podataka. Podaci iz forme se šalju putem AJAX-a, prije slanja se vrši klijentska a nakon slanja serverska validacija. Svako logovanje se evidentira i upisuje u log fajl, dok se greške upisuju u error log fajl.

Email

Email

Please enter your email ex. email@gmail.com

Password

Password

Password length has to be at least 6, and it has to have at least one number and no special characters

Klikom na dugme login vrši se klijentska provjera podataka prije slanja. Ukoliko su podaci tačni prosleđuju se dalje.

Email

res@gmail.com

User with this email, doesn't exist

Email

novi@gmail.com

This account is temporarly banned

Password

.....

Incorrect password

Sa serverske strane se pored provjere ispravnosti podataka regularnim izrazima vrši i ostale provjere kao što su da li korisnik sa datim emailom uopšte postoji, da li je lozinka tačna i da li je korisnikov nalog aktivan. Prilikom upisa u bazu šifra korisnika se kriptuje md5 funkcijom.

Email

ncincur@gmail.com

This account is temporarly banned

Password

.....

You had more than 3 wrong inputs so we blocked your account, you can activate it by clicking on link that we sent you on email

Ukoliko korisnik unese pogrešnu lozinku 3 puta za redom, nalog će mu biti zaključan, a aktivacioni link će mu biti poslat na mejl.



Welcome Nemanja

Ukoliko su svi podaci ispravni korisniku će biti prikazana poruka dobrodišlice i biće redirektovan na index stranicu.



Nakon logovanja korisniku će se u fornjem lijevom uglu prikazati profila slika sa padajućom listom za opcije. U zavisnosti od uloge korisnika razlikuju se i opcije. Tako možemo vidjeti opcije za običnog korisnika lijevo i opcije za administratora desno.

2.3.8 views/pages/survey.php

SURVEY

Please fill out this survey, it is anonymus just for statistic research

How old are you?

- O under 18
- O between 18-30
- O over 30



Are you male or female?

- O male
- O female

Done


Na stranici survey.php se nalazi anketa koju mogu da popunjavaju samo autorizovatni korisnici. Ankete dodaje administrator. Stranica je zaštićena od neovlašćenog pristupa. Svaki korisnik može dati jedan odgovor na jednu anketu. Iako anketu mogu da popune samo autorizovani korisnici, anketa je anonimna i administrator nema uvid u to ko je popunio, jer ako ne bi bila anonimna ne bi bila anketa 😜.

How old are you?

- O under 18
- O between 18-30
- O over 30


Please select response

Klikom na dugme Done vrši se klijentska provjera, ukoliko su podaci pravilno popunjeni podaci se šalju AJAX-om. Ukoliko forma prođe klijentske i serverske provjere korisnik će biti obaviješten adekvatnom porukom.



Ukoliko nema nijedne ankete dostupne ankete, korisniku će biti prikazana adekvatna poruka.


2.3.9 views/pages/user.php



Stranica user.php je namijenjena svim autorizovanim korisnicima bez obzira na ulogu. Ovdje korisnici mogu vidjeti svoje podatke, promijeniti svoju profilnu fotografiju ili ukloniti postojeću. Svi korisnici prilikom registracije dobijaju podrazumjevanu profilnu sliku koju ovdje mogu izmijeniti.



Prilikom mijenjanja slike vrši se provjera slike, dozvoljeni tipovi su jpg, jpeg i png. Ukoliko je slika promijenjena korisnik će biti izlogovan.



Pored navedenih opcija korisnici mogu i promijeniti svoju šifru klikom na dugme Change password.

Change password

Password length has to be at least 6, and it has to have at least one number and no special characters

Confirm password

Password do not match



Podaci iz forme se validiraju na klijentskoj i serverskoj strani dok se slanje podatake iz forme se vrši putem AJAX-a.




Password changed

Ukoliko je šifra pravilno unesena korisnik će biti obaviješten porukom a potom će biti izlogovan.

2.3.10 views/pages/admin.php







Stranica admin.php je dio admin panela i namijenjena je administratorima. Zaštićena je od neovlašćenog pristupa, a kao i sve ostale i sadržaj ove stranice učitan je dinamički iz baze. Ovdje administrator može promijeniti uloge korisnika, kao i onemogućiti njihove naloge.


2.3.11 views/pages/add-new.php





НОМЕ	CATEGORY	ALL NEWS	CONTACT	AUTHOR	Sunday, 8 May 2022	REGISTER	LOGIN
	ADD	NEW					
	Title						
	Conten	t					
						(i	
	Picture Одабе	ри фајл Није	одабрано				
	Catego	ry					
	Choose						
	Add	new					

Stranica add-new.php je takođe dio admin panela. Na ovoj stranici se nalazi forma za dodavanje vijesti.




Prije upisa u bazu podaci se provjeravaju. Slika nije obavezan podatak, ukoliko se ne doda, dodijeliće se podrazumjevana slika.

Add new
You seccessfully added new

Ukoliko je vijest uspješno dodata korisniku će biti ispisana poruka.









Ovo je još jedna stranica admin panela, kao i sve ostale stranice namijenjene autorizovanim korisnicima i ova stranica je zaštićena od neovlašćenog pristupa. Administrator ovdje može vidjeti sve poruke, odgovoriti na njih ili ih obrisati.


2.3.13 views/pages/results.php




Još jedna stranica namijenjena administratorima, sadržaj je dinamički ispisan i zaštićena je od neovlašćenog pristupa. Na ovoj stranici administrator može vidjeti rezultate ankete koju su popunili korisnici, dodavati nove ankete, brisati postojeće kao i mijenjati njihov status(da li su aktivne ili nisu).



Klikom na dugme add survey može se dodati nova anketa.




Klikom na dugme add more može se dodati još odgovora.




Klikom na dugme done vrši se provjera podataka, podaci iz forme se šalju putem AJAX-a. Administrator može dodati koliko god želi odgovora, a minimalan broj odgovora je 2. Takođe nije bitno da li su sva polja za odgovore popunjena jer će biti poslata samo ona koja imaju tekst u sebi.








Još jedna stranica iz admin panela, kao i sve ostale mogu im pristupiti samo administratori i zaštoćena je od neovlašćenog pristupa. Ovdje administrator može dodati nove kategorije, izmijeniti i obrisati postojeće. Podaci se šalju putem AJAX-a. prilikom dodavanja ili editovanja kategorije provjerava se da li kategorija već postoji.




Klikom na dugme export categories vrši se export u excel sa listom kategorija.

Buisness Delete Edit

Category must start with capital and have no nubers



Prilikom dodavanja ili editovanja vrši se klijentska i serverska validacija podataka.



Ukoliko korisnik pokuša da obriše neku kategoriju koja ima neke novosti iz te kategorije to mu neće biti dozvoljeno. Moguće je samo obrisati kategorije iz kojih ne postoje novosti.

2.3.15 views/pages/stat.php

Page stat				
Page	Page traffic in %	Total		
stat	62%	28		
category	2%	1		
all-news	4%	2		
index	22%	10		
categories-admin	2%	1		
survey	2%	1		
manage-survey	2%	1		
login	2%	1		

Posjeta svake stranice na sajtu se bilježi u posebnom fajlu. Ova stranica je dio admin panela i zaštićena je od neovlašćenog pristupa putem url adrese. Ovdje se prikazuje broj posjeta kao i procenat posjećenosti stranica u prethodna 24h.

Logged user stat						
Email	Date and time	IP Address	Result Message	Role		
marko@gmail.com	27.05.2022 8:08:51	127.0.0.1	Logged in	User		
ncincur@gmail.com	27.05.2022 8:09:18	127.0.0.1	Logged in	Admin		
ncincur@gmail.com	27.05.2022 8:13:59	127.0.0.1	Logged in	Admin		
ncincur@gmail.com	29.05.2022 19:55:22	127.0.0.1	Logged in	Admin		
ncincur@gmail.com	29.05.2022 19:57:31	127.0.0.1	Logged in	Admin		
ncincur@gmail.com	29.05.2022 19:59:29	127.0.0.1	Logged in	Admin		
ncincur@gmail.com	29.05.2022 20:01:44	127.0.0.1	Logged in	Admin		

Prikaz uspješno logovanih korisnika, sadržaj se isčitava iz log fajla.

Failed log user stat					
Email	Date and time	IP Address	Result Message		
ncincur@gmail.com	29.5.2022 22:38:00	127.0.0.1	Incorrect password		
marko@gmail.com	29.5.2022 22:39:25	127.0.0.1	Account banned		
marko@gmail.com	29.5.2022 22:39:27	127.0.0.1	Account banned		
marko@gmail.com	29.5.2022 22:39:27	127.0.0.1	Account banned		
marko@gmail.com	29.5.2022 22:39:27	127.0.0.1	Account banned		
ncincur@gmail.com	29.5.2022 22:40:21	127.0.0.1	Incorrect password		
ncincur@gmail.com	29.5.2022 22:40:22	127.0.0.1	Incorrect password		
ncincur@gmail.com	29.5.2022 22:41:39	127.0.0.1	Account banned		
ncincur@gmail.com	29.5.2022 22:41:39	127.0.0.1	Account banned		
ncincur@gmail.com	29.5.2022 22:41:39	127.0.0.1	Account banned		

Prikaz neuspješno ulogovanih korisnika, sadržaj se ispisuje iz error log fajla.

- 3. Kodovi
- 3.1 PHP
- 3.1.1 index.php

```
    session_start();
    include "connection/database.php";
    include "models/functions.php";
    $headline = selectHeadlines();
    $categories = selectAll("category");
    $social = selectAll("social");
    $nav = selectAll("nav");
    include_once "views/fixed/head.php";
    include_once "views/fixed/header.php";
```

```
if(isset($_GET['page'])){
        $page = $_GET['page'];
        pageStat($page);
        switch($page){
            case "index":
                include_once('views/pages/index.php');
                break;
            case "all-news":
                include once('views/pages/all-news.php');
                break;
            case "category":
                include_once('views/pages/category.php');
                break:
            case "contact":
                include_once('views/pages/contact.php');
                break;
            case "single":
                include_once('views/pages/single.php');
                break;
            case "login":
                include_once('views/pages/login.php');
                break;
            case "registration":
                include_once('views/pages/registration.php');
                break;
            case "survey":
                include_once('views/pages/survey.php');
                break;
            case "admin":
                include_once('views/pages/admin.php');
            case "add-new":
                include once('views/pages/add-new.php');
            case "manage-survey":
                include_once('views/pages/manage-survey.php');
                break:
            case "user":
                include once('views/pages/user.php');
            case "categories-admin":
                include once('views/pages/categories-admin.php');
            case "messages":
                include once('views/pages/messages.php');
            case "stat":
                include_once('views/pages/stat.php');
                break:
```

3.1.2 views/pages/category.php

```
$headline = selectHeadlines();
    $cid=1;
    <!-- News With Sidebar Start -->
    <div class="container-fluid mt-5 pt-3">
        <div class="container">
            <div class="row">
                <div class="col-lg-8">
                    <?php foreach($categories as $c):?>
                            $topCategories = $conn->query("SELECT * FROM img i
INNER JOIN news n ON i.img_id=n.img_id INNER JOIN category c ON
n.category_id=c.category_id WHERE n.category_id=".$cid." ORDER BY n.date DESC
LIMIT 2")->fetchAll();
                        <div class="row">
                            <div class="col-12">
                                 <div class="section-title">
                                     <h4 class="m-0 text-uppercase font-weight-
bold">Category: <?=$c->name?></h4>
                                     <a class="text-secondary font-weight-</pre>
medium text-decoration-none category-btn" data-view="<?=$c->category_id?>"
href="#">View All</a>
                                 </div>
                            </div>
                            <?php foreach($topCategories as $tc):?>
                                 <div class="col-lg-6">
                                     <div class="d-flex align-items-center bg-</pre>
white mb-3 nemanja" style="height: 110px;">
                                         <img src="img/<?=$tc->src?>"
alt="<?=$tc->alt?>">
```

```
<div class="w-100 h-100 px-3 d-flex</pre>
flex-column justify-content-center border border-left-0">
                                            <div class="mb-2">
                                                <a class="badge badge-primary</pre>
text-uppercase category-btn font-weight-semi-bold p-1 mr-2" data-view="<?=$c-
>category_id?>" href="#"><?=$c->name?></a>
                                                0"><small><?=date("1, j M Y", strtotime($tc->date))?></small>
                                            <a class="h6 m-0 text-secondary</pre>
text-uppercase font-weight-bold" href="single.php?single=<?=$tc->news_id?>">
                                            <?php if(strlen($tc->title) >
30):?>
                                                <?=substr($tc->title, 0,
30)."..."?>
                                                <?=$tc->title?>
                                            </a>
                                        </div>
                                    </div>
                                </div>
                            <?php $cid++?>
                        </div>
                </div>
                <?php include_once "views/fixed/sidebar.php"?>
            </div>
        </div>
    </div>
    <!-- News With Sidebar End -->
```

3.1.3 all-news.php

```
$topCategories = $conn->query("SELECT * FROM img i
INNER JOIN news n ON i.img_id=n.img_id INNER JOIN category c ON
n.category_id=c.category_id WHERE n.category_id=".$cid." ORDER BY n.date DESC
LIMIT 2")->fetchAll();
                        <div class="row">
                            <div class="col-12">
                                <div class="section-title">
                                    <h4 class="m-0 text-uppercase font-weight-
bold">Category: <?=$c->name?></h4>
                                    <a class="text-secondary font-weight-</pre>
medium text-decoration-none category-btn" data-view="<?=$c->category_id?>"
href="#">View All</a>
                                </div>
                            </div>
                            <?php foreach($topCategories as $tc):?>
                                <div class="col-lg-6">
                                    <div class="d-flex align-items-center bg-</pre>
white mb-3 nemanja" style="height: 110px;">
                                        <img src="img/<?=$tc->src?>"
alt="<?=$tc->alt?>">
                                         <div class="w-100 h-100 px-3 d-flex</pre>
flex-column justify-content-center border border-left-0">
                                             <div class="mb-2">
                                                 <a class="badge badge-primary</pre>
text-uppercase category-btn font-weight-semi-bold p-1 mr-2" data-view="<?=$c-
>category_id?>" href="#"><?=$c->name?></a>
                                                 0"><small><?=date("1, j M Y", strtotime($tc->date))?></small>
                                            </div>
                                             <a class="h6 m-0 text-secondary</pre>
text-uppercase font-weight-bold" href="single.php?single=<?=$tc->news id?>">
                                            <?php if(strlen($tc->title) >
30):?>
                                                 <?=substr($tc->title, 0,
30)."..."?>
                                                 <?=$tc->title?>
                                            </a>
                                         </div>
                                    </div>
                                </div>
                            <?php $cid++?>
                        </div>
                </div>
```

3.1.4 contact.php

```
<!-- Contact Start -->
    <div class="container-fluid mt-5 pt-3">
        <div class="container">
           <div class="row">
               <div class="col-lg-10 m-auto">
                   <div class="section-title mb-0">
                       <h4 class="m-0 text-uppercase font-weight-
bold">Contact Us For Any Queries</h4>
                   </div>
                   <div class="bg-white border border-top-0 p-4 mb-3">
                       <div class="mb-4">
                           <div class="mb-3">
                               <div class="d-flex align-items-center mb-2">
                                   <i class="fa fa-map-marker-alt text-</pre>
primary mr-2"></i>
                                   <h6 class="font-weight-bold mb-0">Our
Office</h6>
                               </div>
                               123 Street, New York, USA
                           </div>
                           <div class="mb-3">
                               <div class="d-flex align-items-center mb-2">
                                   <i class="fa fa-envelope-open text-primary</pre>
mr-2"></i>
                                   <h6 class="font-weight-bold mb-0">Email
Us</h6>
                               </div>
                               info@example.com
                           </div>
                           <div class="mb-3">
                               <div class="d-flex align-items-center mb-2">
                                   <i class="fa fa-phone-alt text-primary mr-</pre>
2"></i>
                                   <h6 class="font-weight-bold mb-0">Call
Us</h6>
                               </div>
                               +012 345 6789
```

```
</div>
                          </div>
                          <h6 class="text-uppercase font-weight-bold mb-</pre>
3">Contact Us</h6>
                          <form id="form-contact">
                              <div class="form-row">
                                  <div class="col-md-6">
                                      <div class="form-group">
                                           <input type="text" class="form-control</pre>
p-4" placeholder="Your Name" id="contactName" <?php</pre>
if(isset($_SESSION['user'])):?>value="<?=$_SESSION['user']->name?>"<?php</pre>
endif?> />
                                      </div>
                                  </div>
                                  <div class="col-md-6">
                                       <div class="form-group">
                                           <input type="email" class="form-</pre>
control p-4" placeholder="Your Email" id="contactEmail" <?php</pre>
if(isset($_SESSION['user'])):?>value="<?=$_SESSION['user']->email?>"<?php</pre>
endif?> />
                                      </div>
                                  </div>
                              </div>
                              <div class="form-group">
                                  <textarea class="form-control" rows="4"</pre>
placeholder="Message" id="contactMessage"></textarea>
                              </div>
                              <div>
                                  <input type="button" value="Send Message"</pre>
class="btn btn-primary font-weight-semi-bold px-4" style="height: 50px;"
id="btnContactMessage" />
                              </div>
                          </form>
                     </div>
                 </div>
             </div>
        </div>
    </div>
```

3.1.5 registration.php

```
<h4 class="m-0 text-uppercase font-weight-
bold">REGISTRATION</h4>
                 <div class="bg-white border border-top-0 p-4 mb-3">
                     <form id="registration">
                         <label for="name">Name</label>
                         <input type="text" class="form-control" id="name"</pre>
placeholder="Name" />
                         <label for="lastName" class="mt-3">Last name</label>
                         <input type="text" class="form-control" id="lastName"</pre>
placeholder="Last name" />
                         <label for="email" class="mt-3">Email</label>
                         <input type="email" class="form-control" id="email"</pre>
placeholder="Email" />
                         <label for="password" class="mt-3">Password</label>
                         <input type="password" class="form-control"</pre>
id="password" placeholder="Password" />
                         <label for="conf-password" class="mt-3">Confirm
Password</label>
                         <input type="password" class="form-control" id="conf-</pre>
password" placeholder="Confirm Password" />
                         <input type="button" value="Register" class="btn btn-</pre>
primary font-weight-semi-bold px-4 mt-4" id="register" />
                     </form>
                </div>
            </div>
        </div>
    </div>
```

3.1.6 login.php

```
<?php
    session_start();
    include "connection/database.php";
    include "models/functions.php";
    $social = selectAll("social");
    $categories = selectAll("category");
    include_once("includes/head.php");</pre>
```

```
<div class="container my-5">
        <div class="row">
            <div class="col-lg-8 m-auto">
                <div class="section-title mb-0">
                    <h4 class="m-0 text-uppercase font-weight-bold">LOGIN</h4>
                </div>
                <div class="bg-white border border-top-0 p-4 mb-3">
                    <form>
                        <label for="email">Email</label>
                        <input type="email" class="form-control" id="email"</pre>
placeholder="Email" />
                        <label for="password" class="mt-3">Password</label>
                        <input type="password" class="form-control"</pre>
id="password" placeholder="Password" />
                        <input type="button" value="Login" class="btn btn-</pre>
primary font-weight-semi-bold px-4 mt-3" id="login" name="login" />
                        <?php if(isset($_GET['userRegister']) &&</pre>
isset($ GET['unique'])){
                            $userToCheck = getActUser($_GET['userRegister']);
                            \sup = (\$\_GET['unique'] + 150);
                            $down = ($_GET['unique'] - 150);
                            $registerDate = strtotime($userToCheck->date);
                            if($userToCheck->active == 0 && $registerDate >
$down && $registerDate < $up){</pre>
                                echo "You have already
registered";
                            else if($registerDate > $down && $registerDate <</pre>
$up){
                                changeStatus($_GET['userRegister'], 0,
"active");
                                echo "You have
successfully registered, please log in";
                    </form>
                </div>
            </div>
        </div>
    </div>
 ?php include once("includes/footer.php")?>
```

3.1.7 single.php

```
if(isset($_GET['single'])):
        $new = singleNew($_GET['single']);
        $headline = selectHeadlines();
        $comments = getComments($new->news id, null);
    <!-- News With Sidebar Start -->
    <div class="container-fluid mt-5" id="single-modal">
        <div class="container">
            <div class="row">
                <div class="col-lg-8">
                    <!-- News Detail Start -->
                    <div class="position-relative mb-3">
                        <img class="img-fluid w-100" src="img/<?=$new->src?>"
alt="<?=$new->alt?>" style="object-fit: cover;">
                        <div class="bg-white border border-top-0 p-4">
                                <a class="badge badge-primary text-uppercase"</pre>
font-weight-semi-bold p-2 mr-2" data-cat="<?=$new->category id?>"
                                href="index.php?page=all-
news&filter=1&cat=<?=$new->category_id?>"><?=$new->name?></a>
                                <?=date("1, j M Y",</pre>
strtotime($new->date))?>
                                <?php if(isset($ SESSION['user'])):?>
                                <?php if($_SESSION['user']->role_id == 1):?>
                                <input type="button" data-img="<?=$new-</pre>
>img_id?>" data-src="<?=$new->src?>" value="DELETE NEW" class="mt-1 btn btn-
danger btn-sm" id="deleteNew" />
                                <input type="button" data-img="<?=$new-</pre>
>img_id?>" data-src="<?=$new->src?>" value="EDIT NEW" class="mt-1 btn btn-
primary btn-sm ml-4" id="editNew" />
                            <h1 class="mb-3 text-secondary text-uppercase"
font-weight-bold"><?=$new->title?></h1>
                            <?=$new->content?>
                        </div>
                    </div>
                    <!-- News Detail End -->
                    <div class="mb-3" id="reloadDiv">
                       <div id="rld">
```

```
<div class="section-title mb-0">
                             <h4 class="m-0 text-uppercase font-weight-
bold"><?=count($comments)?> Comments<//hd>
                         </div>
                             <?php if(count($comments) > 0):?>
                                  <div class="bg-white border border-top-0 p-4">
                                      <?php foreach($comments as $c):?>
                                          <?php $reply = getRepyComments($c-</pre>
comm id)?>
                                          <div class="media mb-4 position-</pre>
relative">
                                              <input type="hidden" value="<?=$c-</pre>
>comm id?>" />
                                          <?php if(isset($_SESSION['user'])):?>
                                          <?php $activeUser =</pre>
$_SESSION['user'];?>
                                              <?php if($activeUser->role_id == 1
$ $activeUser->user_id == $c->user_id):?>
                                              <button class="border-0 text-</pre>
danger nc-delete position-absolute"><i class="fas fa-times" aria-
hidden="true"></i></button>
                                              <img src="img/<?=$c->src?>"
alt="<?=$c->alt?>" class="img-fluid mr-3 mt-1" style="width: 45px;" />
                                              <div class="media-body">
                                                   <h6><p class="text-secondary
font-weight-bold mb-0"><?=$c->name?> <?=$c->last_name?>
<small><i><?=date("d M Y", strtotime($c->comment date))?></i></small></h6>
                                                   <?=$c->content?>
                                                  <input type="button"</pre>
value="Reply" class="btn btn-sm btn-outline-secondary replyComment" />
                                                   <?php if(count($reply) > 0):?>
                                                       <?php foreach($reply as</pre>
$r):?>
                                                      <div class="media mt-4
position-relative">
                                                           <input type="hidden"</pre>
value="<?=$r->comm id?>" />
if(isset($_SESSION['user'])):?>
                                                           <?php if($activeUser-</pre>
>role_id == 1 || $activeUser->user_id == $r->user_id):?>
                                                           <button class="border-</pre>
0 text-danger nc-delete position-absolute"><i class="fas fa-times" aria-</pre>
hidden="true"></i></button>
```

```
<img src="img/<?=$r-</pre>
>src?>" alt="<?=$r->alt?>" class="img-fluid mr-3 mt-1" style="width: 45px;" />
                                                          <div class="media-
body">
                                                          <h6><p class="text-
secondary font-weight-bold mb-0"><?=$r->name?> <?=$r->last name?>
<small><i><?=date("d M Y", strtotime($r->comment_date))?></i></i></mall></h6>
                                                          <?=$r-
content?>
                                                          </div>
                                                      </div>
                                                      <?php endforeach?>
                                              </div>
                                         </div>
                                 </div>
                             </div>
                     </div>
                     <!-- Comment List End -->
                     <!-- Comment Form Start -->
                     <?php if(isset($_SESSION['user'])):?>
                         <div class="mb-3">
                         <i class="fa-solid fa-x"></i></i>
                             <div class="section-title mb-0">
                                 <h4 class="m-0 text-uppercase font-weight-
bold" id="leave-reply">Leave a comment</h4>
                             </div>
                             <div class="bg-white border border-top-0 p-4">
                                 <form>
                                     <div class="form-group">
                                         <label for="comment">Comment</label>
                                          <textarea id="comment" cols="30"</pre>
rows="5" class="form-control"></textarea>
                                     </div>
                                     <div class="form-group mb-0">
                                          <input type="hidden"</pre>
value="<?=$_SESSION['user']->user_id?>" id="idUser" />
                                         <input type="hidden"</pre>
value="<?=$ GET['single']?>" id="idNew" />
                                          <input type="button" value="Leave a</pre>
comment" class="btn btn-primary font-weight-semi-bold py-2 px-3"
id="postComment" />
                                     </div>
                                 </form>
                             </div>
```

3.1.8 user.php

```
if(isset($_SESSION['user'])):
        $user = $ SESSION['user']
<div class="container py-5">
        <h2 class="text-center">Hello <?=$user->name?></h2>
    <div class="row mt-3">
        <div class="col-12 col-md-6">
            <div class="row">
                <div class="col-12 d-flex justify-content-center mb-3">
                    <div id="user-settings">
                        <img src="img/<?=$user->src?>" alt="<?=$user->alt?>"
class="m-auto img-fluid" />
                    </div>
                </div>
                <div class="m-auto col-12 d-flex justify-content-center">
                    <form action="models/photo-manipulation.php" method="post"</pre>
enctype="multipart/form-data">
                        <input type="submit" value="Change photo" class="btn</pre>
btn-success btn-sm rounded m-3" name="changePhotoBtn" />
```

```
<input type="hidden" name="imgSrc" value="<?=$user-</pre>
>src<mark>?>"</mark> />
                      <input type="file" class="bg-transparent mt-2 mt-lg-0</pre>
form-control-sm rounded" name="changePhoto" />
                      <input type="submit" value="Remove photo" class="btn</pre>
btn-danger btn-sm rounded mx-3" name="deletePhoto" />
                  </form>
              </div>
                  <?php if(isset($ SESSION['profileTypeError'])){</pre>
                         echo "<p class='text-danger mb-
0'>".$ SESSION['profileTypeError']."";
                         unset($ SESSION['profileTypeError']);
                      }
                  If you remove or change your profile
picture you will be logged out, please log in again to see your picture
           </div>
       </div>
       <div class="col-12 col-md-6 mt-4 mt-md-0">
           <div class="section-title mb-0">
              <h4 class="m-0 text-uppercase font-weight-bold">Your
account</h4>
           </div>
           <div class="bg-white border border-top-0 p-4 text-center">
               <span class="font-weight-bold">Full
name:</span> <?=$user->name?> <?=$user->last name?>
              <span class="font-weight-</pre>
bold">Email:</span> <?=$user->email?>
              <span class="font-weight-bold">Date
joined:</span> <?=date("1, j M Y", strtotime($user->date))?>
              >user_id?>"><span class="font-weight-bold">Change passwrod
           </div>
       </div>
   </div>
</div>
   include_once('views/pages/index.php');
```

3.1.9 survery.php

```
if(isset($ SESSION['user'])):
        $user = $ SESSION['user'];
        $allSurv = selectAll('survey');
        $availabelSurvey = availableSurvey($user->user id);
    <div class="container my-5">
        <div class="row">
            <div class="col-lg-8 m-auto">
                <div class="section-title mb-0">
                    <h4 class="m-0 text-uppercase font-weight-
bold">SURVEY</h4>
                </div>
                <?php if(count($availabelSurvey) == 0):?>
                     <h2 class="text-center mt-5">There is no any survey</h2></h2>
                <div class="bg-white border border-top-0 p-4 mb-3">
                     Please fill out this survey, it is anonymus just for
statistic research
                    <?php foreach($availabelSurvey as $a):?>
                         <?php $responses = getSurvResponses($a->survey_id)?>
                    <h4><?=$a->question?></h4>
                         <?php foreach($responses as $r):?>
                             <div class="form-check radios-response">
                                 <input class="form-check-input" type="radio"</pre>
value="<?=$r->response id?>" name="response <?=$a->survey id?>"
id="response_<?=$r->response_id?>" />
                                 <label class="form-check-label"</pre>
for="response <?=$r->response id?>">
                                     <?=$r->response_text?>
                                 </label>
                             </div>
                         <?php endforeach?>
                    <input type="button" value="Done" data-survey="<?=$a-</pre>
>survey_id?>" class="btn btn-primary my-3 send-response" />
                </div>
            </div>
        </div>
    </div>
    include_once('views/pages/index.php');
```

3.1.10 admin.php

```
if(isset($_SESSION['user'])):
      if($_SESSION['user']->role_id == 1):
         $user = $_SESSION['user'];
         $allUssers = selectAll("users");
<div class="container py-5">
      <h2 class="text-center">Users</h2>
   <div class="row mt-3">
      <thead class="thead-dark">
            >
                Name
                Email
                Date joined
                Active
                Role
            </thead>
            <?php foreach($allUssers as $u):?>
                <?php if($u->user_id == $user->user_id) continue;?>
            <input type="hidden" id="idUserToChange" value="<?=$u-</pre>
ouser_id?>" />
                <?=$u->name?> <?=$u->last_name?>
                <\td><\td>
                <select class="form-select form-select-sm status"</pre>
data-type="active" aria-label=".form-select-sm example">
                      <?php if($u->active == 0):?>
                      <option selected value="0">Enabled</option>
                      <option value="1">Disabled</option>
                      <option value="0">Enabled</option>
                      <option selected value="1">Disabled</option>
```

```
</select>
                  <select class="form-select form-select-sm status"</pre>
data-type="role_id" aria-label=".form-select-sm example">
                          <?php if($u->role_id == 1):?>
                          <option selected value="1">Admin</option>
                          <option value="2">User</option>
                          <option value="1">Admin</option>
                          <option selected value="2">User</option>
                      </select>
                  </div>
</div>
   include_once('views/pages/index.php');
   include_once('views/pages/index.php');
```

3.1.11 messages.php

```
<h4 class="m-0 text-uppercase font-weight-
bold">MESSAGES</h4>
                <?php if(count($messages) == 0):?>
                    <h2 class="text-center mt-5">There is no messages</h2>
                    <?php foreach($messages as $m):?>
                    <div class="bg-white border border-top-0 p-4">
                        <div class="media position-relative">
                            <input type="hidden" value="2">
                            <button class="border-0 text-danger nc-delete-</pre>
message position-absolute" data-id="<?=$m->message_id?>"><i class="fas fa-</pre>
times" aria-hidden="true"></i></button>
                            <div class="media-body">
                                <h6><p class="text-secondary font-weight-bold"
mb-0"><?=$m->name?> <small><i><?=date("d M Y", strtotime($m-</pre>
>message_date))?></i></small></h6>
                                 <?=$m->message?>
                                <a href="mailto:<?=$m->email?>" class="btn
btn-sm btn-outline-secondary
replyComment">Reply</a>
                            </div>
                        </div>
                    </div>
            </div>
        </div>
    </div>
</div>
    include_once('views/pages/index.php');
    include_once('views/pages/index.php');
```

3.1.12 manage-survey.php

```
<?php
if(isset($_SESSION['user'])):
    if($_SESSION['user']->role_id == 1):
        $user = $_SESSION['user'];
        $survey = selectAll("survey");
```

```
<div class="container my-5">
      <div class="row">
          <div class="col-lg-8 m-auto">
           <h2 class="text-center">Manage survey</h2>
             <thead class="thead-dark">
                    Question
                        Responses
                        Active
                    </thead>
                    <?php foreach($survey as</pre>
$s):?>
                    <?php $options = surveyOptions($s->survey_id);?>
                    survey_id?>">
                        <?=$s->question?>
                           <button class="border-0 text-danger nc-delete-</pre>
survey position-absolute"><i class="fas fa-times" aria-</pre>
hidden="true"></i></button>
                        <?php foreach($options as $o):?>
                              <?=$o->response_text?>: <span
class="font-weight-bold text-info"><?=count(surverAnswers($o-</pre>
>response_id))?></span>
                        <label class="switch">
                              <input type="checkbox" <?php if($s->active
== 1):?>checked<?php endif?> class="cb-survey">
                               <span class="slider round"></span>
                           </label>
                        <input type="button" class="btn btn-sm btn-primary rounded"</pre>
id="add-survey-btn" value="+ Add survey" />
             <input type="text" class="form-control w-50 mt-3"</pre>
placeholder="Question" id="add-survey" />
          </div>
      </div>
   </div>
```

```
<?php else:
    include_once('views/pages/index.php');
?>
<?php endif?>
<?php else:
    include_once('views/pages/index.php');
?>
<?php endif?>
```

3.1.13 add-new.php

```
if(isset($_SESSION['user'])):
        if($_SESSION['user']->role_id == 1):
<div class="container py-5">
    <div class="row">
            <div class="col-lg-8 m-auto">
                 <div class="section-title mb-0">
                     <h4 class="m-0 text-uppercase font-weight-bold">ADD
NEW</h4>
                 </div>
                 <div class="bg-white border border-top-0 p-4 mb-3">
                 <form action="models/add-new.php" method="post"</pre>
enctype="multipart/form-data">
                         <label>Title</label>
                         <input type="text" class="form-control mb-2"</pre>
name="title" <?php</pre>
if(isset($_SESSION['titleValue'])):?>value="<?=$_SESSION['titleValue']?>"<?php
endif?> />
                         <?php if(isset($ SESSION['title'])){</pre>
                             echo "<p class='text-danger mb-
0'>".$ SESSION['title']."";
                             unset($ SESSION['title']);
                         }
                         <?php unset($_SESSION['titleValue']);?>
                         <label>Content</label>
                         <textarea name="content" cols="30" rows="5"</pre>
class="form-control mb-2"><?php</pre>
if(isset($_SESSION['contentValue'])):?><?=$_SESSION['contentValue']?><?php</pre>
endif?></textarea>
                         <?php if(isset($ SESSION['content'])){</pre>
```

```
echo "<p class='text-danger mb-
0'>".$_SESSION['content']."";
                             unset($_SESSION['content']);
                         }
                         <?php unset($_SESSION['contentValue']);?>
                         <label>Picture</label><br />
                         <input type="file" name="picture" class="mb-2" /><br</pre>
/>
                         <?php if(isset($_SESSION['typeError'])){</pre>
                             echo "<p class='text-danger mb-
0'>".$_SESSION['typeError']."";";
                             unset($_SESSION['typeError']);
                         }
                         <label>Category</label><br />
                         <select name="category" class="form-select">
                             <option value="0">Choose</option>
                             <?php foreach($categories as $c):?>
                                 <option value="<?=$c->category id?>"><?=$c-</pre>
>name?></option>
                         </select><br />
                         <?php if(isset($_SESSION['category'])){</pre>
                             echo "<p class='text-danger mb-
0'>".$_SESSION['category']."";
                             unset($_SESSION['category']);
                         }
                         <input type="submit" value="Add new" name="btnAddNew"</pre>
class="btn btn-primary font-weight-semi-bold px-4 mt-4" />
                         <?php if(isset($ SESSION['successfullyAdd'])){</pre>
                             echo "<p class='text-success mb-
0'>".$_SESSION['successfullyAdd']."";";
                             unset($_SESSION['successfullyAdd']);
                         }
                    </form>
                </div>
            </div>
    </div>
</div>
    include_once('views/pages/index.php');
```

```
<?php else:
    include_once('views/pages/index.php');
?>
<?php endif?>
```

3.1.14 categories-admin.php

```
if(isset($_SESSION['user'])):
       if($_SESSION['user']->role_id == 1):
<div class="container my-5">
       <div class="row">
          <div class="col-lg-7 m-auto">
             <h2 class="text-center">Manage categories</h2>
                 <a href="models/category-export.php" class="btn btn-sm"</pre>
btn-secondary rounded mt-3">Export categories</a>
                    <thead class="thead-dark">
                           >
                               Caterory
                               Delete
                               Edit
                           </thead>
                        <?php foreach($categories as $c):?>
                           category id?>"
id="row_<?=$c->category_id?>">
                               <\td><\td>
                               <input type="button" class="btn btn-sm
btn-outline-danger rounded delete-category" value="Delete" />
                               <div class="form-row p-0">
                                      <div class="col-9">
                                         <input type="text"</pre>
class="form-control" id="cat_<?=$c->category_id?>" placeholder="Edit" />
                                     </div>
                                     <div class="col-3">
                                         <input type="button"</pre>
class="btn btn-sm btn-success rounded edit-category" value="Done" />
                                      </div>
                                  </div>
```

3.1.15 views/pages/stat.php

```
if(isset($_SESSION['user'])):
      if($_SESSION['user']->role_id == 1):
         $visitors = dallyStat("pageStat");
         $logins = dallyStat("login");
         $failed = dallyStat("errorLog");
<div class="container py-5">
      <h2 class="text-center">Page stat</h2>
   <div class="row mt-3">
      <thead class="thead-dark">
            Page
                Page traffic in %
                Total
             </thead>
                if(count($visitors) != 0){
```

```
$pages = [];
                   $traffic = count($visitors);
                   foreach ($visitors as $e) {
                      if (!empty($e)) {
                         $value = explode("\t", $e);
                         $visitor = explode('=', $value[0]);
                         if ($visitor != '') {
                             if (array_key_exists($visitor[1], $pages))
                                $pages[$visitor[1]]++;
                             else {
                                $pages[$visitor[1]] = 1;
                         }
                      }
                   foreach ($pages as $key => $val) {
                      $percent = round($val / $traffic * 100);
                      echo "
                      " . $key . "
                      " . $percent . "%
                      "
                      ";
                   }
                }
                else{
                   echo "<h2 class='text-center mt-5'>There stav
currently</h2>";
         <div class="table-responsive mt-2">
         <h2 class="text-center">Logged user stat</h2>
         <thead class="thead-dark">
                Email
                   Date and time
                   IP Address
                   Result Message
                   Role
                </thead>
                   foreach ($logins as $log):
```

```
if(!empty($log)):
                       $logArr = explode("\t", $log);
              <\td><\!-\$\logArr[1]\!?>
                 <\td><\?=$logArr[2]?>
                 <?=$logArr[3]?>
                 <\td><\?=$logArr[4]?>
              </div>
     <div class="table-responsive mt-2">
        <h2 class="text-center">Failed log user stat</h2>
        <thead class="thead-dark">
              Email
                 Date and time
                 IP Address
                 Result Message
              </thead>
                 foreach ($failed as $f):
                    if(!empty($f)):
                       $failArr = explode("\t", $f);
              <\td><\?=\$failArr[0]?>
                 <?=$failArr[1]?> <?=$failArr[2]?>
                 <?=$failArr[3]?>
                 <\td><\?=\$failArr[4]?>
              </div>
  </div>
</div>
  include_once('views/pages/index.php');
```

```
<?php else:
    include_once('views/pages/index.php');
?>
<?php endif?>
```

3.1.16 models/add-category.php

```
session_start();
$errors = [];
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $nameCat = $_POST['nameCat'];
        if(checkErrors("/^([A-Z][a-z]{2,15}){1,5}(\s[A-Z]{0,2}[a-z]{2,15}))
z]{2,15}){0,4}$/", $nameCat)){
            $errors["nameCat"] = "Category must start with capital and have no
nubers";
        if(checkCat($nameCat)){
            $errors["nameCat"] = "Category with this name already exists";
        if(count($errors) == 0){
            if(addCategory($nameCat)){
                echo json_encode(true);
                http_response_code(201);
        else echo json_encode($errors);
    catch(PDOException $exception){
        http_response_code(500);
    }
else{
    http_response_code(404);
```

```
session start();
$errors = 0;
simg = 8;
if(isset($ POST['btnAddNew'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $title = $_POST['title'];
        $content = $_POST['content'];
        $category = $_POST['category'];
        $file = $ FILES['picture'];
        $_SESSION['titleValue'] = $title;
        $ SESSION['contentValue'] = $content;
        if(checkErrors("/([A-z]|\d|\s){10,80}/", $title)){
            $_SESSION['title'] = "Title must have between 10 and 80
characters";
            $errors++;
        if(checkErrors("/([A-z]|\d|\s){30,}/", $content)){
            $_SESSION['content'] = "Content should have at least 30
characters";
            $errors++;
        if(is_uploaded_file($file['tmp_name'])){
            $name = $file['name'];
            $tempName = $file['tmp_name'];
            $size = $file['size'];
            $type = $file['type'];
            $errors = $file['error'];
            $countErr = 0;
            $allopwedType = ["image/jpg", "image/jpeg", "image/png",
"image/webp"];
            if(!in_array($type, $allopwedType)){
                $countErr++;
                $errors++;
                $_SESSION['typeError'] = "Allowed types are jpg, webp, jpeg or
png";
            if($countErr == 0){
                $newName = time()."_".$name;
                $src = "../img/".$newName;
                $alt = time()."-new";
                if(move_uploaded_file($tempName, $src)){
```

```
if(addImg($newName, $alt)){
                        $img = $conn->lastInsertId();
                    }
               }
       if($category == "0"){
           $_SESSION['category'] = "Please select category";
           $errors++;
       if($errors == 0){
           unset($_SESSION['titleValue']);
           unset($_SESSION['contentValue']);
           $new = addNew($title, $content, $category, $img);
           if($new){
                $_SESSION['successfullyAdd'] = "You successfuly added new";
       header("Location: ../add-new.php");
   catch(PDOException $exception){
       http response code(500);
   }
else{
   header("HTTP/1.0 404 Not Found");
```

3.1.18 models/add-survey.php

```
$id = $conn->lastInsertId();
                foreach($responses as $r){
                    if(!addSurveyResponses($r, $id)){
                        $wrong++;
                    }
                if($wrong == 0){
                    echo json_encode(true);
                    http_response_code(201);
        }
        else echo json_encode($errors);
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
else{
    http_response_code(404);
```

3.1.19 models/admin.php

```
session start();
header('Content-Type: application/json');
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    $id = $_POST['id'];
    $column = $_POST['column'];
    $value = $_POST['dataValue'];
    try{
        if(updateData($id, addslashes($column), $value)){
            echo json_encode(true);
            http_response_code(201);
        }
    }
    catch(PDOException $exception){
        http_response_code(500);
    http response code(404);
```

}

3.1.20 models/category-export.php

```
session_start();
if($_SERVER["REQUEST_METHOD"] == "GET" && $_SESSION['user']->role_id == 1)
    header("Content-Disposition: attachment; filename=categories.xls");
    header("Content-Type: application/x-msexcel");
    header('Content-Type: application/vnd.ms-excel');
    header('Expires: 0');
    header('Cache-Control: must-revalidate, post-check=0, pre-check=0');
    header("Pragma: no-cache");
    include "../connection/database.php";
    include "functions.php";
    $categories = selectAll("category");
    $export_string = "Category Id\tCategory Name\n";
    foreach($categories as $category) {
        $export_string .= $category->category_id . "\t" . $category->name
"\n";
    echo $export_string;
else{
    header("Location: index.php");
```

3.1.21 models/change-password.php

```
<?php
    session_start();
    header("Content-type: application/json");
    $errors = [];
    if(isset($_POST['btn'])){
        include "functions.php";
        include "../connection/database.php";</pre>
```

```
try{
            $id = $_POST['id'];
            $password = $_POST['password'];
            if(checkErrors("/^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d\s]{6,}$/",
$password)){
                $errors["password"] = "Password length has to be at least 6,
and it has to have at least one number and no special characters";
            if(count($errors) == 0){
                if(updateData($id, "password",md5($password))){
                    echo json_encode("Password changed");
                    http_response_code(201);
                }
            else echo json_encode($errors);
        }
        catch(PDOException $exception){
            http_response_code(500);
        }
    else{
        http_response_code(404);
```

3.1.22 models/delete-category.php

```
}
else echo json_encode($errors);

}
catch(PDOException $exception){
   http_response_code(500);
  }
}
else{
   http_response_code(404);
}
```

3.1.23 models/delete-comment.php

```
session_start();
header('Content-Type: application/json');
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $id = $_POST['id'];
        if(count(getRepyComments($id)) > 0){
            deleteComment($id, true);
        if(deleteComment($id, false)){
            echo json_encode(true);
            http_response_code(201);
        }
    catch(PDOException $exception){
        http_response_code(500);
    }
else{
    http_response_code(404);
```

3.1.24 models/delete-message.php

```
<?php
```

```
session_start();
header('Content-Type: application/json');
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $id = $_POST['id'];
        if(deleteFunction("messages", "message_id", $id)){
            echo json encode(true);
            http_response_code(201);
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
else{
    http_response_code(404);
```

3.1.25 models/delete-new.php

```
session_start();
header('Content-Type: application/json');
$delete = true;
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $id = $ POST['id'];
        $img = $_POST['img'];
        if($img != 8){
            $src = "../img/".$_POST['src'];
            if(file_exists($src)){
                unlink($src);
            $delete = deleteFunction("img", "img_id", $img);
        if($delete){
            if(count(getComments($id)) > 0){
                $delete = deleteFunction("comments", "news_id", $id);
            if($delete){
```

3.1.26 models/delete-survey.php

```
session_start();
header('Content-Type: application/json');
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $id = $_POST['id'];
        if(answersDelete($id)){
            if(deleteFunction("responses", "survey_id", $id)){
                if(deleteFunction("survey_users", "survey_id", $id)){
                    if(deleteFunction("survey", "survey_id", $id)){
                        echo json encode(true);
                        http_response_code(201);
                    }
                }
            }
        }
    catch(PDOException $exception){
        http_response_code(500);
    }
else{
    http_response_code(404);
```

3.1.27 models/edit-category.php

```
session_start();
    header("Content-type: application/json");
    $errors = [];
    if(isset($_POST['btn'])){
        include "functions.php";
        include "../connection/database.php";
        try{
            $id = $_POST['id'];
            $edit = $_POST['edit'];
            if(checkErrors("/^([A-Z][a-z]{2,15}){1,5}(\s[A-Z]{0,2}[a-z]{2,15}))
z]{2,15}){0,4}$/", $edit)){
                $errors["edit"] = "Category must start with capital and have
no nubers";
            if(checkCat($edit)){
                $errors["edit"] = "Category with this name already exists";
            if(count($errors) == 0){
                if(updateTable($id, "category", "name", $edit,
"category_id")){
                    echo json_encode(true);
                    http_response_code(201);
            else echo json_encode($errors);
        catch(PDOException $exception){
            http_response_code(500);
    }
    else{
        http_response_code(404);
```

3.1.28 models/edit-new.php

```
<?php
session_start();</pre>
```

```
header("Content-type: application/json");
    $errors = [];
    $exitst = false;
    if(isset($_POST['btn'])){
        include "functions.php";
        include "../connection/database.php";
        try{
            $categories = selectAll("category");
            $id = $_POST['idNew'];
            $category = $_POST['category'];
            $title = $_POST['title'];
            $content = $_POST['content'];
            if(checkErrors("/^([\w\.\-\s\!\?\,\(\)\"\'\:\;\@]){10,80}$/",
$title)){
                $errors["title"] = "Title must have between 10 and 80
characters";
            if(checkErrors("/^([\w\.\-\s\!\?\,\(\)\"\'\:\;\@]){30,}$/",
$content)){
                $errors["content"] = "Content should have at least 30
characters";
            if(checkErrors("/^[1-9]\d*$/", $category)){
                $errors["category"] = "You're really tiring and stupid.";
            }
            else{
                foreach($categories as $c){
                    if($category == $c->category_id){
                        $exitst = true;
                if(!$exitst){
                    $errors["category"] = "As I said, your attempt won't
work";
            if(count($errors) == 0){
                if(updateNew($id, $title, $content, $category)){
                    echo json_encode(true);
                    http_response_code(201);
            else echo json encode($errors);
        catch(PDOException $exception){
            http_response_code(500);
```

```
}
else{
   http_response_code(404);
}
```

3.1.29 expot/author.php

```
header("Content-type: application/vnd.ms-word");
header("Content-Disposition: attachment; filename=nemanja.doc");
$biography_string ="My name is Nemanja Ćinćur. I Web Developer and student,
currently styding at ICT college. I am constantly trying to improve myself
each day. I am skilled with HTML, CSS, BOOTSTRAP, JS, PHP and many more
languages. Till now I had few projects but there are many more comming soon.
You can view my works on this website. If you like them, you can contact my on
my mail, or call me on my phone, whatever you prefer. I hope we will get in
touch.";
echo $biography_string;
```

3.1.30 models/login.php

```
require "../mail/PHPMailer.php";
require "../mail/SMTP.php";
require "../mail/Exception.php";
session start();
header("Content-type: application/json");
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
$errors = [];
if(isset($_POST['btnl'])){
    include "functions.php";
    include "../connection/database.php";
    try{
        $email = $_POST['email'];
        $password = $ POST['password'];
        if(!filter var($email, FILTER VALIDATE EMAIL)){
```

```
$errors["email"] = "Please enter your email ex.
email@gmail.com";
                if(checkErrors("/^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d\s]{6,}$/",
$password)){
                    $errors["passLog"] = "Password length has to be at least
6, and it has to have at least one number and no special characters";
            else{
                $exist = checkEmail($email);
                if($exist){
                    $pass = checkPassword($email, md5($password));
                    if(lockAccount($email, 5) > 3){
                        updateTable($email, "users", "active", 1, "email");
                        $errors["passLog"] = "You had more than 3 wrong inputs
so we blocked your account, you can activate it by clicking on link that we
sent you on email";
                    if(checkActive($email)->active == 1){
                        $errors["email"] = "This account is temporarly
banned";
                        errorLogFile($email, "Account banned");
                    else if(!$pass){
                        $errors["passLog"] = "Incorrect password";
                        errorLogFile($email, "Incorrect password");
                    }
                else{
                    $errors["email"] = "User with this email, doesn't exist";
                    if(checkErrors("/^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d\s]{6,}$/", $password)){
                        $errors["passLog"] = "Password length has to be at
least 6, and it has to have at least one number and no special characters";
            if(count($errors) == 0){
                $user = login($email, md5($password));
                enterLogFile($user->email, $user->role);
                if($user){
                    $ SESSION['user'] = $user;
                    echo json_encode("Welcome ".$user->name);
                    http_response_code(201);
            else echo json_encode($errors);
```

```
catch(PDOException $exception){
    http_response_code(500);
}

else{
    http_response_code(404);
}
```

3.1.31 models/messages.php

```
session_start();
   header("Content-type: application/json");
   $errors = [];
   if(isset($_POST['btn'])){
        include "functions.php";
        include "../connection/database.php";
       try{
            $name = $_POST['name'];
            $email = $ POST['email'];
            $message = $_POST['message'];
            if(checkErrors("/^[A-Z][a-z]{2,15}$/", $name)){
                $errors["name"] = "Plese enter your name ex. David James";
            if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
                $errors["email"] = "Please enter your email ex.
email@gmail.com";
            if(checkErrors("/^([\w\.\-\s]{10,150})+$/", $message)){
                $errors["message"] = "Plese enter your last name name ex.
James":
            if(count($errors) == 0){
               if(sendMessage($name, $email, $message)){
                    echo json_encode("Your message has been sent succesfuly");
                    http_response_code(201);
               }
            else echo json_encode($errors);
        catch(PDOException $exception){
            http_response_code(500);
```

```
}
else{
   http_response_code(404);
}
```

3.1.32 models/photo-manipulation.php

```
session_start();
include "../connection/database.php";
include "functions.php";
if(isset($_POST['deletePhoto'])){
    $src = $_POST['imgSrc'];
    $user = $_SESSION['user'];
    if($user->profile_img_id != 1){
        $src = "../img/".$src;
        if(file_exists($src)){
            unlink($src);
        if(updateProfileImg($user->user_id, 1)){
            if(deleteFunction("profile_img", "profile_img_id", $user-
 profile_img_id)){
                header("Location: sign-out.php?id=1");
        }
    }
    else{
        header("Location: ../user.php");
    }
else if(isset($_FILES['changePhoto'])){
    $file = $_FILES['changePhoto'];
    $name = $file['name'];
    $tempName = $file['tmp_name'];
    $size = $file['size'];
    $type = $file['type'];
    $errors = $file['error'];
    $countErr = 0;
    $allopwedType = ["image/jpg", "image/jpeg", "image/png"];
```

```
header("Location: ../user.php");
    if(!in_array($type, $allopwedType)){
        $countErr++;
        $errors++;
        $_SESSION['profileTypeError'] = "Allowed types are jpg, jpeg or png";
    if($countErr == 0){
        $newName = time()."_".$name;
        $src = "../img/".$newName;
        $alt = time()."-user".$_SESSION['user']->user_id."_profilepicture";
        if(move_uploaded_file($tempName, $src)){
            if(addProfilePicture($newName, $src)){
                $img = $conn->lastInsertId();
                if(updateData($_SESSION['user']->user_id, "profile_img_id",
$img)){
                    header("Location: sign-out.php?id=1");
                }
        }
    }
    else{
        header("Location: ../user.php");
    }
else{
    http_response_code(404);
```

3.1.33 models/post-comment.php

```
<?php
session_start();
header('Content-Type: application/json');
$errors = [];
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $comment = $_POST['comment'];
        $idUser = $_POST['idUser'];
        $idNew = $_POST['idNew'];
        if(trim($comment) != ""){</pre>
```

```
if(isset($_POST['idComment'])){
                $idComment = $_POST['idComment'];
                $postComment = postComment($comment, $idUser, $idNew,
$idComment);
            else{
                $postComment = postComment($comment, $idUser, $idNew, null);
            if($postComment){
                echo json_encode("You seccessfuly posted a comment");
                http_response_code(201);
        }
        else{
            $errors["comment"] = "Please enter comment";
            echo json_encode($errors);
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
else{
    header("HTTP/1.0 404 Not Found");
```

3.1.34 models/post-survey.php

3.1.35 models/registration2.php

```
require "../mail/PHPMailer.php";
require "../mail/SMTP.php";
require "../mail/Exception.php";
session_start();
header('Content-Type: application/json');
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
$errors = [];
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    try{
        $name = $_POST['name'];
        $lastName = $_POST['lastName'];
        $email = $_POST['email'];
        $password = $_POST['password'];
        if(checkErrors("/^[A-Z][a-z]{2,15}$/", $name)){
            $errors["name"] = "Plese enter your name ex. David";
```

```
if(checkErrors("/^[A-Z][a-z]{2,15}(\s([A-Z][a-z]{2,15})){0,3}$/",
$lastName)){
            $errors["lastName"] = "Plese enter your last name name ex. James";
        if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
            $errors["email"] = "Please enter your email ex. email@gmail.com";
        else{
            $exist = checkEmail($email);
            if($exist){
                $errors["email"] = "This email is already in use, please enter
another email ";
        if(checkErrors("/^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d\s]{6,}$/",
$password)){
            $errors["password"] = "Password length has to be at least 6, and
it has to have at least one number and no special characters";
        if(count($errors) == 0){
            $registerUser = registration($name, $lastName, $email,
md5($password));
            if($registerUser){
                try {
                    $link =
"http://biznewsnc4.infinityfreeapp.com/login.php?userRegister=".$conn-
>lastInsertId()."&unique=".time();
                    $mail = new PHPMailer(true);
                                                         //Enable verbose
                    //Server settings
debug output
                    $mail-
>isSMTP();
                                                      //Send using SMTP
                    $mail->Host = "smtp.gmail.com";
SMTP server to send through
                    $mail->SMTPAuth
true;
                                        //Enable SMTP authentication
                    $mail->Username
'biznewse.supp@gmail.com';
                                               //SMTP username
                    $mail->Password =
'rkzmmrzgydetqgqs';
                    $mail->SMTPSecure = "ssl";
                                                         //Enable implicit
TLS encryption
                    $mail->Port = 465;
                    $mail-
>isHTML(true);
                                                 //TCP port to connect to; use
587 if you have set `SMTPSecure = PHPMailer::ENCRYPTION STARTTLS`
                   //Recipients
```

```
$mail->setFrom('biznewse.supp@gmail.com', 'Admin');
                    $mail->addAddress($email, $name);
                    $mail->Subject = 'Please activate your account';
                    $mail->Body = "Please activate your account by clicking <a</pre>
href='$link'>Here</a>";
                    if($mail->send()){
                        echo json_encode("We've sent you activational link on
email.");
                        http_response_code(201);
                    }
                catch (Exception $e) {
                    echo "Message could not be sent. Mailer Error: {$mail-
ErrorInfo}";
                    http_response_code(500);
                }
            }
        else echo json_encode($errors);
    catch(PDOException $exception){
        http_response_code(500);
else{
    http_response_code(404);
```

3.1.36 models/sign-out.php

```
session_start();
if(isset($_GET['id'])){
    if(isset($_SESSION['user']));
        unset($_SESSION['user']);
        header("Location: ../index.php");
    }
}
else{
    header("HTTP/1.0 404 Not Found");
}
```

3.1.37 models/functions.php

```
//header("HTTP/1.0 404 Not Found");
function checkErrors($reg, $var){
    $error = false;
    if(!preg_match($reg, $var)){
        $error = true;
    return $error;
function selectAll($table){
    global $conn;
    $query = "SELECT * FROM $table";
    $result = $conn->query($query)->fetchAll();
    return $result;
function selectHeadlines(){
    global $conn;
    $query = "SELECT * FROM img i INNER JOIN news n ON i.img id=n.img id INNER
JOIN category c ON n.category id=c.category id ORDER BY n.date DESC LIMIT 11";
    $result = $conn->query($query)->fetchAll();
    return $result;
function trendingNews(){
    global $conn;
    $query = "SELECT n.news_id, n.title, n.content, n.date, n.img_id,
n.category_id, ca.name FROM comments c INNER JOIN news n on
c.news id=n.news id INNER JOIN category ca on n.category id=ca.category id
GROUP BY n.news_id, n.title, n.content, n.date, n.img_id, n.category_id,
ca.name ORDER BY COUNT(c.comm id) DESC LIMIT 3";
    $result = $conn->query($query)->fetchAll();
    return $result;
function countNews($id){
    global $conn;
    $query = "SELECT COUNT(*) AS number FROM news WHERE category_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
```

```
function singleNew($id){
    global $conn;
    $query = "SELECT * FROM img i INNER JOIN news n ON i.img_id=n.img_id INNER
JOIN category c ON n.category_id=c.category_id WHERE n.news_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function registration($name, $lastName, $email, $password){
    global $conn;
    $query = "INSERT INTO users(name, last_name, email, password) VALUES
(:name, :lastName, :email, :password)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':name', $name);
    $prepare->bindParam(':lastName', $lastName);
    $prepare->bindParam(':email', $email);
    $prepare->bindParam(':password', $password);
    $result = $prepare->execute();
    return $result;
function login($email, $password){
    global $conn;
    $query = "SELECT * FROM roles r INNER JOIN users u ON r.role id =
u.role_id INNER JOIN profile_img p on u.profile_img_id = p.profile_img_id
WHERE u.email = :email AND u.password = :password AND u.active = 0";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':email', $email);
    $prepare->bindParam(':password', $password);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function checkPassword($email, $password){
    global $conn;
    $query = "SELECT password FROM users WHERE email = :email AND password =
:password";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':password', $password);
    $prepare->bindParam(':email', $email);
```

```
$prepare->execute();
    $result = $prepare->fetch();
    return $result;
function checkActive($email){
   global $conn;
    $query = "SELECT active FROM users WHERE email = :email";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':email', $email);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function checkEmail($email){
    global $conn;
    $query = "SELECT email FROM users WHERE email = :email";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':email', $email);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function profile($id){
    global $conn;
    $query = "SELECT * FROM profile_img WHERE user_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function addProfilePicture($alt, $src){
    global $conn;
    $query = "INSERT INTO profile_img(alt, src) VALUES(:alt, :src)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':alt', $alt);
    $prepare->bindParam(':src', $src);
    $result = $prepare->execute();
    return $result;
```

```
function updateData($id, $column, $value){
    global $conn;
    $query = "UPDATE users SET $column = :value WHERE user_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->bindParam(':value', $value);
    $result = $prepare->execute();
    return $result;
function updateTable($id, $table, $column, $value, $where){
    global $conn;
    $query = "UPDATE $table SET $column = :value WHERE $where = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->bindParam(':value', $value);
    $result = $prepare->execute();
    return $result;
function addCategory($name){
    global $conn;
    $query = "INSERT INTO category(name) VALUES(:name)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':name', $name);
    $result = $prepare->execute();
    return $result;
function checkCat($name){
    global $conn;
    $query = "SELECT name FROM category WHERE name = :name";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':name', $name);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function getComments($id){
    global $conn;
```

```
$query = "SELECT * FROM comments c INNER JOIN users u ON c.user_id =
u.user_id INNER JOIN profile_img p ON u.profile_img_id = p.profile_img_id
WHERE c.news_id = :id AND c.reply IS NULL ORDER BY c.comment_date DESC";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function postComment($comment, $user, $new, $idComment){
    global $conn;
    $query = "INSERT INTO comments(content, user_id, news_id, reply)
VALUES(:comment, :user, :new, :idComment)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':comment', $comment);
    $prepare->bindParam(':user', $user);
    $prepare->bindParam(':new', $new);
    $prepare->bindParam(':idComment', $idComment);
    $result = $prepare->execute();
    return $result;
function getRepyComments($reply){
    global $conn;
    $query = "SELECT * FROM comments c INNER JOIN users u ON c.user id =
u.user id INNER JOIN profile img p ON u.profile img id = p.profile img id
WHERE c.reply = :reply ORDER BY c.comment_date DESC";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':reply', $reply);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function deleteComment($id, $reply){
    global $conn;
    if($reply){
        $query = "DELETE FROM comments WHERE reply = :id";
    }
    else{
        $query = "DELETE FROM comments WHERE comm id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
```

```
$result = $prepare->execute();
    return $result;
function changeStatus($id, $change, $value){
    global $conn;
    if($value == "role"){
        $query = "UPDATE users SET role_id = :change WHERE user_id = :id";
    else if($value == "active"){
        $query = "UPDATE users SET active = :change WHERE user_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->bindParam(':change', $change);
    $result = $prepare->execute();
    return $result;
function addNew($title, $content, $category_id, $img_id){
    global $conn;
    $query = "INSERT INTO news(title, content, category_id, img id) VALUES
(:title, :content, :category_id, :img_id)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':title', $title);
    $prepare->bindParam(':content', $content);
    $prepare->bindParam(':category_id', $category_id);
    $prepare->bindParam(':img_id', $img_id);
    $result = $prepare->execute();
    return $result;
function updateNew($id, $title, $content, $category){
    global $conn;
    $query = "UPDATE news SET title = :title, content = :content, category_id
 :category WHERE news id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':title', $title);
    $prepare->bindParam(':content', $content);
    $prepare->bindParam(':category', $category);
    $prepare->bindParam(':id', $id);
    $result = $prepare->execute();
    return $result;
```

```
function addImg($src, $alt){
    global $conn;
    $query = "INSERT INTO img(src, alt) VALUES(:src, :alt)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':src', $src);
    $prepare->bindParam(':alt', $alt);
    $result = $prepare->execute();
    return $result;
function deleteFunction($table, $name, $id){
    global $conn;
    $query = "DELETE FROM $table WHERE $name = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $result = $prepare->execute();
    return $result;
function sendMessage($name, $email, $message){
    global $conn;
    $query = "INSERT INTO messages(name, email, message) VALUES(:name, :email,
:message)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':name', $name);
    $prepare->bindParam(':email', $email);
    $prepare->bindParam(':message', $message);
    $result = $prepare->execute();
    return $result;
function allNews2($filter, $sort, $limit = 0){
    global $conn;
    $criteria = "";
    if($filter != null && $filter != 0){
        $criteria = "WHERE c.category_id = :cat ";
    if($sort != null && $sort != 0){
        if($sort == 1){
            $criteria.="ORDER BY n.date DESC ";
        else{
            $criteria.="ORDER BY n.date ASC ";
```

```
$query = "SELECT * FROM img i INNER JOIN news n ON i.img_id=n.img_id INNER
JOIN category c ON n.category_id=c.category_id ".$criteria."LIMIT :limit, 4";
    $prepare = $conn->prepare($query);
    \frac{1}{1} $\frac{1}{1} \text{mit} = \frac{1}{1} \text{mit} \frac{1}{1} \text{mit} \frac{1}{1} \text{mit}
    $prepare->bindParam(":limit", $limit, PDO::PARAM_INT);
    if($filter != null && $filter != 0){
        $prepare->bindParam(":cat", $filter);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function getActUser($id){
    global $conn;
    $query = "SELECT user id, date, active FROM users WHERE user id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(":id", $id);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function postSurvey($response){
    global $conn;
    $query = "INSERT INTO answers(response_id) VALUES(:response)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':response', $response);
    $result = $prepare->execute();
    return $result;
function userSurvey($survey, $user){
    global $conn;
    $query = "INSERT INTO survey_users(survey_id, user_id) VALUES(:survey,
:user)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':survey', $survey);
    $prepare->bindParam(':user', $user);
    $result = $prepare->execute();
```

```
return $result;
function surverAnswers($id){
    global $conn;
    $query = "SELECT * FROM answers WHERE response_id=:id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':id', $id);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function surveyOptions($id){
    global $conn;
    $query = "SELECT * FROM responses WHERE survey_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(":id", $id);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function addSurvey($question){
    global $conn;
    $query = "INSERT INTO survey(question) VALUES(:question)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':question', $question);
    $result = $prepare->execute();
    return $result;
function addSurveyResponses($response, $id){
    global $conn;
    $query = "INSERT INTO responses(response text, survey id)
VALUES(:response, :id)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(':response', $response);
    $prepare->bindParam(':id', $id);
    $result = $prepare->execute();
    return $result;
function availableSurvey($id){
```

```
global $conn;
    $query = "SELECT * FROM survey WHERE survey_id NOT IN (SELECT s.survey_id
FROM survey s INNER JOIN survey_users su ON s.survey_id=su.survey_id WHERE
su.user_id=:id) AND active = 1";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(":id", $id);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function getSurvResponses($id){
    global $conn;
    $query = "SELECT * FROM responses WHERE survey_id = :id";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(":id", $id);
    $prepare->execute();
    $result = $prepare->fetchAll();
    return $result;
function answersDelete($id){
    global $conn;
    $query = "DELETE from answers WHERE response_id IN(SELECT response_id FROM
responses WHERE survey_id=:id)";
    $prepare = $conn->prepare($query);
    $prepare->bindParam(":id", $id);
    $result = $prepare->execute();
    return $result;
function newsNumber($filter){
    global $conn;
    $criteria = "";
    if($filter != null && $filter != 0){
        $criteria = " WHERE category_id = :category";
    $query = "SELECT COUNT(*) AS number FROM news".$criteria;
```

```
$prepare = $conn->prepare($query);
    if($filter != null && $filter != 0){
        $prepare->bindParam(":category", $filter);
    $prepare->execute();
    $result = $prepare->fetch();
    return $result;
function enterLogFile($email, $role){
    $logFile = fopen("../data/login.txt", "a");
    if($logFile){
        $data = $email."\t".date("j.m.Y
G:i:s")."\t".$_SERVER['REMOTE_ADDR']."\t"."Logged in"."\t".$role."\n";
        fwrite($logFile, $data);
        fclose($logFile);
    }
function errorLogFile($email, $error){
    $errorFile = fopen("../data/errorLog.txt", "a");
    if($errorFile){
        $data =
$email."\t".date("j.n.Y")."\t".date("H:i:s")."\t".$_SERVER['REMOTE_ADDR']."\t"
$error."\n";
        fwrite($errorFile, $data);
        fclose($errorFile);
function lockAccount($email, $minutes){
    $attempts = 0;
    $currentTime = time();
    $file = file("../data/errorLog.txt");
    foreach ($file as $row) {
        $row = trim($row);
        $values = explode("\t", $row);
        if ($values[0] == $email) {
            $loginTime = getTime($values[1], $values[2]);
            if ($currentTime - $loginTime <= 60 * $minutes && $values[4] ==</pre>
'Incorrect password') {
                $attempts++;
        }
    return $attempts;
function dailyStat($file){
```

```
$data = "";
    $currentTime = time();
    $stat = fopen("data/$file.txt", "r");
    $file = file("data/$file.txt");
    fclose($stat);
    foreach($file as $row){
        $row = trim($row);
        $values = explode("\t", $row);
        $findTime = getTime($values[1], $values[2]);
        if ($currentTime - $loginTime <= 84000){</pre>
            $data.=$row;
        }
    return $data;
function getTime($givenDate, $givenTime){
    $date = explode(".", $givenDate);
    $time = explode(":", $givenTime);
    $hour = intval($time[0]);
    $minute = intval($time[1]);
    $second = intval($time[2]);
    $day = intval($date[0]);//nema
    $month = intval($date[1]);//nema
    $year = intval($date[2]);
    return mktime($hour, $minute, $second, $month, $day, $year);
```

3.1.38 models/survey-status.php

```
<?php
session_start();
header('Content-Type: application/json');
if(isset($_POST['btn'])){
    include "../connection/database.php";
    include "functions.php";
    $id = $_POST['id'];
    $status = $_POST['status'];
    try{
        if(updateTable($id, "survey", "active", $status, "survey_id")){
            echo json_encode(true);
            http_response_code(201);
        }
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
}</pre>
```

```
}
else{
   http_response_code(404);
}
```

3.1.39 models/pagination.php

```
session_start();
header("Content-type: application/json");
if(isset($_GET['btn'])){
    include "functions.php";
    include "../connection/database.php";
   try{
        $limit = $_GET["limit"];
        $filter = isset($_GET["category"]) ? $_GET["category"] : null;
        $sort = isset($_GET["sort"]) ? $_GET["sort"] : null;
        $news = allNews2($filter, $sort, $limit);
        $pages = newsNumber($filter)->number;
        $dates = [];
        $comments = [];
        foreach($news as $n){
            array_push($dates, date("1, j M Y", strtotime($n->date)));
        }
        echo json_encode([
            "news" => $news,
            "pages" => $pages,
            "dates" => $dates
        ]);
    catch(PDOException $exception){
       http_response_code(500);
    }
}
else{
   http_response_code(404);
}
```

3.2 CSS

3.2.1 css/style2.css

```
.nemanja img{
    width: 110px;
    height: 110px;
    object-fit: cover;
    background-color: transparent;
#user-settings{
   border-radius: 50%;
   width: 200px;
    height: 200px;
    overflow: hidden;
#mini-picture{
    border-radius: 50%;
    width: 70px;
    height: 70px;
    overflow: hidden;
#dropdownMenuButton:hover{
    cursor: pointer;
#ptp:hover{
    cursor: pointer;
.nc-delete, .nc-delete-message{
    top: 0px;
    right: 0px;
```

3.3 JavaScript

3.3.1 js/main2.js

```
Let errors = [];
Let idComm = "";
Let cts = $('#footer-cat').children();
Let objCats = [];
for(i of cts){
```

```
objCats.push({id: i.getAttribute('data-id'), name: i.text});
function ajaxCallback(page, method, data, result){
    $.ajax({
      url: `${page}.php`,
      method: method,
      dataType: "json",
      data: data,
      success: result,
      error: (xhr, exception) =>{
          var errorMessage = '';
          if (xhr.status === 0){
              errorMessage = 'You are not connected, please check your
internet connection';
          else if(xhr.status == 404){
              errorMessage = 'Error 404 page not found.';
          else if(xhr.status == 500){
              errorMessage = 'Error 500 internal server error';
          else if(exception === 'parsererror'){
              errorMessage = 'JSON parse failed';
          }
          else if(exception === 'timeout'){
              errorMessage = 'Time out error.';
          else if(exception === 'abort'){
              errorMessage = 'Ajax request aborted.';
          }
          else{
              errorMessage = 'Uncaught Error.\n' + xhr.responseText;
          alert(errorMessage);
          console.log(xhr)
      }
    })
$(document).ready(function(){
    $('body').on('click','.replyComment',function(){
        $('#leave-reply').text("Reply");
        $('#comment').focus();
        idComm = $(this).parent().parent().find('input[type=hidden]').val();
    $('body').on('click','.nc-delete',function(){
        let send = {
            id: $(this).parent().find('input[type=hidden]').val(),
            btn: true
```

```
ajaxCallback("models/delete-comment", "post", send, result=>{
        });
    });
    $('body').on('change','.status',function(){
        let send = {
            id: $(this).parent().parent().find('input[type=hidden]').val(),
            dataValue: $("option:selected", this).val(),
            column: $(this).data('type'),
            btn: true
        ajaxCallback("models/admin", "post", send, result=>{
        });
    });
    $(document).on('click', '.news-pagination', function(elem){
        elem.preventDefault();
        let limit = $(this).data('limit');
        filterChange(limit);
    });
    $(document).on('click', '.category-btn', function(elem){
        elem.preventDefault();
        let view = $(this).data('view');
        localStorage.setItem("view", JSON.stringify(view));
        location.href = "index.php?page=all-news";
    });
    let url = window.location.href;
    url = url.slice(url.indexOf('=')+1, url.length);
    console.log(url);
    if(url == "index" || url == "/" || url.indexOf("index")!= -1){
        $("nav a[href='index.php?page=index']").addClass("active");
    else if(url == "category"){
        $("nav a[href='index.php?page=category']").addClass("active");
    else if(url == "login"){
        $("#login").click(function(){
            formCheck((\#email").val(), /^[w-\.]+@([w-]+\.)+[w-]{2,4}$/,
"email", "Please enter your email ex. email@gmail.com");
            formCheck($("#password").val(), /^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d\s]{6,}$/, "password", "Password length has to be at least 6, and it has to
have at least one number and no special characters");
            if(errors.length == 0){
                let send = {
                    email: $("#email").val(),
                    password: $("#password").val(),
                    btnl: true
                ajaxCallback("models/login", "post", send, result=>{
                    serverCheck(result.email ,"email");
```

```
serverCheck(result.passLog ,"password");
                    if(typeof(result) == "string"){
                        $('#login').after(`
3'>${result}`);
                        setTimeout(function(){
                            window.location.replace("index.php");
                        }, 1000);
               });
            }
        });
    else if(url == "registration"){
        $("#register").click(function(){
            formCheck($("#name").val(), /^[A-Z][a-z]{2,15}$/, "name", "Please
enter your name ex. David");
            formCheck($("#lastName").val(), /^[A-Z][a-z]{2,15}(\s([A-Z][a-
z]{2,15})){0,3}$/, "lastName", "Please enter your last name ex. James");
            formCheck($("#email").val(), /^[\w-\.]+@([\w-]+\.)+[\w-]{2,4}$/,
"email", "Please enter your email ex. email@gmail.com");
            formCheck($("#password").val(), /^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d\s]{6,}$/, "password", "Password length has to be at least 6, and it has to
have at least one number and no special characters");
            formCheck($("#conf-password").val(), /^(?=.*[A-Za-z])(?=.*\d)[A-
Za-z\d\s]{6,}$/, "conf-password", "Password do not match");
            if(errors.length == 0){
                $(this).after("Please wait a second")
                let send = {
                    name: $("#name").val(),
                    lastName: $("#lastName").val(),
                    email: $("#email").val(),
                    password: $("#password").val(),
                    btn: true
                ajaxCallback("models/registration2", "post", send, result=>{
                    serverCheck(result.name ,"name");
                    serverCheck(result.lastName ,"lastName");
                    serverCheck(result.email , "email");
                    serverCheck(result.password , "password");
                    formCheck($("#conf-password").val(), /^(?=.*[A-Za-
z])(?=.*\d)[A-Za-z\d\s]{6,}$/, "conf-password");
                    if(typeof(result) == "string" && formCheck($("#conf-
password").val(), /^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d\s]{6,}$/, "conf-
password")){
                        $('#model').append(`<div class="modal fade"</pre>
id="successful-registration" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
                        <div class="modal-dialog" role="document">
                          <div class="modal-content">
```

```
<div class="modal-header">
                               <h5 class="modal-title"
id="exampleModalLabel">${result}</h5>
                            </div>
                            <div class="modal-body">
                                 You have successefuly logged in, thank you for
joining
                            </div>
                            <div class="modal-footer">
                               <a href="index.php" class="btn btn-primary">Ok
let's go</a>
                            </div>
                          </div>
                        </div>
                      </div>`);
                      $('#successful-registration').modal('show');
                });
        });
    else if(url.indexOf("single") != -1){
        console.log("tu je");
        setInterval(function(){
            $("#reloadDiv").load(location.href + " #rld");
        }, 1000);
        $('#postComment').click(commFunction);
        $('#deleteNew').click(function(){
            let send = {
                id: $('#idNew').val(),
                img: $(this).data('img'),
                src: $(this).data('src'),
                btn: true
            ajaxCallback("models/delete-new", "post", send, result=>{
                if(result != ""){
                    $('#single-modal').append(`<div class="modal fade"</pre>
id="delete-new-mdl" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
                    <div class="modal-dialog" role="document">
                      <div class="modal-content">
                        <div class="modal-header">
                          <h5 class="modal-title"
id="exampleModalLabel">${result}</h5>
                        </div>
                        <div class="modal-body">
                            New deleted
                        </div>
                        <div class="modal-footer">
```

```
<a href="index.php" class="btn btn-primary">OK
go</a>
                       </div>
                     </div>
                   </div>
                 </div>`);
                 $('#delete-new-mdl').modal('show');
           });
       });
   else if(url == "contact"){
       $("nav a[href='index.php?page=contact']").addClass("active");
       $('#btnContactMessage').click(function(){
           formCheck($('#contactName').val(), /^[A-Z][a-z]{2,15}$/,
"contactName", "Please enter your name ex. David");
           formCheck(((-+contactEmail).val(), /^[v-\.]+@([v-]+v.)+[v-
[2,4]$/, "contactEmail", "Please enter your email ex. email@gmail.com");
           formCheck($("#contactMessage").val(), /^([\w\.\-\s]{10,150})+$/,
"contactMessage", "Message should have at least 10 characters");
           if(errors.length == 0){
               let send = {
                   name: $("#contactName").val(),
                   email: $("#contactEmail").val(),
                   message: $("#contactMessage").val(),
                   btn: true
               ajaxCallback("models/messages", "post", send, result=>{
                    serverCheck(result.name ,"contactName");
                   serverCheck(result.email ,"contactEmail");
                   serverCheck(result.message ,"contactMessage");
                   if(typeof(result) == "string"){
                       $('#form-contact').trigger("reset");
                       $('#contactMessage').after(`
success' id='pass'>${result}`);
               });
           }
       });
   else if(url.indexOf("all-news") != -1){
        let cat = 0;
        if(JSON.parse(localStorage.getItem("view")) != null){
           cat = JSON.parse(localStorage.getItem("view"));
        localStorage.removeItem("view");
        let send = {
           limit: 0,
           category: cat,
```

```
btn: true
        ajaxCallback("models/pagination", "get", send, result=>{
            printNews(result.news, result.dates);
           printPagination(result.pages);
        $(`#filterNews option[value=${cat}]`).attr('selected', 'selected');
        $("nav a[href='index.php?page=all-news']").addClass("active");
});
$('#add-survey-btn').click(function(){
    if(!$('#add-more').is(':visible')){
        $(this).next().after("Add
more");
        $('#add-more').after("<input type='button' value='Done' class='btn</pre>
btn-success' id='send-survey' />")
    $(this).next().after(`<input type="text" class="form-control w-50 surv-</pre>
respones mt-3" placeholder="Response" />`);
    $(this).off();
    $('#add-more').click(function(){
        $(this).before(`<input type="text" class="form-control w-50 surv-</pre>
respones mt-3" placeholder="Response" />`);
    });
    $('#send-survey').click(function(){
        let question = $('#add-survey').val();
        let respones = [];
        $('.surv-respones').each(function(){
            if($(this).val().trim() != ""){
                respones.push($(this).val());
        });
        formCheck(question, /^\w/, "add-survey", "Please enter question");
        console.log(respones.length);
        if(respones.length < 2){</pre>
            $('.surv-respones').last().attr('id', 'last-res');
            formCheck("false", "true", "last-res", "You have to enter at least
two responses.");
        formCheck("true", "true", "last-res", "You have to enter at least two
responses.");
       if(errors.length == 0){
            let send = {
                question: question,
                respones: respones,
                btn: true
            ajaxCallback("models/add-survey", "post", send, result=>{
```

```
location.reload();
            });
        }
    });
});
$('.cb-survey').change(function(){
    if($(this).is(':checked')){
        var status = 1;
    }
    else{
        var status = 0;
    let send = {
        id: $(this).parent().parent().data('id'),
        status: status,
        btn: true
    ajaxCallback("models/survey-status", "post", send, result=>{
    });
});
$('#editNew').click(function(){
    let title = $(this).next();
    let content = $(this).next().next();
    let cat = $(this).prev().prev();
    $(cat).remove();
    $(title).remove();
    $(content).remove();
    $(this).parent().children().first().before(makeSelect(objCats,
$(cat).data('cat')));
    $(this).after(`<input type="button" class="btn btn-sm btn-success rounded</pre>
mt-3" id="finish-edit-new" value="Done" />`);
    $(this).after(`<textarea cols="30" rows="15" class="form-control mt-3"</pre>
id="txt-content">${$(content).text()}</textarea>`);
    $(this).after(`<textarea cols="30" rows="3" class="form-control mt-3"</pre>
id="txt-title">${$(title).text()}</textarea>`);
    $('#finish-edit-new').click(function(){
        let newTitle = $('#txt-title').val();
        let newContent = $('#txt-content').val();
        Let newCat = $('#edit-new-category option:selected').val();
        formCheck(newTitle, /^([\w\.\-\s\!\?\,\(\)\"\'\:\;\@]){10,80}$/, "txt-
title", "Title must have between 10 and 80 characters");
        formCheck(newContent, /^([\w\.\-\s\!\?\,\(\)\"\'\:\;\@]){30,}$/, "txt-
content", "Content should have at least 30 characters");
        formCheck(newCat, /^[1-9]\d^{*}, "edit-new-category", "Don't try to
break this website, you are not smarter than me ;)");
        if(errors.length == 0){
            let send = {
                idNew: $('#idNew').val(),
```

```
category: newCat,
                title: newTitle,
                content: newContent,
                btn: true
            ajaxCallback("models/edit-new", "post", send, result=>{
                serverCheck(result.title, "txt-title");
                serverCheck(result.content, "txt-content");
                serverCheck(result.category, "edit-new-category");
                if(result == true){
                    location.reload();
            });
    });
});
Let regCat = /^{(A-Z)[a-z]{2,15}}{1,5}(\s[A-Z]{0,2}[a-z]{2,15}){0,4}$/;
$('#add-category').click(function(){
    errors = [];
    let nameCat = $("#add-category-text").val();
    formCheck(nameCat, regCat, "add-category-text", "Category must start with
capital and have no nubers");
    console.log(errors);
    if(errors.length == 0){
        let send = {
            nameCat: nameCat,
            btn: true
        ajaxCallback("models/add-category", "post", send, result=>{
            serverCheck(result.nameCat , "add-category-text");
            if(result == true){
                location.reload();
        });
});
$('.edit-category').click(function(){
    errors = [];
    let edit = $(this).parent().prev().children().first().val();
    formCheck(edit, regCat,
$(this).parent().prev().children().first().attr('id'), "Category must start
with capital and have no nubers");
    if(errors.length == 0){
        let send = {
            id: $(this).parent().parent().parent().data('id'),
            edit: edit,
            btn: true
        ajaxCallback("models/edit-category", "post", send, result=>{
```

```
serverCheck(result.edit ,
$(this).parent().prev().children().first().attr('id'));
            if(result == true){
                location.reload();
        });
    }
});
$('.delete-category').click(function(){
    Let send = {
        id: $(this).parent().parent().data('id'),
        btn: true
    ajaxCallback("models/delete-category", "post", send, result=>{
        serverCheck(result.news , $(this).parent().parent().attr('id'));
        if(result == true){
            location.reload();
        }
   });
});
$('#ptp').one('click', function(){
    $(this).after(`<input type="password" class="form-control" id="password"</pre>
placeholder="Change password" /><input type="password" class="form-control mt-</pre>
3" id="conf-password" placeholder="Confirm password" /><input type="button"
class="btn btn-primary mt-3" value="Change" id="cpassBtn" />
2">Note: if you change your password you will be logged out`);
    $('#cpassBtn').click(function(){
        formCheck($("#password").val(), /^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d\s]{6,}$/, "password", "Password length has to be at least 6, and it has to
have at least one number and no special characters");
        formCheck(\$("#conf-password").val(), /^(?=.*[A-Za-z])(?=.*\d)[A-Za-z])
z\d\s]{6,}$/, "conf-password", "Password do not match");
        if(errors.length == 0){
            let send = {
                id: $('#ptp').data('id'),
                password: $('#password').val(),
                btn: true
            ajaxCallback("models/change-password", "post", send, result=>{
                serverCheck(result.password , "password");
                if(result != ""){
                    $('#cpassBtn').after(`
3'>${result}`);
                    setTimeout(function(){
                       window.location.replace("models/sign-out.php?id=1");
                    }, 1500);
            });
```

```
});
});
$('.send-response').click(function(){
    Let mainClass = $(this).prev().children();
    Let name = $(mainClass).first().attr('name');
    Let response = $(`input[name=${name}]:checked`).val();
    let survey = $(this).data('survey');
    console.log(response);
   if(response == undefined){
       if($(`#surr-error${survey}`).is(':visible')) return;
       $(mainClass).last().after(`
danger'>Please select response`);
   let send = {
       survey: $(this).data('survey'),
       response: response,
       btn: true
   ajaxCallback("models/post-survey", "post", send, result=>{
       if(result != true){
           $(mainClass).last().after(`
class='text-danger'>${result.response}`);
       location.reload();
   });
});
$('.nc-delete-survey').click(function(){
    let send = {
       id: $(this).parent().parent().data('id'),
       btn: true
   ajaxCallback("models/delete-survey", "post", send, result=>{
       if(result == true){
           location.reload();
       }
   });
});
$('.nc-delete-message').click(function(){
   let send = {
       id: $(this).data('id'),
       btn: true
   ajaxCallback("models/delete-message", "post", send, result=>{
       if(result == true){
           location.reload();
```

```
});
$('#filterNews').change(function(){
    filterChange();
});
$('#orderNews').change(function(){
    filterChange();
});
function printNews(news, dates, limit){
    let html = "";
    let rb = limit * 2 + 1;
    var i = 0;
    for(n of news){
        html += `<div class="col-lg-12">
                    <div class="row news-lg mx-0 mb-3">
                        <div class="col-md-6 h-100 px-0">
                            <img class="img-fluid h-100" src="img/${n.src}"</pre>
alt="${n.alt}" style="object-fit: cover;">
                        </div>
                        <div class="col-md-6 d-flex flex-column border bg-</pre>
white h-100 px-0">
                            <div class="mt-auto p-4">
                                <div class="mb-2">
                                    <a class="badge badge-primary text-</pre>
uppercase font-weight-semi-bold p-2 mr-2 category-btn" data-
view="${n.category_id}" href="#">
                                        ${n.name}
                                    </a>
                                    0"><small>${dates[i]}</small>
                                </div>
                                <a class="h4 d-block mb-3 text-secondary text-</pre>
uppercase font-weight-bold" href="index.php?page=single&single=${n.news_id}">
                                    ${n.title.length > 15 ?
n.title.substring(0,15)+"..." :
n.title}
                                ${n.content.length > 130 ?
n.content.substring(0,130)+"..." :
n.content}
                                </div>
                            <div class="d-flex justify-content-between bg-</pre>
white border-top mt-auto p-4">
                                <div class="d-flex align-items-center">
                                </div>
                            </div>
                        </div>
                   </div>
```

```
</div>`;
        rb++;
        i++;
    $('#insert-news').html(html);
function nemanja(){
    return "retu";
function getComments(id){
    let number = "";
    let send = {
       id: id,
        btn: true
    ajaxCallback("models/number-comments", "post", send, result=>{
        if(!isNaN(result)){
            console.log("usao" + result)
            number = result.toString();
            console.log(number);
        }
    });
    console.log("drugi "+number);
    return number;
function printPagination(numberOfPages){
    html = "";
    for(let i = 0; i < numberOfPages / 4; i++){</pre>
        html += `
        <a class="page-link news-pagination" href="#" data-</pre>
limit="${i}">${(i+1)}</a>
        $("#pagination-page").html(html);
function filterChange(limit = 0){
    let category = $('#filterNews option:selected').val();
    let sorting = $('#orderNews option:selected').val();
    Let send = {
        limit: limit,
        category: category,
        sort: sorting,
       btn: true
    };
    try{
        ajaxCallback("models/pagination", "get", send, result=>{
            printNews(result.news, result.dates);
           printPagination(result.pages);
```

```
});
    catch(error){
        console.log(error);
    }
function makeSelect(data, idc){
    let html = "<select id='edit-new-category' class='form-select form-select-</pre>
sm' data-type='active' aria-label='.form-select-sm example'>";
    for(i of data){
        html += `<option value=${i.id} ${idc == i.id ? "selected" :</pre>
""}>${i.name}</>`;
    html += "</select>";
    return html;
function commFunction(){
    if($('#comment').val().trim() != ""){
                if($(`#message-comment`).is(":visible")){
                    $(`#message-comment`).remove();
                    $('#comment').removeClass("border border-danger");
                let send = {
                    comment: $('#comment').val(),
                    idUser: $('#idUser').val(),
                    idNew: $('#idNew').val(),
                    btn: true
                if(idComm != ""){
                    send.idComment = idComm;
                    idComm = "";
                ajaxCallback("models/post-comment", "post", send, result=>{
                    if(result.comment == undefined){
                        $('#leave-reply').text("Leave a comment");
                        $('#comment').val("");
                        $('#comment').after(`
id='comment-message'>${result}`);
                        setTimeout(function(){
                            $("#comment-message").remove();
                        }, 2000);
                    }
                    else{
                        serverCheck(result.comment ,"comment");
                });
```

```
$('#comment').addClass("border border-danger").after("
class='text-danger' id='message-comment'>Please enter comment");
function serverCheck(data, id){
   if(data != undefined){
       if(id == "email"){
           $(`#message-${id}`).remove();
       if(id == "password"){
           $(`#message-${id}`).remove();
       if($(`#message-${id}`).is(":visible")) return;
       $(`#${id}`).addClass('border border-danger').after(`
block text-danger mb-0' id='message-${id}'>${data}`);
   }
   else{
       formCheck("true", "true", id, "m");
function formCheck(val, reg, id, message){
   if(val.match(reg)){
       if(id == "conf-password"){
           if($('#password').val() != val){
               if($(`#message-conf-password`).is(":visible")) return;
              $('#conf-password').addClass('border border-danger').after(`<p</pre>
class='text-danger mb-0' id='message-conf-password'>${message}`);
               errors.push(id);
       $(`#message-${id}`).fadeOut();
       $(`#${id}`).removeClass("border border-danger");
       errors = errors.filter(el=>el != id);
       return true;
   else if(id == "conf-password") {
       if($(`#message-${id}`).is(":visible")) return;
       $(`#${id}`).after(`
${id}'>${message}`).addClass('border border-danger');
       errors.push(id);
   }
   else{
       $('#pass').fadeOut();
       errors.push(id);
       if($(`#message-${id}`).is(":visible")) return;
       $(`#${id}`).after(`
${id}'>${message}`);
       if(id.indexOf("id-") != -1) return;
```

```
$(`#${id}`).addClass("border border-danger");
}
```